

DAFTAR PUSTAKA

- Abu-Ouf, N.M., Jan, M.M. (2015). The impact of maternal iron deficiency and iron deficiency anemia on child's health. *Saudi Meical Journal* 26(2): 146-149. <https://doi.org/10.15537/smj.2015.2.10289>
- Ahmed, N. J., Husen, A. Z., Khoshnaw, N., Getta, H. A., Hussein, Z. S., Yassin, A. K., Jalal, S. D., Mohammed, R. N., & Alwan, A. F. (2020). The Effects of Smoking on IgE, Oxidative Stress and Haemoglobin Concentration. *Asian Pacific journal of cancer prevention: APJCP*, 21(4), 1069–1072. <https://doi.org/10.31557/APJCP.2020.21.4.1069>
- Ardelia, K.I.A., Hardianto, G & Nuswantoro, D. (2019). Passive smoker during pregnancy is a risk factor of low birth weight. *Maj Obs Gin* (27) 1: 12-16. <http://dx.doi.org/10.20473/mog.V27I12019.12-16>
- Alegantina, S. (2018). Penetapan Kadar Nikotin dan Karakteristik Ekstrak Daun Tembakau (*Nicotiana tabacum* L.). *Jurnal Penelitian dan Pengembangan Pelayanan Kesehatan*, 1(2), 113–119. <https://doi.org/10.22435/jpppk.v1i2.509>
- Allen, A. M., Oncken, C., & Hatsukami, D. (2014). Women and Smoking: The Effect of Gender on the Epidemiology, Health Effects, and Cessation of Smoking. *Current Addiction Reports*, 1(1), 53–60. <https://doi.org/10.1007/s40429-013-0003-6>
- Amasha, H. A., & Jaradeh, M. S. (2012). Effect of Active and Passive Smoking during Pregnancy on Its Outcomes. *Ealth Cience Ournal* ®, 6(2).
- Ambrose, J. A., & Barua, R. S. (2004). The Pathophysiology of Cigarette Smoking and Cardiovascular Disease. *Journal of American College of Cardiology*, 43(10). <https://doi.org/10.1016/j.jacc.2003.12.047>
- Anfiksyar, Aryana, M.B.D., Surya, H.W., Manuaba, F.(2019). *Jurnal Medika Udayana*(8) 7.ISSN: 2597-8012
- Ardina, R., Monica, V.A.(2013). Profil Kadar Hemoglobin dan Indeks Eritrosit pada Perokok Aktif di Kelurahan Tanjung Pinang Kota Palangka Raya. *Jurnal Surya Medika*. <https://doi.org/10.33084/jsm.v4i1.351>
- Ariyani, R. (2016). Faktor-Faktor Yang Mempengaruhi Kejadian Anemia Pada Ibu Hamil Trimester III Di Wilayah Kerja Puskesmas Mojolaban Kabupaten Sukoharjo, 1–16.
- ash action on smoking and health. (2019). Smoking and Mental Health Why Are There High Smoking Rates Amongst, (12), 1–11.
- ash scotland. (2015). *Smoking and people with mental health: a neglected epidemic*.
- Astriana, W. (2017). Kejadian Anemia pada Ibu Hamil Ditinjau dari Paritas dan Usia. *Jurnal Ilmu Kesehatan* 2 (2) 123-130
- Astuti, S., Susanti, A.I., Elista, R. (2016). Gambaran Paparan Asap Rokok pada Ibu Hamil Berdasarkan Usia Kehamilan di Desa Cintamulya Kecamatan Jatinangor Kabupaten Sumedang. *JSK* (2)1
- Balarajan, Y., Ramakhrisnan, U., Ozaltin & Subramanian SV. (2011). Anaemia in Low-income and Middle-income Countries. Publish online. [https://doi.org/10.1016/S0140-6736\(10\)62304-5.2011;378:2123-35](https://doi.org/10.1016/S0140-6736(10)62304-5.2011;378:2123-35)

- Berthelon, M., Kruger, D., & Sanchez, R. (2018). Maternal Stress during Pregnancy and Early Childhood Development, (11452).
- BK, S., AK, N., M, A., & AK, S. (2012). The effects of cigarette smoking on hemoglobin levels compared between smokers and non-smokers, (October), 10–13. <https://doi.org/10.3126/stcj.v1i1.7985>
- Black, R. E., Victora, C. G., Walker, S. P., Bhutta, Z. A., Christian, P., De Onis, M., ... Uauy, R. (2013). Maternal and Child Undernutrition and Overweight in Low-income and Middle-income Countries. *The Lancet*, 382(9890), 427–451. [https://doi.org/10.1016/S0140-6736\(13\)60937-X](https://doi.org/10.1016/S0140-6736(13)60937-X)
- Bobak, I. M., Lowdermilk, D. L., & Jensen, M. D. (2004). *Buku Ajar Keperawatan Maternitas*. (R. Komalasari, Ed.) (4th ed.). Jaakarta: EGC.
- Boehm, R. E., Arbo, B. D., Leal, D., Hansen, A. W., & Pulcinelli, R. (2018). Smoking fewer than 20 cigarettes per day and remaining abstinent for more than 12 hours reduces carboxyhemoglobin levels in packed red blood cells for transfusion, 1–11. <https://doi.org/10.1371/journal.pone.0204102>
- Byeon, H. (2015). Association among smoking, depression, and anxiety: Findings from a representative sample of Korean adolescents. *PeerJ*, 2015(10), 1–11. <https://doi.org/10.7717/peerj.1288>
- Center for Disease Control and Prevention. (2010). A Report of the Surgeon General : How Tobacco Smoke Causes Disease. *Center for Disease Control and Prevention*, 1–16. <https://doi.org/Dec 1 2014>
- Christian, L. M. (2012). Physiological reactivity to psychological stress in human pregnancy: Current knowledge and future directions. *Progress in Neurobiology*, 99(2), 106–116. <https://doi.org/10.1016/j.pneurobio.2012.07.003>
- Crane, J. M. G., Keough, M., Murphy, P., Burrage, L., & Hutchens, D. (2011). Effects of environmental tobacco smoke on perinatal outcomes: A retrospective cohort study. *BJOG: An International Journal of Obstetrics and Gynaecology*, 118(7), 865–871. <https://doi.org/10.1111/j.1471-0528.2011.02941.x>
- Creswell, J. W. (2016). Metode Kuantitatif. In *Research Design : Pendekatan Metode Kualitatif, Kuantitatif, dan Campuran* (4th ed., pp. 207–244). Yogyakarta: Penerbit Pustaka Pelajar.
- Critchley, J. A., & Unal, B. (2003). Health effects associated with smokeless tobacco: a systematic review, 30–32.
- Cunningham, F. G., Leveno, K. J., Bloom, S. L., Spong, C. Y., Dashe, J. S., Hoffman, B. L., ... Sheffield, J. S. (2014). *Williams Obstetrics* (24th ed.). United States: Mc Graw Hill Education.
- Dharma, K.K. (2011). *Metodologi Penelitian Keperawatan : Panduan Melaksanakan dan Menerapkan Hasil Penelitian*. Jakarta : CV. Trans Info Media
- Darmawati, Tahlil, T., Siregar, T.N., Kamil, H & Audina, M. (2018). Antenatal Care and Iron Deficiency Anemia among Pregnant Women. Proceeding of The 8th AIC: Health and Life Sciences 2018 – Syiah Kuala University (14-24)
- Dinas kesehatan provinsi DIY. (2017). *Profil Kesehatan Provinsi DI Yogyakarta*

Tahun 2017.

- Ekawati, R., Supangat., Hairrudin. (2019). The Relationship between Exposure Tobacco Smoke in Pregnant Women with Perinatal Death in Jember Regency. *Journal of Agromedicine and Medical Sciences* (5)3
- Fauzy, R., & Fourianalisyawati, E. (2016). The Relationship Of Depression With Quality Of Life In Pregnant Women At High Risk, *4*(2), 206–214.
- Federation of Obstetric & Gynecological Societies of India. (2011). Good clinical practice recommendations for iron deficiency anemia in pregnancy (IDA) in pregnancy in India. *Journal of Obstetrics and Gynecology of India*, *61*(5), 569–571. <https://doi.org/10.1007/s13224-011-0097-5>
- Ford, J. H., & Dobson, A. J. (2004). Smoking and pregnancy [4]. *Medical Journal of Australia*, *181*(5), 285–286.
- Fowles, J., Bates, M., & Noiton, D. (2000). The Chemical Constituents in Cigarettes and Cigarette Smoke : Priorities for Harm Reduction, (March).
- Frazer, K., Fitzpatrick, P., Brosnan, M., Dromey, A. M., Kelly, S., Murphy, M., O'Brien, D., Kelleher, C. C., & McAuliffe, F. M. (2020). Smoking Prevalence and Secondhand Smoke Exposure during Pregnancy and Postpartum-Establishing Risks to Health and Human Rights before Developing a Tailored Programme for Smoking Cessation. *International journal of environmental research and public health*, *17*(6), 1838. <https://doi.org/10.3390/ijerph17061838>
- Gautam, S., Min, H., Kim, H., Jeong, H.S. (2019). Determining factors for the Prevalence of Anemia in Women of Reproductive Age in Nepal: Evidence From Recent National Survey Data. *Journal Plos One*. <https://doi.org/10.1371/journal.pone.0218288.2019>
- Gunatmaningsih, D. (2007). Faktor-Faktor Yang Berhubungan Dengan Kejadian Anemia Pada Remaja Putri Di Sma Negeri 1 Kecamatan Jatibarang Kabupaten Brebes Tahun 2007.
- Guo, C., Moses-Kolko, E., Phillips, M., Swain, J. E., & Hipwell, A. E. (2018). Severity of anxiety moderates the association between neural circuits and maternal behaviors in the postpartum period. *Cognitive, Affective and Behavioral Neuroscience*, *18*(3), 426–436. <https://doi.org/10.3758/s13415-017-0516-x>
- Hanum, H., & Wibowo, A. (2016). The Effect of Environmental Tobacco Smoke Exposure in Pregnant Woman on The Incidence of Low Birth Weight. *Majority*, *5*(5), 2.
- Hapisah., Dasuki, D., Prabandari, Y. S. (2010). Pregnant Women Depressive Symptoms And The Incidence Of Low Birth Weight. *Brita Kedokteran Masyarakat*, *26*(2)
- Hapisah & Tunggal, T.(2019).Anemia Ibu Hamil Pada Perokok Pasif Di Wilayah Puskesmas Kota Banjarmasin Tahun 2016. *Jurnal Skala Kesehatan*. E-ISSN: 2615 - 2126, P-ISSN: 2087 – 152X
- Haran, C., van Driel, M., Mitchell, B. L., & Brodribb, W. E. (2014). Clinical guidelines for postpartum women and infants in primary care-a systematic review. *BMC Pregnancy and Childbirth*, *14*(1), 1–9. <https://doi.org/10.1186/1471-2393-14-51>

- Hashim, N., Farooqi, M., Naqvi, S., & Jaffery, H. F. (2014). Moderate to severe during pregnancy. *Professional Medical Journal*, 2014, 247–252. [https://doi.org/10.1016/S8756-5005\(08\)70036-2](https://doi.org/10.1016/S8756-5005(08)70036-2)
- Hastuti, W & Birahy, Y.(2019). Kejadian Anemia Pada Ibu Hamil Di Puskesmas Kedungmundu Kota Semarang.Jurnal Smart Keperawatan 6(1),41-46.<https://doi.org/10.34310/jskp.v6i1.218>
- Hikita, N., Haruna, M., Matsuzaki, M., Sasagawa, E., Murata, M., Oidovsuren, O., & Yura, A. (2017). Prevalence and risk factors of secondhand smoke (SHS) exposure among pregnant women in Mongolia. *Scientific reports*, 7(1), 16426. <https://doi.org/10.1038/s41598-017-16643-4>
- Ho, C. S. H., Tan, E. L. Y., & Ho, R. C. M. (n.d.). Relationship of Anxiety and Depression with Respiratory Symptoms : Comparison between Depressed and Non-Depressed Smokers in Singapore. <https://doi.org/10.3390/ijerph16010163>
- Holden, J.M., Cox, J.L., Sagovsky, R.(1987). Detection of postnatal depression: Development of the 10-item Edinburgh Postnatal Depression Scale; Revised March 2015. *British Journal of Psychiatry*. 150, 782–786
- Huang LL, Gowreesunkur P, Su MW,Lin LZ, Hui T (2015). The Influence of Iron-deficiency Anemia during the Pregnancy on Preterm Birth and Birth Weight in South China. *Journal of Food and Nutrition Research* 3(9):570-574
- Huang, S. H., Weng, K. P., Huang, S. M., Liou, H. H., Wang, C. C., Ou, S. F., ... Wu, M. T. (2017). The effects of maternal smoking exposure during pregnancy on postnatal outcomes: A cross sectional study. *Journal of the Chinese Medical Association*, 80(12), 796–802. <https://doi.org/10.1016/j.jcma.2017.01.007>
- Husaini, A. (2007). *Tobat Merokok: Rahasia & Cara Empatik Berhenti Merokok*. Jakarta: Pustaka IIMaN.
- Ikeanyi, E. M., & Ibrahim, A. I. (2015). Does antenatal care attendance prevent anemia in pregnancy at term? *Nigerian Journal of Clinical Practice*, 18(3), 323–327. <https://doi.org/10.4103/1119-3077.151730>
- Jablonka, A., Wetzke, M., Sogkas, G., Dopfer, C., Schmidt, R. E., Behrens, G. M. N., & Happel, C. (2018). Prevalence and Types of Anemia in a Large Refugee Cohort in Western Europe in 2015. *Journal of Immigrant and Minority Health*, 20(6), 1332–1338. <https://doi.org/10.1007/s10903-018-0725-6>
- Jarvis, M. J., Russell, M. A. H., Benowitz, N. L., & Feyerabend, C. (1988). Elimination of cotinine from body fluids: Implications for noninvasive measurement of tobacco smoke exposure. *American Journal of Public Health*, 78(6), 696–698. <https://doi.org/10.2105/AJPH.78.6.696>
- Joseph, L., George, M., & George, E. A. (2016). A Review on Association Between Psychiatric Disorders and Iron Deficiency Anemia in a Tertiary Care Teaching Hospital. *International Journal of Drug Research and Technology*, 6(1), 22–27.
- Kemenkes RI. (2017). *Hidup Sehat Tanpa Rokok*.
- Kemenkes RI. (2018). *profil kesehatan indonesia 2018*.

- Kementerian Kesehatan Republik Indonesia. (2018). *Tembakau di Indonesia*. Jakarta.
- Kementerian Pendidikan dan Kebudayaan Republik Indonesia. (2016). Kamus Besar Bahasa Indonesia (Online).
- Kim, N. H., Kim, H. C., Lee, J. Y., Lee, J. M., & Suh, I. (2015). Association between environmental tobacco smoke and depression among Korean women. *BMJ Open*, 5(6), 1–8. <https://doi.org/10.1136/bmjopen-2014-007131>
- Kreuz, J., Skowasch, D., Kamrath, P., Lorenzen, H., Tiyerili, V., Linhart, M., ... Schwab, O. (2015). Influence of Smoking Dosage and Chronic Obstructive Lung Disease on the Incidence of Appropriate Therapies and Mortality in Patients with Structural Heart Disease and an Implantable Cardioverter Defibrillator, 38(January), 71–77. <https://doi.org/10.1111/pace.12497>
- Kwasaki, Y., Miyake, Y., Tanaka, K., Furukawa, S., Arakawa, M.(2017). Smoking and secondhand smoke exposure and prevalence of depressive symptoms during pregnancy in Japan: baseline data from the Kyushu Okinawa Maternal and Child Health Study. *Biomed Central Journal*.<https://doi.org/10.1186/s12971-017-0139-6>
- Lemeshow, S., Jr, D. W. H., Klar, J., & Lwanga, S. K. (1990). *Adequacy of Sample Size in Health Studies*. New York: John Wiley and Sons Ltd.
- Li, L., Huang, L., Shi, Y., et al. (2018). Anemia and student's educational performance in rural Central China: Prevalence, correlates and impacts. <http://dx.doi.org/10.1016/j.chieco.2017.07.006>
- Liem, A. (2016). Pengaruh Nikotin Terhadap Aktivitas Dan Fungsi Otak Serta Hubungannya Dengan Gangguan Psikologis Pada Pecandu Rokok. *Buletin Psikologi*, 18(2), 37–50. <https://doi.org/10.22146/bpsi.11536>
- Lowdermilk, D. L., Perry, S. E., & Cashion, K. (2013). *Keperawatan Maternitas* (8th ed.). Singapura: Elsevier (Singapore).
- Magdalena, Z., Andrzej, B., Włodzimierz, S., Alina, K., & Gabriela, H. (2018). Smoking-Related Behaviours Of Pregnant Women Depending On Their Place. *Central European Journal of Public Health*, 26(1), 34–38. <https://doi.org/10.21101/cejph.a4564>
- Maidartati & Parsaulian, P. (2015). Gambaran Pengetahuan Ibu hamil Trimester I Tentang Pengaruh Rokok Terhadap Tumbuh Kembang Janin di Poli Kandungan RSUD Bandung. *Jurnal Ilmu Keperawatan* (3)1, 38-50.ISSN: 2338-7246
- Malenica, M., Prnjavorac, B., Bego, T., Dujic, T., Semiz, S., Skrbo, S., ... Causevic, A. (2017). Effect of Cigarette Smoking on Haematological Parameters in Healthy Population. *Medical Archives (Sarajevo, Bosnia and Herzegovina)*, 71(2), 132–136. <https://doi.org/10.5455/medarh.2017.71.132-136>
- Mazloomi Mahmoodabad, S. S., Karimiankakolaki, Z., Kazemi, A., Keshavarz Mohammadi, N., Fallahzadeh, H. (2019). Exposure to secondhand smoke in Iranian pregnant women at home and the related factors. *Tobacco Prevention & Cessation*, 5(February), 7. <https://doi.org/10.18332/tpc/104435>
- Mojibyan, M., Karimi, M., Bidaki, R., Rafiee. P., Zare. A.(2012). Exposure to Second-hand Smoke During Pregnancy and Preterm Delivery. *International*

- Journal of High Risk Behaviors and Addiction: 1 (4); 149-153.
<https://doi.org/10.5812/ijhrba.7630>
- Mund, M., Louwen, F., Klingelhoef, D., & Gerber, A. (2013). Smoking and pregnancy - A review on the first major environmental risk factor of the unborn. *International Journal of Environmental Research and Public Health*, 10(12), 6485–6499. <https://doi.org/10.3390/ijerph10126485>
- Mulazim, H., Ibrahim, K.M., Muhammad, S., & Sharmaine, E. (2014). Effect of smoking on red blood cells count, hemoglobin concentration and red cell indices: Pakistan Journal of Medical and health sciences. 361-364
- Ngo, C. Q., Phan, P. T., Vu, G. V., Chu, H. T., Nguyen, T. T., Nguyen, M. H., Phan, H. T., Ong, B., Vu, G. T., Pham, K., Tran, B. X., Latkin, C. A., Ho, C., & Ho, R. (2019). Prevalence and Sources of Second-Hand Smoking Exposure among Non-Smoking Pregnant Women in an Urban Setting of Vietnam. *International journal of environmental research and public health*, 16(24), 5022. <https://doi.org/10.3390/ijerph16245022>
- Nordenberg, D., Yip, R., Binkin, N.J., (2015). The Effect of Cigarette Smoking on Hemoglobin Levels and Anemia Screening. <http://jama.jamanetwork.com/> by a New York University
- Negahban, T. (2010). Passive Smoking During Pregnancy and Obstetric Outcomes in Pregnant Women Referring to Rafsanjan Nicknafs Hospital. *Journal of Rafsanjan University of Medical Sciences* 9(4); 281-292
- Oztora, S., Arslan, A., Caylan, A., & Dagdeviren, H. N. (2019). Postpartum depression and affecting factors in primary care. *Nigerian Journal of Clinical Practice*, 22(1), 85–91. https://doi.org/10.4103/njcp.njcp_193_17
- Plant, D.T., Pariante, C.M., Sharp, D & Pawbly, S. (2015). Maternal depression during pregnancy and offspring depression in adulthood: role of child maltreatment. *The British Journal of Psychiatry*. 207, 213–220. <https://doi.org/10.1192/bjp.bp.114.156620>
- Piasecki, T. M., Hedeker, D., Dierker, L. C., & Mermelstein, R. J. (2016). Progression of Nicotine Dependence, Mood Level, and Mood Variability in Adolescent Smokers. *NHS Public Access*, 30(4), 484–493. <https://doi.org/10.1037/adb0000165>. Progression
- Prawirohardjo, S. (2014). Buku Acuan Nasional Pelayanan Kesehatan Maternal dan Nasional Edisi 1 (281-294). Jakarta: Bina Pustaka
- Proverawati, A. Berat Badan Lahir Rendah. Yogyakarta: Nuha Medika; 2012
- Rahma, A.S. (2016). Analisis Faktor yang Berhubungan dengan Perilaku Merokok Pasif pada Ibu Hamil di Wilayah Kerja Kecamatan Somba Opu Kabupaten Gowa Tahun 2016. Repository Alauddin Makassar
- Rahim, F. K & Muharry, A. (2019). Karbon Monoksida (CO) Pada Ibu Hamil (Perokok Pasif) Terhadap Kejadian Bayi Berat Lahir Rendah (BBLR) di Wilayah Kabupaten Kuningan. *Health Science Journal*. <https://doi.org/10.34305/jikbh.v10i1.86>
- Roosleyn, I. P. T. (2016). Strategi dalam Penanggulangan Pencegahan Anemia pada Kehamilan. *Jurnal Ilmiah Widya*, 3(3), 1–9.
- Rumarjianti, S.I. (2016). Hubungan Antara Jenis Pekerjaan Dengan Anemia Pada Ibu Hamil Pekerja Pabrik Rokok Di Puskesmas Rejosari Kabupaten Kudus

- Jawa Tengah.Tesis.Jurnal Online Universitas Airlangga.<http://repository.unair.ac.id/id/eprint/39712>
- Safitri, R N, Syahrul, F. (2015). Risiko paparan asap rokok terhadap kejadian anemia pada ibu hamil. *Jurnal Berkala Epidemiologi*, 3(3), 327–339.
- Schetter, S.D & Tanner, L. (2012). Anxiety, depression and stress in pregnancy: implications for mothers, children, research, and practice. *PMC Journal* 25(2): 141–148.<https://doi:10.1097/YCO.0b013e3283503680>
- Schetter, C. D. (2014). Psychological Science on Pregnancy : Stress Processes , Biopsychosocial Models , and Emerging Research Issues, (June). <https://doi.org/10.1146/annurev.psych.031809.130727>
- Seu, M. M. V., Mose, J. C., Panigoro, R., & Sahiratmadja, E. (2019). Anemia Prevalence after Iron Supplementation among Pregnant Women in Midwives Practice of Primary Health Care Facilities in Eastern Indonesia. *Anemia*, 2019. <https://doi.org/10.1155/2019/1413906>
- Sharma, J. B., & Shankar, M. (2010). Anemia in Pregnancy. *JIMSA*, 23(4), 253–260.
- Shin, J.K., Han, K., et al. (2014). Relationship between socioeconomic status and anemia Prevalence in adolescent girls based on the fourth and fifth Korea National Health and Nutrition Examination Surveys. *European Journal of Clinical Nutrition*.
- Shresta, S.D., Pradhan, R., Tran, T.D., Gualano, R.C., Fisher, J.(2016). Reliability and validity of the Edinburgh Postnatal Depression Scale (EPDS) for detecting perinatal common mental disorders (PCMDs) among women in low-and lower-middle-income countries: a systematic review. *BMC Pregnancy and Childbirth* 16:72.<https://doi.org/10.1186/s12884-016-0859-2>
- Siddiqui, M.Z., Goli, S., Reja, T., Doshi, R., Chakravorty, S., Tiwari, C., Kumar, N.P., Singh, D. (2017). Prevalence of Anemia and Its Determinants Among Pregnant, Lactating, and Nonpregnant Nonlactating Women in India.*Journal SAGEpub* 1-10.<https://doi.org/10.1177/2158244017725555>
- Sikorska-jaroszyńska, M. H. J., Mielnik-błaszczak, M., & Krawczyk, D. (2012). Passive smoking as an environmental health risk factor, *19(3)*, 547–550.
- Sjahriani, T&Vera, F.(2019).Faktor-Faktor Yang Berhubungan Dengan Kejadian Anemia Pada Ibu Hamil. *Midwifery Journal* 5(2): 106-115
- Soma-pillay, P., Nelson-piercy, C., Tolppanen, H., & Mebazaa, A. (2016). Physiological changes in pregnancy, *27(2)*, 89–94. <https://doi.org/10.5830/CVJA-2016-021>
- Stadlander, L. (2017). Anxiety and Pregnancy, (January).
- Stephen, G., Mgongo, M., Hussein Hashim, T., Katanga, J., Stray-Pedersen, B., & Msuya, S. E. (2018). Anaemia in Pregnancy: Prevalence, Risk Factors, and Adverse Perinatal Outcomes in Northern Tanzania. *Anemia*, 2018. <https://doi.org/10.1155/2018/1846280>
- Sulistiyowaty, L. S. (2017). *Hidup Sehat Tanpa Rokok. Direktorat Jenderal Pencegahan dan Pengendalian Penyakit*. Jakarta: Kementerian Kesehatan Indonesia.
- Sumanasekera, W., Nethery, W., & Nguyen, S. (2016). Nicotine in Cigarette Smoke : Addiction , Health Effects , Detection Methods , and Smoking

- Cessation, (October). <https://doi.org/10.4172/2324-9005.1000154>
- Susanti, N. N. (2008). *Psikologi Kehamilan*. Jakarta: EGC.
- Taha, F., & Goodwin, R. D. (2014). Secondhand smoke exposure across the life course and the risk of adult-onset depression and anxiety disorder. *Journal of Affective Disorders*, 168(2014), 367–372. <https://doi.org/10.1016/j.jad.2014.07.014>
- The American College of Obstetricians and Gynecologists. (2019). Committee opinion. *The American College of Obstetricians and Gynecologists*, (5), 6–7.
- Tiki, T., Taye, K., & Duko, B. (2020). Prevalence and factors associated with depression among pregnant mothers in the West Shoa zone, Ethiopia: a community-based cross-sectional study. *Annals of general psychiatry*, 19, 24. <https://doi.org/10.1186/s12991-020-00275-6>
- Tyas, D.I., Ma'rifah, A.R., Triana, N.Y. (2015). Perbedaan Depresi Pada Ibu Hamil Dengan Depresi Pada Ibu Postpartum Terhadap Kesiapan Peran Menjadi Ibu Di Rsia Bunda Arif Purwokerto. *Viva Medika Journal* 8(14)
- Wang, L., Fu, K., Li, X., Kong, B., & Zhang, B. (2018). Exposure to third-hand smoke during pregnancy may increase the risk of postpartum depression in China. *Tobacco Induced Diseases*, 16(April), 1–7. <https://doi.org/10.18332/tid/87141>
- Wemakor A. (2019). Prevalence and determinants of anaemia in pregnant women receiving antenatal care at a tertiary referral hospital in Northern Ghana. *BMC pregnancy and childbirth*, 19(1), 495. <https://doi.org/10.1186/s12884-019-2644-5>
- Weng, S. C., Huang, J. P., Huang, Y. L., Lee, T. S. H., & Chen, Y. H. (2016). Effects of tobacco exposure on perinatal suicidal ideation, depression, and anxiety. *BMC Public Health*, 16(1), 1–9. <https://doi.org/10.1186/s12889-016-3254-z>
- West, R., & Shiffman, S. (2016). *Fast Facts : Smoking Cessation* (3rd ed.). United Kingdom: Health Press Limited.
- WHO. (2011a). *Global Adult Tobacco Survey : Indonesia Report 2011*. Jakarta.
- WHO. (2011b). Haemoglobin Concentrations for the Diagnosis of Anaemia and Assessment of Severity. *WHO*, 1–6. <https://doi.org/2011>
- WHO. (2015a). The Global Prevalence of Anaemia in 2011. *Who*, 1–48.
- WHO. (2015b). *WHO global report on trends in prevalence of tobacco smoking*. Switzerland.
- World Health Organization (WHO). (2012). *Depression - A Global Public Health Concern*.
- Wulandari, R.D., Laksono, A.D., Matahari, R. (2020). The Effects of Health Insurance on Maternity Care in Health Services in Indonesia. Researchgate. <https://doi.org/10.13140/RG.2.2.18158.43844>
- Yokoyama, N., Sasaki, H., Mori, Y., Ono, M., Tsurumi, K., Kawada, R., ... Takahashi, H. (2018). Additive Effect of Cigarette Smoking on Gray Matter Abnormalities in Schizophrenia. *Schizophrenia Bulletin*, 44(3), 535–541. <https://doi.org/10.1093/schbul/sbx092>
- Zhang Lijuan, Yang Xiaoshi, Zhao Jinfeng, Zhang Weiyu, Cui Can, Yang Fengzhi, Ma Ruqing, Jia Yajing. (2020). Prevalence of Prenatal Depression

Among Pregnant Women and the Importance of Resilience: A Multi-Site Questionnaire-Based Survey in Mainland China. *Frontiers in Psychiatry*(11):374.<https://doi.org/10.3389/fpsy.2020.00374>

Zulhardi, A.R., Hanim, D., August, A. (2016). The Correlation between Smoking Environment to Pregnant Women who Affected by Smoke to The Incidence of Low Birth Weight Babies in Surakarta. *Nexus Kedokteran Komunitas* Vol.5/NO.2