

DAFTAR PUSTAKA

- Afaneh, I., Abu-alruz, K., Quasem, J. M., Sundookah, A., Abbadi, J., Alloussi, S., & Ayyad, Z. (2011). Fundamental elements to produce sesame yoghurt from sesame milk. *American Journal of Applied Sciences*, 8(11), 1086–1092.
- Ajeigbe, S., Muhammed, A., Yahaya, I., & Oyelowo, A. (2012). effect of processing techniques on levels of minerals and antinutritional factors of *Canavalia ensiformis*. *Pakistan Journal of Nutrition*, 12, 1121–1124.
- Ajobiewe, G. (2011). Biochemical evaluation of combined state fermentation of *Canavalia ensiformis* (L.) using mixed culture. *Research Journal of Microbiology*, 6(2), 105–114.
- Albulescu, M., & Popovici, M. (2007). Isoflavones - biochemistry, pharmacology and therapeutic USE. *Revue Roumaine de Chimie*, 52(6), 537–550.
- Andriani, Y. (2007). Uji aktivitas antioksidan ekstrak betaglukan dari *Saccharomyces cerevisiae*. *Gradien*, 3(1), 226–230.
- AOAC. (1980). *Official methods of analysis of AOAC International*. Analysis of sugars. USA.
- AOAC. (2000). *Official methods of analysis of AOAC International*. Analysis of titratable acids. USA.
- Barnes, S. (2010). The biochemistry, chemistry and physiology of the isoflavones in soybeans and their food products. *Lymphatic Research and Biology*, 8(1).
- Bhatia, S., Singh, A., Batra, N., & Singh, J. (2020). Microbial production and biotechnological applications of α -galactosidase. *International Journal of Biological Macromolecules*, 150, 1294–1313.
- Cairns, J. R. K., & Esen, A. (2010). β -Glucosidases. *Cellular and Molecular Life Sciences*, 67(20), 3389–3405.
- Cao, Y., Xiong, E. M., True, A. D., & Xiong, Y. L. (2016). The pH-dependent protection of α -galactosidase activity by proteins against degradative enzymes during soymilk in vitro digestion. *Food Science and Technology*, 69, 244–250.
- Carr, F. J., Chill, D., & Maida, N. (2002). The lactic acid bacteria: A literature survey. *Critical Reviews in Microbiology*, 28(4), 281–370.
- Centre, W., & Centre, H. (2007). Phytochemicals for health, the role of pulses. *Journal of Agricultural and Food Chemistry*, 55, 7981–7994.
- Chandrasekara, A., & Shahidi, F. (2012). Bioaccessibility and antioxidant potential of millet grain phenolics as affected by simulated in vitro digestion and

- microbial fermentation. *Journal of Functional Foods*, 4(1), 226–237.
- Chu, S. C., & Chen, C. (2006). Effects of origins and fermentation time on the antioxidant activities of kombucha. *Food Chemistry*, 98(3), 502–507.
- Chun, J., Kim, G. M., Lee, K. W., Choi, I. D., Kwon, G.-H., Park, J.-Y., & Kim, J. H. (2007). Conversion of isoflavone glucosides to aglycones in soymilk by fermentation. *Journal of Food Science*, 72(2), 39–44.
- Das, S., Mishra, B. K., & Hati, S. (2020). Effect of nutritional factors on growth behaviour, proteolytic, β -glucosidase and β -galactosidase activities of *Lactobacillus* cultures during soy-drink fermentation. *Current Research in Nutrition and Food Science*, 08(3), 877–888.
- Dinev, T., Beev, G., Tzanova, M., Denev, S., Dermendzhieva, D., & Stoyanova, A. (2018). Antimicrobial activity of *Lactobacillus plantarum* against pathogenic and food spoilage microorganisms. *Bulgarian Journal of Veterinary Medicine*, 21(3), 253–268.
- Ding, W. K., & Shah, N. P. (2010). Enhancing the biotransformation of isoflavones in soymilk supplemented with lactose using probiotic bacteria during extended fermentation. *Journal of Food Science*, 75(3).
- Doss, A., Pugalenthi, M., Vadivel, V. G., Subhashini, G., & Anitha Subash, R. (2011). Effects of processing technique on the nutritional composition and antinutrients content of under-utilized food legume *Canavalia ensiformis* L.DC. *International Food Research Journal*, 18(3), 965–970.
- Eisenbrand, G. (2007). Isoflavones as phytoestrogens in food supplements and dietary foods for special medical purposes. *Molecular Nutrition Food Research*, 51, 1305–1312.
- Endo, A., & Dicks, L. M. (2014). Physiology of the LAB. In W. H. Holzapfel & B. J. Wood (Eds.), *Lactic Acid Bacteria Biodiversity and Taxonomy* (pp. 13–30). John Wiley and Sons, Ltd.
- Farianti, D. T., Sugahara, T., & Rahayu, E. S. (2015). Isoflavone changes during fermentation of kerandang (*Canavalia virosa*) milk using *Lactobacillus plantarum*-pentosus and its anticancer activity. *Kasetsart Journal*, 450, 441–450.
- Fitrotin, U., Utami, T., Hastuti, P., & Santoso, U. (2015). Antioxidant properties of fermented sesame milk using *Lactobacillus plantarum* Dad 13. *International Research Journal of Biological Sciences*, 4(6), 56–61.
- Gabriel, R. A., & Akharaiyi, F. (2007). Effect of spontaneous fermentation on the chemical composition of thermally treated jack beans (*Canavalia ensiformis* L.). *International Journal of Biological Chemistry*, 2, 91–97.

- Gaya, P., Peirotén, Á., Medina, M., Landete, J. M., Medina, M., & Gaya, P. (2016). Isoflavone metabolism by a collection of lactic acid bacteria and bifidobacteria with biotechnological interest. *Journal of Food Sciences and Nutrition*, 74-86.
- Gomez-Zorita, S., Gonzales-Arceo, M., Fernandez-Quintela, A., Eseberri, I., Trepiana, J., & Portillo, M. P. (2020). Scientific evidence supporting the beneficial effects of isoflavones on human health. *Nutrients*, 12, 1–25.
- Hassan, S. M. (2013). Soybean, nutrition and health. In *Soybean-Bio-Active Compounds* (pp. 453–474).
- Hati, S., Ningtyas, D. W., Khanuja, J. K., & Prakash, S. (2020). β -Glucosidase from almonds and yoghurt cultures in the biotransformation of isoflavones in soy milk. *Food Bioscience*, 34, 1–7.
- Hati, S., Vij, S., Singh, B. P., & Mandal, S. (2015). β -Glucosidase activity and bioconversion of isoflavones during fermentation of soymilk. *Journal of the Science of Food and Agriculture*, 95(1), 216–220.
- Hayek, S. A., & Ibrahim, S. A. (2013). Current limitations and challenges with lactic acid bacteria: a review. *Food and Nutrition Sciences*, 4, 73–87.
- Hur, S. J., Lee, S. Y., Kim, Y. C., Choi, I., & Kim, G. B. (2014). Effect of fermentation on the antioxidant activity in plant-based foods. *Food Chemistry*, 160, 346–356.
- Huskins, R. W. (2006). Microbiology and technology of fermented foods. In *USA*. Blackwell Publishing.
- Izumi, T., Piskula, M. K., Osawa, S., Obata, A., Tobe, K., Saito, M., & Kikuchi, M. (2000). Soy isoflavone aglycones are absorbed faster and in higher amounts than their glucosides in humans. *Journal of Nutrition*, 130(7), 1695–1699.
- Jin, L., Zhang, Y., Yan, L., Guo, Y., & Niu, L. (2012). Phenolic compounds and antioxidant activity of bulb extracts of six *Lilium* species native to China. *Molecules*, 17(8), 9361–9378.
- Jin, Y., Lim, B., Yeong, H., Kwon, S., & Hyun, S. (2020). Enzyme and microbial technology deglycosylation patterns of isoflavones in soybean extracts inoculated with two enzymatically different strains of lactobacillus species. *Enzyme and Microbial Technology*, 132, 109394.
- Kartika, I. (2019). Skripsi: pengaruh penambahan sukrosa pada fermentasi koro pedang putih (*Canavalia ensiformis* L.) terhadap pertumbuhan bakteri asam laktat dan produksi asamnya. Universitas Gadjah Mada.
- Kasno, A. (2015). Balai penelitian tanaman aneka kacang dan umbi. In <http://balitkapi.litbang.pertanian.go.id> (p. 4 Juni 2020).

- Koley, T. K., Maurya, A., Tripathi, A., Singh, B. K., Singh, M., Bhutia, L., & Singh, B. K. (2018). Antioxidant potential of commonly consumed underutilized leguminous vegetables. *International Journal of Vegetable Science*, 1–11.
- Krizova, L., Dadakova, K., Kasparovska, J., & Kasparovsky, T. (2019). Isoflavones. *Moleciles*, 24, 1–28.
- Kullisaar, T., Zilmer, M., Mikelsaar, M., & Vihalemm, T. (2002). Two antioxidative lactobacilli strains as promising probiotics. *International Journal of Food Microbiology*, 72, 215–224.
- Lai, L. R., Hsieh, S. C., Huang, H. Y., & Chou, C. C. (2013). Effect of lactic fermentation on the total phenolic, saponin and phytic acid contents as well as anti-colon cancer cell proliferation activity of soymilk. *Journal of Bioscience and Bioengineering*, 115(5), 552–556.
- Lee, H., Park, J., Seok, S., Baek, M., Kim, D., Lee, K., & Park, J. (2006). Human originated bacteria, *Lactobacillus rhamnosus* PL60, produce conjugated linoleic acid and show anti-obesity effects in diet-induced obese mice. *Biochimica et Biophysica Acta*, 1761, 736–744.
- Lee, J. H., Hwang, C. E., Cho, E. J., Song, Y. H., Kim, S. C., & Cho, K. M. (2018). Improvement of nutritional components and in vitro antioxidative properties of soy-powder yogurts using *Lactobacillus plantarum*. *Journal of Food and Drug Analysis*, 26(3), 1054–1065.
- Leonora, M., Francisco, L. D., & Resurreccion, A. V. A. (2009). Total phenolics and antioxidant capacity of heat-treated peanut skins. *Journal of Food Composition and Analysis*, 22, 16–24.
- Liu, J., & Lin, C. (2000). Production of kefir from soymilk with or without added glucose, lactosa, or sucrose. *Journal of Food Science*, 65(4), 716–719.
- Liu, W., Yang, C., & Fang, T. J. (2018). Strategic ultrasound-induced stress response of lactic acid bacteria on enhancement of β -glucosidase activity for bioconversion of isoflavones in soymilk. *Journal of Microbiological Methods*, 148(March), 145–150.
- Malik, A., Hermawati, A. K., Hestiningtyas, M., Soemiati, A., & Radji, M. (2010). Pembawa gen glukansukrase dari makanan dan minuman mengandung gula. *Makara Sains*, 14(1), 63–68.
- Marazza, J. A., Nazareno, M. A., de Giori, G. S., & Garro, M. S. (2012). Enhancement of the antioxidant capacity of soymilk by fermentation with *Lactobacillus rhamnosus*. *Journal of Functional Foods*, 4(3), 594–601.

- Marazza, J. A., Nazareno, M. A., Savoy de Giori, G., & Garro, M. S. (2013). Bioactive action of β -glucosidase enzyme of *Bifidobacterium longum* upon isoflavone glucosides present in soymilk. *International Journal of Food Science and Technology*, 48(12), 2480–2489.
- Martinez, F. A. C., Balciunas, E. M., Salgado, J. M., Dominguez, J. M., Gonzales, Converti, A., & Oliveira. (2013). Lactic acid properties, applications and production : A review. *Trends in Food Science and Technology*, 30, 70–83.
- Mayo, B., Aleksandrak-Piekarczyk, T., Fernández, M., Kowalczyk, M., Álvarez-Martín, A., & Bardowski, J. (2010). Updates in the metabolism of lactic acid bacteria. In F. Mozzi, R. R. Raya, & G. M. Vignolo (Eds.), *Biotechnology of Lactic Acid Bacteria Novel Applications*. Blackwell.
- Michael, K., Sogbesan, O., & Onyia, L. (2018). Effect of processing methods on the nutritional value of *Canavalia ensiformis* jack bean seed meal. *Journal Food Process Technol*, 9(12), 2–5.
- Michlmayr, H., & Kneifel, W. (2014). β -Glucosidase activities of lactic acid bacteria: Mechanisms, impact on fermented food and human health. *FEMS Microbiology Letters*, 352(1), 1–10.
- Mishra, B. K., Hati, S., Das, S., Mishra, S., & Mandal, S. (2017). α -galactosidase and β -glucosidase enzyme activity of lactic strains isolated from traditional fermented foods of West Garo Hills, Meghalaya, India. *International Journal of Current Microbiology and Applied Sciences*, 6(4), 1193–1201.
- Mubarak, A. E. (2005). Nutritional composition and antinutritional factors of mung bean seeds (*Phaseolus aureus*) as affected by some home traditional processes. *Food Chemistry*, 89(4), 489–495.
- Naczki, M., & Shahidi, F. (2006). Phenolics in cereals, fruits and vegetables: Occurrence, extraction and analysis. *Journal of Pharmaceutical and Biomedical Analysis*, 41(5), 1523–1542.
- Niveditha, V. R., & Sridhar, K. R. (2014). Antioxidant activity of raw, cooked and *Rhizopus oligosporus* fermented beans of *Canavalia* of coastal sand dunes of Southwest India. *Journal of Food Science and Technology*, 51(11), 3253–3260.
- Nurliyani, Julia, M., Harmayani, E., Ikawati, M., & Baliarti, E. (2015). Potency of *Lactobacillus plantarum* Dad-13 and sweet potato (*Ipomoea batatas*) fiber as immunomodulator in rats infected with *Salmonella typhimurium*. *Journal of Food Research*, 4(3), 1–13.
- Oboh, H. A., Muzquiz, M., Burbano, C., Cuadrado, C., Pedrosa, M. M., Ayet, G., & Osagie, A. U. (2000). Effect of soaking, cooking and germination on the oligosaccharide content of selected Nigerian legume seeds. *Plant Foods for Human Nutrition*, 55(2), 97–110.

- Othman, N. Ben, Roblain, D., Chammen, N., Thonart, P., & Hamdi, M. (2009). Antioxidant phenolic compounds loss during the fermentation of Chétoui olives. *Food Chemistry*, *116*(3), 662–669.
- Otieno, D. O., Ashton, J. F., & Shah, N. P. (2005). Stability of β -glucosidase activity produced by *Bifidobacterium* and *Lactobacillus* spp. in fermented soymilk during processing and storage. *Journal of Food Science*, *70*(4), 4–9.
- Otieno, D. O., & Shah, N. P. (2007). Endogenous β -glucosidase and β -galactosidase activities from selected probiotic micro-organisms and their role in isoflavone biotransformation in soymilk. *Journal of Applied Microbiology*, *103*(Setchell 1998), 910–917.
- Puspitojati, E., Cahyanto, M., Marsono, Y., & Indrati, R. (2020). Production of angiotensin-I-converting enzyme (ACE) inhibitory peptides during the fermentation of jack bean (*Canavalia ensiformis*) tempe. *Pakistan Journal of Nutrition*, *18*(5), 464–470.
- Putri, W. D. R., Haryadi, H., & Marseno, D. W. (2012). Isolation and characterization of amylolytic lactic acid bacteria during growol fermentation, an Indonesian traditional food. *Jurnal Teknologi Pertanian*, *13*(1), 52–60.
- Pyo, Y. H., Lee, T. C., & Lee, Y. C. (2005a). Effect of lactic acid fermentation on enrichment of antioxidant properties and bioactive isoflavones in soybean. *Journal of Food Science*, *70*(3), 215–220.
- Pyo, Y. H., Lee, T. C., & Lee, Y. C. (2005b). Enrichment of bioactive isoflavones in soymilk fermented with β -glucosidase-producing lactic acid bacteria. *Food Research International*, *38*(5), 551–559.
- Quinto, E. J., Jiménez, P., Caro, I., Tejero, J., Mateo, J., & Girbés, T. (2014). Probiotic lactic acid bacteria. *Food and Nutrition Sciences*, *5*(18), 1765–1775.
- Ray, B. (2000). *Fundamental food microbiology*. Florida: CRC Press.
- Safira, M. L., Kurniawan, H. A., Rochana, A., & Indriani, N. P. (2019). Pengaruh pemupukan nitrogen terhadap produksi dan kualitas hijauan kacang koro pedang (*Canavalia gladiata*). *Jurnal Nutrisi Ternak Tropis Dan Ilmu Pakan*, *1*(1), 25–33.
- Sebastian, A., Barus, T., Mulyono, N., & Yanti. (2018). Effects of fermentation and sterilization on quality of soybean milk. *International Food Research Journal*, *25*(6), 2428–2434.
- Sestelo, A. B. F., Poza, M., & Villa, T. G. (2004). β -Glucosidase activity in a *Lactobacillus plantarum* wine strain. *World Journal of Microbiology and Biotechnology*, *20*(6), 633–637.

- Shimoni, E. (2004). Stability and shelf life of bioactive compounds during food processing and storage : soy isoflavones. *Journal of Food Science*, 69(6), 160–167.
- Siddhuraju, P., & Becker, K. (2001). Species/variety differences in biochemical composition and nutritional value of Indian tribal legumes of the genus *Canavalia*. *Nahrung Food*, 45(4), 224–233.
- Singh, B. P., & Viji, S. (2018). α -Galactosidase activity and oligosaccharides reduction pattern of indigenous lactobacilli during fermentation of soy milk. *Food Bioscience*, 22, 32–37.
- Sintasari, R. A., Kusnadi, J., & Ningtyas, D. W. (2014). Pengaruh penambahan konsentrasi susu skim dan sukrosa terhadap karakteristik minuman probiotik sari beras merah. *Jurnal Pangan Dan Agroindustri*, 2(3), 65–75.
- Siulapwa, N., & Mwanbunu, A. (2014). Nutritional value of differently processes soybean seeds. *International Journal of Research In Agriculture and Food Science*, 2(6), 8–16.
- Sowndhararajan, K., Siddhuraju, P., & Manian, S. (2011). Antioxidant activity of the differentially processed seeds of jack. *Food Science Biotechnology*, 20(3), 585–591.
- Sridhar, K. R., & Seenaa, S. (2006). Nutritional and antinutritional significance of four unconventional legumes of the genus *Canavalia* - A comparative study. *Food Chemistry*, 99(2), 267–288.
- Sulistyowati, E., Martono, S., Riyanto, S., & Lukitaningsih, E. (2019). Development and validation for free aglycones daidzein and genistein in soybean (*Glycine max* (L.) merr.) using RP HPLC method. *International Journal of Applied Pharmaceutics*, 11(2), 2–6.
- Sumaryati, B. T., Utami, T., & Suparmo, S. (2009). Pengaruh infeksi *Escherichia coli* dan pemberian *Lactobacillus plantarum* Dad 13 terhadap mikrobiota feses tikus wistar. *Agritech*, 29(4), 165–170.
- Suo, H., Qian, Y., Feng, X., Wang, H., Zhao, X., & Song, J. (2016). Free radical scavenging activity and cytoprotective effect of soybean milk fermented with *Lactobacillus fermentum* zhao. *Journal of Food Biochemistry*, 40, 294–303.
- Susanti, I., Hasanah, F., Siregar, nobel christian, & Supriatna, D. (2013). Potensi kacang koro pedang (*Canavalia ensiformis* DC) sebagai sumber protein produk pangan. *Jurnal Riset Industri*, 7(1), 1–13.
- Syamsuddin, Y., Meilina, H., Septavia, F., & Darmawan, R. (2013). Effect of skimmed-milk and starter addition on lactic acid formation in soyghurt.

International Journal on Advanced Science, Engineering and Information Technology, 3(4), 314.

- Szeja, W., Gryniewicz, G., & Rusin, A. (2017). Isoflavones, their glycosides and glycoconjugates. Synthesis and biological activity. *Current Organic Chemistry*, 3, 218–235.
- Tamime, A., & Robinson, R. (2007). *Yogurt sains and technology*. Oxford: Woodhead.
- Titiek, F., Umar, S., Nur Cahyanto, M., Takuya, S., Endang, S. R., & Kosuke, N. (2013). Effect of indigenous lactic acid bacteria fermentation on enrichment of isoflavone and antioxidant properties of kerandang (*Canavalia virosa*) extract. *International Food Research Journal*, 20(5), 2945–2950.
- Tsangalis, D., Ashton, J. F., McGill, A. E. J., & Shah, N. P. (2002). Enzymic transformation of isoflavone phytoestrogens in soymilk by β -glucosidase-producing bifidobacteria. *Journal of Food Science*, 67(8), 3104–3113.
- Üçok, G., & Sert, D. (2020). Growth kinetics and biomass characteristics of *Lactobacillus plantarum* L14 isolated from sourdough: effect of fermentation time on dough machinability. *Food Science and Technology*, 129.
- Ulyatu, F., Pudji, H., Tyas, U., & Umar, S. (2015). The changes of sesaminol triglucoside and antioxidant properties during fermentation of sesame milk by *Lactobacillus plantarum* Dad 13. *International Food Research Journal*, 22(5), 1945–1952.
- Utami, T., Cindarbhumi, A., Khuangga, M. C., Endang, S. R., & Cahyanto, M. N. (2020). Preparation of indigenous lactic acid bacteria starter cultures for large scale production of fermented milk. *Digital Press Life Science*.
- Utami, T., Pangastuti, P. M., & Rahayu, E. S. (2011). Acid production and antioxidant activity in peanut milk fermented with *Lactobacillus paracasei* SNP2 and *Lactobacillus plantarum* Dad 13. *International Food Conference*, 73–79.
- Viana, S. de F., Guimaraes, V. M., Jose', I. C., Oliveira, M. G. A. e, Costa, N. M. B., Barros, E. G., & Rezende, S. T. de. (2005). Hydrolysis of oligosaccharides in soybean flour by soybean α -galactosidase. *Food Chemistry*, 93(4), 665–670.
- Vries, M. C. de, Vaughan, E. E., Kleerebezem, M., & de Vos, W. M. (2006). *Lactobacillus plantarum*-survival, functional and potential probiotic properties in the human intestinal tract. *International Dairy Journal*, 16(9), 1018–1028.
- Wang, J., Yuan, X., Jin, Z., Tian, Y., & Song, H. (2007). Free radical and reactive oxygen species scavenging activities of peanut skins extract. *Food Chemistry*,

104, 242–250.

- Wang, Y. C., Yu, R. C., & Chou, C. C. (2006). Antioxidative activities of soymilk fermented with lactic acid bacteria and bifidobacteria. *Food Microbiology*, 23(2), 128–135.
- Wardani, S. K., Cahyanto, M., Rahayu, E., & Utami, T. (2017). The effect of inoculum size and incubation temperature on cell growth, acid production and curd formation during milk fermentation by *Lactobacillus plantarum* Dad 13. *International Food Research Journal*, 24, 921–926.
- Wasik, A., Mccourt, J., & Buchgraber, M. (2007). Simultaneous determination of nine intense sweeteners in foodstuffs by high performance liquid chromatography and evaporative light scattering detection — development and single-laboratory validation. *Journal of Chromatography A*, 1157, 187–196.
- Winarsi, H. (2007). *Antioksidan alami dan radikal bebas*. Yogyakarta: Kanisius.
- Xiao, Y., Wang, L., Rui, X., Li, W., Chen, X., Jiang, M., & Dong, M. (2015). Enhancement of the antioxidant capacity of soy whey by fermentation with *Lactobacillus plantarum* B1-6. *Journal of Functional Foods*, 12, 33–44.
- Xu, X., Wang, H., Murphy, P. A., & Hendrich, S. (2000). Soy food affects short-term isoflavone bioavailability in women. *Food Science and Human Nutrition*, 2, 798–801.
- Yang, S., Wang, L., Yan, Q., Jiang, Z., & Li, L. (2009). Hydrolysis of soybean isoflavone glycosides by a thermostable β -glucosidase from *Paecilomyces thermophila*. *Food Chemistry*, 115(4), 1247–1252.
- Yao, Y., Cheng, X., Wang, L., Wang, S., & Ren, G. (2011). Biological potential of sixteen legumes in China. *International Journal of Molecular Science*, 12, 7048–7058.
- Yeom, S. J., Kim, B. N., Kim, Y. S., & Oh, D. K. (2012). Hydrolysis of isoflavone glycosides by a thermostable β -glucosidase from *Pyrococcus furiosus*. *Journal of Agricultural and Food Chemistry*, 60(6), 1535–1541.
- Yudianti, N. F., Yanti, R., Cahyanto, M. N., Rahayu, E. S., & Utami, T. (2020). Isolation and characterization of lactic acid bacteria from legume soaking water of tempeh productions. *Digital Press Life Sciences*, 2, 00003.
- Yuliana, N. (2008). Kinetika pertumbuhan bakteri asam laktat isolat T5 yang berasal dari tempoyak. *Jurnal Teknologi Industri Dan Hasil Pertanian*, 13(2), 108–116.
- Zhang, H., Yu, D., Sun, J., Liu, X., Jiang, L., Guo, H., & Ren, F. (2014). Interaction of plant phenols with food macronutrients : characterisation and nutritional –

physiological consequences. *Nutrition Research Reviews*, 1–15.

- Zhang, Z., Lv, G., Pan, H., Fan, L., & Soccol, C. R. (2012). Production of Powerful Antioxidant Supplements via Solid-State Fermentation of Wheat (*Triticum aestivum* Linn.) by *Cordyceps militaris*. *Food Technology and Biotechnology Biotechnology*, 9862(1), 32–39.
- Zhang, Z., Lv, G., Pan, H., Fan, L., Soccol, C. R., & Pandey, A. (2012). Production of powerful antioxidant supplements via solid-state fermentation of wheat (*Triticum aestivum* Linn.) by *Cordyceps militaris*. *Food Technology and Biotechnology*, 50(1), 32–39.
- Zhao, D., & Shah, N. P. (2014). Changes in antioxidant capacity, isoflavone profil, phenolic and vitamin contents in soymilk during extended fermentation. *LWT - Food Science and Technology*, 58(2), 454–462.
- Zhu, Y., Wang, Z., & Zhang, L. (2019). Optimization of lactic acid fermentation conditions for fermented tofu whey beverage with high-isoflavone aglycones. *Food Science and Technology*, 111(April), 211–217.
- Zimmermann, S., Barati, Z., & Joachim, M. (2019). Detoxification of cassava leaves by thermal, sodium bicarbonate, enzymatic, and ultrasonic treatments. *Journal of Food Science*, 1–6.