

PUSTAKA

- Al-Tu'ma, Fadhil J., El-Yassin, Hedef D., & Shammam, Kammela H. (2015). Alcohol dehydrogenase genotype (ADH2 and ADH3) in alcoholism of Iraqi people. *J Cont Med Sci* Vol. 1, No. 2, Spring 2015:9-13.
- Badan Penelitian dan Pengembangan Kesehatan. (2008). Riset Kesehatan Dasar (RISKESDAS) 2007. Laporan Nasional 2007, 1–384. <http://doi.org/1/Desember 2013>
- Bardale, R. (2011). *Principles of Forensic Medicine and Toxicology*. New Delhi: Jaypee Brothers Medical Publishers (P) LTD.
- Bardale, R. (2011). *Principles of Forensic Medicine and Toxicology*. New Delhi: Jaypee Brothers Medical Publishers (P) LTD.
- Basumatary, Tarun K., Begum, Ramie H., *et al.*, (2017). Alcohol Metabolizing Gene Polymorphism as Genetic Biomarkers of Alcoholic Liver Disease Susceptibility and Severity: A Northeast India Patient Based Study
- Bedossa, Pierre, Paradis, Valerie, and Rossi, Jessica Z. (2019). *MacSween's Pathology of the Liver*. Chapter 2: Cellular and Molecular Techniques. Elsevier.
- BIPDS (Bidang Integrasi Pengolahan dan Diseminasi Statistik). (2018). Provinsi Nusa Tenggara Timur Dalam Angka 2018. BPS Provinsi Nusa Tenggara Timur. Jakarta: CV. Nario Sari
- Borras, E., Coutelle, C., Rosell, A., *et al.* (2000). Genetic Polymorphism of Alcohol Dehydrogenase in Europeans: The ADH2 * 2 Allele Decreases the Risk for Alcoholism and Is Associated With ADH3 * 1. *Hepatology*, 31(4), 984–989. <http://doi.org/10.1053/he.2000.5978>
- BPOM. (2016). Peraturan Kepala Badan Pengawas Obat Dan Makanan Republik Indonesia No. 14 Tahun 2016 Tentang Standar Keamanan Dan Mutu Minuman Beralkohol. Jakarta: Direktorat Jenderal Peraturan Perundang-Undangan Kementerian Hukum dan Hak Asasi Manusia Republik Indonesia.
- Chinnaswamy & Vijayalakshmi. (2005). Subtypes Of ADH2 Gene In Alcoholics. *Indian Journal of Clinical Biochemistry*.
- Chow, Shein-Chung., Shao, Jun, and Wang, Hansheng. (2008). *Sample Size Calculations in Clinical Research* 2nd Ed. Champman & Hall. CRC Biostatistiks Series p.51.
- Claudia, M., Maurico, R. (2015). Characterization of polymorphisms of genes ADH2, ADH3, ALDH2 and CYP2E1 and relationship to the alcoholism in a Colombian population. *Colombia Medica (Cali)*: 46(4):176-82.
- Connor, J.P., Haber, P.S., & Hall, W.D. (2016). ALkohol use disorders. *The Lancet*, 387(10022).
- Dakaeishi, M., Murata, Katsuyuki, Sasaki, Makiko, Tamura, Akiko, and Iwata Toyota. (2008). Association of Alcohol Dehydrogenase 2 And Aldehyde Dehydrogenase 2 Genotypes With Fasting Plasma Glucose Levels In Japanese Male And Female Workers. Japan: Department of Environmental Health Sciences, Akita University School of Medicine, Akita City. *Alcohol & Alcoholism* Vol. 43, No. 2, pp. 143-147. Doi: 10.1093/alcalc/agm173.

- Depdikbud. (1978). Adat Istiadat Daerah Nusa Tenggara Timur. Pusat Penelitian Sejarah Dan Budaya. Proyek Penelitian Dan Pencatatan Kebudayaan Daerah.
- Djese, Selsus T. & Wuryandari, Ganewati (Ed.). (2016). Tinjauan Buku Meneropong Nusa Tenggara Timur Menakar Masalah, Menawar Solusi. Pengembangan Wilayah Nusa Tenggara Timur dari Perspektif Sosial: Permasalahan dan Kebijakan. Badan Penelitian dan {embangan Daerah Provinsi Nusa Tenggara Timur.
- Edenberg, H.J. (2007). The Genetics of Alcohol Dehydrogenase and Aldehyde Dehydrogenase Variants. *Alcohol Research Current Reviews*. 30(1) 5-13.
- Ehlers, C.L., Montane-Jaime, K., Moore, S., Shafe, S., Joseph, R., and Carr, L. G. (2007). Association of ADH1B*3 Allele With Alcohol-Related Phenotypes in Trinidad. *Wiley Online Library. Alcoholism Clinical & Experimental Research*. Doi.org/10.1111/j.1530-0277.2006.00298.x
- English, DR., Holman, CDJ., Milne, E. *et al.*, (1995). The Quantification Of Drug Caused Morbidity and Mortality in Australia 1995. Commonwealth Departement of Human Services and Health, Canberra.
- European Association for the Study of the Liver. (2018). EASL Clinical Practice Guidelines: Management of alcohol-related. *Journal Of Hepatology. Clinical Practice Guidelines*. Switzerland: *Journal of Hepatology* 2018 vol. 69 j 154–181 liver disease
- Fachtiyah., Arumningtyas, E. L., Widyarti, S., & Rahayu, S. (2011). *Biologi Molekuler, Prinsip dasar Analisis*. Jakarta: Erlangga.
- Frenzer, A., Butler, W. J., Norton, I. D. *et al.* (2002). Polymorphism in alcohol-metabolizing enzymes, glutathione S-transferases and apolipoprotein E and susceptibility to alcohol-induced cirrhosis and chronic pancreatitis. *Journal of Gastroenterology and Hepatology* 17, 177–182.
- Gaviria, Monica M., Arango, Gonzalo, C., and Navas, Maria C. (2016). Alcohol, Cirrhosis, and Genetic Predisposition. Colombia: Gastrohepatology Group of the Faculty of Medicine at the University de Antioquia in Medellin.
- Genecards. 2019. ADH1B Gene (Protein Coding). www.genecards.org/ADH1B.html (update 30 Januari 2019)
- Goedde HW, Agarwal DP, Fritze G, Meier-Tackmann D, Singh S, Beckmann G, *et al.* (1992). Distribution of ADH2 and ALDH2 genotypes in different populations. *Hum Genet*;88:344-6.
- Goodwin, W., Linacre, A., & Hadi, S. (2011). *An Introduction to Forensic Genetics. Journal of Chemical Information and Modeling* (2007th ed., Vol. 53). West Sussex: John Wiley & Sons, Ltd.
- Grant J.D., Verges A., Jackson K.M., Trull T.J., Sher K.J., Buchol K.K. 2012. Age and Ethnic Differences in the Onset, Persistence and Recurrence of Alcohol Use Disorder. *Addiction* 107(4): 756-765. Doi:10.1111/j.1360-0443.2011.03721.x.
- Gutjahr, E., Gmel, G., Rehm, J. (2001). Relation between average alcohol consumption and disease: an overview. *European Addiction Research*, 7:117–127.

- Halter, C. C., Dresen, S., Auwaerter, V., Wurst, F. M., & Weinmann, W. (2008). Kinetics in serum and urinary excretion of ethyl sulfate and ethyl glucuronide after medium dose ethanol intake. *International Journal of Legal Medicine*, 122, 123–128.
- Hashimoto, Y., Nakayama, Toshifumi, Futamura, Azusa, Omura, Miho, Nakarai, Hideo, and Nakahara, Kazuhiko. (2002). Relationship between Genetic Polymorphisms of Alcohol-metabolizing Enzymes and Changes in Risk Faktors for Coronary Heart Disease Associated with Alcohol Consumption. Tokyo: Departements of Clinical Laboratory Medicine and Internal Medicine, University of Tokyo Hospital; *Clinical Chemistry* 48:7.
- Hasin D, Aharonovich E, Liu X, Mamman Z, Matseoane K, Carr L, Li T-K. (2014). Alcohol and ADH2 in Israel: Ashkenazis, Sephardics, and recent Russian immigrants. *Am J Psychiatry*.
- Hayashida, M., Koizumi, Kyoko I., Murata, Shigero *et al.*, (2010). Genotyping of Polymorphisms in Alcohol and Aldehyde Dhydrogenase Genes by Direct Application of PCR-RFLP on Dried Blood without DNA Extraction. *Analytical Science* Vol. 26. The Japan Society for Analytical Chemistry.
- He, Lei, Deng, Tao, and Luo, He-Sheng. (2015). Genetic Polymorphism in Alcohol Dehydrogenase 2 (ADH2) Gene and Alcoholic Liver Cirrhosis Risk. China: Departement of Gastroenterology, Renmin Hospital of Wuhan University. *Int J Clin Exp Med* 2015;8(5):7786-7793. www.ijcem.com /ISSN:1940-5901/IJCEM0007456.
- Hendershot, Christian S. 2009. Associations of ALDH2 and ADH1B Genotypes With Alcohol-Related Phenotypes in Asian Young Adults. *Alcohol Clin Exp Res*; 33(5): 839-847. Doi: 10.1111/j.1530-0277.2009.00903.x.
- Hoiseth, G., Karinen, R., Christophersen, A. S., Olsen, L., Normann, P. T., & Morland, J. (2007). A study of ethyl glucuronide in post-mortem blood as a marker of ante-mortem ingestion of alcohol. *Forensic Science International*, 165,41–45.
- Holman, CD., English, D.R., Milne, E., and Winter, M.G. (1996). Meta-analysis of alcohol and all-cause mortality: a validation of NHMRC recommendations. *Medical Journal of Australia*, 164:141–145.
- Idries, A.M., & Tjiptomartono, A.L. (2011). *Penerapan Ilmu Kedokteran Forensik dalam Proses Penyidikan*. (A. M. Idries & A. L. Tjiptomartono, Eds.) (Cetakan 2). Jakarta: CV. Sagung Seto.
- Ishiguro S, Sasazuki S, Inoue M, Kurahashi N, Iwasaki M, Tsugane S, Group JS. (2009). Effect of alcohol consumption, cigarette smoking and flushing response on esophageal cancer risk: a population-based cohort study (JPHC study). *Cancer Lett.*;275:240–6
- Jones, A. W. (2011). Pharmacokinetics of ethanol - issues of forensic importance. *Forensic Science Review*, 23,91–136.
- Jones, Alan W. (2019). Alcohol, its absorption, distribution, metabolism, and excretion in the body and pharmacokinetic calculations. *WIREs Forensic Sci*. 2019; 1:e1340. <https://doi.org/10.1002/wfs2.1340>

- Lee, H. C., Lee, H. S., Jung, S. H. *et al.* (2001). Association between polymorphisms of ethanol-metabolizing enzymes and susceptibility to alcoholic cirrhosis in a Korean male population. *Journal of Korean Medical Science* 16, 745–750.
- Lette, Arman R., Ratnawati, Atik T., and Swasti, Khurnia. (2016). Perilaku Minum Sopi Pada Remaja di Kecamatan Maulafa, Kota Kupang. *Berita Kedokteran Masyarakat* Vol. 32 No. 7 Hal. 237-244
- Lieber, C. S. (1991a). Hepatic, metabolic and toxic effects of ethanol: 1991 update. *Alcoholism, Clinical and Experimental Research*, 15, 573–592.
- Lieber, C. S. (1997). Ethanol metabolism, cirrhosis and alcoholism. *Clinica Chimica Acta*, 257,59–84.
- Mansoori, Abdul A. and Jain, Subodh K. (2018). ADH1B, ALDH2, GSTM1 and GSTT1 Gene Polymorphic Frequencies among Alcoholics and Controls in the Arcadian Population of Central India. *Asian Pacific Journal of Cancer Prevention*, Vol 19. DOI:10.22034/APJCP.2018.19.3.725.
- Mao, Ning, Nie, Siayo, Hong, Bin, Li, Chao, Shen, X., and Xiong Tao. (2016). Association between alcohol dehydrogenase-2 gene polymorphism and esophageal cancer risk: a meta-analysis. *World Journal of Surgical Oncology*. DOI. 10.1186/s12957-016-0937-y.
- Marshall , William J., Lapsley, Marta, Day, Andrew and Shipman, Kate. (2021). The Liver. *Clinical Key. Clinical Chemistry, Chapter | 6 |*, 103-123.
- Matsuo, Keitaro, Wakai, Kenji, Hirose, Kauro, Ito, Hidemi, Saito, Toshiko, and Tajima Kazuo. (2006). Alcohol Dehydrogenase 2 His 47 Polymorphism Influences Drinking Habit Independently of Aldehyde Dehydrogenase 2 Glu487 Polymorphism: Analysis of 2.299 Japanese Subjects. *Japan: PubMed* . DOI: 10.1158/1055-9965.EPI-05-0911.
- Matthew R. Pincus, Philip M. Tierno Jr., Elizabeth Gleeson, Wilbur B. Bowne, Martin H. Bluth. (2019). Evaluation of Liver Function-Chapter 21.
- McMartin, K., Jacobsen, D., & Hovda, K. E. (2016). Antidotes for poisoning by alcohols that form toxic metabolites. *British Journal of Clinical Pharmacology*, 81, 505–515.
- Monzoni, A., Masutti, F., Saccoccio, G. *et al.* (2001). Genetic determinants of alcohol-induced liver damage. *Molecular Medicine* 7, 255–262.
- Palmer, R. B. (2009). A review of the use of ethyl glucuronide as a marker for ethanol consumption in forensic and clinical medicine. *Seminars in Diagnostic Pathology*, 26,18–27.
- Parlesak, Alexandr, Billinger, Michael H. U., Bode, Christiane, and Bode, Johann C. (2002). Gastric alcohol dehydrogenase activity in man: Influence of gender, age, alcohol consumption and smoking in a caucasian population. *Alcohol and Alcoholism*, 37, 388–393.
- Paula, Richard. (2019). Liver Disorders-Section IV: Gastrointestinal Disease-Chapter 42: Liver Disorders. *Clinical Key*.
- Prahlow, J. (2011). *Forensic Pathology for Police, Death Investigators, Attorneys, and Forensic Scientist*. New York: Humana Press.

- Pusdatin. (2013). Ringkasan Eksekutif Data dan Informasi Kesehatan Provinsi Nusa Tenggara Timur. Pusat Data dan Informasi. Kementerian Kesehatan Republik Indonesia.
- Rao, V. R. et al. (2007). Single nucleotide polymorphisms in alcohol dehydrogenase genes among some Indian populations. *Am J Hum Biol* 19, 338–344, <https://doi.org/10.1002/ajhb.20589>.
- Rehm, J. (2001). Concepts, dimensions and measures of alcohol-related social consequences. A basic framework for alcohol-related benefits and harm. In: Mapping social consequences of alcohol consumption. Klingeman H, Gmel G, eds. Kluwer, Dordrecht.
- Ridolfo, B. dan Stevenson, C. (2001). The quantification of drug-caused mortality and morbidity in Australia 1998. Australian Institute of Health and Welfare, Canberra.
- Riskesmas. (2007). Riset Kesehatan Dasar. Badan Penelitian dan Pengembangan Kesehatan. Laporan Nasional 2007, 1-384. <http://doi.org/10.1002/ajhb.20589> Desember 2013.
- Riskesmas. (2018). Hasil Utama Riskesdas. Kementerian Kesehatan Republik Indonesia. Badan Penelitian dan Pengembangan Kesehatan.
- Roe, O. (1982). Species differences in methanol poisoning. *Critical Reviews in Toxicology*, 10, 275–286.
- Rosner. (2010). *Fundamental of Biostatistiks* 7th Ed. Brooks. Cole p.232.
- Rostini, Tiene, and Rita, Coriejati. (2009). Elektroforesis Protein Serum Pasien Dengan Kadar Protein Normal. Bandung: Fakultas Kedokteran Universitas Padjadjaran. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, Vol. 15, No. 3, Juli 2009: 87-90
- Simanjuntak, Truman, Fauzi, M. Ruly, Galipaud, J.C., Azis, Fadhila A., and Buckley, Hallie. (2012). Prasejarah Austronesia di Nusa Tenggara. Sebuah Pandangan Awal. *Amerta* 30(2): 73-89
- Simanjuntak. (2015). Diaspora Melanesia di Nusantara.
- Single E., Ashley, Mary J., Bondy, Susan J., Rankin, James, and Rehm, J. (1999). Evidence regarding the level of alcohol consumption considered to be low-risk for men and women. Final report submitted to the Australian Commonwealth Department of Health and Aged Care.
- Stark, M.M. (2005). *Clinical Forensic Medicine A Physician Guide Second Edition*. Totowa, N.J.: Humana Press. Retrieved from <http://public.eblib.com/choice/publicfullrecord.aspx?p=603057>
- Staufer, K., & Yegles, M. (2016). Biomarkers for detection of alcohol consumption in liver transplantation. *World Journal of Gastroenterology*, 22, 3725–3734.
- Stephen, R. (2008). Investigating abnormal liver function tests. *Queens Medical Centre, Nottingham University Hospital Science* 16: 745-50.
- Stickel, Felix & Osterreicher, Christoph H. (2006). The Role Of Genetic Polymorphisms In Alcoholic Liver Disease. *Alcohol & Alcoholism* Vol. 41, No. 3, pp. 209-224, 2006. Oxford University Press on behalf of the Medical Council on Alcohol.
- Subanpulo, Oktovianus S. W. (2012). Pengaruh Budaya Lamaholot Dalam Ruang Kota Larantuka. *Jurnal Pembangunan Wilayah & Kota. Biro Penerbit Planologi Undip* Vol. 8 (3): 247-256 September 2012.

- Suhardi. (2011). Preferensi Peminum Alkohol Di Indonesia Menurut Riskesdas 2007. *Kemendes*, 349, 8–12.
- Suhartini, Mustofa, Nurhantari, Y., & Rianto, B. U. D. (2016). The Analysis of Polymorphism of Alcohol Dehydrogenase 3 (ADH3) Gene and Influence of Liver Function Status in Indonesia, *62*(4), 107–113.
- Suhartini, Mustofa, Nurhantari, Yudha, Rianto, Bambang U.D., Widagdo, Hendro, and Agno, Idha A.W. (2019). Analysis of Effect of Aldehyde Dehydrogenase 2 (ALDH2) Gene Polymorphism on Liver Function Status of Alcohol Drinkers in Indonesia. *AIP Conference Proceedings 2099*, 020025 (2019); <https://doi.org/10.1063/1.5098430>.
- Suriyanto, Rusyad A. & Koesbardiati, Toetik. (2006). Karakteristik-karakteristik epigenetis dan metris upper viscerocranium manusia prasejarah Liang Bua, Lewoleba, Melolo dan Ntodo Leseh di Nusa Tenggara Timur. *Jurnal Anatomi Indonesia Volume 01 No. 02 Desember 2006*. Halaman 60-70
- Suzuki, Y., Ando, Fujiko, Ohsawa, Ikuroh, Shimokata, Hiroshi, and Ohta, Shigeo. (2006). Association of alcohol dehydrogenase 2*1 allele with liver damage and insulin concentration in the Japanese. *J Hum Genet*; 51(1):31-37. DOI: 10.1007/s10038-005-0318-9.
- Syukriani, Y. F. (2012). DNA Forensik. (G. Ginanjar & A. Erna, Eds.). Jakarta: Sagung Seto.
- Vaswani, Meera, Prasad, Pushplata, and Kapur, Suman. 2009. Association of ADH1B and ALDH2 gene polymorphisms with alcohol dependence: A pilot study from India. *India: Henry Stewart Publications 1479–7364*. *Human Genomics*. Vol 3. No 3. 213–220.
- Vidal, F., Lorenzo, A., Auguet, T. *et al.* (2004). Genetic polymorphisms of ADH2, ADH3, CYP450E1 Dra-I and Pst-I, and ALDH2 in Spanish men: lack of association with alcoholism and alcoholic liver disease. *Journal of Hepatology* 41, 744–750.
- Villanueva C., *et al.* (2019). β blockers to prevent decompensation of cirrhosis in patients with clinically significant portal hypertension (PREDESCI): a randomised, double-blind, placebo-controlled, multicentre trial, *Lancet* 393:1597-1608.
- Yang, Chun-Xia, Matsuo, Keitaro, Ito, Hidemi, Hirose, Kauro, Wakai, Kenji, Saito, Toshiko, Shinoda, Masayuki, Hatooka, Shunzo, Mizutani, Kazuko, and Tajima, Kazuo. (2005). Esophageal Cancer Risk by ALDH2 and ADH2 polymorphisms and Alcohol Consumption: Exploration of Gene-Environment and Gene- Interactions. *Asian Pacific Journal of Cancer Prevention*; 6, 256-262.
- Yokoyama, Akira, *et al.* (2014). Alcoholic Ketosis: Prevalence, Determinants, and Ketohepattis in Japanese Alcoholic Men. *Japan: Alcohol and Alcoholism* Vol.49, No.6, pp.618-625.
- Young, Elton T. & Pilgrim, David. (1985). Isolation and DNA Sequence of ADH3, a Nuclear Gene Encoding the Mitochondrial Isozyme of Alcohol Dehydrogenase in *Saccharomyces cerevisiae*. *Molecular And Cellular Biology*, Nov, 1985, p. 3024-3034. American Society for Microbiology.

- Zakhari, Samir. (2006). Overview: How Is Alcohol Metabolized by the Body?.
Alcohol Research & Health Vol. 29, No. 4.
- Zhang, Wei Sen, Xu, Liu, Schooling, C. Mary, Jiang, Chao Q., Cheng, Kar K., Liu,
Biu, and Lam, Tai H. (2013). Effect of alcohol and aldehyde dehydrogenase
gene polymorphisms on alcohol-associated hypertension: the Guangzhou
Biobank Cohort Study. Hypertension Research: 36,741-746.