



DAFTAR PUSTAKA

- Badan pusat statistik provinsi ntt. (2017) <https://ntt.bps.go.id/dynamictable/2017/08/16/373/jumlah-penduduk-menurut-kelompok-umur-dan-jenis-kelamin-di-provinsi->
- Badan pusat statistik provinsi ntt. (2018).<https://ntt.bps.go.id/dynamictable/2016/08/03/321/banyaknya-kecamatan-menurut-kabupaten-kota-di-provinsi-nusa-tenggara-timur-2014-2018.htm>
- Bardale, R. (2011). Principles of Forensic Medicine and Toxicology. New Delhi : Jaypee Brothers Medical Publishers (P) LTD.
- Bedossa, Pierre, Paradis, Valerie, and Rossi, Jessica Z. (2019). MacSween's Pathology of the Liver. Chapter 2: Cellular and Molecular Techniques. Elsevier.
- Borras, E., Coutelle, C., Rosell, A., Muixi, F. F., Broch, M., & Al., E. (2000), Genetic Polymorphism of Alcohol Dehydrogenase in Europeans : The ADH2 *2 Allele Decrease the Risk for Alcoholism and Is Associated With ADH3 *1, (34), 984-989. <http://doi.org/10.1053/he.2000.5978>
- BPOM. (2016). Peraturan Kepala Badan Pengawas Obat Dan Makanan Republik Indonesia No. 14 Tahun 2016 Tentang Standar Keamanan Dan Mutu Minuman Beralkohol. Jakarta: Direktur Jenderal Peraturan Perundang-Undangan Kementerian Hukum dan Hak Asasi Manusia Republik Indonesia.
- Budiyanto A., Wibisana W., Siswandi S., Winardi T., Idries A. M., Sidhi *et al.* (1997). *Ilmu Kedokteran Forensik*, Edisi Kedua. Bagian Kedokteran Forensik Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Chang, Yi-Cheng, *et al.* (2021). A common East Asian-specific ALDH2 mutation causes obesity and insulin resistance: therapeutic effect of reducing toxic aldehydes by ALDH2 activation. Research Square. DOI: <https://doi.org/10.21203/rs.3.rs-104384/v1>
- Chien J, Liu J, Lee MH, Jen CL, Batrla-Utermann R, Lu SN, et al. Risk and Predictors of Hepatocellular Carcinoma for Chronic Hepatitis b Patients With Newly Developed Cirrhosis. J Gastroenterol Hepatol 2016. doi:10.1111/jgh.13422
- Claudia, M., Maurico, R. (2015). Characterization of polymorphisms of genes ADH2, ADH3, ALDH2 and CYP2EI and relationship to the alcoholism in a Colombian population. Colombia Medica (Cali): 46(4):176-82
- Connor, J. P., Haber, P. S., & Hall, W.D. (2016). Alcohol use disorders. The Lancet, 387(10022), 988-998. [http://doi.org/10.1016/S0140-6736\(15\)00122](http://doi.org/10.1016/S0140-6736(15)00122)
- Dahlan, M. S. (2015). Statistika untuk Kedokteran dan Kesehatan, Edisi Keenam. Salemba Medika, Jakarta.
- Dakaeishi, M., Murata, Katsuyuki, Sasaki, Makiko, Tamura, Akiko, and Iwata Toyota. (2008). Association of Alcohol Dehydrogenase 2 And Aldehyde Dehydrogenase 2 Genotypes With Fasting Plasma Glucose Levels In Japanese Male And Female Workers. Japan: Department of Environmental



- Health Sciences, Akita University School of Medicine, Akita City. Alcohol & Alcoholism Vol. 43, No. 2, pp. 143-147. Doi: 10.1093/alcalc/agm173.
- Departemen Kesehatan Republik Indonesia, (2010). <https://www.depkes.go.id/kategori-usia>
- Departemen Kesehatan Republik Indonesia, (2016). https://www.depkes.go.id/resources/download/profil/PROFIL_KES_PROVINSI_2015/19_NTT_2015.pdf
- Department of Legal Medicine, Shimane University Svhoool of Medicine. 89-1 Enya, Izumo, Shimane 693-8501, Japan. Volume 149, Issues 2-3. Pages 243-247. DOI: <http://dx.doi.org/10.1016/j.forsciint.2004.08.011>.
- Ehlers C.L. (2007). Variations in ADH and ALDH in Southwest California Indians, A. 14-17.
- Eng, Mimy Y., Luczak, Susan E., Wall, Tamara L. (2007). ALDH2, ADH1B and ADH1C genotypes in Asians: a literature review. Alcohol Research & Health. U.S. Government Printing office. 30 (1): 22-7.
- English, DR., Holman, CDJ., Milne, E. et al. (1995). The Quantification Of Drug Caused Morbidity and Mortality in Australia 1995. Commonwealth Departement of Human Services and Health, Canberra.
- European Association for the Study of the Liver. (2018). EASL Clinical Practice Guidelines: Management of alcohol-related. Journal Of Hepatology. Clinical Practice Guidelines. Switzerland: Journal of Hepatology 2018 vol. 69 j 154–181liver disease.
- Flobamoora. (2019). Adat istiadat dan budaya di NTT, wisataflobamora.blogspot.com/2019
- Fujihara J., Takayama K. (2005). A fatal case of pure ethanol ingestion.
- Gaviria, Monica M., Arango, Gonzalo, C., and Navas, Maria C. (2016). Alcohol, Cirrhosis, and Genetic Predisposition. Colombia: Gastrohepatology Group of the Faculty of Medicine at the University de Antioquia in Medellin.
- Goedde H.W., Argawal D.P., Fritze G. (1992). Distribution of ADH2 and ALDH2 genotypes in different populations. Hum. Gen. 88:344-346.
- Goedde H.W., SinghS., Agarwal D., Fritze G., Stapel K., Paik Y.K. (1989). Genotyping of mitochondrial aldehyde dehydrogenase in blood samples using allele-specific oligonucleotides: comparison with phenotyping in hair roots. Hum Genet 81:305-7.
- Goodwin, W., Linacre, A., & Hadi, S. (2011). An Introduction to Forensic Genetics. Journal of Chemical Information and Modelling (2007th ed., Vol.53). West Sussex: John Wiley * Sons, Ltd. <http://doi.org/10.1017/CBO9781107415324.004>
- Gutjahr, E., Gmel, G., Rehm, J. (2001). Relation between average alcohol consumption and disease: an overview. European Addiction Research, 7:117–127.
- He, Lei, Deng, Tao, and Luo, He-Sheng. (2015). Genetic Polymorphism in Alcohol Dehydrogenase 2 (ADH2) Gene and Alkoholic Liver Cirrhosis Risk. China: Departement of Gastroenterology, Renmin Hospital of Wuhan University. *Int J Clin Exp Med* 2015;8(5):7786-7793. www.ijcem.com /ISSN:1940-5901/IJCEM0007456.



- He, Lei, Deng, Tao, and Luo, Hesheng. (2016). Aldehyde dehydrogenase 2 (ALDH2) polymorphism and the risk of alcoholic liver cirrhosis among east Asians : a meta-analysis, Yonsei medical journal.
- Holman, CD., English, D.R., Milne, E., and Winter, M.G. (1996). Meta-analysis of alcohol and all-cause mortality: a validation of NHMRC recommendations. Medical Journal of Australia, 164:141–145.
- Kementerian kesehatan republik Indonesia. (2018). Hasil utama Riskesdas tahun 2018. www.Depkes.go.id
- Kementrian Kesehatan Republik Indonesia. (2009). UU Republik Nomor 36 tahun 2009 tentang Kesehatan
- Li, Hui, Borinskaya, S., Yoshimura, K., Kal'ina, N., Marusin, A., Stepanov, Vadim A., Qin, Z., Shagufta, K., Lee, Mi-Young, Yang, Y., Mohyuddin, A., Gurwitz, D., Mehdi, Syed Q., Rogaev, E., Jin, Li., Yankovsky, Nikolay K., Kidd, Judith R., and Kidd, Kenneth K. (2009). Refined geographic distribution of the oriental ALDH2*504Lys (nee 487Lys) variant. Ann. Hum. Genet. 73, 335-345.
- Marshall , William J., Lapsley, Marta, Day, Andrew and Shipman, Kate. (2021). The Liver. Clinical Key. Clinical Chemistry, Chapter | 6 |, 103-123.
- Masaoka, Hiroyuki, Gallus, Silvano, Ito,Hidemi, Watanabe, Miki, Yokomizo, Akira, Eto, Masatoshi, and Matsuo, Keitaro. (2017). Aldehyde Dehydrogenase 2 Polymorphism Is a Predictor of Smoking Cessation. Nicotin & Tobacco Research 19(9). DOI: 10.1093/ntr/ntw316.
- Matsumoto, Akiko, Thompson, David C., Chen, Ying, Kitagawa, Kyoko, and Vasilou, Vasilis. (2016). Roles of defective ALDH2 polymorphism on liver protection and cancer development. Environ Health Prev Med. 21:395-402. DOI 10.1007/s12199-016-0579-2.
- Matthew R. Pincus, Philip M. Tierno Jr., Elizabeth Gleeson, Wilbur B. Bowne, Martin H. Bluth. 2019. Evaluation of Liver Function-Chapter 21.
- Menteri Kesehatan Republik Indonesia. (2008). Peraturan Menteri kesehatan republik Indonesia Nomor 290/MENKES/PER/III/2008 tentang persetujuan tindakan
- Mizuno Y., Hokimoto, Seiji, Harada, Eisaku, Kinoshita, Kenji, Yoshimura, Michihiro, and Yasue, Hirofumi. (2016). Variant Aldehyde Dehydrogenase 2 (ALDH2*2) in East Asians Interactively Exacerbates Tobacco Smoking Risk for Coronary Spasm-Possible Role of Reactive Aldehydes. Circulation Journal: Official Journal of the Japanese Circulation Society. Europe PMC. DOI: 10.1253/circj.cj-16-0969.
- Mongconthwomchai P., Nanakorn S., Nishiyori A. (2002). Aldehyde Dehydrogenase-2 Genotype Detection in Fingernails among Non-alcoholic Northeastern Thai Population and Derived Gene Frequency. Sci. Asia 28: 99-103
- Monica, M. Gaviria, Arango, Gonzalo, C., and Navas, Maria C. (2016). Alcohol, Cirrhosis, and Genetic Predisposition. Colombia: Gastrohepatology Group of the Faculty of Medicine at the University de Antioquia in Medellin.



- Moore, S., Jaime, M., Cary, L.G., Ehler, C.I. (2007). Variations In Alcohol-Metabolizing Enzymes In People of East Indian and African Descent From Trinidad and Tobago. *Alcohol Reserch&Health*. Vol 30.No.I
- Murray. (2000). Biokimia Harper. Edisi 25, 264, <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5548a2.htm>
- Musaffa. (2016). Metabolisme alkohol dalam tubuh, www.scribd.com
- Nayak J. K., Sarkar B. N., Das P. K., and V. R. Rao. (2008). *Genetics of Alcohol Use in Humans: An Preview* © Kamla-Raj Int J Hum Gene. 8 (1-2) : 181-197
- Nugroho, Novianto Adi. (2018). Hubungan antara polimorfisme gen ALDH2 dengan kebiasaan minum alkohol pada mahasiswa papua di Indonesia.
- Paula, Richard. 2019. Liver Disorders-Section IV: Gastrointestinal Disease- Chapter 42: Liver Disorders. Clinical Key.
- Pejabat pengelola informasi daerah provinsi NTT. (2009). Tentang provinsi NTT, ppid.nttprov.go.id/tentang-provinsi-ntt/2009
- Pemerintah provinsi NTT., (2015). *Kondisi geografis NTT*, [https://nttprov.go.id/ntt/kondisi-geografis](http://nttprov.go.id/ntt/kondisi-geografis).
- Quertemont E. (2004). Genetic Polymorphism in ethanol metabolism: acetaldehyde contribution to alcohol abuse and alcoholism. *Mol. Psych.* 9: 570-581.
- Rapley R. and Whitehouse D. (2007). Molecular Forensics. West Sussex England: John Wiley & Sons Ltd. ISBN: 978-0-470-02495-9.
- Rehm, J. (2001). Concepts, dimensions and measures of alcohol-related social consequences. A basic framework for alcohol-related benefits and harm. In: Mapping social consequences of alcohol consumption. Klingeman H, Gmel G, eds. Kluwer, Dordrecht.
- Ridolfo, B. dan Stevenson, C. (2001). The quantification of drug-caused mortality and morbidity in Australia 1998. Australian Institute of Health and Welfare, Canberra.
- Riskesdas. (2018). Hasil Utama Riskesdas. Kementerian Kesehatan Republik Indonesia. Badan Penelitian dan Pengembangan Kesehatan.
- Roe, O. (1982). Species differences in methanol poisoning. *Critical Reviews in Toxicology*, 10, 275–286.
- Rostini, Tiene, and Rita, Coriejati. 2009. Elektroforesis Protein Serum Pasien Dengan Kadar Protein Normal. Bandung: Fakultas Kedokteran Universitas Padjadjaran. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, Vol. 15, No. 3, Juli 2009: 87-90
- Single E., Ashley, Mary J., Bondy, Susan J., Rankin, James, and Rehm, J. (1999). Evidence regarding the level of alcohol consumption considered to be low-risk for men and women. Final report submitted to the Australian Commonwealth Department of Health and Aged Care.
- Stark, M.M., Norfolk, G. (2005). Clinical Forensic Medicine A Physician's Guide 2nd ed.Humana Press.New Jersey. pp 305-316
- Steven B. K. (2007). *Drug abuse Hand book*. Second edition. Berkeley California, CRC Press. Taylor & Francis Group. Boca Raton London New York, 313-428.
- Suhardi. (2011). Preferensi Peminum Alkohol Di Indonesia Menurut RISKESDAS 2007. Pusat Teknologi Terapan Kesehatan dan Epidemiologi Klinik.



- Suhartini, Mustofa, Nurhantari, Y., & Rianto, B. U. D. (2016). The Analysis of Polymorphism of Alcohol Dehydrogenase 3 (ADH3) Gene and Influence of Liver Function Status in Indonesia, 62(4), 107–113.
- Suhartini, Mustofa, Nurhantari, Yudha, Rianto, Bambang U.D., Widagdo, Hendro, and Agno, Idha A.W. (2019). Analysis of Effect of Aldehyde Dehydrogenase 2 (ALDH2) Gene Polymorphism on Liver Function Status of Alkohol Drinkers in Indonesia. AIP Conference Proceedings 2099, 020025 (2019); <https://doi.org/10.1063/1.5098430>.
- Tabara Y, Arai H, Hirao Y, Takahashi Y, Setoh K, Kawaguchi T, et al. The causal effects of alcohol on lipoprotein subfraction and triglyceride levels using a Mendelian randomization analysis: The Nagahama Study. *Atherosclerosis* 2017;257:22-8
- Takeshita T. (1994). Characterization of the three genotypes of low Km aldehyde dehydrogenase in a Japanese population. *Hum. Genet.* 94: 217-23.
- Takeuchi F, Isono M, Nabika T, Katsuya T, Sugiyama T, Yamaguchi S, et al. (2011). Confirmation of ALDH2 as a Major locus of drinking behavior and of its variants regulating multiple metabolic phenotypes in a Japanese population. *Circ J.*;75:911–8
- Tsuritani I, Ikai E, Date T, Suzuki Y, Ishizaki M, Yamada Y. Polymorphism in ALDH2-genotype in Japanese men and the alcohol-blood pressure relationship. *Am J Hypertens* 1993;8(11):1053-9
- Vasiliou V., Bairoch A., Tipton K.F., Nebert D.W. (1999). Eucaryotic aldehyde dehydrogenase (ALDH) genes: human polymorphisms, and recommended nomenclature based on divergent evolution and chromosomal mapping. *Pharmacog*, 9: 421–434
- Villanueva C., et al. 2019. β blockers to prevent decompensation of cirrhosis in patients with clinically significant portal hypertension (PREDESCI): a randomised, double-blind, placebo-controlled, multicentre trial, *Lancet* 393:1597-1608.
- Wanandi S.I. (2002). Distribution of genetic metabolism of aldehyde dehydrogenase-2 (ALDH-2) in Indonesian subject. *Med. J. Indonesia* 11(3):135-42.
- Wanandi, S.I. (2002). Distribution of genetic polymorphism of aldehyde dehydrogenase-2 (ALDH-2) in Indonesian subject. Jakarta: Med. J. Indonesia. Vol. 11, No.3, July-September 2002.
- WHO. (2015). Global status report on alcohol 2014, alcohol consumption : level and patterns in indonesia 1961-2010.
- Winograd, Rachel P., Steinley, Douglas, and Sher, Kenneth. (2016). Searching for Mr.Hyde: A five-factor approach to characterizing “types of drunks”. *Addict Res Theory*;24(1):1–8Informa UK Ltd 24:1, 1-8, DOI: 10.3109/16066359.2015.1029920.
- Xu L, Jiang CQ, Cheng KK, Au Yeung SL, Zhang WS, Lam TH, et al. (2015). Alcohol use and gamma-glutamyltransferase using a Mendelian randomization design in the Guangzhou Biobank Cohort Study. *PLoS One*;10:e0137790



UNIVERSITAS
GADJAH MADA

**HUBUNGAN POLIMORFISME GEN ALDEHYDE DEHYDROGENASE 2 (ALDH2) DENGAN KADAR
ENZIM TRANSAMINASE PADA
MASYARAKAT NUSA TENGGARA TIMUR YANG MEMILIKI KEBIASAAN MINUM ALKOHOL**

N. A. DEWI MAHILA, dr. Yudha Nurhantari, Ph.D., Sp.FM ; Dr. Dra. Suhartini, Apt., S.U.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yoshimasu K, Mure K, Hashimoto M, Takemura S, Tsuno K, Hayashida M, et al.

Genetic alcohol sensitivity regulated by ALDH2 and ADH1B polymorphisms
is strongly associated with depression and anxiety in Japanese employees.

Drug Alcohol Depend. 2015;147:130–6.

Zakhari, Samir. (2006). Overview: How Is Alcohol Metabolized by the Body?.
Alcohol Research & Health Vol. 29, No. 4.