

## DAFTAR PUSTAKA

- Aeni, T. 2012. *Faktor-Faktor Penyebab Kejadian Anemia pada Remaja Putri (Studi Kasus pada SMK Negeri 1 Kota Tegal)*. Universitas Negeri Semarang.
- Almatsier, S. 2009. *Prinsip Dasar Ilmu Gizi*. Jakarta: PT Gramedia Pustaka Utama.
- Ambayya, A., Sasmita, A.O. & Sathar, J. 2019. Utilizing Extended Red Blood Cell Parameters to Distinguish Iron-Deficient Erythropoiesis - Related Disorders in Malaysian Female Population. *Int. J. Blood Res. Disord*, 6(1): 1–9.
- Andrews, N.C. 1999. Disorder of Iron Metabolism. *N. Engl. J. Med*, 341(26): 1986–1995.
- Asobayire, F.S., Adou, P., Davidsson, L., Cook, J.D. & Hurrell, R.F. 2001. Prevalence of iron deficiency with and without concurrent anemia in population groups with high prevalences of malaria and other infections: A study in Côte d'Ivoire 1-3. *Am. J. Clin. Nutr*, 74(6): 776–782.
- Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan RI. 2002. *Laporan Survei Kesehatan Rumah Tangga (SKRT) 2001: Studi Morbiditas dan Disabilitas*.
- Bahrainwala, J. & Berns, J.S. 2016. Diagnosis of Iron-Deficiency Anemia in Chronic Kidney Disease. *Semin Nephrol*, 36(2): 94–98.
- Bakta, I.M., Suega, K. & Dharmayuda, T. 2006. Anemia Defisiensi Besi. In A. W. Sudoyo, B. Setiyohadi, I. Alwi, Marcellus Simadibrata, & S. Setiati, eds. *Buku Ajar Ilmu Penyakit Dalam jilid 2*. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam FK UI.
- Beard, J., deRegnier, R.A., Shaw, M.D., Rao, R. & Georgieff, M. 2007. Diagnosis of iron deficiency in infants. *Laboratory Medicine*, 38(2): 103–108.
- Bermejo, F. & García-López, S. 2009. A guide to diagnosis of iron deficiency and iron deficiency anemia in digestive diseases. *World J. Gastroenterol.*, 15(37): 4638–4643.
- Brannon, P.M. & Taylor, C.L. 2017. Iron supplementation during pregnancy and infancy: Uncertainties and implications for research and policy. *Nutrients*, 9(12): 1–17.
- Brooks, C., Burke, S.P. & Persand, G. 2001. Benchmarks and the accuracy of GARCH model estimation. *Int. J. Forecast*, 17(1): 45–56.
- Brugnara, C. 2003. Iron Deficiency and Erythropoiesis: New Diagnostic Approaches. *Clin Chem*, 49(10): 1573–1578.
- Buttarello, M., Pajola, R., Novello, E., Mezzapelle, G. & Plebani, M. 2016. Evaluation of the hypochromic erythrocyte and reticulocyte hemoglobin content provided by the Sysmex XE-5000 analyzer in diagnosis of iron deficiency erythropoiesis. *Clin. Chem. Lab. Med*, 54(12): 1939–1945.
- Buttarello, M., Pajola, R., Novello, E., Rebeschini, M., Cantaro, S., Oliosio, F., Naso, A. & Plebani, M. 2010. Diagnosis of iron deficiency in patients undergoing hemodialysis. *Am J Clin Pathol*, 133(6): 949–954.
- Choi, J.W. 2005. Sensitivity, specificity, and predictive value of serum soluble transferrin receptor at different stages of iron deficiency. *Ann. Clin. Lab. Sci*, 35(4): 435–439.

- Coyne, D. 2006. Challenging the boundaries of anemia management: A balanced approach to i.v. iron and EPO therapy. *Int Soc Nephrol*, 69(SUPPL. 101): S1–S3.
- Daru, J., Colman, K., Stanworth, S.J., De La Salle, B., Wood, E.M. & Pasricha, S.R. 2017. Serum ferritin as an indicator of iron status: What do we need to know? *Am J Clin Nutr*, 106: 1634S–1639S.
- DIY, B., DIY, B.P. & UGM, P.S.K. dan K. 2018. Survei Demografi dan Kesehatan Indonesia 2017: Daerah Istimewa Yogyakarta. *SDKI*: 1–86.
- Fishbane, S., Pollack, S., Feldman, H.I. & Joffe, M.M. 2009. Iron indices in chronic kidney disease in the National Health and Nutritional Examination Survey 1988–2004. *Clin J Am soc Nephrol*, 4(1): 57–61.
- Ganz, T. & Nemeth, E. 2006. Iron imports. IV. Hcpidin and regulation of body iron metabolism. *Am J of Physiol - Gastrointest Liver Physiol*, 290(2): 199–203.
- Goodburn, E.A. & Ross, D.A. 1995. A picture of health: A review and annotated bibliography of the health of young people in developing countries. *World Health Organization and UNICEF, WHO/FHE/AD*.
- Hajian-Tilaki, K. 2014. Sample size estimation in diagnostic test studies of biomedical informatics. *J. Biomed. Inform*, 48: 193–204. <http://dx.doi.org/10.1016/j.jbi.2014.02.013>.
- Halterman, J.S., Kaczorowski, J.M., Aligne, C.A., Auinger, P. & Szilagyi, P.G. 2001. Iron deficiency and cognitive achievement among school-aged children and adolescents in the United States. *Pediatrics*, 107(6): 1381–1386.
- Harms, K. & Kaiser, T. 2015. Beyond soluble transferrin receptor: Old challenges and new horizons. *Best Prac. Res: Clin. Endocrinol. Metab*, 29(5): 799–810.
- Hoffbrand, A.V., Hershko, C. & Camaschella, C. 2011. Iron metabolism, Iron Deficiency and Disorder of Haem Synthesis. In A. V. Hoffbrand, C. Daniel, T. Edward, & G. A. R, eds. *Postgraduated Haematology*. London: Wiley Blackwell Publishing Ltd.: 24–46.
- Hurlock & Bergner, E. 2003. *Psikologi Perkembangan Suatu Pendekatan Sepanjang Rentang Kehidupan*. Fifth edit. Istiwidayanti, Soejarwo, Sijabat, & R. Max, eds. Jakarta: Erlangga.
- Husnaini & Dkk. 1989. *Anemia Gizi Suatu Studi Kompilasi Informasi dalam Menunjang Kebijaksanaan Nasional dan Pengembangan Program*. Bogor.
- Jajat, J. & Suherman, A. 2020. Indonesian Children and Adolescents ' Body Mass Index : WHO and Asia-Pacific Classification. *Advances in Health Sciences Research*, 21(4th International Conference on Sport Science, Health, and Physical Education (ICSSHPE 2019)): 263–266.
- KDOQI & Review, E. 2006. KDOQI Clinical Practice Guidelines and Clinical Practice Recommendations for Anemia in Chronic Kidney Disease. Executive Summary. *Am. J. Kidney Dis*, 47(5): S11–70.
- Kemkes RI. 2016. *Pedoman Pencegahan dan Penanggulangan Anemia pada Remaja Putri dan Wanita Usia Subur (WUS)*. Jakarta.
- Kemkes RI. 2003. *Pedoman Praktis Terapi Gizi Medis Departemen Kesehatan RI*. Jakarta: Binkesmas Depkes RI. [www.p2ptm.kemkes.go.id](http://www.p2ptm.kemkes.go.id).

- Kementerian Kesehatan RI. 2018. Hasil Utama Riset Kesehatan Dasar 2018. *Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia*: 1–100.
- Kementerian Kesehatan RI. 2013. Pokok-Pokok hasil Riskesdas Indonesia 2013. *Badan Penelitian dan Pengembangan Kesehatan*: 90.
- Khaidir, M. 2007. Anemia Defisiensi Besi. *J. Kesehat. Masy. Andalas*, 2(1): 140–145.
- Khodaiji, S. 2019. Newer CBC Parameters of Clinical Significance R. Saxena & H. P. Pati, eds. *Hematopathology*: 3–25. [https://doi.org/10.1007/978-981-13-7713-6\\_1%0A3](https://doi.org/10.1007/978-981-13-7713-6_1%0A3) 20 September 2020.
- Kim, A. & Nemeth, E. 2017. New insights into iron regulation and erythropoiesis. *Curr Opin Hematol*, 176(3): 139–148.
- Kim, J.M., Ihm, C.H. & Kim, H.J. 2008. Evaluation of reticulocyte haemoglobin content as marker of iron deficiency and predictor of response to intravenous iron in haemodialysis patients. *Int J Lab Haematol*, 30(1): 46–52.
- Koca, E., Cetiner, D.A., Buyukasik, Y., Uner, A., Sayinalp, N. & Haznedaroglu, I.C. 2013. Bone Marrow Iron Staining is a Reliable Test for Elimination of Iron Deficiency Anemia Rather than its Diagnosis. *Int J Haematol Oncol*, 23(4): 260–263.
- Koss, W. 1998. Anemias of Abnormal Iron Metabolism and Hemochromatosis. In E. Martin, C. Steininger, & J. Koepke, eds. *Clinical Haematology, Principles Procedures and Correlation*. Philadelphia: Lippincott: 175–191.
- Kotze, M.J., van Velden, D.P., van Rensburg, S.J. & Erasmus, R. 2009. Pathogenic Mechanisms Underlying Iron Deficiency and Iron Overload: New Insights for Clinical Application. *J. Int. Fed. Clin. Chem. Lab. Med*, 20(2): 108–23.
- Lanzkowsky, P. 2016. *Chapter 6. Iron-Deficiency Anemia*. Elsevier Inc. <http://dx.doi.org/10.1016/B978-0-12-801368-7.00006-5>.
- Levy, S. & Schapkaitz, E. 2018. The clinical utility of new reticulocyte and erythrocyte parameters on the Sysmex XN 9000 for iron deficiency in pregnant patients. *Int J Lab Haematol*, 40(6): 683–690.
- Longanbach, S., Chapman, D., Waldron, K. & Miers, M. 2007. Automated Cell Counting Instrumentation and Point of Care Testing. In B. Rodak, G. Fritsma, & K. Doig, eds. *Hematology Clinical Principles and Applications*. USA: Elsevier: 541–545.
- López, A.V., Molinos, F.L., Carmona, M.L., Morales, A.C., Vico Muñoz, F.J., Muñoz, J.L. & Muñoz Hoyos, A. 2006. Serum transferrin receptor in children: Usefulness for determining the nature of anemia in infection. *J. Pediatr. Hematol. Oncol*, 28(12): 809–815.
- Luo, D., Ma, H., Lin, J., Quan, S., Feng, J., Ren, Q., Zhao, R. & Zhu, M. 2016. Percentage of hypochromic red cells: A better predictive marker than conventional hematological parameters in the diagnosis of latent iron deficiency in women with menometrorrhagia. *Int J Clin Exp Med*, 9(5): 8593–8598.
- Maani, H. 2013. Recent Laboratory Examination of Iron Deficiency Anemia. *Suplemen Majalah Kedokteran Andalas, Pendidikan Kedokteran Berkelanjutan Patologi Klinik Regional Sumbagut*, 37(1): 122–129.

- Mandrekar, J.N. 2010. Receiver operating characteristic curve in diagnostic test assessment. *J.Thoracic Oncol*, 5(9): 1315–1316.
- More, S., Shivkumar, V.B., Gangane, N. & Shende, S. 2013. Effects of Iron Deficiency on Cognitive Function in School Going Adolescent Females in Rural Area of Central India. *Hindawi Publishing Corporation*, 2013: 1–5. <http://dx.doi.org/10.1155/2013/819136>.
- Muhammad, A. & Sianipar, O. 2005. PENENTUAN DEFISIENSI BESI ANEMIA PENYAKIT KRONIS MENGGUNAKAN PERAN INDEKS sTfR-F ( Determination of iron deficiency in chronic disease anemia by the role of sTfR-F index ). *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 12(1): 9–15.
- Muslim, A. 2015. Pengaruh Waktu Simpan Darah K 2 EDTA dan Na 2 EDTA Pada Suhu Kamar Terhadap Kadar Hemoglobin. *J. Anal. Kesehat*, 4(2): 392–396.
- Pavord, S., Daru, J., Prasannan, N., Robinson, S., Stanworth, S. & Girling, J. 2020. UK guidelines on the management of iron deficiency in pregnancy. *Br. J. Haematol*, 188(6): 819–830.
- Pfeiffer, C.M. & Looker, A.C. 2017. Laboratory methodologies for indicators of iron status: Strengths, limitations, and analytical challenges. *Am. J. Clin. Nutr*, 106: 1606S-1614S.
- Purwanto, D.S. 2013. Peran Hepsidin Sebagai Regulator Metabolisme Besi. *Jurnal Biomedik (Jbm)*, 4(2).
- Puspongoro, H., Wirya, I.W., Pudjiadi, A., Bisanto, J. & Zulkarnain, S. 2010. Uji Diagnostik. In I. S. Sastroasmoro S, ed. *Dasar-dasar Metodologi Penelitian Klinis*. Jakarta: CV Sagung Seto: 193–216.
- Qin, Y., Melse-boonstra, A., Pan, X., Yuan, B., Dai, Y., Zhao, J., Zimmermann, M.B., Kok, F.J., Zhou, M. & Shi, Z. 2013. Anemia in relation to body mass index and waist circumference among chinese women. *Nutr. J*, 12(1): 1. *Nutrition Journal*.
- Rafi, A., Karkar, A. & Abdelrahman, M. 2007. Monitoring Iron status in End-Stage Renal Disease Patients on Hemodialysis. *Saudi J Kidney Dis Transplant*, 18(1): 73–78.
- Rodak, B.F., Fritsma, G.A. & Keohane, E.M. 2007. *Hematology Clinical Principles and Application*. Third edit. Philadelphia: Elsevier Health Sciences.
- Safari, S., Baratloo, A., Elfil, M. & Negida, A. 2016. Evidence Based Emergency Medicine; Part 5 Receiver Operating Curve and Area under the Curve. *Emergency*, 4(2): 111–3.
- Saito, H. 2014. Metabolism of iron stores. *Nagoya J. Med. Sci*, 76(3–4): 235–254.
- Sakti & Hastaningsih. 2003. Pengaruh Suplementasi Tablet Fe dan Pendidikan Gizi Terhadap Pengetahuan, Sikap, Praktek Tentang Anemia dan Kadar Hemoglobin (Hb) Pada Remaja Putri Tahun 2003. *Media Med. Indones*, Volume 31: 2003.
- Sanyoto, A., Suega, K., Adnyana, L. & Bakta, I.M. 2017. Diagnostic test equivalent hemoglobin reticulocyte in iron deficiency anemia. *Indones.Biomed. J*, 9(3): 143–146.
- Sastroasmoro, S. & Ismael, S. 2014. *Dasar-dasar Metodologi penelitian Klinis*. 5th ed. Jakarta: Sagung Seto.

- Soetjiningsih. 2007. Tumbuh kembang remaja dan permasalahannya. In Jakarta: Sagung Seto.
- Suega, K. 2010. Aplikasi Klinis Retikulosit. *J Peny Dalam*, 11(3): 191–201.
- Teixeira, C., Barbot, J. & Freitas, M.I. 2015. Reference values for reticulocyte parameters and hypochromic RBC in healthy children. *Int. J. of Lab. Hematol*, 37(5): 626–630.
- Thomas, C. & Thomas, L. 2002. Biochemical Markers and Hematologic Indices in the Diagnosis of Functional Iron Deficiency. *Clin. Biochem*, 48(7): 1066–1076.
- UNICEF. 2011. Adolescent: An Age of Opportunity. *Unicef*. [http://www.unicef.org/sowc2011/pdfs/SOWC-2011-Main-Report\\_EN\\_02092011.pdf](http://www.unicef.org/sowc2011/pdfs/SOWC-2011-Main-Report_EN_02092011.pdf).
- Urrechaga, E., Borque, L. & Escanero, J.F. 2013a. Biomarkers of hypochromia: The contemporary assessment of iron status and erythropoiesis. *Biomed Res. Int.*, 2013.
- Urrechaga, E., Borque, L. & Escanero, J.F. 2016. Clinical Value of Hypochromia Markers in the Detection of Latent Iron Deficiency in Nonanemic Premenopausal Women. *J. Clin. Lab. Anal*, 30(5): 623–627.
- Urrechaga, E., Borque, L. & Escanero, J.F. 2013b. Erythrocyte and reticulocyte indices in the assessment of erythropoiesis activity and iron availability. *Int J. Lab. Hematol*, 35(2): 144–149.
- Urrechaga, E., Borque, L. & Escanero, J.F. 2012. Percentage of hypochromic erythrocytes as a potential marker of iron availability. *Clin. Chem. Lab. Med*, 50(4): 685–687.
- Walter, T., Olivares, M., Pizarro, F. & Muñoz, C. 2009. Iron, Anemia, and Infection. *Nutrition Reviews*, 55(4): 111–124.
- Who. 2011. Serum ferritin concentrations for the assessment of iron status and iron deficiency in populations. Vitamin and Mineral Nutrition Information System. *Who*: 1–5. [http://www.who.int/vmnis/indicators/serum\\_ferritin.pdf](http://www.who.int/vmnis/indicators/serum_ferritin.pdf).
- WHO. 2012. Anaemia Policy Brief. , (6): 1–7. [http://www.who.int/iris/bitstream/10665/148556/1/WHO\\_NMH\\_NHD\\_14.4\\_eng.pdf](http://www.who.int/iris/bitstream/10665/148556/1/WHO_NMH_NHD_14.4_eng.pdf).
- WHO. 2007. *Assesing the Iron Status of populations*. 2nd ed. Geneva: WHO Press.
- WHO. 2013. *Micronutrient Deficiency*. World Health Organization.
- WHO. 2011. The global prevalence of anaemia in 2011. *Who*: 1–48. <https://apps.who.int/iris/handle/10665/177094>.
- WHO. 2008. Worldwide prevalence of anaemia 1993-2005. [http://whqlibdoc.who.int/publications/2008/9789241596657\\_eng.pdf](http://whqlibdoc.who.int/publications/2008/9789241596657_eng.pdf).
- WHO (World Health Organization). 2006. *Adolescent nutrition: A Review of the Situation in Selected South-East Asian Countries*. New Delhi.
- WHO (World Health Organization). 2016. *Guideline: Daily Iron Supplementation in Adult Women and Adolescent Girls*. 1st ed. Geneva: WHO Press.
- Wish, J.B. 2006. Assessing iron status: beyond serum ferritin and transferrin saturation. *Clin J Am soc Nephrol*, 1 Suppl 1: S4–S8.
- Wu, A.C., Lesperance, L. & Bernstein, H. 2011. Screening for Iron Deficiency The early introduction of whole cow milk. *Pediatrics in Review*, 23(5): 171–178.