

DAFTAR PUSTAKA

- Ahmadijokani, F., Shojaei, A., Arjmand, M., Alayi, Y. and Yan, N., (2019), Effect of Short Carbon Fiber on Thermal, Mechanical, and Tribological Behavior of Phenolic-based Brake Friction Materials, *Composites Part B*, 168(4), pp. 98–105.
- Akincioglu, G., Oktem, H., Uygur, I. and Akincioglu, S., (2018), Determination of Friction-Wear Performance and Properties of Eco-Friendly Brake Pads Reinforced with Hazelnut Shell and Boron Dusts, *Arabian Journal for Science and Engineering*, 43(4), pp. 4727–4737.
- Aranganathan, N., Mahale, V. and Bijwe, J., (2016), Effects of Aramid Fiber Concentration on the Friction and Wear Characteristics of Non-asbestos Organic Friction Composites using Standardized Braking Tests, *Wear*, 354–355, pp. 69–77.
- Bagheri Kazem Abadi, S., Khavandi, A. and Kharazi, Y., (2010), Effects of Mixing the Steel and Carbon Fibers on the Friction and Wear Properties of a PMC Friction Material, *Applied Composite Materials*, 17(2), pp. 151–158.
- Balaji, M. A. S. and Kalaichelvan, K., (2018), Influence of Aramid, Cellulose, and Acrylic Fibers in NAO Brake Pad - Effect on Thermal Stability and Frictional Characteristics Thermo Gravimetric Analysis of the Three Fibers, *Symposium on International Automotive Technology*, pp. 1–8.
- Balaji, M. A. S., Kalaichelvan, K. and Mohanamurugan, S., (2014), Effect of Varying Cashew Dust and Resin on Friction Material Formulation : Stability and Sensitivity of μ to Pressure, Speed and Temperature, *International Journal of Surface Science and Engineering*, 8(4), pp. 327–344.
- Barsoum, M. W., (2003), *Fundamentals Of Ceramics*, Mc Graw Hill Book Company, Inc., New York.
- Belhocine, A. and Bouchetara, M., (2012), Thermal Behavior of Dry Contacts in the Brake Discs, *International Journal of Automotove Engineering*, 3(2), pp. 9–17.
- Bernard, S. and Jayakumari, L. S., (2016), Effect of Rockwool and Steel fiber on the Friction Performance of Brake Lining Materials, *Revista Materia*, 21(3), pp. 656–665.
- Bijwe, J., (1997), Composites as Friction Materials : Recent Developments in Non-Asbestos Fiber Reinforced Friction Materials-A Review, *Polymer Composites*, 18(3), pp. 378–396.
- Bijwe, J., Aranganathan, N., Sharma, S., Dureja, N. and Kumar, R., (2012), Nano-Abrasives in Friction Materials-Influence on Tribological Properties, *Wear*, 96(1–2), pp. 693–701.



- Bijwe, J., Kumar, M., Gurunath, P. V., Desplanques, Y. and Degallaix, G., (2008), Optimization of brass contents for best combination of tribo-performance and thermal conductivity of non-asbestos organic (NAO) friction composites, *Wear*, 265(5–6), pp. 699–712.
- Boz, M. & Kurt, A., (2007), The effect of Al_2O_3 on the friction performance of automotive brake friction materials, *Tribology International*, 40(7), pp.1161–1168.
- Blau, P. J. and Jolly, B. C., (2008), Wear of Truck Brake Lining Materials using Three Different Test Methods, 259(2005), pp. 1022–1030.
- Cai, P., Li, Z., Wang, T. and Wang, Q., (2015), Effect of Aspect Ratios of Aramid Fiber on Mechanical and Tribological Behaviors of Friction Materials, *Tribology International*, 92, pp. 109–116.
- Cai, P., Wang, Y., Wang, T. and Wang, Q., (2015), Effect of Resins on Thermal, Mechanical and Tribological Properties of Friction Materials, *Tribology International*, 87, pp. 1–10.
- Celik. O. N., Ay. N., and Goncu. Y., (2013), Effect of Hexagonal Boron Nitride Lubricant Additives on the Friction and Wear Properties of AISI 4140 Steel, *Part Sci Technology*, 31, pp. 501-502.
- Chan, D. and Stachowiak, G. W., (2004), Review of Automotive Brake Friction Materials, *Proc. Instn Mech.Engrs*, 218, pp. 953–966.
- Chandra, P., Ciudin, R., Bonfanti, A., Aswath, P., Straffelini, G. and Gialanella, S., (2016), Role of the Friction Layer in the High-Temperature Pin-on-Disc Study of a Brake Material, *Wear*, 346–347(2), pp. 56–65.
- Chen, B., Bi, Q., Yang, J., Xia, Y. and Hao, J., (2008), Tribological Properties of Solid Lubricants (graphite, h-BN) for Cu-based P/M Friction Composites, *Tribology International*, 41 (12), pp. 1145–1152.
- Chen, C. W. S., (2012), Factors Influencing Particle Agglomeration during Solid-State Sintering, *Acta Mechanica Sinica*, 28, pp. 711–719.
- Cho, K. H., Cho, M. H., Kim, S. J. and Jang, H., (2008), Tribological Properties of Potassium Titanate in the Brake Friction Material; Morphological Effects, *Tribology Letters*, 32(1), pp. 59–66.
- Dadkar, N., Tomar, B. S., Satapathy, B. K. and Patnaik, A., (2010), Performance Assessment of Hybrid Composite Friction Materials based on Flyash – Rock Fibre Combination, *Materials and Design*, 31(2), pp. 723–731.
- Dagwa, I.,(2006), Determination of Optimum Manufacturing Condition for Asbestos-Free Brake Pad using Taguchi Method, *Nigerian Journal of Engineering Research and Development*, 5(4), pp. 1-8.



- Ertan, R., and Yavuz, N., (2010), An Experiment Study on the Effects of Manufacturing Parameters on the Tribological Properties of Brake Lining Materials, *Wear*, 268(11-12), pp. 1524-1532.
- Eriksson, M., Bergman, F. and Jacobson, S., (2002), On the Nature of Tribological Contact in Automotive Brakes, *Wear*, 252(1-2), pp. 26-36.
- Echeberria, J., (2019), Influence of Abrasives and Graphite on Processing and Properties of Sintered Metallic Friction Materials. *Heliyon*, 5, pp.1-12.
- Ertug, B., (2013), Powder Preparation, Properties and Industrial Applications of Hexagonal Boron Nitride, *Material Science*, pp.33-55.
- Feist, J., (2014), Braking Fundamentals a Study of the Dynamics of Disc Brakes and 115 Pad / Rotor Contact.
- Fan, Y., Mat, V., Kratošová, G. and Lu, Y., (2008), Role of Al_2O_3 in Semi-Metallic Friction Materials and its Effects on Friction and Wear Performance, *Tribology Transactions*, 51, pp. 771-778.
- Gao, C., Bredell, L., Kuhnann-wilsdorf, D. and Makel, D. D, (1993), Micromechanics of MoS_2 Lubrication, *Wear*, 164, pp. 480-491.
- Gudmand-Hoyer, L., Bach, A., Nielsen, G. T. and Morgen, P, (1999), Tribological Properties of Automotive Disc Brakes with Solid Lubricants, *Wear*, 232, pp. 168-175.
- Gurunath, P. V. and Bijwe, J., (2009), Potential Exploration of Novel Green Resins as Binders for NAO Friction Composites in Severe Operating Conditions, *Wear*, 267(5-8), pp. 789-796.
- Handa, Y. and Kato, T., (1996), Effects of Cu Powder, $BaSO_4$, and Cashew Dust on the Wear and Friction Characteristics of Automotive Brake Pads, *Tribology Transactions*, 39(2), pp. 346-353.
- Hentati, N., Kchaou, M., Cristol, A., Najjar, D., and Elleuch, R., (2014), Impact of Post-curing Duration on Mechanical, Thermal, dan Tribological Behavior of an Organic Friction Material, *Journal of Materials and Design*, 63, pp. 699 -709.
- Ho, S. C., Lin, J. H. C. and Ju, C. P., (2005), Effect of Fiber Addition on Mechanical and Tribological Properties of a Copper / Phenolic-based Friction Material, *Wear*, 258(1), pp. 861-869.
- Hwang, H. J., Jung, S. L., Cho, K. H., Kim, Y. J. and Jang, H., (2010), Tribological Performance of Brake Friction Materials Containing Carbon Nanotubes, *Wear*, 268(3-4), pp. 519-525.
- Jacko, M. G., Tsang, P. H. S. and Rhee, S. K., (1984), Automotive Friction Materials Evolution During The Past Decade, *Wear*, 100, pp. 503-515.
- Jang, H., Lee, J. S. and Fash, J. W., (2001), Compositional Effects of the Brake Friction



- Material on Creep Groan Phenomena, *Wear*, 250(251), pp. 1477–1483.
- Jang, H. et al., (1998), The Effect of Solid Lubricants on Friction Characteristics. *Journal of Passenger Cars*, 107(6), pp.2305–2312.
- Jamasri et al., (2014), Evaluation of Ingredient Effects on Friction Brake Shoe Composite using Taguchi Method. *Journal Surface Science Technology*, 30(3–4), pp.1–17.
- Jamasri, Malau, V., Ilman, M.N., Surojo, E., (2014), Evaluation of Ingredient Effects on Friction Brake Shoe Composite Using Taguchi Method, *Indian Society for Surface Science and Technology*, (30) 3-4, pp. 111-128.
- Jeong Hee Kim, Jong Geun Choi, Hyang Rae Kim, H. B. C., (2019), Effect of MoS₂ on Transfer Film Formation and Friction Coefficients in NAO Friction Material, *Industrial Lubrication and Tribology*, 2, pp. 221–231.
- Kalaichelvan, B. K., (2012), Effect of Alkyl Benzene Modified Resin Matrix in relation to the Friction Stability in a Non Asbestos Disc Brake Pad, IEEE-International Conference on Advances in Engineering, Science, and Management, pp. 150–154.
- Kchaou, M., Sellami, A., Elleuch, R. and Singh, H., (2013), Friction Characteristics of a Brake Friction Material under Different Braking Conditions, *Materials and Design*, 52, pp. 533–540.
- Kim, S. J., Cho, M. H., Basch, R. H., Fash, J. W. and Jang, H., (2004), Tribological Properties of Polymer Composites Containing Barite (BaSO₄) or Potassium Titanate (K₂O₆·(TiO₂)), *Tribology Letters*, 17(3), pp. 655–661.
- Kim, Y. C., Cho, M. H., Kim, S. J. and Jang, H., (2008), The Effect of Phenolic Resin, Potassium Titanate, and CNSL on the Tribological Properties of Brake Friction Materials, *Wear*, 264(3–4), pp. 204–210.
- Kumar, M., Satapathy, B. K., Patnaik, A., Kolluri, D. K. and Tomar, B. S., (2012), Evaluation of Fade-Recovery Performance of Hybrid Friction Composites Based on Ternary Combination of Ceramic-Fibers, Ceramic-Whiskers, and Aramid-Fibers, *Journal of Applied Polymer Science*, 124, pp. 3650–3661.
- Lee, J., Lee, J., Kwon, S. and Kim, J., (2018), Effect of Different Reinforcement Materials on the Formation of Secondary Plateaus and Friction Properties in Friction Materials for Automobiles, *Tribology International*, 120, pp. 70–79.
- Liew, K. W. and Nirmal, U., (2013), Frictional Performance Evaluation of Newly Designed Brake Pad Materials, *Materials & Design*, 48, pp. 25–33.
- Li, S., Chen, F., Zhang, B., Luo, Z. and Li, H., (2016), Structure and Improved Thermal Stability of Phenolic Resin Containing Silicon and Boron Elements, *Polymer Degradation and Stability*, 133, pp. 321–329.
- Liu, Y., Ma, Y., Lv, X., Yu, J., Zhuang, J. and Tong, J., (2018), Mineral Fibre Reinforced



Friction Composites: Effect of Rockwool Fibre on Mechanical and Tribological Behaviour, *Material Research Express*, 257(2), pp. 573–584.

- Liu, Y., Ma, Y., Yu, J., Zhuang, J., Wu, S. and Tong, J., (2018), Development and Characterization of Alkali Treated Abaca Fiber Reinforced Friction Composites, *Composite Interfaces*, 6440, pp. 1–16.
- Liu, Y., Wang, L., Liu, D., Ma, Y., Tian, Y. and Tong, J., (2019), Evaluation of Wear Resistance of Corn Stalk Fiber Reinforced Brake Friction Materials Prepared by Wet Granulation, *Wear*, 432–433(102918), pp. 1–9.
- Liu, Y., Xie, J., Wu, N., Wang, L., Ma, Y. and Tong, J., (2019), Influence of Silane Treatment on the Mechanical, Tribological and Morphological Properties of Corn Stalk Fiber Reinforced Polymer Composites, *Material Research Express*, 131, pp. 398–405.
- Ma, Y., Liu, Y., Wang, L., Tong, J., Zhuang, J. and Jia, H., (2018), Performance Assessment of Hybrid Fibers Reinforced Friction Composites under Dry Sliding Conditions, *Tribology International*, 119, pp. 262–269.
- Magnier, V., Roubin, E., Colliat, J. B. and Dufr  noy, P., (2017), Methodology of Porosity Modeling for Friction Pad : Consequence on Squeal, *Tribology International*, 109, pp. 78–85.
- Mahathanabodee, S., Palathai, T., Raadnui, S., Tongsri, R. and Sombatsompop, N., (2013), Effects of Hexagonal Boron Nitride and Sintering Temperature on Mechanical and Tribological Properties of SS316L / h-BN Composites, *Materials and Design*, 46, pp. 588–597.
- Manoharan, S., Suresha, B., Ramadoss, G. and Bharath, B., (2014), Effect of Short Fiber Reinforcement on Mechanical Properties of Hybrid Phenolic Composites, *Journal of Materials*, 2014.
- Martinez, A. M. and Echeberria, J., (2016), Towards a Better understanding of the Reaction between Metal Powders and the Solid Lubricant Sb_2S_3 in a Low-Metallic Brake Pad at High Temperature, *Wear*, 348–349, pp. 27–42.
- Muzathik, A.M, and Mohd Nizam, Y.B., (2013), Effect of Boron on Friction and Temperature Characterictics of Brake Pad Materials, *Material Science An Indian Journal*, 9(12), pp. 481–487.
- Nagesh, S. N., Siddaraju, C., Prakash, S. V. and Ramesh, M. R., (2014), Characterization of Brake Pads by Variation in Composition of Friction Materials, *Procedia Materials Science*, 5, pp. 295–302.
- Nidhi and Bijwe, J., (2007), NBR-Modified Resin in Fade and Recovery Module in Non-asbestos Organic (NAO) Friction Materials, *Tribology Letters*, 27(2), pp. 189–196.



- Nidhi, Bijwe, J. and Mazumdar, N., (2006), Influence of Amount and Modification of Resin on Fade and Recovery Behavior of Non-asbestos Organic (NAO) Friction Materials, *Tribology Letters*, 23(3), pp. 215–222.
- Österle, W. and Dmitriev, A. I., (2016), The Role of Solid Lubricants for Brake Friction Materials, *Lubricants*, 4(5), pp. 1–22.
- Ostermeyer, G. P., (2001), Friction and Wear of Brake Systems, *Wear*, 66. pp.267- 272.
- Ostermeyer, G. P., (2003), On the Dynamics of the Friction Coefficient, *Wear*, 254, pp. 852–858.
- Öztürk, B. and Öztürk, S., (2011), Effects of Resin Type and Fiber Length on the Mechanical and Tribological Properties of Brake Friction Materials, *Tribology Letters*, 42(3), pp. 339–350.
- Pan, L., Han, J., Yang, Z., Wang, J., Li, X., Li, Z. and Li, W., (2017), Temperature Effects on the Friction and Wear Behaviors of SiCp/A356 Composite against Semimetallic Materials, *Advances in Materials Science and Engineering*, 2017, pp.1–12.
- Patnaik, A., Kumar, M., Satapathy, B. K. and Tomar, B. S., (2010), Performance Sensitivity of Hybrid Phenolic Composites in Friction Braking : Effect of Ceramic and Aramid Fibre Combination, *Wear*, 269(11–12), pp. 891–899.
- Rajan, B. S., Balaji, M. A. S., Sathickbasha, K., and Hariharasakthisudan, P., (2018), Influence of Binder on Thermomechanical and Tribological Performance in Brake Pad, *Tribology in Industry*, 40(4), pp. 654–669.
- Rajan, B.S., Balaji Sai, M., Velmurigan, C., Vinoth, B., and Selvaraj, (2016), Tribo Performance of a NA Disc Brake Pad Developed using Two Types of Organic, *Proceeding International Conference Materials, Design, and Manufacturing Process (ICMDM)*, (16), pp. 4763-4771.
- Rajan Surya, B., and Saibalaji, M.A., (2019), Tribological Performance Evaluation of Epoxy Modified Phenolic FC Reinforced with Chemically Modified Prosopis Juliflora Bark Fiber, *Material Research Express*, 6(7), pp. 1–26.
- Roy, R.K., (2010), A Primer on the Taguchi Method 2nd edition, Society of Manufacturing Engineers, United States of America
- Ross, J.P., (1989), Taguchi Techniques For Quality Engineering, McGraw-Hill International Editions.
- Ryan Whitacre, Ali Amiri, Chad Ulven, (2015), The Effects of Corn Zein Protein Coupling Agent on Mechanical Properties of Flax Fiber Reinforced Composites, *Industrial Crops and Products*, (77), pp. 232-238
- Saikrishnan, G., (2019), Influence of Iron-Aluminum Alloy on the Tribological Performance of Non-asbestos Brake Friction Materials-a Solution for Copper Replacement, *Industrial Lubrication and Tribology*, 72(1), pp. 66–78.

- 126 Santos, R. M., Mould, S. T., Form, P. and Paiva, M. C., (2018), Effects of Particle Size and Surface Chemistry on the Dispersion of Graphite Nanoplates in Polypropylene Composites, *Polymer*, 10(222), pp. 1–14.
- 127 Satapathy, B. K. and Bijwe, J., (2004), Performance of Friction Materials based on Variation in Nature of Organic Fibres Part I . Fade and Recovery Behaviour, *Wear*, 257, pp. 573–584.
- 128 Satapathy, B. K. and J. Bijwe, (2005), Fade and Recovery Behavior of Non-asbestos Organic (NAO) Composite Friction Materials based on Combinations of Rock Fibers and Organic Fibers, *Journal of Reinforced Plastic and Composites*, 24(6), pp. 563–577.
- 129 Sathickbasha, K. et al., (2019). The dual role of Metal sulfides as lubricant and abrasive: An interface study in friction composite. *Material Research Express*, 6(4), pp.1–20.
- 130 Singh, T. and Patnaik, A., (2014), Performance Assessment of Lapinus-Aramid based Brake Pad Hybrid Phenolic Composites in Friction Braking, *Archives of Civil and Mechanical Engineering*, Politechnika Wroclawska, 15(1), pp. 151–161.
- 131 Singh, T., Patnaik, A., Chauhan, R., Biró, I., Jánosi, E. and Fekete, G., (2020) Performance Assessment of Phenolic-based Non-Asbestos Organic Brake Friction Composite Materials with Different Abrasives, *Acta Polytechnica Hungaria*, 17(5), pp. 49–67.
- 132 Singh, T., Patnaik, A., Chaulan, R. and Rishiraj, A., (2015), Assessment of Braking Performance of Lapinus – Wollastonite Fibre Reinforced Friction Composite Materials, *Journal of King Saud University - Engineering Sciences*. King Saud University, 29(2), pp. 183–190.
- 133 Singh, T. et al., 2020. Performance Assessment of Phenolic-based Non-Asbestos Organic Brake Friction Composite Materials with Different Abrasives. *Acta Polytechnica Hungaria*, 17(5), pp.49–67.
- 134 Singh, T., Patnaik, A., Satapathy, B. K., Kumar, M. and Tomar, B. S., (2013), Effect of Nanoclay Reinforcement on the Friction Braking Performance of Hybrid Phenolic Friction Composites, *Journal of Materials Engineering and Performance*, 22 (28), pp. 796–805.
- 135 Singh, T., Rathi, M. K., Patnaik, A., Chauhan, R., Ali, S. and Fekete, G., (2018), Application of Waste Tire Rubber Particles in Non-asbestos Organic Brake Friction Composite Materials, *Material Research Express*, 6(3), pp. 1–23.
- 136 Sugözü, B. and Dağhan, B., (2016), Effect of BaSO₄ on Tribological Properties of Brake Friction Materials, *International Journal of Innovative Research in Science, Engineering and Technology*, 5(12), pp. 30–35.
- 137 Sun, W., Zhou, W., Liu, J., Fu, X., Chen, G. and Yao, S., (2018), Development of a



Composite Friction Material with Excellent Fade Resistance by Employing Oversized Ceramic Particles, *Tribology Letters*, 66(1), pp. 1–11.

- Sundarkrishnaa, K. L., (2013), *Friction Material Composites*, Springer Series in Materials Science.
- Surojo, E., Jamasri, Malau, V., Ilman. M.N., (2017), Characteristic Evaluation of Brake Block Material, *Tribology in Industry*, (39) 4, pp. 527–535.
- Surojo, E., Jamasri, Malau, V., Ilman, M. N., (2015), Investigation of Friction Behaviors of Brake Shoe Materials using Metallic Filler, *Tribology in Industry*, (37) 4, pp. 473–481.
- Talib, R. J., Muchtar, A. and Azhari, C. H., (2003), Microstructural Characteristics on the Surface and Subsurface of Semimetallic Automotive Friction Materials during Braking Process, *Journal of Materials Processing Technology*, 140, pp. 694–699.
- Talib, R. J., Azimah, M. A. ., Yuslina, J., Arif, S. M. and Ramlan, K., (2008), Analysis on the Hardness Characteristics of Semi-Metallic Friction Materials, *Solid State Science and Technology*, 16(1), pp. 124–129.
- Talib, R. J., Eliasidi, O., Basri, M. H., Ismail, N. I. and Ramlan, K., (2016), Effect of phenolic resin on the friction behaviors with respect to temperature and operating speed, in *AIP Conference Proceedings*, p. 60005.
- Taylor, P., Öztürk, B., Arslan, F. and Öztürk, S., (2013), Effects of Different Kinds of Fibers on Mechanical and Tribological Properties of Brake Friction Materials Effects of Different Kinds of Fibers on Mechanical and Tribological Properties of Brake Friction Materials, *Tribology Transactions*, 56(4), pp. 37–41.
- Thiyagarajan, V., Kalaichelvan, K., Vijay, R. and Lenin Singaravelu, D., (2016), Influence of Thermal conductivity and Thermal Stability on the Fade and Recovery Characteristics of Non-asbestos Semi-Metallic Disc Brake Pad, *Journal of the Brazilian Society of Mechanical Sciences and Engineering*, 38(4), pp. 1207–1219.
- Theodore, B., and Morrison., (2004), Practical Guidelines for the Efficient Postbaking of Molded Phenolics, pp. 1-26
- Thorre, J. M.K., Maffezzoli, A.M., (1998), Degradation Behavior of a Composite Material for Thermal Protection System Part I-Experimental Characterization, *Journal Material Science*, pp. 3137-3143
- Tyagi. R., Xiong. D. S., and Li. J., (2010), High-Temperature Friction and Wear of Ag / h-BN-Containing Ni-based High-Temperature Friction and Wear of Ag/h-BN-Containing Ni-based Composites Against Steel, *Tribology Letter*, 40, 2, pp. 181-186.
- Vala, M., (2008), Effects of ZrSiO₄ in non-metallic brake friction materials on friction performance. *Tribology International*, 41(3), pp.166–174.



- Valášková, M., (2012), Effects of ZrSiO₄ in Non-Metallic Brake Friction Materials on Friction Performance, *Tribology International*, 41, pp. 166-174.
- Vera, V., Idris, U. D. and Aigbodion, V. S., (2013), Eco-Friendly Asbestos Free Brake-Pad : Using Banana Peels Eco-Friendly Asbestos Free Brake-Pad : Using Banana Peels, *Journal of King Saud University - Engineering Sciences*. King Saud University, 27, pp. 185-192.
- Vijay, R., Janesh, M. J., Saibalaji, M. A. and Thiyagarajan, V., (2013), Optimization of Tribological Properties of Nonasbestos Brake Pad Material by Using Steel Wool, *Advanced in Tribology*, 2013, pp. 1-9.
- Vijay, S. M. R., Singaravelu, D. L. and Kchaou, M., (2019), Experimental Investigation on the Tribo-Thermal Properties of Brake Friction Materials Containing Various Forms of Graphite : A Comparative Study, *Arabian Journal for Science and Engineering*. Springer Berlin Heidelberg, 44(2), pp. 1459–1473. doi: 10.1007/s13369-018-3590-7.
- Wan Nik, W.B., Ayob, A.F., Syahrullail, S., Masjuki, H.H., Ahmad, M.F., (2012). The Effect of Boron Friction Modifier on The Performance of Brake Pads, *International Journal of Mechanical and Materials Engineering (IJMME)*, 7(1), pp.31–35.
- Wang, F. and Liu, Y., (2014), Mechanical and Tribological Properties of Ceramic-Matrix Friction Materials with Steel Fiber and Mullite Fiber, *Journal of Materials & Design*, 57, pp. 449–455.
- Wang, F., Huang, Z., and Zhang, (2017), Preparation and Thermal Stability of Heat-Resistant Phenolic Resin System Constructed by Multiple Heat-Resistant Compositions Containing Boron and Silicon, *High Perform Polymer*, (29) 4, pp. 493-498.
- Wypych, G., (2000), Handbook of Fillers 4th edition, Chemtec Publishing, Toronto.
- Xiao, X., Yin, Y., Bao, J., Lu, L. and Feng, X., (2016), Review on the Friction and Wear of Brake Materials, *Advances in Mechanical Engineering*, 8(5), pp. 1–10.
- Yanar. H., Ayar. H., Demirtas, and Purcek. G., (2017), Effect of Hexagonal Boron Nitride (h-BN) Addition on the Friction and Wear Characteristics of Non-asbestos Composites Used in Brake Pads, *Iber Conf Tribol Univ Minho, Guimaraes, Port*, vol. 1, pp. 3–4, 2017.
- Yang, Z., Ge, Y., Zhang, X., Shangguan, B., Zhang, Y. and Zhang, J., (2019), Effect of Carbon Content on Friction and Wear Properties of Copper Matrix Composites at High, *Materials*, 12, pp. 1–13.
- Yi, G. and Yan, F, (2006), Effect of Hexagonal Boron Nitride and Calcined Petroleum Coke on Friction and Wear Behavior of Phenolic Resin-Based Friction Composites, *Materials Science and Engineering A*, 425(1–2), pp. 330–338.



- Yakubu, S. A. and Danjuma Saleh, Y., (2013), Evaluation of the Wear and Thermal Properties of Asbestos Free Brake Pad using Periwinkles Shell Particles, *Usak University Journal of Material Sciences*, 1, pp. 99–108.
- Yun, R. & Lu, Y., 2009. Effects of alumina in nonmetallic brake friction materials on friction performance Effects of alumina in nonmetallic brake friction materials on friction performance. *Journal Material Science*, 44(January), pp.266–273.
- Yliniemi, J., Kinnunen, P., Karinkanta, P. and Illikainen, M., (2016), Utilization of Mineral Wools as Alkali-Activated Material Precursor, *Materials*, 9(312), pp. 1–12.
- Zhang, J., Mei, G., Xie, Z. and Zhao, S., (2016), Curing Mechanism of Phenolic Resin Binder for Oxide-Carbon Refractories. *ISIJ International*, 56(1), pp. 44–49.
- Zhu. X., Wei. X., Huang. Y., Wang, and Yan. P., (2019), High-Temperature Friction and Wear Properties of NiCr/hBN Self-Lubricating Composite, *Metals*, 356(9), pp. 1-11.
- Yang, Y. Ge, X. Zhang, B. Shangguan, Y. Zhang, J. Zhang, (2019), Effect of Carbon Content on Friction and Wear Properties of Copper Matrix Composites at High Speed Current-Carrying, *Materials*, (12,)18, pp. 1–13.