

DAFTAR PUSTAKA

- Aldrian, E. (2013). Long Term Rainfall Trend of The Brantas Catchment Area, East Java. *Indonesian Journal of Geography*, 38(1). <https://doi.org/10.22146/indo.j.geog,2233>
- Allen, R. G., Pereira, L. S., Howell, T. A., & Jensen, M. E. (2011). Evapotranspiration information reporting: I. Factors governing measurement accuracy. *Agricultural Water Management*, 98(6), 899–920. <https://doi.org/10.1016/j.agwat.2010.12.015>
- Allen, R. G., Pereira, L. S., Raes, D., & Smith, M. (1998). Crop evapotranspiration—Guidelines for computing crop water requirements—FAO Irrigation and drainage. *Irrigation and Drainage*, 300(56), 300. <https://doi.org/10.1016/j.eja.2010.12.001>
- Allen, R. G., Tasumi, M., Morse, A., Trezza, R., Wright, J. L., Bastiaanssen, W., Kramber, W., Lorite, I., & Robison, C. W. (2007). Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications. *Journal of Irrigation and Drainage Engineering*, 133(4), 395–406. [https://doi.org/10.1061/\(asce\)0733-9437\(2007\)133:4\(395\)](https://doi.org/10.1061/(asce)0733-9437(2007)133:4(395))
- Anderson, M. C., Norman, J. M., Mecikalski, J. R., Otkin, J. A., & Kustas, W. P. (2007). A climatological study of evapotranspiration and moisture stress across the continental United States based on thermal remote sensing: 1. Model formulation. *Journal of Geophysical Research Atmospheres*, 112(10), 1–17. <https://doi.org/10.1029/2006JD007506>
- Arraes, F. D. D., Silva, M. G. da, Junior, E. G. C., Oliveira, J. B., & Lêdo, E. R. F. (2012). Estimativa da evapotranspiração e umidade do solo usando dados de sensores orbitais em área irrigada. *Congresso Norte Nordeste de Pesquisa e Inovação*.
- Azevedo, J. A., Chapman, L., & Muller, C. L. (2016). Quantifying the daytime and night-time urban heat Island in Birmingham, UK: A comparison of satellite derived land surface temperature and high resolution air temperature observations. *Remote Sensing*, 8(2). <https://doi.org/10.3390/rs8020153>
- Badan Pusat Statistik Kota Semarang. (2020). *Kota semarang Dalam Angka 2020*.
- Bastiaanssen, W. (1995). Regionalization of surface flux densities and moisture indicators in composite terrain. In *Thesis*. <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Regionalization+of+surface+flux+densities+and+moisture+indicators+in+composite+terrain#1%5Cnhttp://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Regionalization+of+surface+flux+densiti>
- Bastiaanssen, W. G. M., Menenti, M., Faddes, R. A., & Holtslag, A. A. M. (1998). A remote sensing surface energy balance algorithm for land (SEBAL). *Journal of Hydrology*, January, 198–212.
- Beg, A. A. F., Al-Sulttani, A. H., Ochtyra, A., Jarocińska, A., & Marcinkowska, A. (2016). Estimation of Evapotranspiration Using SEBAL Algorithm and Landsat-8 Data—A Case Study: Tatra Mountains Region. *Journal of Geological Resource and Engineering*, 4(6), 257–270. <https://doi.org/10.17265/2328-2193/2016.06.002>
- Bensouleh, B., Karimi, A., & Hesadi, H. (2015). *Evaluation of SEBAL and SEBS*

- Algorithms in the Estimation of Maize Evaluation of SEBAL and SEBS Algorithms in the Estimation of Maize Evapotranspiration. November 2019.*
<https://doi.org/10.9734/IJPSS/2015/15711>
- Betts, A. K. (2001). FORESTS AT THE LAND-ATMOSPHERE INTERFACE. In *The diurnal cycle over land*.
- Bezerra, B. G., Santos, C. A. C. dos, Silva, B. B. da, Perez-Marin, A. M., Bezerra, M. V. C., Bezerra, J. R. C., & Rao, T. V. R. (2013). Estimation of soil moisture in the root-zone from remote sensing data. *Revista Brasileira de Ciência Do Solo*, 37(3), 596–603. <https://doi.org/10.1590/s0100-06832013000300005>
- Bhattarai, N., Quackenbush, L. J., Im, J., & Shaw, S. B. (2017a). A new optimized algorithm for automating endmember pixel selection in the SEBAL and METRIC models. *Remote Sensing of Environment*, 196, 178–192. <https://doi.org/10.1016/j.rse.2017.05.009>
- Bhattarai, N., Quackenbush, L. J., Im, J., & Shaw, S. B. (2017b). Remote Sensing of Environment A new optimized algorithm for automating endmember pixel selection in the SEBAL and METRIC models. *Remote Sensing of Environment*, 196, 178–192. <https://doi.org/10.1016/j.rse.2017.05.009>
- Bhattarai, N., Shaw, S. B., Quackenbush, L. J., Im, J., & Niraula, R. (2016). Evaluating five remote sensing based single-source surface energy balance models for estimating daily evapotranspiration in a humid subtropical climate. *International Journal of Applied Earth Observation and Geoinformation*, 49, 75–86. <https://doi.org/10.1016/j.jag.2016.01.010>
- Bolstad, P. (2012). *GIS Fundamentals*. Eider Press.
- Bonemberger, B., Mercante, E., Antonio, M., Boas, V., Wrublack, S. C., & Oldoni, L. V. (2018). *Satellite-based ET estimation using Landsat 8 images and SEBAL*. 221–227. <https://doi.org/10.5935/1806-6690.20180025>
- Brutsaert, W., & Stricker, H. (1979). An advection-aridity approach to estimate actual regional evapotranspiration. *Water Resources Research*, 15(2), 443–450. <https://doi.org/10.1029/WR015i002p00443>
- Campbell, J. B., & Wynne, R. H. (2011). *Introduction to Remote Sensing; Fifth Edition*. The Guildford Press.
- Coakley, J. A. (2003). Reflectance and Albedo, Surface. In *Encyclopedia of Atmospheric Sciences* (pp. 1914–1923). Academic Press. <https://doi.org/10.1016/b0-12-227090-8/00069-5>
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Andi Offset.
- de Teixeira, A. H. C., & Bastiaanssen, W. G. M. (2012). Five methods to interpret field measurements of energy fluxes over a micro-sprinkler-irrigated mango orchard. *Irrigation Science*, 30(1), 13–28. <https://doi.org/10.1007/s00271-010-0256-y>
- Department of the Interior U.S. Geological Survey. (2016). Landsat 8 Data Users Handbook. Nasa, 8(June), 97. <https://landsat.usgs.gov/documents/Landsat8DataUsersHandbook.pdf>
- Dewa, R. P., & Danoedoro, P. (2017). The effect of image radiometric correction on the accuracy of vegetation canopy density estimate using several Landsat-8 OLI's vegetation indices: A case study of Wonosari area, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 54(1).

<https://doi.org/10.1088/1755-1315/54/1/012046>

- Dianovita, & Mahendra, R. (2014). KAJIAN KETELITIAN GEOMETRI CITRA LANDSAT 8 LEVEL 1T. *Seminar Nasional Penginderaan Jauh 2014*, 254–260.
- Dobos, E. (2014). Albedo. In *Encyclopedia of Natural Resources* (pp. 7–9). <https://doi.org/10.1081/e-ess>
- Earth Observing System. (2013). *ABOUT MODIS MCD43A4*. <https://eos.com/modis-mcd43a4/>
- Ebenezer, A. O., C., O. E., & O., A. F. (2016). Mapping Evapotranspiration for different Landcover in the Lake Chad Region of Nigeria using Landsat Datasets. *Journal of Remote Sensing Technology*, 4(1), 58–69. <https://doi.org/10.18005/jrst0401005>
- Elnmer, A., Khadr, M., Kanae, S., & Tawfik, A. (2019). Mapping daily and seasonally evapotranspiration using remote sensing techniques over the Nile delta. *Agricultural Water Management*, 213(November 2018), 682–692. <https://doi.org/10.1016/j.agwat.2018.11.009>
- ENVI. (2005). *FLAASH Module User's Guide*. ITT Visual Information Solutions.
- Ershadi, A., McCabe, M. F., Evans, J. P., & Walker, J. P. (2013). Remote Sensing of Environment Effects of spatial aggregation on the multi-scale estimation of evapotranspiration. *Remote Sensing of Environment*, 131, 51–62. <https://doi.org/10.1016/j.rse.2012.12.007>
- Farr, T. G., Rosen, P. A., Caro, E., Crippen, R., Duren, R., & Hansley, S. (2007). THE SHUTTLE RADAR TOPOGRAPHY MISSION Tom. *Reviews of Geophysics*, 2005, 1–33. <https://doi.org/10.1029/2005RG000183>
- 1.INTRODUCTION
- Ferreira, E., Dantas, A., & Garcia, A. (2012). ESTIMATION OF EVAPOTRANSPIRATION IN MINAS GERAIS STATE, BRAZIL. In *GEONETCast – DevCoCast Application Manual* (Issue 2014, pp. 45–58). <https://doi.org/10.13140/2.1.4058.4321>
- Ferreira, E., Mannaerts, C. M., Dantas, A. A., & Maathuis, B. H. (2016). Surface energy balance system (SEBS) and satellite data for monitoring water consumption of irrigated sugarcane. *Engenharia Agricola*, 36(6), 1176–1185. <https://doi.org/10.1590/1809-4430-Eng.Agric.v36n6p1176-1185/2016>
- Ganeshan, M., Murtugudde, R., & Imhoff, M. L. (2013). A multi-city analysis of the UHI-influence on warm season rainfall. *Urban Climate*, 6, 1–23. <https://doi.org/10.1016/j.uclim.2013.09.004>
- Gao, Y., Long, D., & Li, Z. L. (2008). Estimation of daily actual evapotranspiration from remotely sensed data under complex terrain over the upper Chao river basin in North China. *International Journal of Remote Sensing*, 29(11), 3295–3315. <https://doi.org/10.1080/01431160701469073>
- Garang, K., Semarang, K., Vdpsohv, O., Wkh, Z., Ri, D., Àrrg, V., Zdv, D., & Orfdwlrq, R. Q. O. (2011). Antisipasi Penduduk Dalam Menghadapi Banjir Kali Garang Kota Semarang. *Forum Ilmu Sosial*, 35(2), 171–181. <https://doi.org/10.15294/fis.v35i2.1294>
- Gibson, L., & Münch, Z. (2011). *The importance of selecting accurate vegetation parameters when estimating evapotranspiration using the SEBS model - an*

- example from a sparsely vegetated catchment, Eastern Cape. February 2017.*
- Hadisusanto, N. (2011). *Aplikasi Hidrologi*. Jogja Media Utama.
- Hailegiorgis, W. S. (2006). Remote Sensing analysis of summer time Evapotranspiration using SEBS algorithm Remote Sensing analysis of summer time Evapotranspiration using SEBS algorithm A case study in Regge and Dinkel, The Netherlands. *Thesis*.
- Hartogensis, O. K., Weisensee, U., Evans, J., van Kesteren, A. J. H., & Beyrich, F. (2010). First Results of two Optical Millimeter-wave Scintillometer Systems during LITFASS2009. *10th EMS Annual Meeting, 10th European Conference on Applications of Meteorology (ECAM) Abstracts, Held Sept. 13-17, 2010 in Zürich, Switzerland*. <Http://Meetings.Copernicus.Org/Ems2010/Id.EMS2010-357>, 1, 357. <http://adsabs.harvard.edu/abs/2010ems..confE.357H>
- Ilme, M., Wu, B., Zhu, X., & Wang, S. (2020). *Improving remote sensing based evapotranspiration modelling in a heterogeneous urban environment*. 581(November 2019). <https://doi.org/10.1016/j.jhydrol.2019.124405>
- Jacobs, A. F. G., & Van Boxel, J. H. (1988). Changes of the displacement height and roughness length of maize during a growing season. *Agricultural and Forest Meteorology*, 42(1), 53–62. [https://doi.org/10.1016/0168-1923\(88\)90066-4](https://doi.org/10.1016/0168-1923(88)90066-4)
- Jassas, H., Kanoua, W., & Merkel, B. (2015). Actual evapotranspiration in the Al-Khazir Gomai Basin (Northern Iraq) using the surface energy balance algorithm for land (SEBAL) and water balance. *Geosciences (Switzerland)*, 5(2), 141–159. <https://doi.org/10.3390/geosciences5020141>
- Jensen, J. R. (2014). *Remote Sensing of the Environment An Earth Resource Perspective Second Edition*. Pearson Education Limited.
- Jia, L., Xi, G., Liu, S., Huang, C., Yan, Y., & Liu, G. (2009). Regional estimation of daily to annual evapotranspiration with MODIS data in the Yellow River Delta wetland. *Hydrology and Earth System Sciences Discussions*, 6(2), 2301–2335. <https://doi.org/10.5194/hessd-6-2301-2009>
- Jiang, Y., Jiang, X., Tang, R., Li, Z.-L., Zhang, Y., Liu, Z., & Huang, C. (2018). Effect of Cloud Cover on Temporal Upscaling of Instantaneous Evapotranspiration. *Journal of Hydrologic Engineering*, 23(4), 05018002. [https://doi.org/10.1061/\(asce\)he.1943-5584.0001635](https://doi.org/10.1061/(asce)he.1943-5584.0001635)
- Jiang, Y., Tang, R., Jiang, X., & Li, Z. L. (2019). Impact of clouds on the estimation of daily evapotranspiration from MODIS-derived instantaneous evapotranspiration using the constant global shortwave radiation ratio method. *International Journal of Remote Sensing*, 40(5–6), 1930–1944. <https://doi.org/10.1080/01431161.2018.1482025>
- Jin, X., Guo, R., & Xia, W. (2016). Distribution of actual evapotranspiration over Qaidam basin, an Arid area in China. *Integrated Geo - Spatial Information Technology and Its Application to Resource and Environmental Management towards GEOSS: Proceedings of IGIT 2015*, 9–16. <https://doi.org/10.3390/rs5126976>
- Johnson, T. D., & Belitz, K. (2012). A remote sensing approach for estimating the location and rate of urban irrigation in semi-arid climates. *Journal of*

- Hydrology*, 414–415, 86–98. <https://doi.org/10.1016/j.jhydrol.2011.10.016>
- Kamal, M., Wicaksono, P., Anggara, D. W., & Sensing, R. (2015). Pengaruh Resolusi Spasial Citra Penginderaan Jauh Terhadap Estimasi Leaf Area Index Mangrove Di Kepulauan Karimunjawa Jawa Tengah. *Prosiding Simposium Nasional Sains Geoinformasi IV 2015 Penguatan Peran Sains Informasi Geografi Dalam Mendukung Penanganan Isyu-Isyu Strategis Nasional*, 1, 667–674.
- Kamali, M. I., & Nazari, R. (2018). Determination of maize water requirement using remote sensing data and SEBAL algorithm. *Agricultural Water Management*, 209(July), 197–205. <https://doi.org/10.1016/j.agwat.2018.07.035>
- Karimi, P., & Bastiaanssen, W. G. M. (2015). Spatial evapotranspiration, rainfall and land use data in water accounting - Part 1: Review of the accuracy of the remote sensing data. *Hydrology and Earth System Sciences*, 19(1), 507–532. <https://doi.org/10.5194/hess-19-507-2015>
- Karimi, P., Bastiaanssen, W. G. M., & Molden, D. (2013). Water Accounting Plus (WA+) - A water accounting procedure for complex river basins based on satellite measurements. *Hydrology and Earth System Sciences*, 17(7), 2459–2472. <https://doi.org/10.5194/hess-17-2459-2013>
- Katul, G. G., Oren, R., Manzoni, S., Higgins, C., & Parlange, M. B. (2012). Evapotranspiration: A process driving mass transport and energy exchange in the soil-plant-atmosphere-climate system. *Reviews of Geophysics*, 50(3). <https://doi.org/10.1029/2011RG000366>
- Kipp, & Zonen. (2007). LAS & X-LAS Instruction Manual. In *International Business*.
- Kirono, D., Suharyadi, & Nurjani, E. (2002). *MODEL ESTIMASI EVAPORASI WILAYAH: Integrasi Data Meteorologis Penginderaan Jauh dan Data Yang Terukur di Lapangan*.
- Kumala, T. B., June, T., Stiegler, C., & Knohl, A. (2019). Application of the Surface Energy Balance Algorithm for Land (SEBAL) for spatial analysis of evapotranspiration in a commercial oil palm plantation in Jambi Province, Indonesia. *SPIE Proceedings*, 11372. <https://doi.org/10.1117/12.2540161>
- Kusumawati, Y., Effendy, S., & Aldrian, E. (2008). VARIASI SPASIAL DAN TEMPORAL HUJAN KONVEKTIF DI PULAU JAWA BERDASARKAN CITRA SATELIT. *Jurnal Agromet*.
- Lemmons, R. (2021). *Albedo*. Climate Policy Watcher. <https://www.climate-policy-watcher.org/global-climate-2/albedo.html>
- Li, Z., Liu, X., Ma, T., Kejia, D., & Zhou, Q. (2013). Retrieval of the surface evapotranspiration patterns in the alpine grassland – wetland ecosystem applying SEBAL model in the source region of the Yellow River , China. *Ecological Modelling*, 270, 64–75. <https://doi.org/10.1016/j.ecolmodel.2013.09.004>
- Liang, S., Shuey, C., Russ, A., Fang, H., Chen, M., Walthall, C. L., Daughtry, C., & Jr, R. (2002). Narrowband to broadband conversions of land surface albedo: II. Validation. *Remote Sensing of Environment*, 25–41. <https://doi.org/10.1002/jez.1402630207>

- Liou, Y. A., & Kar, S. K. (2014). Evapotranspiration estimation with remote sensing and various surface energy balance algorithms-a review. *Energies*, 7(5), 2821–2849. <https://doi.org/10.3390/en7052821>
- Liu, S., Bai, J., Jia, Z., Jia, L., Zhou, H., & Lu, L. (2010). Estimation of evapotranspiration in the Mu Us Sandland of China. *Hydrology and Earth System Sciences*, 14(3), 573–584. <https://doi.org/10.5194/hess-14-573-2010>
- Ma, X., Feng, Q., Su, Y., Yu, T., & Jin, H. (2017). *Forest Evapotranspiration and Energy Flux Partitioning Based on Eddy Covariance Methods in an Arid Desert Region of Northwest China*. 2017.
- Mahmoud, S. H., & Alazba, A. A. (2016). A coupled remote sensing and the Surface Energy Balance based algorithms to estimate actual evapotranspiration over the western and southern regions of Saudi Arabia. *Journal of Asian Earth Sciences*, 124, 269–283. <https://doi.org/10.1016/j.jseaes.2016.05.012>
- Mallick, J., Singh, C. K., Shashtri, S., Rahman, A., & Mukherjee, S. (2012). Land surface emissivity retrieval based on moisture index from LANDSAT TM satellite data over heterogeneous surfaces of Delhi city. *International Journal of Applied Earth Observation and Geoinformation*, 19(1), 348–358. <https://doi.org/10.1016/j.jag.2012.06.002>
- Mas'at, A. (2009). EFEK PENGEMBANGAN PERKOTAAN TERHADAP KENAIKAN SUHU UDARA DI WILAYAH DKI JAKARTA. *Agromet*, 23(1), 52–60. <https://doi.org/10.29244/j.agromet.23.1.52-60>
- Masseroni, D. (2014). *Limitations and improvements of the energy balance closure with reference to experimental data measured over a maize field*. 27(4), 335–352.
- Matinfar, H. R., & Soorghali, M. (2014). *ESTIMATE EVAPOTRANSPIRATION (ET) USING SEBS MODEL BASED ON LANDSAT 5 (TM) THERMAL DATA AND GIS*. 4(3), 30–34.
- Meletto-Lobos, I., & Mattar, C. (2019). EVAPOTRANSPIRATION ESTIMATION OVER PASTURES IN CHILE FOR DROUGHT MONITORING. *Anais Do XIX Simpósio Brasileiro de Sensoriamento Remoto*, 2817–2820.
- Mkhwanazi, M., Chávez, J. L., & Andales, A. A. (2015). SEBAL-A: A remote sensing ET algorithm that accounts for advection with limited data. Part I: Development and validation. *Remote Sensing*, 7(11), 15046–15067. <https://doi.org/10.3390/rs71115046>
- Monteiro, P. F. C., Fontana, D. C., dos Santos, T. V., & Roberti, D. R. (2014). Estimativa dos componentes do balanço de energia e da evapotranspiração para áreas de cultivo de soja no sul do Brasil utilizando imagens do sensor TM landsat 5. *Bragantia*, 73(1), 72–80. <https://doi.org/10.15090/brag.2014.005>
- Muliranti, S., & Hadi, M. P. (2013). KAJIAN KETERSEDIAAN AIR METEOROLOGIS UNTUK PEMENUHAN KEBUTUHAN AIR DOMESTIK DI PROVINSI JAWA TENGAH DAN DIY. *Jurnal Bumi Indonesia*.
- NASA. (n.d.). *Terra & Aqua Moderate Resolution Imaging Spectroradiometer (MODIS)*. <https://ladsweb.modaps.eosdis.nasa.gov/>

- Nguyen, T. T. (2019). Fractional vegetation cover change detection in megacities using landsat time-series images: A case study of Hanoi city (Vietnam) during 1986-2019. *Geography, Environment, Sustainability*, 12(4), 175–187. <https://doi.org/10.24057/2071-9388-2019-112>
- Noordwijk, M. Van, Farida, A., Verbist, B., Tomich, T. P., Centre, W. A., Asia, I. S., & Box, P. O. (2003). Agroforestry and watershed functions of tropical land use mosaics. In *Asia Pacific Training Workshop on Ecohydrology* (Issue July).
- Nouri, H., Beecham, S., Kazemi, F., Hassanli, A. M., & Anderson, S. (2013). Remote sensing techniques for predicting evapotranspiration from mixed vegetated surfaces. *Hydrology and Earth System Sciences Discussions*, 10(3), 3897–3925. <https://doi.org/10.5194/hessd-10-3897-2013>
- Nurjani, E. (2015). RINGKASAN DISERTASI KARAKTERISTIK SPASIO-TEMPORAL CURAH HUJAN DI DAERAH PERKOT AAN YOGYAKARTA SEBAGAI FUNGSI PENUTUP LAHAN. In *Fakultas Geografi Universitas Gadjah Mada*. <http://marefateadyan.nashriyat.ir/node/150>
- Pakparvar, M., Cornelis, W., Pereira, L. S., Gabriels, D., Hosseinimarandi, H., Edraki, M., & Kowsar, S. A. (2014). Remote sensing estimation of actual evapotranspiration and crop coefficients for a multiple land use arid landscape of southern Iran with limited available data. *Journal of Hydroinformatics*, 16(6), 1441–1460. <https://doi.org/10.2166/hydro.2014.140>
- Papadavid, G., Neocleous, D., Kountios, G., Markou, M., Michailidis, A., Ragkos, A., & Hadjimitsis, D. (2017). Using SEBAL to investigate how variations in climate impact on crop evapotranspiration. *Journal of Imaging*, 3(3). <https://doi.org/10.3390/jimaging3030030>
- Rahmat, A., Prianto, E., & Sasongko, S. B. (2017). Studi pengaruh bahan penutup atap terhadap kondisi termal pada ruang atap. *ARCADE Jurnal Arsitektur*, 35–40.
- Rahmi, K., & Danoedoro, P. (2015). PENGGUNAAN ALGORITMA SURFACE ENERGY BALANCE SYSTEM (SEBS) PADA CITRA LANDSAT 8 UNTUK ESTIMASI EVAPOTRANSPIRASI AKTUAL. *Jurnal Bumi Indonesia*, 1.
- Rahmi, K. I. N., & Danoedoro, P. (2015). Estimation of actual evapotranspiration using surface energy balance approach and Landsat-8 images of semarang area, Central Java. *ACRS 2015 - 36th Asian Conference on Remote Sensing: Fostering Resilient Growth in Asia, Proceedings, May 2016*.
- Ribeiro, C., Thilsted, W., & Guedes, R. (2014). *Roughness length classification of Corine Land Cover classes. January 2007*.
- Roxy, M. S., Sumithranand, V. B., & Renuka, G. (2014). *Soil heat flux and day time surface energy balance closure at astronomical observatory , Thiruvananthapuram , south Kerala. 4, 741–750*.
- Rozenstein, O., Qin, Z., Derimian, Y., & Karnieli, A. (2014). Derivation of land surface temperature for landsat-8 TIRS using a split window algorithm. *Sensors (Switzerland)*, 14(4), 5768–5780. <https://doi.org/10.3390/s140405768>
- Rwasoka, D. T., Gumindoga, W., & Gwenzi, J. (2011). Estimation of actual evapotranspiration using the Surface Energy Balance System (SEBS)

- algorithm in the Upper Manyame catchment in Zimbabwe. *Physics and Chemistry of the Earth*, 36(14–15), 736–746. <https://doi.org/10.1016/j.pce.2011.07.035>
- Samani, Z., Bawazir, A. S., Bleiweiss, M., Skaggs, R., & Tran, V. D. (2007). Estimating Daily Net Radiation over Vegetation Canopy through Remote Sensing and Climatic Data. *Journal of Irrigation and Drainage Engineering*, 133(4), 291–297. [https://doi.org/10.1061/\(asce\)0733-9437\(2007\)133:4\(291\)](https://doi.org/10.1061/(asce)0733-9437(2007)133:4(291))
- Santos, C. A. G., Silva, R. M. da, Silva, A. M., & Brasil Neto, R. M. (2017). Estimation of evapotranspiration for different land covers in a Brazilian semi-arid region: A case study of the Brígida River basin, Brazil. *Journal of South American Earth Sciences*, 74, 54–66. <https://doi.org/10.1016/j.jsames.2017.01.002>
- Santos, C. A. C. dos, Bezerra, B. G., Silva, B. B. da, & Rao, T. V. R. (2010). Assessment of daily actual evapotranspiration with SEBAL and S-SEBI algorithms in cotton crop. *Revista Brasileira de Meteorologia*, 25(3), 383–392. <https://doi.org/10.1590/s0102-77862010000300010>
- Schiffman, B., Basson, G., Lue, E., Ottman, D., Hawk, A., Ghosh, M., Melton, F., & Skiles, J. W. (2008). Estimation of Leaf area index (LAI) through the acquisition of ground truth data in yosemite national park. *American Society for Photogrammetry and Remote Sensing - ASPRS Annual Conference 2008 - Bridging the Horizons: New Frontiers in Geospatial Collaboration*, 2, 652–662.
- Shafian, S., Rajan, N., Schnell, R., Bagavathiannan, M., Valasek, J., Shi, Y., & Olsenholler, J. (2018). Unmanned aerial systems-based remote sensing for monitoring sorghum growth and development. *PLoS ONE*, 13(5). <https://doi.org/10.1371/journal.pone.0196605>
- Sharma, V., Kilic, A., & Irmak, S. (2016). Impact of scale/resolution on evapotranspiration from Landsat and MODIS images. *Water Resources Research*, 52(3), 1800–1819. <https://doi.org/10.1002/2015WR017772>
- Shepherd, J. M. (2005). A review of current investigations of urban-induced rainfall and recommendations for the future. *Earth Interactions*, 9(12). <https://doi.org/10.1175/EI156.1>
- Shomat, F., & Sudaryatno. (2015). LANDSAT 8 SEBAGAI DATA UNTUK ESTIMASI EVAPOTRANSPIRASI DENGAN MODEL. *Jurnal Bumi Indonesia*, 119–128.
- Shopan, A. A., Islam, A. K. M. S., & Bala, S. K. (2013). *ESTIMATION OF EVAPTRANSPIRATION OF BORO RICE IN THE NORTHWEST REGION OF BANGLADESH. 2008*, 325–336.
- Singh, K., Bala, A., Kumar, S., & Kumar, R. (2017). Quantification of wheat crop evapotranspiration and mapping: A case study from Bhiwani District of Haryana, India. *Agricultural Water Management*, 187, 200–209. <https://doi.org/10.1016/j.agwat.2017.03.015>
- Singh, R. K., & Senay, G. B. (2016). Comparison of four different energy balance models for estimating EvapoTranspiration in the Midwestern United States. *Water (Switzerland)*, 8(1), 1–19. <https://doi.org/10.3390/w8010009>
- Sitanggang, G. (2010). *Kajian Pemanfaatan Satelit Masa Depan: Sistem*

- Penginderaan Jauh Satelit LDCM (Landsat-8). *Berita Dirgantara*, 11(2), 47–58.
- Smith, R. . (2010). The heat budget of the earth ' s surface deduced from space. *Terrain*, 0, 1–10.
- Song, W., Mu, X., Ruan, G., Gao, Z., Li, L., & Yan, G. (2017). Estimating fractional vegetation cover and the vegetation index of bare soil and highly dense vegetation with a physically based method. *International Journal of Applied Earth Observation and Geoinformation*, 58(June), 168–176. <https://doi.org/10.1016/j.jag.2017.01.015>
- Stenberg, P., Rautiainen, M., Manninen, T., Voipio, P., & Smolander, H. (2004). Reduced simple ratio better than NDVI for estimating LAI in Finnish pine and spruce stands. *Silva Fennica*, 38(1), 3–14. <https://doi.org/10.14214/sf.431>
- Su, Z. (2002). The Surface Energy Balance System (SEBS) for estimation of turbulent heat fluxes. *Hydrology and Earth System Sciences*, 6(1), 85–100.
- Sugiyono. (2007). *Statistik Untuk Penelitian*. Alfabeta.
- Sutanto. (1994). *Penginderaan Jauh Jilid II*. Gadjah Mada University Press.
- Syaifullah, M. D. (2011). Potensi Atmosfer Dalam Pembentukan Awan Konvektif Pada Pelaksanaan Teknologi Modifikasi Cuaca Di Das Kotopanjang Dan Das Singkarak 2010. *Jurnal Sains & Teknologi Modifikasi Cuaca*, 12(1), 9. <https://doi.org/10.29122/jstm.v12i1.2185>
- Szporak-Wasilewska, S., Szatyłowicz, J., Okruszko, T., & Ignar, S. (2020). Application of the Surface Energy Balance System Model (SEBS) for mapping evapotranspiration of extensively used river valley with wetland vegetation. *Towards Horizon*, May 2014.
- Tasumi, M., Trezza, R., Allen, R. G., & Wright, J. L. (2005). Operational aspects of satellite-based energy balance models for irrigated crops in the semi-arid U.S. *Irrigation and Drainage Systems*, 19(3–4), 355–376. <https://doi.org/10.1007/s10795-005-8138-9>
- Wagle, P., Bhattarai, N., Gowda, P. H., & Kakani, V. G. (2017). Performance of five surface energy balance models for estimating daily evapotranspiration in high biomass sorghum. *ISPRS Journal of Photogrammetry and Remote Sensing*, 128, 192–203. <https://doi.org/10.1016/j.isprsjprs.2017.03.022>
- Waters, R., Richard, A., Tasumi, M., Trezza, R., & Bastiaanssen, W. (2002). *Surface Energy Balance Algorithms for Land Idaho Implementation*.
- Weiqiang, M., Hafeez, M., Rabbani, U., Ishikawa, H., & Ma, Y. (2012). Retrieved actual ET using SEBS model from Landsat-5 TM data for irrigation area of Australia. *Atmospheric Environment*, 59, 408–414. <https://doi.org/10.1016/j.atmosenv.2012.05.040>
- Wieringa, J. (1993). Representative Roughness Parameters For Homogeneous Terrain. *Boundary Layer Meteorology*, 63, 323–363.
- Wijdani, A., & Murti, S. (2017). Pemanfaatan citra penginderaan jauh untuk perhitungan nilai evapotranspirasi berbasis metode kesetimbangan energi di das tanggul kabupaten jember. *Majalah Geografi Indonesia*, March 2018.
- Wiweka, W. (2014). Pola Suhu Permukaan Dan Udara Menggunakan Citra Satelit Landsat Multitemporal. *Jurnal Ecolab*, 8(1), 11–22. <https://doi.org/10.20886/jklh.2014.8.1.11-22>

- Xue, J., & Su, B. (2017). Significant remote sensing vegetation indices: A review of developments and applications. *Journal of Sensors*, 2017, 1–17. <https://doi.org/10.1155/2017/1353691>
- Y. H. Kim, & J. J. Baik. (2005). Spatial and Temporal Structure of the Urban Heat Island in Seoul. *Journal of Applied Meteorology*, 44(5), 591–605. <http://search.proquest.com/docview/224581029?accountid=26415>
- Zahrotunisa, S., Jatmiko, R. H., Widyatmanti, W., Raya, J., Km, J.-B., & Bogor, K. (2020). ANALISIS PENGARUH SUHU PERMUKAAN LAHAN MENGGUNAKAN CITRA PENGINDERAAN JAUH MULTITEMPORAL (Impact Analysis of Land Surface Temperature on Micro-Climature Elements in Surakarta Using Multitemporal Remote Sensing Imagery). *Majalah Ilmiah Globe*, 22(1), 31–40. <https://doi.org/10.24895/MIG.2019.22-1.952>
- Zamani, S., & Rahimzadegan, M. (2018). Evaluation of SEBS , SEBAL , and METRIC models in estimation of the evaporation from the freshwater lakes (Case study : Amirkabir dam , Iran). *Journal of Hydrology*, 561(March), 523–531. <https://doi.org/10.1016/j.jhydrol.2018.04.025>
- Zhan, C., Yin, J., Wang, F., & Dong, Q. (2015). Regional estimation and validation of remotely sensed evapotranspiration in China. *Catena*, 133, 35–42. <https://doi.org/10.1016/j.catena.2015.04.018>
- Zhang, S., Chen, H., Fu, Y., Niu, H., Yang, Y., & Zhang, B. (2019). Fractional vegetation cover estimation of different vegetation types in the Qaidam Basin. *Sustainability (Switzerland)*, 11(3). <https://doi.org/10.3390/su11030864>
- Zhong, L., Xu, K., Ma, Y., Huang, Z., Wang, X., & Ge, N. (2019). Evapotranspiration Estimation Using Surface Energy Balance System Model : A Case Study in the Nagqu River Basin. *MDPI*.
- Zhu, L., Wu, B.-F., Zhou, Y.-M., Meng, J.-H., & Zhang, N. (2008). A study on fast estimation of vegetation fraction in Three Gorges emigration area by using SPOT5 Imagery. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 37(3), 987–992.