

Daftar Pustaka

- Anderson, M. L., Asce, M., Chen, Z., Asce, M., Kavvas, M. L., Asce, M., Feldman, A., & Asce, M. (2002). Coupling HEC-HMS with Atmospheric Models for Prediction of Watershed Runoff. *Journal of Hydrologic Engineering*, 7(4), 312–318. <https://doi.org/10.1061/ASCE1084-0699200274312>
- Arsyad, S. (2012). *Konservasi Tanah dan Air. Edisi Kedua*. Bogor. IPB Press.
- Bhattacharya, A., McEnroe, B., Zhao, H., D, K., & Shinde, S. (2012). Modclark Model: Improvement and Application. *ISSN: 2250-3021*, 2, 100–118.
- Blanchard, D. . (1953). Raindrop Size Distribution in Hawaian Rain. *Journal of Meteorology*, 10, 457–473.
- BPDAS Ketahun. (2012). *Naskah Rencana Pengelolaan DAS Manna Buku II*.
- Bringi, V. N., Keenan, T. D., & Chandrasekar, V. (2001). Correcting C-Band Radar Reflectivity and Differential Reflectivity Data for Rain Attenuation: A SelfConsistent Method With Constraints. In *IEEE Transaction on Geoscience and Remote Sensing* (Vol. 39, Issue 9).
- Cho, Y. (2020). Application of NEXRAD Radar-Based Quantitative Precipitation Estimations for Hydrologic Simulation. *Water*, 12(273), 1–19. <https://doi.org/10.3390/w12010273>
- Clark, C. (1945). Storage and the unit hydrograph. Transactions. *American Society of Civil Engineers*, 110, 1419–1488.
- Foote, G. . (1966). A Z-R Relation for mountain thundrestorms. *Journal of Applied Meteorology*, 5, 229–231.
- Friedrich, K., Hagen, M., & Einfalt, T. (2006). A Quality Control Concept for Radar Reflectivity, Polarimetric Parameters, and Doppler Velocity. *Journal of Atmospheric and Oceanic Technology*, 23(7), 865–887.
- Fulton, R. ., Breidenbach, J. ., Seo, D. ., & Miller, D. . (1998). The WSR-88D Rainfall Algorithm. *Weather Forecasting*, 13, 377–395.
- G. Park, S., Bringi, V. N., Chandrasekar, V., Maki, M., & Iwanami, K. (2005). Correction of Radar Reflectivity and Differential Reflectivity for Rain Attenuation at X Band . Part I: Theoretical and Empirical Basis. In *Journal of Atmospheric and Oceanic Technology* (Vol. 22, Issue 11).
- Gabriele, S., Chiaravalloti, F., & Procopio, A. (2017). Radar-rain-gauge rainfall estimation for hydrological applications in small catchments. *Advances in Geosciences*, 44, 61–66. <https://doi.org/10.5194/adgeo-44-61-2017>
- Gilewski, P., & Nawalany, M. (2018). Inter-Comparison of Rain-Gauge, Radar, and Satellite (IMERG GPM) Precipitation Estimates Performance for Rainfall-Runoff Modeling in a Mountainous Catchment in Poland. *Water*, 10, 1–23. <https://doi.org/10.3390/w10111665>
- Gunn, K., & East, T. (1954). The microwave properties of precipitation particles. *Q J Royal Meteorology Society*, 80, 522_545.
- Halwatura, D., & Najim, M. M. M. (2013). Environmental Modelling & Software Application of the HEC-HMS model for runoff simulation in a tropical catchment. *Environmental Modelling and Software*, 46, 155–162.

- <https://doi.org/10.1016/j.envsoft.2013.03.006>
- Hamad, R., Balzter, H., & Kolo, K. (2018). Predicting land use/land cover changes using a CA-Markov model under two different scenarios. *Sustainability (Switzerland)*, *10*(10), 1–23. <https://doi.org/10.3390/su10103421>
- Heisterman, M., Jacobi, S., & Pfaff, T. (2013). Technical Note: An open source library for processing weather radar data (wradlib). *Hydrology and Earth System Sciences*, *17*, 863–871. <https://doi.org/10.5194/hess-17-863-2013>
- Hitschfeld, P., & Bordan, J. (1954). Errors inherent in the radar measurement of rainfall at attenuating wavelengths. *Journal Meteorology*, *11*, 58–67.
- Hoblit, B. C., & Curtis, D. C. (2001). Integrating Radar Rainfall Estimates with Digital Elevation Models and Land Use Data to Create an Accurate Hydrologic Model. *Floodplain Management Association Spring 2001 Conference*, *1*, 1–9.
- Ibrahim-Bathis, K., & Ahmed, S. A. (2016). Rainfall-runoff modelling of Doddahalla watershed—an application of HEC-HMS and SCN-CN in ungauged agricultural watershed. *Arabian Journal of Geosciences*, *9*(3), 1–16. <https://doi.org/10.1007/s12517-015-2228-2>
- Jacobi, S., & Heistermann, M. (2016). Benchmarking attenuation correction procedures for six years of single-polarized C-band weather radar observations in South-West Germany. *Geomatics, Natural Hazards and Risk*, *7*(6), 1785–1799. <https://doi.org/10.1080/19475705.2016.1155080>
- Joshi, N., Bista, A., Pokhrel, I., Kalra, A., & Ahmad, S. (2019). Rainfall-Runoff Simulation in Cache River Basin, Illinois, Using HEC-HMS. *World Environmental and Water Resources Congress 2019*, 348–360.
- Joss, J., & Waldvogel, A. (1970). A Method to Improve the Accuracy of Radar Measured a Mount of Precipitation. *14th Radar Meteorology Conference, Tucson, American Meteorology Society*, 237–238.
- Juan, A., Fang, Z., & Bedient, P. B. (2017). Developing a radar-based flood alert system for Sugar Land, Texas. *Journal of Hydrologic Engineering*, *22*(5), 1–11. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0001194](https://doi.org/10.1061/(ASCE)HE.1943-5584.0001194)
- Keblouti, M., Lahbassi, O., & Berhail, S. (2013). The use of weather radar for rainfall-runoff modeling, case of Seybouse watershed (Algeria). *Arabian Journal of Geosciences*. <https://doi.org/10.1007/s12517-013-1224-7>
- Kosasih, A. (2020). *Analisis Perbandingan Algoritma Koreksi Atenuasi Data Reflektivitas Radar Cuaca Band C Untuk Meningkatkan Akurasi Estimasi Curah Hujan Di Stasiun Meteorologi Juanda Sidoarjo*. Universitas Gadjah Mada.
- Krajewski, F. W. . (1991). On the Estimation of Climatological Z-R Relationships. *Journal of Applied Meteorology*, *30*(10), 1436–1445.
- Krämer, S., & Verworn, H. (2008). Improved C-band radar data processing for real time control of urban drainage systems. *11th International Conference on Urban Drainage, Edinburgh, Scotland, UK, 2008 Improved*, 1–10.
- Lopez, V., Napolitano, F., & Russo, F. (2005). Calibration of a rainfall-runoff model using radar and raingauge data. *Advances in Geosciences*, *2*, 41–46. <https://doi.org/10.5194/adgeo-2-41-2005>

- Mapiam, P. P., & Sriwongstanon, N. (2008). Climatological ZR Realationship For Radar Rainfall Estimation In The Upper Ping River Basin. *Research Article. Science Asia*, 34, 215–222.
- Marshall, J. ., & Palmer, W. . (1948). The Distribution of Raindrops with Size. *Journal of Meteorology*, 5, 165–166.
- Marshall, J. S., Langille, R. C., & Palmer, W. M. (1947). Measurement of Rainfall by Radar. *Journal of Meteorology*, 4, 186–192.
- Meischner, P. (2002). Weather Radar. In *Encyclopedia of Imaging Science and Technology*. <https://doi.org/10.1002/0471443395.img099>
- Morin, E., Maddox, R. A., Goodrich, D. C., & Sorooshian, S. (2005). Radar Z – R Relationship for Summer Monsoon Storms in Arizona. *American Meteorological Society*, 20, 672–679.
- Munajad, R., & Suprayogi, S. (2012). Kajian Hujan–Aliran Menggunakan Model HEC–HMS Di Sub Daerah Aliran Sungai Wuryantoro Wonogiri, Jawa Tengah. *Jurnal Geografi*, 2(1), 150–157.
- Munawar. (2016). *Pemodelan Spasiotemporal Prediksi Curah Hujan Ekstrem Berdasarkan Integrasi Data Radar Dan Satelit Cuaca Di Provinsi Jawa Timur*. Universitas Gadjah Mada.
- NRCS USDA. National Resources Conservation Service United States Department of Agriculture. (1986). *Urban Hydrology for Small Watershed. Technical Release 55*.
- Paski, J. A. I. (2018). Pengaruh Asimilasi Data Penginderaan Jauh (Radar Dan Satelit) Pada Prediksi Cuaca Numerik Untuk Estimasi Curah Hujan (Impact of Remote Sensing Data Assimilation (Radar and Satellite) on Numerical Weather Prediction for Rainfall Estimation). *Jurnal Penginderaan Jauh Dan Pengolahan Data Citra Digital*, 14(2), 79–88. <https://doi.org/10.30536/j.pjpdcd.1017.v14.a2642>
- Permana, D. S., Hutapea, T. D. F., Praja, A. S., Fatkhuroyan, F., & Muzayanah, L. F. (2016). Pengolahan Dan Pemulihan Data Radar Cuaca Menggunakan Wradlib Berbasis Python. *Jurnal Meteorologi Dan Geofisika*, 17(3). <https://doi.org/10.31172/jmg.v17i3.350>
- Permatasari, R. (2017). Pengaruh Perubahan Penggunaan Lahan terhadap Rezim Hidrologi DAS (Studi Kasus: DAS Komering). *Jurnal Teknik Sipil ITB*, 24(1), 91–98. <https://doi.org/10.5614/jts.2017.24.1.11>
- Putiamini, S., Kusratmoko, E., & Syamsudin, F. (2017). Pemodelan kejadian banjir daerah aliran sungai Ciliwung hulu dengan menggunakan data radar. *Jurnal Geografi Lingkungan Tropik*, 1(1), 1–13.
- Rinehart, R. E. (2004). *Radar For Meteorologists (Fourth)*. Columbia, USA: Rinehart Publications.
- Rosenfeld, D., Wolff, D. ., & Atlas, D. (1993). General Probability Macthed Relations between Radar Reflectivity and Rain Rate. *Journal of Applied Meteorology*, 32, 50–57.
- Rosenfeld, D., Wolff, D. B., & Amitai, E. (1994). The Window Probability Matching Method for Rainfall Measurements with Radar. *Journal of Applied Meteorology*, 33(6), 682–693. [https://doi.org/https://doi.org/10.1175/15200450\(1994\)033<0682](https://doi.org/https://doi.org/10.1175/15200450(1994)033<0682)



- Šálek, M., Březková, L., & Novák, P. (2006). The use of radar in hydrological modeling in the Czech Republic - Case studies of flash floods. *Natural Hazards and Earth System Science*, 6(2), 229–236. <https://doi.org/10.5194/nhess-6-229-2006>
- Soedjoko, S. A., Suryono, & Suryatmojo, H. (2015). *Hidrologi Hutan; Dasar-dasar, Analisis, dan Aplikasi*. Gadjah Mada University Press.
- Song, X. M., Kong, F. Z., & Zhu, Z. X. (2011). Application of Muskingum routing method with variable parameters in ungauged basin. *Water Science and Engineering*, 4(1), 1–12. <https://doi.org/10.3882/j.issn.1674-2370.2011.01.001>
- Stout, G. E., & Mueller, E. A. (1968). Survey of Relationship Between Rainfall Rate and Radar Reflectivity in the Measurement of Precipitation. *Journal of Applied Meteorology*, 7, 465–474.
- Sugiyono. (2013). *Statistika untuk Penelitian*. Bandung. CV. Alfabet.
- Suripin. (2002). *Pelestarian Sumber Daya Tanah dan Air*. Penerbit Andi. Yogyakarta.
- Trisakti, B., Teguh, K., & Susanto. (2008). Kajian Distribusi Spasial Debit Aliran Permukaan di Daerah Aliran Sungai (DAS) Berbasis Data Satelit Penginderaan Jauh. *Jurnal Penginderaan Jauh*, 5, 45–55.
- USACE. US Army Corp of Engineers. (2016). Hydrologic Modeling System HEC-HMS User's Manual. In *Hydrologic Engineering Center, Davis, CA (USA)* (Vol. 1, Issue Agosto).
- Wardhana, A. (2017). *Pendugaan debit aliran memanfaatkan radar cuaca dan model hidrologi di das ciliwung hulu (kasus stasiun katulampa) ali wardhana*. Institut Pertanian Bogor.
- WMO. (2005). *World Meteorological Organization Commision for Instruments and Methods of Observation. Training Course on Weather Radar Systems*.
- Wu, P., Hamada, J. I., Mori, S., Tauhid, Y. I., Yamanaka, M. D., & Kimura, F. (2003). Diurnal variation of precipitable water over a mountainous area of Sumatra Island. *Journal of Applied Meteorology*, 42(8), 1107–1115. [https://doi.org/10.1175/1520-0450\(2003\)042<1107:DVOPWO>2.0.CO;2](https://doi.org/10.1175/1520-0450(2003)042<1107:DVOPWO>2.0.CO;2)