

REFERENCES

- A. Wani, A. *et al.* (2012) 'Carbon Inventory Methods in Indian Forests - A Review', *International Journal of Agriculture and Forestry*. Scientific and Academic Publishing, 2(6), pp. 315–323. doi: 10.5923/j.ijaf.20120206.09.
- Almay Widagdo, F. R. *et al.* (2020) 'Aggregated biomass model systems and carbon concentration variations for tree carbon quantification of natural mongolian oak in northeast China', *Forests*. MDPI AG, 11(4). doi: 10.3390/F11040397.
- Altanzagas, B. *et al.* (2019) 'Allometric Equations for Estimating the Above-Ground Biomass of Five Forest Tree Species in Khangai, Mongolia', *Forests*. MDPI AG, 10(8), p. 661. doi: 10.3390/f10080661.
- António, N. *et al.* (2007) 'Effect of tree, stand, and site variables on the allometry of Eucalyptus globulus tree biomass', *Canadian Journal of Forest Research*, 37(5), pp. 895–906. doi: 10.1139/X06-276.
- Askar *et al.* (2018) 'Estimating aboveground biomass on private forest using sentinel-2 imagery', *Journal of Sensors*. Hindawi Limited, 2018. doi: 10.1155/2018/6745629.
- Assefa, G. *et al.* (2013) *FOREST CARBON POOLS AND CARBON STOCK ASSESSMENT IN THE CONTEXT OF SFM AND REDD+*. Available at: [https://www.forestcarbonpartnership.org/sites/fcp/files/2015/October/Forest carbon stock assessment_Manual.pdf](https://www.forestcarbonpartnership.org/sites/fcp/files/2015/October/Forest%20carbon%20stock%20assessment_Manual.pdf) (Accessed: 14 April 2019).
- Van Camp, N. *et al.* (2004) 'Inventory-based carbon stock of Flemish forests: A comparison of European biomass expansion factors', *Annals of Forest Science*, 61(7), pp. 677–682. doi: 10.1051/forest:2004066.
- Chaturvedi, R. K. and Raghubanshi, A. S. (2013) 'Aboveground biomass estimation of small diameter woody species of tropical dry forest', *Springer*, 44, pp. 509–519. doi: 10.1007/s11056-012-9359-z.
- Chave, J. *et al.* (2014) 'Improved allometric models to estimate the aboveground biomass of tropical trees', *Global Change Biology*. Blackwell Publishing Ltd, 20(10), pp. 3177–3190. doi: 10.1111/gcb.12629.
- Deng, X. *et al.* (2011) 'Variations of wood basic density with tree age and social classes in the axial direction within Pinus massoniana stems in Southern China', *Annals of Forest Science*. Springer Nature, 71(4), pp. 505–516. doi: 10.1007/s13595-013-0356-yi.
- Dinas Lingkungan Hidup dan Kehutanan DIY (2019) *Buku statistik kehutanan*. Yogyakarta. Available at: [http://dlhk.jogjapro.go.id/storage/files/Buku Data Statistik Kehutanan DIY 2019.pdf](http://dlhk.jogjapro.go.id/storage/files/Buku%20Data%20Statistik%20Kehutanan%20DIY%202019.pdf) (Accessed: 23 June 2021).
- Djomo, A. N. *et al.* (2017) 'Variation of Wood Density in Tropical Rainforest Trees', *Journal of Forests*. Pak Publishing Group, 4(2), pp. 16–26. doi: 10.18488/journal.101.2017.42.16.26.
- Dong, L. *et al.* (2020) 'Comparison of tree biomass modeling approaches for larch (*Larix olgensis* Henry) trees in Northeast China', *Forests*. MDPI AG, 11(2). doi: 10.3390/f11020202.
- Dong, L., Zhang, L. and Li, F. (2015) 'Developing additive systems of

biomass equations for nine hardwood species in Northeast China', *Trees - Structure and Function*. Springer Verlag, 29(4), pp. 1149–1163. doi: 10.1007/s00468-015-1196-1.

Easterbrook, D. J. (2016) *Evidence-Based Climate Science*. 2nd edn, *Evidence-Based Climate Science*. 2nd edn. Edited by D. J. Easterbrook. United States: Elsevier. doi: 10.1016/c2015-0-02097-4.

Fajriani, E., Hadi, Y. S. and Hermawan, D. (2011) *Keawetan Papan Partikel Berkerapatan Sedang dari Kayu Jabon (Anthocephalus cadamba Miq.), Sungkai (Peronema canescens Jack.) dan Mangium (Acacia mangium Willd.) terhadap Serangan Rayap Tanah (Coptotermes curvignathus Holmgren)*. Institut Pertanian Bogor. Available at: <https://docplayer.info/97433192-Keawetan-papan-partikel-berkerapatan-sedang-dari-kayu-jabon.html> (Accessed: 18 May 2021).

Fayolle, A. *et al.* (2018) 'A regional allometry for the Congo basin forests based on the largest ever destructive sampling', *Forest Ecology and Management*. Elsevier B.V., 430, pp. 228–240. doi: 10.1016/j.foreco.2018.07.030.

Fransisca, D., Kahanjak, D. N. and Frethernety, A. (2020) 'Uji aktivitas antibakteri ekstrak etanol daun sungkai (*Peronema canescens* Jack) terhadap pertumbuhan *Escherichia coli* dengan metode difusi cakram Kirby-Bauer', *Jurnal Pengelolaan Lingkungan Berkelanjutan (Journal of Environmental Sustainability Management)*. Badan Kerjasama Pusat Studi Lingkungan se-Indonesia, 2020(1), pp. 460–470. doi: 10.36813/jplb.4.1.460-470.

Guangyi, M., Yujun, S. and Saeed, S. (2017) 'Models for predicting the biomass of cunninghamialanceolata trees and stands in southeastern China', *PLoS ONE*. Public Library of Science, 12(1), pp. 1–14. doi: 10.1371/journal.pone.0169747.

Hatta, G. M. (1999) *Sungkai (Peronema canescens) a promising pioneer tree: an experimental provenance study in Indonesia*, Wageningen University. Wageningen University. Available at: <https://library.wur.nl/WebQuery/wurpubs/61527> (Accessed: 30 December 2020).

He, H. *et al.* (2018) 'Allometric biomass equations for 12 tree species in coniferous and broadleaved mixed forests, Northeastern China', *PLoS ONE*. Public Library of Science, 13(1), pp. 1–16. doi: 10.1371/journal.pone.0186226.

Hemery, G. E., Savill, P. S. and Pryor, S. N. (2005) 'Applications of the crown diameter-stem diameter relationship for different species of broadleaved trees', *Forest Ecology and Management*, 215(1–3), pp. 285–294. doi: 10.1016/j.foreco.2005.05.016.

Houghton, R. *et al.* (2009) 'Importance of biomass in the global carbon cycle', *Wiley Online Library*. Available at: [https://agupubs.onlinelibrary.wiley.com/doi/abs/10.1029/2009JG000935@10.1002/\(ISSN\)2169-8961.VEGGIE3D1](https://agupubs.onlinelibrary.wiley.com/doi/abs/10.1029/2009JG000935@10.1002/(ISSN)2169-8961.VEGGIE3D1) (Accessed: 20 November 2020).

Houghton, R. A., Hall, F. and Goetz, S. J. (2009) 'Importance of biomass in the global carbon cycle', *Journal of Geophysical Research: Biogeosciences*. Blackwell Publishing Ltd, 114(G2), p. n/a-n/a. doi: 10.1029/2009JG000935.

Huynh, T. *et al.* (2021) 'Field methods for above and belowground biomass estimation in plantation forests', *MethodsX*. Elsevier B.V., 8, p. 101192. doi: 10.1016/j.mex.2020.101192.

Ikonen, V. P. *et al.* (2008) 'Modelling the distribution of wood properties along the stems of Scots pine (*Pinus sylvestris* L.) and Norway spruce (*Picea abies*

(L.) Karst.) as affected by silvicultural management', *Forest Ecology and Management*. Elsevier, 256(6), pp. 1356–1371. doi: 10.1016/j.foreco.2008.06.039.

Imelda, M. *et al.* (2007) *Keseragaman Genetik Bibit Sungkai (Peronema canescens Jack) Hasil Kultur Jaringan Genetic uniformity of sungkai (Peronema canescens Jack) regenerated from tissue culture*.

Karsenty, A., Blanco, C. and Dufour, T. (2003) *Instruments related to the United Nations Framework Convention on Climate Change and their potential for sustainable forest management in Africa Forest and climate change*. Rome.

Keller, M. *et al.* (2001) 'Biomass estimation in the Tapajos National Forest, Brazil: examination of sampling and allometric uncertainties', *Elsevier*. Available at: <https://www.sciencedirect.com/science/article/pii/S0378112701005096> (Accessed: 20 November 2020).

Khoon, K. L. *et al.* (2019) 'QUANTIFYING TOTAL CARBON STOCK OF MATURE OIL PALM', pp. 521–527. doi: 10.21894/jopr.2019.0044.

Kurniawan, T., Mayasari, I. and Prasajo, U. S. (2018) 'Private forest as a model in critical land reconstruction in upstream area, Indonesia', *IOP Conference Series: Earth and Environmental Science*. Institute of Physics Publishing, 200(1), p. 12051. doi: 10.1088/1755-1315/200/1/012051.

Kuyah, Shem *et al.* (2016) 'Quantifying tree biomass carbon stocks and fluxes in agricultural landscapes', in Kuyah, S. *et al.* (eds) *Methods for Measuring Greenhouse Gas Balances and Evaluating Mitigation Options in Smallholder Agriculture*. Springer International Publishing, pp. 119–134. doi: 10.1007/978-3-319-29794-1_6.

Laraswati, D. *et al.* (2020) 'IOP Conference Series: Earth and Environmental Science Recent citations Private forest in facing the timber legality regime in Indonesia: the NGOs' role', *IOP Conf. Ser.: Earth Environ. Sci*, 449, p. 12053. doi: 10.1088/1755-1315/449/1/012053.

Lu, D. *et al.* (2014) 'International Journal of Digital Earth A survey of remote sensing-based aboveground biomass estimation methods in forest ecosystems) A survey of remote sensing-based aboveground biomass estimation methods in forest ecosystems A survey of remote sensing-based aboveground biomass estimation methods in forest ecosystems', *International Journal of Digital Earth*. Taylor and Francis Ltd., 0(1), pp. 63–105. doi: 10.1080/17538947.2014.990526.

Manuri, S. *et al.* (2016) 'Improved allometric equations for tree aboveground biomass estimation in tropical dipterocarp forests of Kalimantan, Indonesia', *Forest Ecosystems*. SpringerOpen, 3(1), p. 28. doi: 10.1186/s40663-016-0087-2.

Meijaard, E. *et al.* (2021) 'Toward improved impact evaluation of community forest management in Indonesia', *Conservation Science and Practice*. Wiley, 3(1). doi: 10.1111/csp2.189.

Moreno-Fernández, D. *et al.* (2018) 'Do common silvicultural treatments affect wood density of Mediterranean Montane Pines?', *Forests*. MDPI AG, 9(2), pp. 1–11. doi: 10.3390/f9020080.

Mulyana, B., Soeprijadi, D. and Purwanto RH (2020) 'Allometric model of wood biomass and carbon for gliricidia (*Gliricidia sepium* (Jacq.) Kunth ex Walp.) at bioenergy plantation in Indonesia.', *cabdirect.org*, 26, pp. 153–164. Available at: <https://www.cabdirect.org/cabdirect/abstract/20203295524> (Accessed: 23

November 2020).

Ningsih, A. and Ibrahim, A. (2013) ‘Aktifitas Antimikroba Ekstrak Fraksi n-Heksan Daun Sungkai (*Peronema canescens*. JACK) Terhadap Berberapa Bakteri Dengan Metode KLT-Bioautografi’, *Journal Of Tropical Pharmacy And Chemistry*. Faculty of Pharmacy, Mulawarman University, 2(2), pp. 76–82. doi: 10.25026/jtpc.v2i2.51.

Nizami, S. M. (2012a) ‘The inventory of the carbon stocks in sub tropical forests of Pakistan for reporting under Kyoto Protocol’, *Journal of Forestry Research*. Northeast Forestry University, 23(3), pp. 377–384. doi: 10.1007/s11676-012-0273-1.

Nizami, S. M. (2012b) ‘The inventory of the carbon stocks in sub tropical forests of Pakistan for reporting under Kyoto Protocol’, *Journal of Forestry Research*, 23(3), pp. 377–384. doi: 10.1007/s11676-012-0273-1.

Ojo, M. O., Aghimien, E. V and Alade, A. A. (2020) ‘Inventory-based estimates of Above-Ground Tree Biomass Models for *tectona grandis* Linn. Plantation in Federal College of Forestry, Ibadan, Nigeria | FUTY Journal of the Environment’, *FUTY Journal of the Environment*, 14, pp. 1–8. Available at: <https://www.ajol.info/index.php/fje/article/view/201418> (Accessed: 6 May 2021).

Pajtić, J., Konôpka, B. and Lukac, M. (2008) ‘Biomass functions and expansion factors in young Norway spruce (*Picea abies* [L.] Karst) trees’, *Forest Ecology and Management*, 256(5), pp. 1096–1103. doi: 10.1016/j.foreco.2008.06.013.

Petrokofsky, G. *et al.* (2012) ‘Comparison of methods for measuring and assessing carbon stocks and carbon stock changes in terrestrial carbon pools. How do the accuracy and precision of current methods compare? A systematic review protocol’, *Environmental Evidence*, 1(1), p. 6. doi: 10.1186/2047-2382-1-6.

Putranto, A. M. H. (2014) ‘Examination of the Sungkai’s Young Leaf Extract (*Peronema canescens*) as an Antipiretic, Immunity, Antiplasmodium and Teratogeny in Mice (*Mus.muculus*)’, *International Journal of Science and Engineering*. Faculty of Engineering Diponegoro University, 7(1). doi: 10.12777/ijse.7.1.30-34.

Ramanantoandro, T. *et al.* (2016) ‘Influence of tree species, tree diameter and soil types on wood density and its radial variation in a mid-altitude rainforest in Madagascar’, *Annals of Forest Science*. Springer-Verlag France, 73(4), pp. 1113–1124. doi: 10.1007/s13595-016-0576-z.

Salunkhe, O. *et al.* (2018) ‘A systematic review on the aboveground biomass and carbon stocks of Indian forest ecosystems’, *Ecological Processes*. Springer Verlag, pp. 1–12. doi: 10.1186/s13717-018-0130-z.

Samalca, I. K. (2007) *Estimation of Forest Biomass and its Error A case in Kalimantan, Indonesia*.

Santika, T. *et al.* (2019) ‘Heterogeneous impacts of community forestry on forest conservation and poverty alleviation: Evidence from Indonesia’, *People and Nature*. Wiley, 1(2), pp. 204–219. doi: 10.1002/pan3.25.

Santosa, S. *et al.* (2020) ‘Estimation of biomass, carbon stocks and leaf litter decomposition rate in teak *Tectona grandis* linn plantations in city forest of hasanuddin university, Makassar’, *International Journal of Plant Biology*. Page Press Publications, 11(1), pp. 1–8. doi: 10.4081/pb.2020.8541.

Schroeder, P. *et al.* (no date) ‘Biomass estimation for temperate broadleaf

forests of the United States using inventory data', *academic.oup.com*. Available at: <https://academic.oup.com/forestscience/article-abstract/43/3/424/4627408> (Accessed: 20 November 2020).

Shmulsky, R. and Jones, P. D. (2018) *Forest products and wood science: an introduction*. 6th edn. United States: Wiley-Blackwell. Available at: <http://library.lol/main/264D6B07427F6D8459CA5DE762BF40D4> (Accessed: 27 April 2021).

Soerianegara, I. and Lemmens, R. H. M. J. (1994) *Plant resources of South East Asia 5: (1) Timber Trees: Major Commercial Timbers*. Bogor: PROSEA. Available at: http://fmipa.unj.ac.id/lib/index.php?p=show_detail&id=102555 (Accessed: 18 May 2021).

Standar Nasional Indonesia, S. (2011) *Penyusunan persamaan alometrik untuk penaksiran cadangan karbon hutan berdasar pengukuran lapangan (ground based forest carbon accounting)*. Available at: www.bsn.go.id (Accessed: 2 December 2020).

Sternberg, M. and Shoshany, M. (2001) 'Aboveground Biomass Allocation and Water Content Relationships in Mediterranean Trees and Shrubs in Two Climatological Regions in Israel', *Plant Ecology*, 157(2), pp. 173–181. Available at: <https://www.jstor.org/stable/20051170> (Accessed: 23 June 2021).

T. Vashum, K. and Jayakumar, S. (2012) 'Methods to Estimate Above-Ground Biomass and Carbon Stock in Natural Forests - A Review', *Journal of Ecosystem & Ecography*. OMICS International, 02(04), pp. 1–7. doi: 10.4172/2157-7625.1000116.

Tacconi, L. and Muttaqin, M. Z. (2019) 'Reducing emissions from land use change in Indonesia: An overview', *Forest Policy and Economics*. Elsevier B.V., 108, p. 101979. doi: 10.1016/j.forpol.2019.101979.

Takahashi, R. and Otsuka, K. (2016) 'Determinants of forest degradation under private and common property regimes: The case of Ethiopia', *Land Economics*. University of Wisconsin Press, 92(3), pp. 450–467. doi: 10.3368/le.92.3.450.

Vieilledent, G. *et al.* (2018) 'New formula and conversion factor to compute basic wood density of tree species using a global wood technology database', *American Journal of Botany*. Wiley-Blackwell, 105(10), pp. 1653–1661. doi: 10.1002/ajb2.1175.

Wahyudi, W., Muttaqin, Z. and Mojiol, A. R. (2017) 'ANALISIS PERTUMBUHAN DAN HASIL TANAMAN SUNGKAI (*Peronema canescens* Jack.) DI KALIMANTAN', *Jurnal Sains Natural*. Universitas Nusa Bangsa, 2(2), p. 116. doi: 10.31938/jsn.v2i2.41.

Wakawa, L. . (2016) *Biomass estimation in forest ecosystems - a review* | Wakawa | *Journal of Research in Forestry, Wildlife and Environment*. Available at: <https://www.ajol.info/index.php/jrfwe/article/view/140803/130536> (Accessed: 10 January 2020).

Walach, D., Jaskowska-Lemanska, J. and Dybel, P. (2015) 'The impact of moisture content of wood on the results of non-destructive tests', *Forestry and Wood Technology*, 92, pp. 448–454. Available at: https://www.researchgate.net/publication/310318205_The_impact_of_moisture_content_of_wood_on_the_results_of_non-destructive_tests (Accessed: 23 June 2021).

Wulandari, F. T. (2018) ‘Variasi Kadar Air Tiga Jenis Bambu Berdasarkan arah Aksial’, *Jurnal Sangkareang Mataram*, 4(3), pp. 28–31. Available at: <http://www.untb.ac.id/September-2018/> (Accessed: 26 April 2021).

Yance, Mandang and Pandit, K. N. (1997) *Pedoman identifikasi jenis kayu di lapangan*. Bogor: Indonesia Yayasan PROSEA. Available at: <https://www.worldcat.org/title/pedoman-identifikasi-jenis-kayu-di-lapangan/oclc/247575862> (Accessed: 18 May 2021).

Zaenal, M., Tiryana, T. and Muhdin, M. (2020) ‘Allometric Models for Estimating Tree Biomass of Dryland Secondary Forest in East Halmahera’, *Jurnal Wasian*. Research, Development and Innovation Agency, Ministry of Environment and Forestry, 7(2), pp. 87–101. doi: 10.20886/jwas.v7i2.5948.

Zeng, W. sheng and Tang, S. zheng (2012) ‘Modeling compatible single-tree aboveground biomass equations for masson pine (*Pinus massoniana*) in southern China’, *Journal of Forestry Research*. Springer, 23(4), pp. 593–598. doi: 10.1007/s11676-012-0299-4.