

DAFTAR PUSTAKA

- Absar Ali, Naila Asif, Z.R. 2013. Estimation of GFR by MDRD Formula and Its Correlation to Cockcroft-Gault Equation in Five Stages of Chronic Kidney Disease. *Open Journal of Nephrology*, 2013(March): 37–40.
- Analiti, P., Izvodljivost, K.E., Ivanja, I. & Metode, P.S. 2017. The Evaluation Of Analytical Performance Of Immunoassay Tests by Using Six-Sigma Method. *J Med Biochem*, 36(4): 301–308.
- Andrew S. Levey, MD Lesley A. Inker, MD, MS, and Josef Coresh, MD, MS, P. 2015. GFR Estimation: From Physiology to Public Health. *NIH Public Access*, 63(5): 820–834.
- Baptista, J.P., Udy, A.A., Sousa, E., Pimentel, J., Wang, L., Roberts, J.A. & Lipman, J. 2011. A comparison of estimates of glomerular filtration in critically ill patients with augmented renal clearance. *Critical Care*, 15(3): R139. <http://ccforum.com/content/15/3/R139>.
- Bragadottir, G., Redfors, B. & Ricksten, S. 2013. Assessing glomerular filtration rate (GFR) in critically ill patients with acute kidney injury - true GFR versus urinary creatinine clearance and estimating equations. *Critical Care*, 17(3): R108. <http://ccforum.com/content/17/3/R108>.
- Brunzel, N.A. 2018. *Fundamental of Urine and Body Fluid Analysis*. Fourth edi. Elsevier.
- Caldararu, C., Dogaru, M.T. & Vari, C. 2011. Comparison Between Cockcroft-Gault and MDRD Formula for The Estimation of Glomerular Filtration Rate in Chronic Kidney Disease Patients. *Farmacia*, 59(November).
- Camargo, M.S., Oliveira, M.G., D, S.M., Cristina, I., Rocha, P., Santos, C.N., Castro, C.T. De, Carlos, L. & Passos, S. 2020. Estimated glomerular filtration rate and drug dose adjustment in patients in an intensive care unit in Brazil. *Brazilian Journal of Pharmaceutical Sciences*: 1–9.
- Delanaye, P., Cavalier, E., Morel, J., Mehdi, M., Maillard, N., Claisse, G., Lambermont, B., Dubois, B.E., Damas, P., Krzesinski, J., Lautrette, A. & Mariat, C. 2014. Detection of decreased glomerular filtration rate in intensive care units : serum cystatin C versus serum creatinine. *BMC Nephrology*, 15(9).
- Dinsa, H., Nedi, T. & Berha, A.B. 2017. Concordance between modification of diet in renal disease, chronic kidney disease epidemiology collaboration and Cockcroft- Gault equations in patients with chronic kidney disease at St . Paul ’ s hospital millennium medical college , Addis Ababa , Ethio. *BMC Nephrology*, 18: 1–13.
- Dong, X., He, M., Song, X., Lu, B., Yang, Y., Zhang, S., Zhao, N., Zhou, L., Li, Y., Zhu, X. & Hu, R. 2007. Performance and comparison of the Cockcroft – Gault and simplified Modification of Diet in Renal Disease formulae in estimating glomerular filtration rate in a Chinese Type 2 diabetic population. *Diabetic Medicine*, 24(12): 1482–1486.
- Dumoulin, A., Vanholder, R. & Hoste, E.A.J. 2015. Comparison of different equations to assess glomerular filtration in critically ill patients. *Intensive Care Medicine*, 41: 427–435.
- Fastbom, J., Wills, P., Cornelius, C., Viitanen, M. & Winblad, B. 1996. Levels of serum creatinine and estimated creatinine clearance over the age of 75 : a study of an elderly Swedish population. *Archives of Gerontology & Geriatrics*, 23: 179–188.
- Fehrman-ekholm, I. & Skeppholm, L. 2004. Renal Function in the Elderly (> 70 Years Old) Measured by Means of Iohexol Clearance , Serum Creatinine , Serum Urea and Estimated Clearance. *Scand J Urol Nephrol*, 38: 1–5.
- Geus, H.R.H. De, Bakker, J., Lesaffre, E.M.E.H. & Noble, J.L.M.L. 2011. Neutrophil

- Gelatinase-associated Lipocalin at ICU Admission Predicts for Acute Kidney Injury in Adult Patients. *Journal of Respiratory Critical Care Medicine*.
- Gouin-thibault, I., Pautas, E., Mahe, I., Descarpentries, C., Golmard, J. & Siguret, V. 2007. Is Modification of Diet in Renal Disease Formula Similar to Cockcroft – Gault Formula to Assess Renal Function in Elderly Hospitalized Patients Treated With Low-Molecular-Weight Heparin? *Journal of Gerontology: Medical Sciences*, 62(11): 1300–1305.
- Heather, A., Thomas, C., Joanna, Q., Wendy, L., Melanie, S. & Thomas, D. 2011. Use of the Cockcroft-Gault versus the MDRD Study Equation to Dose Medications : An Opinion of the Nephrology Practice and Research Network of the American College of Clinical Pharmacy. *UMB Digital Archive*.
- Heil, W. & Ehrhardt, V. 2008. *Reference Range for Adult and Children*. 9th ed. Germany: Roche Diagnostics GmbH.
- Hoste, E.A.J., Damen, J., Vanholder, R.C., Lameire, N.H., Delanghe, J.R., Hauwe, K. Van Den & Colardyn, F.A. 2005. Assessment of renal function in recently admitted critically ill patients with normal serum creatinine. *Nephrol Dial Transplant*, (February): 747–753.
- Inker, A. 2011. Frequently Asked Questions About GFR Estimates Table Of Contents. *National Kidney Foundation*.
- Jabary, N.S., Martín, D., Muñoz, M.F., Santos, M., Herruzo, J., Gordillo, R. & Bustamante, J. 2006. Creatinina sérica y aclaramiento de creatinina para la valoración de la función renal en hipertensos esenciales. *Nefrologia*, 26.
- Jones, T. 2015. *Renal and Urinary System*. Fourth edi. D. Horton-Szar, ed. Leicester, UK: Elsevier.
- Lamb, E.J., Tomson, C.R. V & Roderick, P.J. 2005. Estimating kidney function in adults using formulae. *Ann Clin Biochem*, 42: 321–345.
- Lesley A. Stevens, M.D., Josef Coresh, M.D., Ph.D., Tom Greene, P.D. & and Andrew S. Levey, M.. 2006. Assessing Kidney Function — Measured and Estimated Glomerular Filtration Rate. *The new england journal of medicine*: 2473–2483.
- Levey, A.S., Coresh, J., Greene, T., Stevens, L.A., Zhang, Y. (Lucy), Hendriksen, S., Kusek, J.W. & Lente, F. Van. 2006. Using Standardized Serum Creatinine Values in the Modification of Diet in Renal Disease Study Equation for Estimating Glomerular. *Annals of Internal Medicine*.
- Linsay M. Biga, S.D., Amy Harwell, Robin Hopkins, J., Kaufmann, Mike Lemaster, P., Matern, K.M.-G. & Devon Quick, and J.R. 2020. Physiology of Urine Formation: Glomerular Filtration. In *Anatomy and physiology*. United States of America: Openstax/Oregon State University: 2749.
- Lipcsey, M., Furebring, M.I.A., Rubertsson, S. & Larsson, A. 2011. Significant differences when using creatinine , modification of diet in renal disease , or cystatin C for estimating glomerular fi ltration rate in ICU patients. *Upsala Journal of Medical Sciences.*, 116(September 2010): 39–46.
- Macedo, E. & Mehta, R.L. 2013. Measuring renal function in critically ill patients : tools and strategies for assessing glomerular filtration rate. *Current Opinion Critical Care*, 19(6): 560–566.
- Macedo, E., Soroko, S., Chertow, G.M., Himmelfarb, J., Ikizler, T.A., Paganini, E.P., Dm, R.L.M., Program, F., Renal, A. & Picard, D. 2010. Comparison of methods for estimating glomerular filtration rate in critically ill patients with acute kidney injury. *Nephrology Dialysis Transplant*, (August 2009): 102–107.
- Mangan, C. 2018. Renal physiology : blood flow , glomerular filtration and plasma clearance. *Anaesthesia and Intensive Care Medicine*, 19(5): 254–257.

<https://doi.org/10.1016/j.mpaic.2018.02.013>.

- Matsuo, M. & Yamagishi, F. 2019. Age-dependent error in creatinine clearance estimated by Cockcroft – Gault equation for the elderly patients in a Japanese hospital : a cross-sectional study. *Journal of Anesthesia*, 33(1): 155–158.
<http://dx.doi.org/10.1007/s00540-018-2596-3>.
- Melloni, C., Peterson, E.D., Chen, A.Y., Szczech, L.A., Newby, L.K., Harrington, R.A., Gibler, W.B., Ohman, E.M., Spinler, S.A., Harm, P.D., Roe, M.T. & Alexander, K.P. 2008. Cockcroft-Gault Versus Modification of Diet in Renal Disease Importance of Glomerular Filtration Rate Formula for Classification of Chronic Kidney Disease in Patients With Non – ST-Segment Elevation Acute Coronary Syndromes. *Journal of the American College of Cardiology*, 51(10).
- Munikrishnappa, D. 2009. Limitations of Various Formulae and Other Ways of Assessing GFR in the Elderly : Is There a Role for Cystatin C ? : 1–7.
- Myers, G.L., Miller, W.G., Coresh, J., Fleming, J., Greenberg, N., Greene, T., Hostetter, T., Levey, A.S., Panteghini, M., Welch, M. & Eckfeldt, J.H. 2006. Recommendations for Improving Serum Creatinine Measurement : A Report from the Laboratory Working Group of the National Kidney Disease Education Program. *Clinical Chemistry*, 18: 5–18.
- Nasution, M.Y. & Prodjosudjadi, W. 2001. Pemeriksaan Penunjang Pada Penyakit Ginjal. In P. D. Slamet Suyono, ed. *Buku Ajar Ilmu Penyakit Dalam*. Jakarta: Balai Penerbit FKUI: 301.
- O’Callagan, C.. 2006. *At a Glance : Sistem Ginjal*. Edisi kedu. A. Safitri & R. Astikawati, eds. Erlangga.
- Rigalleau, V., Catherine Lasseur, C.P., Barthe, N., C. Raffaitin, C.L., Chauveau, P., Baillet-Blanco, L., Beauvieux, M.-C., Combe, C. & Gin, H. 2005. Estimation of Glomerular Filtration Rate. *Diabetic Care*, 28(4).
- Stevens L, Coresh J, Greene T, L.A. 2006. Assessing kidney function—measured and estimated glomerular filtration rate. *N Engl J Med*: 354(23):2473–83 .
- Sunder, S., Jayaraman, R., Mahapatra, H.S., Sathi, S., Ramanan, V. & Kanchi, P. 2014. Estimation of renal function in the intensive care unit : the covert concepts brought to light. *Journal of Intensive Care*: 1–7.
- Thomas, D., Zachariah, S., Elamin, A., Elamin, E., Luay, A., Hashim, O. & Thomas, D. 2017. Limitations of serum creatinine as a marker of renal function. *Scholars Academic Journal of Pharmacy (SAJP)*, (January 2020).
- Westgard, J. 2009. Six Sigma Metric Analysis for Analytical Testing Process. *Abbot MS*.
- Wyzga, J. & Czy, E. 2016. Performance of the MDRD, CKD-EPI, and Cockcroft-Gault Formulas in Relation to Nutritional Status in Stable Renal Transplant Recipients. *Transplantation Proceedings*, 1497: 1494–1497.
- Yunika. 2015. Performa Formula Cockcroft-Gault , MDRD dan CKD-EPI . (May).

