



DAFTAR PUSTAKA

- Akinboboye, O. O., Chou, R. -L., & Bergmann, S. R. (2002). Augmentation of myocardial blood flow in hypertensive heart disease by angiotensin antagonists: A comparison of lisinopril and losartan. *Journal of the American College of Cardiology*, 40(4), 703–709. [https://doi.org/https://doi.org/10.1016/S0735-1097\(02\)02033-8](https://doi.org/https://doi.org/10.1016/S0735-1097(02)02033-8)
- Alex, M., Frans, V. de W., Johan, N., Guy, B., Walter, D., & Luc, M. (1995). Impaired Myocardial Tissue Perfusion Early After Successful Thrombolysis . *Circulation*, 92(8), 2072–2078. <https://doi.org/10.1161/01.CIR.92.8.2072>
- Alonso, R., Mata, P., De Andres, R., Villacastin, B. P., Martínez-González, J., & Badimon, L. (2001). Sustained long-term improvement of arterial endothelial function in heterozygous familial hypercholesterolemia patients treated with simvastatin. *Atherosclerosis*, 157(2), 423–429. [https://doi.org/10.1016/S0021-9150\(00\)00733-4](https://doi.org/10.1016/S0021-9150(00)00733-4)
- Altman, D. G. (1991). *Practical Statistics for Medical Research* (First). Chapman and Hall.
- Amaya, N., Nakano, A., Uzui, H., Mitsuke, Y., Geshi, T., Okazawa, H., Ueda, T., & Lee, J. D. (2012). Relationship between microcirculatory dysfunction and resolution of ST-segment elevation in the early phase after primary angioplasty in patients with ST-segment elevation myocardial infarction. *International Journal of Cardiology*, 159(2), 144–149. <https://doi.org/10.1016/j.ijcard.2011.02.045>
- Amier, R. P., Tijssen, R. Y. G., Teunissen, P. F. A., Fernández-Jiménez, R., Pizarro, G., García-Lunar, I., Bastante, T., Ven, P. M. van de, Beek, A. M., Smulders, M. W., Bekkers, S. C. A. M., Royen, N. van, Ibáñez, B., & Nijveld, R. (2021). Predictors of Intramyocardial Hemorrhage After Reperfused ST-Segment Elevation Myocardial Infarction. *Journal of the American Heart Association*, 6(8), e005651. <https://doi.org/10.1161/JAHA.117.005651>
- Antman, E. M., Anbe, D. T., Armstrong, P. W., Bates, E. R., Green, L. A., Hand, M., Hochman, J. S., Krumholz, H. M., Kushner, F. G., Lamas, G. A., Mullany, C. J., Ornato, J. P., Pearle, D. L., Sloan, M. A., Smith, S. C., Antman, E. M., Smith, S. C., Alpert, J. S., Anderson, J. L., Ornato, J. P. (2004). ACC/AHA Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction—Executive Summary. In *Circulation* (Vol. 110, Issue 5). <https://doi.org/10.1161/01.cir.0000134791.68010.fa>
- Armstrong, P. W., Gershlick, A. H., Goldstein, P., Wilcox, R., Danays, T., Lambert, Y., Sulimov, V., Rosell Ortiz, F., Ostojic, M., Welsh, R. C., Carvalho, A. C., Nanas, J., Arntz, H.-R., Halvorsen, S., Huber, K., Grajek, S., Fresco, C., Bluhmki, E., Regelin, A., ... Van de Werf, F. (2013). Fibrinolysis or Primary PCI in ST-Segment Elevation Myocardial Infarction. *New England Journal of Medicine*, 368(15), 1379–1387. <https://doi.org/10.1056/NEJMoa1301092>
- Arsana, P. M., Rosandi, R., Manaf, A., Budhiarta, A., Permana, H., Sucipta, K. W., Lindarto, D., Adi, S., Pramono, B., Harbuwono, D. S., Shahab, A., Sugiarto, Karimi, J., Purnomo, L. B., Yuwono, A., & Suhartono, T. (2019). *Panduan Pengelolaan Dislipidemia* (third). PB. PERKENI.



- Arso, I. A., Setianto, B. Y., Taufiq, N., & Hartopo, A. B. (2014). In-hospital Major Cardiovascular Events between STEMI Receiving Thrombolysis Therapy and Primary PCI. *Acta Medica Indonesiana - The Indonesian Journal of Internal Medicine*, 46(2), 124–130.
- Bainey, K. R., Armstrong, P. W., Zheng, Y., Brass, N., Tyrrell, B. D., Leung, R., Westerhout, C. M., & Welsh, R. C. (2019). Pharmacoinvasive Strategy Versus Primary Percutaneous Coronary Intervention in ST-Elevation Myocardial Infarction in Clinical Practice: Insights From the Vital Heart Response Registry. *American Heart Journal*, October, 1–12. <https://doi.org/10.1161/CIRCINTERVENTIONS.119.008059>
- BALITBANGKES. (2018). *Hasil Utama RISKESDAS 2018*.
- Becker, R. C., & Spencer, F. A. (2006). *Fibrinolytic and Antithrombotic Therapy: Theory, Practice, and Management* (Second). Oxford University Press.
- Bhatt, D. L., & Flather, M. D. (2004). *Handbook of Acute Coronary Syndromes*. *Handbook of Acute Coronary Syndromes*. 338.
- Boudonas, G. E. (2010). B-Blockers in Coronary Artery Disease Management. In *Hippokratia* (Vol. 14, Issue 4, pp. 231–235).
- Braunwald, E., Covell, J. W., Maroko, P. R., & Ross, J. (1969). Effects of Drugs and of Counterpulsation on Myocardial Oxygen Consumption. *Circulation*, 40(5s4), IV-220-IV-228. <https://doi.org/10.1161/01.CIR.40.5S4.IV-220>
- Buller, C. E., Fu, Y., Mahaffey, K. W., Todaro, T. G., Adams, P., Westerhout, C. M., White, H. D., Hof, A. W. J. Van, Werf, F. J. Van De, Wagner, S., Granger, C. B., & Armstrong, P. W. (2008). ST-Segment Recovery and Outcome After Primary Percutaneous Coronary Intervention for ST-Elevation Myocardial Infarction: Insights From the Assessment of Pexelizumab in Acute Myocardial Infarction (APEX-AMI) Trial. *American Heart Journal*. <https://doi.org/10.1161/CIRCULATIONAHA.108.767772>
- Cantor, W. J., Fitchett, D., Borgundvaag, B., Ducas, J., Heffernan, M., Cohen, E. A., Morrison, L. J., Langer, A., Dzavik, V., Mehta, S. R., Lazzam, C., Schwartz, B., Casanova, A., & Goodman, S. G. (2013). Routine Early Angioplasty after Fibrinolysis for Acute Myocardial Infarction. *New England Journal of Medicine*, 2705–2718.
- Chen, T. E., Lo, P. H., Li, T. C., Lin, K. H., Lin, J. J., Hsieh, L. C., Chang, C. P., Chen, Y. P., Chang, K. C., & Wang, H. J. (2012). Prognostic significance of reciprocal ST-segment depression in patients with acute STEMI undergoing immediate invasive intervention. *American Journal of Emergency Medicine*, 30(9), 1865–1871. <https://doi.org/10.1016/j.ajem.2012.03.032>
- Choi, W. G., Kim, G. C., Lee, C. H., Kim, H. Y., & Kim, D. W. (2020). The effect of antiplatelet drug on coronary endothelial and microvascular function: comparison with ticagrelor and clopidogrel. *Korean Journal of Internal Medicine*, 0(0), 0. <https://doi.org/10.3904/kjim.2019.293>
- Dahlan, S. (2019). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan* (5th ed.). Epidemiologi Indonesia.
- Dangas, G., Mehran, R., Guagliumi, G., Caixeta, A., Witzenbichler, B., Aoki, J., Peruga, J. Z., Brodie, B. R., Dudek, D., Kornowski, R., Rabbani, L. R. E., Parise, H., & Stone, G. W. (2009). Role of Clopidogrel Loading Dose in



Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Angioplasty. Results From the HORIZONS-AMI (Harmonizing Outcomes With Revascularization and Stents in Acute Myocardial Infarction) Trial. *Journal of the American College of Cardiology*, 54(15), 1438–1446. <https://doi.org/10.1016/j.jacc.2009.06.021>

Davignon, J. (2004). Beneficial cardiovascular pleiotropic effects of statins. *Circulation*, 109(23 SUPPL.), 39–43. <https://doi.org/10.1161/01.cir.0000131517.20177.5a>

de Andrade, P. B., Rinaldi, F. S., Bergonso, M. H., Tebet, M. A., Nogueira, E. F., Esteves, V. C., de Castro Bienert, I. R., de Andrade, M. V. A., Barbosa, R. A., e Mattos, L. A. P., & Labrunie, A. (2013). ST-Segment Resolution after Primary Percutaneous Coronary Intervention: Characteristics, Predictors of Failure, and Impact on Mortality. *Revista Brasileira de Cardiologia Invasiva (English Edition)*, 21(3), 227–233. [https://doi.org/10.1016/s2214-1235\(15\)30136-8](https://doi.org/10.1016/s2214-1235(15)30136-8)

De Lemos, J. A., & Braunwald, E. (2001). ST segment resolution as a tool for assessing the efficacy of reperfusion therapy. *Journal of the American College of Cardiology*, 38(5), 1283–1294. [https://doi.org/10.1016/S0735-1097\(01\)01550-9](https://doi.org/10.1016/S0735-1097(01)01550-9)

De Luca, G., Maas, A. C., Suryapranata, H., Ottervanger, J. P., Hoornje, J. C. A., Gosselink, A. T. M., Dambrink, J. H., De Boer, M. J., & Van't Hof, A. W. J. (2005). Prognostic significance of residual cumulative ST-segment deviation after mechanical reperfusion in patients with ST-segment elevation myocardial infarction. *American Heart Journal*, 150(6), 1248–1254. <https://doi.org/10.1016/j.ahj.2005.01.056>

Desmet, W. J., Mesotten, L. V., Maes, A. F., Heidbüchel, H. P., Mortelmans, L. A., & Van De Werf, F. J. (2004). Relation between different methods for analysing ST segment deviation and infarct size as assessed by positron emission tomography. *Heart*, 90(8), 887–892. <https://doi.org/10.1136/hrt.2003.012955>

Dharma, S., Andriantoro, H., Purnawan, I., Dakota, I., Basalamah, F., Hartono, B., Rasmin, R., Isnainijah, H., Yamin, M., Wijaya, I. P., Pratama, V., Gunarto, T. B., Juwana, Y. B., Suling, F. R. W., Witjaksono, A. M. O., Lasanudin, H. F., Iskandarsyah, K., Priatna, H., Tedjasukmana, P., Rao, S. V. (2016). Characteristics, treatment and in-hospital outcomes of patients with STEMI in a metropolitan area of a developing country: an initial report of the extended Jakarta Acute Coronary Syndrome registry. *BMJ Open*, 6(8), e012193–e012193. <https://doi.org/10.1136/bmjopen-2016-012193>

Dizon, J. M., Brener, S. J., Maehara, A., Witzenbichler, B., Biviano, A., Godlewski, J., Parise, H., Dambrink, J. H., Mehran, R., Gibson, C. M., & Stone, G. W. (2014). Relationship between ST-segment resolution and anterior infarct size after primary percutaneous coronary intervention: Analysis from the INFUSE-AMI trial. *European Heart Journal: Acute Cardiovascular Care*, 3(1), 78–83. <https://doi.org/10.1177/2048872613508658>

Duncker, D. J., & Junior, J. M. C. (2019). Coronary Blood Flow And Myocardial Ischemia. In D. P. Zipes, P. Libby, R. O. Bonow, D. L. Mann, G. F. Tomaselli, & E. Braunwald (Eds.), *Braunwald's Heart Disease: A Textbook of*



- Cardiovascular Medicine* (11th ed., p. 1322). Elsevier.
- Ellis, S. G., Armstrong, P., Betriu, A., Brodie, B., Herrmann, H., Montalescot, G., Neumann, F. J., Smith, J. J., & Topol, E. (2004). Facilitated percutaneous coronary intervention versus primary percutaneous coronary intervention: Design and rationale of the Facilitated Intervention with Enhanced Reperfusion Speed to Stop Events (FINESSE) trial. *American Heart Journal*, 147(4), 684–688. <https://doi.org/10.1016/j.ahj.2003.07.025>
- Elseryafy, A. S., Farag, N. M., El Desoky, A. I., & Eletriby, K. A. (2020). Effect of high-intensity statin preloading on TIMI flow in patients presenting with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. *The Egyptian Heart Journal : (EHJ) : Official Bulletin of the Egyptian Society of Cardiology*, 72(1), 40. <https://doi.org/10.1186/s43044-020-00074-0>
- Farkouh, M. E., Reiffel, J., Dressler, O., Nikolsky, E., Parise, H., Cristea, E., Baran, D. A., Dizon, J., Merab, J. P., Lansky, A. J., Mehran, R., & Stone, G. W. (2013). Relationship between ST-segment recovery and clinical outcomes after primary percutaneous coronary intervention: The HORIZONS-AMI ECG substudy report. *Circulation: Cardiovascular Interventions*, 6(3), 216–223. <https://doi.org/10.1161/CIRCINTERVENTIONS.112.000142>
- Fazel, R., Joseph, T. I., Sankardas, M. A., Pinto, D. S., Yeh, R. W., Kumbhani, D. J., & Nallamothu, B. K. (2020). Comparison of Reperfusion Strategies for ST-Segment-Elevation Myocardial Infarction: A Multivariate Network Meta-analysis. *Journal of the American Heart Association*, 9(12), e015186. <https://doi.org/10.1161/JAHA.119.015186>
- Fernández-Avilés, F., Alonso, J. J., Peña, G., Blanco, J., Alonso-Briales, J., López-Mesa, J., Fernández-Vázquez, F., Moreu, J., Hernández, R. A., Castro-Beiras, A., Gabriel, R., Gibson, C. M., Sánchez, P. L., & Investigators, for the G.-2 (Grupo de A. de la C. I. A. (2007). Primary angioplasty vs. early routine post-fibrinolysis angioplasty for acute myocardial infarction with ST-segment elevation: the GRACIA-2 non-inferiority, randomized, controlled trial. *European Heart Journal*, 28(8), 949–960. <https://doi.org/10.1093/eurheartj/ehl461>
- Firman, D. (2010). Tinjauan Pustaka Intervensi Koroner Perkutan Primer. *Jurnal Kardiologi Indonesia*, 31(2), 112–117.
- Fischer, D. B., & Lilly, L. S. (2016). The Electrocardiogram. In L. S. Lilly (Ed.), *Pathophysiology of Heart Disease: a collaborative project of medical students and faculty* (6th ed., pp. 97–101). Wolter Kluwer.
- Foerster, J. M., Vera, Z., Janzen, D. A., Foerster, S. J., & Mason, D. T. (1977). Evaluation of precordial orthogonal vectorcardiographic lead ST segment magnitude in the assessment of myocardial ischemic injury. *Circulation*, 55(5), 728–732. <https://doi.org/10.1161/01.CIR.55.5.728>
- French, J. K., Andrews, J., Manda, S. O. M., Stewart, R. A. H., McTigue, J. J. C., & White, H. D. (2002). Early ST-segment recovery, infarct artery blood flow, and long-term outcome after acute myocardial infarction. *American Heart Journal*, 143(2), 265–271. <https://doi.org/10.1067/mhj.2002.120147>
- Galderisi, M., & D'Errico, A. (2008). β-Blockers and coronary flow reserve: The



- importance of a vasodilatory action. *Drugs*, 68(5), 579–550. <https://doi.org/10.2165/00003495-200868050-00002>
- Garcia, T. B. (2015). *12-Lead ECG: The Art of Interpretation* (Second). Jones & Bartlett Learning.
- Gershlick, A. H., Westerhout, C. M., Armstrong, P. W., Huber, K., Halvorsen, S., Steg, P. G., Ostojic, M., Goldstein, P., Carvalho, A. C., Werf, F. Van De, & Wilcox, R. G. (2015). Impact of a pharmacoinvasive strategy when delays to primary PCI are prolonged. *British Medical Journal*, 1–7. <https://doi.org/10.1136/heartjnl-2014-306686>
- Gibson, C. M., & Schömig, A. (2004). Coronary and Myocardial Angiography. *Circulation*, 109(25), 3096–3105. <https://doi.org/10.1161/01.CIR.0000134278.50359.CB>
- Greulich, S., Mayr, A., Gloekler, S., Seitz, A., Birkmeier, S., Schäufele, T., Bekeredjian, R., Zuern, C. S., Seizer, P., Geisler, T., Müller, K. A. L., Krumm, P., Nikolaou, K., Klug, G., Reinstadler, S., Pamminger, M., Reindl, M., Wahl, A., Traupe, T., ... Mahrholdt, H. (2019). Time-Dependent Myocardial Necrosis in Patients With ST-Segment–Elevation Myocardial Infarction Without Angiographic Collateral Flow Visualized by Cardiac Magnetic Resonance Imaging: Results From the Multicenter STEMI-SCAR Project. *Journal of the American Heart Association*, 8(12), e012429. <https://doi.org/10.1161/JAHA.119.012429>
- Group ISIS-3 Collaborative. (1992). ISIS-3: a randomised comparison of streptokinase vs tissue plasminogen activator vs anistreplase and of aspirin plus heparin vs aspirin alone among 41 299 cases of suspected acute myocardial infarction. *The Lancet*, 339(8796), 753–770. [https://doi.org/https://doi.org/10.1016/0140-6736\(92\)91893-D](https://doi.org/https://doi.org/10.1016/0140-6736(92)91893-D)
- Hathaway, W. R., Peterson, E. D., Wagner, G. S., Granger, C. B., Zabel, K. M., Pieper, K. S., Clark, K. A., Woodlief, L. H., & Califf, R. M. (1998). Prognostic significance of the initial electrocardiogram in patients with acute myocardial infarction. *Journal of the American Medical Association*, 279(5), 387–391. <https://doi.org/10.1001/jama.279.5.387>
- Hein, T. W., Liao, J. C., & Kuo, L. (2000). oxLDL specifically impairs endothelium-dependent, NO-mediated dilation of coronary arterioles. *American Journal of Physiology. Heart and Circulatory Physiology*, 278(1), H175–83. <https://doi.org/10.1152/ajpheart.2000.278.1.H175>
- Henderson, M., Carberry, J., & Berry, C. (2019). Targeting an Ischemic Time <120 Minutes in ST-Segment–Elevation Myocardial Infarction. *Journal of the American Heart Association*, 8(12), 1–4. <https://doi.org/10.1161/JAHA.119.013067>
- Hof, A. W. J. van 't, Liem, A., Boer, M.-J. de, & Zijlstra, F. (1997). Clinical value of 12-lead electrocardiogram after successful reperfusion therapy for acute myocardial infarction. *Lancet*, 350(9078), 615–619. [https://doi.org/10.1016/S0140-6736\(96\)07120-6](https://doi.org/10.1016/S0140-6736(96)07120-6)
- Hwang, J. W., Yang, J. H., Song, Y. Bin, Park, T. K., Lee, J. M., Kim, J. H., Jang, W. J., Choi, S. H., Hahn, J. Y., Choi, J. H., Ahn, J., Carriere, K., Lee, S. H., & Gwon, H. C. (2019). Clinical Significance of Reciprocal ST-segment Changes



- in Patients With STEMI: A Cardiac Magnetic Resonance Imaging Study. *Revista Espanola de Cardiologia*, 72(2), 120–129. <https://doi.org/10.1016/j.recesp.2018.01.002>
- Ibanez, B., James, S., Agewall, S., Antunes, M. J., Bucciarelli-Ducci, C., Bueno, H., Caforio, A. L. P., Crea, F., Goudevenos, J. A., Halvorsen, S., Hindricks, G., Kastrati, A., Lenzen, M. J., Prescott, E., Roffi, M., Valgimigli, M., Varenhorst, C., Vranckx, P., Widimský, P., Gale, C. P. (2017). 2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. *European Heart Journal*, 39(2), 119–177. <https://doi.org/10.1093/eurheartj/ehx393>
- Jensen, C. J., Eberle, H. C., Nassenstein, K., Schlosser, T., Farazandeh, M., Naber, C. K., Sabin, G. V., & Bruder, O. (2011). Impact of hyperglycemia at admission in patients with acute ST-segment elevation myocardial infarction as assessed by contrast-enhanced MRI. *Clinical Research in Cardiology: Official Journal of the German Cardiac Society*, 100(8), 649–659. <https://doi.org/10.1007/s00392-011-0290-7>
- Jeong, H. S., & Hong, S. J. (2019). Benefit of early statin therapy in acute myocardial infarction in Korea. *Korean Circulation Journal*, 49(5), 434–436. <https://doi.org/10.4070/KCJ.2019.0045>
- Jinatongthai, P., Kongwatcharapong, J., Foo, C. Y., Phrommintikul, A., Nathiswan, S., Thakkinstian, A., Reid, C. M., & Chaiyakunapruk, N. (2017). Comparative efficacy and safety of reperfusion therapy with fibrinolytic agents in patients with ST-segment elevation myocardial infarction: a systematic review and network meta-analysis. *The Lancet*, 390(10096), 747–759. [https://doi.org/10.1016/S0140-6736\(17\)31441-1](https://doi.org/10.1016/S0140-6736(17)31441-1)
- Juzar, D. A., Danny, S. S., Irmalita, Tobing, D. P., Firdaus, I., Widyantoro, B., Rossimarina, V., Rejeki, V. G., Setianto, B. Y., Haryono, N., Artha, I. M. J. R., Yusuf, M., Aspar, A. F. M. A., & Pramudyo, M. (2018). *Pedoman Tata Laksana Sindrom Koroner Akut* (D. A. Juzar, S. S. Danny, Irmalita, D. P. Tobing, I. Firdaus, B. Widyantoro, V. Rossimarina, V. G. Rejeki, B. Y. Setianto, N. Haryono, I. M. J. R. Artha, M. Yusuf, A. F. M. A. Aspar, & M. Pramudyo (eds.); 4th ed.). Perhimpunan Dokter Spesialis Kardiovaskular Indonesia. <https://doi.org/10.3945/ajcn.114.100065>
- Kaski, J. C., & Ong, P. (2012). Management of microvascular angina. In C. Arampatzis, E. P. McFadden, L. K. Michalis, & P. W. Serruys (Eds.), *Coronary Atherosclerosis: Current Management and Treatment* (First, pp. 359–367). Informa Healthcare.
- Keeley, E. C., Boura, J. A., & Grines, C. L. (2003). Primary angioplasty versus intravenous thrombolytic therapy for acute myocardial infarction: a quantitative review of 23 randomised trials. *Lancet (London, England)*, 361(9351), 13–20. [https://doi.org/10.1016/S0140-6736\(03\)12113-7](https://doi.org/10.1016/S0140-6736(03)12113-7)
- KEMENKES RI. (2020). *Infodatin Pusat Data dan Informasi Kementerian Kesehatan Republik Indonesia*.
- Khafaji, H. A. R. (2018). Fibrinolysis in Acute Myocardial Infarction: State of the Art. *Annals of Cardiovascular Surgery*, 1(3), 1015. <http://www.remedypublications.com/annals-of-cardiovascular->



surgery/articles/pdfs_folder/acs-v1-id1015.pdf

- Kim, B. G., Cho, S. W., Ha, J., Ahn, H. S., Lee, H. Y., Kim, G. S., Byun, Y. S., Rhee, K. J., Nah, J. C., & Kim, B. O. (2019). *Relationship between the ST-Segment Resolution and Microvascular Dysfunction in Patients Who Underwent Primary Percutaneous Coronary Intervention.* 2019.
- Kolh, P., Windecker, S., Alfonso, F., Collet, J. P., Cremer, J., Falk, V., Filippatos, G., Hamm, C., Head, S. J., Jüni, P., Kappetein, A. P., Kastrati, A., Knuuti, J., Landmesser, U., Laufer, G., Neumann, F. J., Richter, D. J., Schauerte, P., Uva, M. S., Wendler, O. (2018). 2018 ESC/EACTS Guidelines on myocardial revascularization. *European Journal of Cardio-Thoracic Surgery*, 46(4), 517–592. <https://doi.org/10.1093/ejcts/ezu366>
- Konijnenberg, L. S. F., Damman, P., Duncker, D. J., Kloner, R. A., Nijveldt, R., Van Geuns, R. J. M., Berry, C., Riksen, N. P., Escaned, J., & Van Royen, N. (2020). Pathophysiology and diagnosis of coronary microvascular dysfunction in ST-elevation myocardial infarction. *Cardiovascular Research*, 116(4), 787–805. <https://doi.org/10.1093/cvr/cvz301>
- Kosasih, A., Lukito, A. A., Soenarta, A. A., Tiksnnadi, A., Kuncoro, B. A. S., Anantaria, C., Tugasworo, D., Harmeiwaty, E., Erwinanto, Tambunan, M., Hustrini, N. M., Siregar, P., Roesli, R. M. A., Hidayat, R., Danny, S. S., Suhardjono, Situmorang, T. D., & Turana, Y. (2019). *Konsensus Penatalaksanaan hipertensi 2019* (A. A. Lukito, E. Harmeiwaty, & N. M. Hustrini (eds.)). Perhimpunan Hipertensi Indonesia.
- Lambert, L., Brown, K., Segal, E., Brophy, J., Rodes-Cabau, J., & Bogaty, P. (2010). Association Between Timeliness of Reperfusion Therapy and Clinical Outcomes in ST-Elevation Myocardial Infarction. *JAMA*, 303(21), 2148–2155. <https://doi.org/10.1001/jama.2010.712>
- Larson, D. M., Duval, S., Sharkey, S. W., Garberich, R. F., Madison, J. D., Stokman, P. J., Dirks, T. G., Westin, R. K., Harris, J. L., & Henry, T. D. (2011). Safety and efficacy of a pharmaco-invasive reperfusion strategy in rural ST-elevation myocardial infarction patients with expected delays due to long-distance transfers. *European Heart Journal*, 33(10), 1232–1240. <https://doi.org/10.1093/eurheartj/ehr403>
- LeBlanc, A. J., & Hoying, J. B. (2016). Adaptation of the Coronary Microcirculation in Aging. *Microcirculation*, 23(2), 157–167. <https://doi.org/https://doi.org/10.1111/micc.12264>
- Lethen, H., Tries, H. P., Kersting, S., Bramlage, P., & Lambertz, H. (2011). Improvement of Coronary Microvascular Function After Angiotensin Receptor Blocker Treatment With Irbesartan in Patients With Systemic Hypertension. *Journal of Clinical Hypertension*, 13(3), 155–161. <https://doi.org/10.1111/j.1751-7176.2010.00401.x>
- Luca, G. De, Hof, A. W. J. van't, Boer, M.-J. de, Ottervanger, J. P., Hoornje, J. C. A., Gosselink, A. T. M., Dambrink, J.-H. E., Zijlstra, F., & Suryapranata, H. (2004). *Time-to-treatment significantly affects the extent of ST-segment resolution and myocardial blush in patients with acute myocardial infarction treated by primary angioplasty.* 1009–1013. <https://doi.org/10.1016/j.ehj.2004.03.021>



- Luca, G. De, Suryapranata, H., Ottervanger, J. P., & Antman, E. M. (2004). *Time Delay to Treatment and Mortality in Primary Angioplasty for Acute Myocardial Infarction Every Minute of Delay Counts.* 1223–1225. <https://doi.org/10.1161/01.CIR.0000121424.76486.20>
- Mackay, J., & Mensah, G. A. (2004). *The Atlas of Heart Disease and Stroke* (S. Mendis & K. Greenlund (eds.)).
- Marinescu, M. A., Löffler, A. I., Ouellette, M., Smith, L., Kramer, C. M., & Bourque, J. M. (2015). Coronary microvascular dysfunction, microvascular angina, and treatment strategies. *JACC. Cardiovascular Imaging*, 8(2), 210–220. <https://doi.org/10.1016/j.jcmg.2014.12.008>
- Maroko, P. R., Kjekshus, J. K., Sobel, B. E., Watanabe, T., Covell, J. W., Ross, J., & Braunwald, E. (1974). Factors influencing infarct size following coronary artery occlusion. *Circulation*, 24(11–12), 155–175.
- Martin, H. H., Sebastian, S., Christof, K., E., B. M., Uwe, H., Silke, K., Peter, W. H., Wolfgang, H., & Ludger, S. (1998). Thrombolytic Therapy in Acute Myocardial Infarction . *Circulation*, 98(23), 2527–2533. <https://doi.org/10.1161/01.CIR.98.23.2527>
- McCartney, P. J., Eteiba, H., Maznyczka, A. M., McEntegart, M., Greenwood, J. P., Muir, D. F., Chowdhary, S., Gershlick, A. H., Appleby, C., Cotton, J. M., Wragg, A., Curzen, N., Oldroyd, K. G., Lindsay, M., Rocchiccioli, J. P., Shaukat, A., Good, R., Watkins, S., Robertson, K., Group, for the T.-T. (2019). Effect of Low-Dose Intracoronary Alteplase During Primary Percutaneous Coronary Intervention on Microvascular Obstruction in Patients With Acute Myocardial Infarction: A Randomized Clinical Trial. *JAMA*, 321(1), 56–68. <https://doi.org/10.1001/jama.2018.19802>
- McLaughlin, M. G., Stone, G. W., Aymong, E., Gardner, G., Mehran, R., Lansky, A. J., Grines, C. L., Tcheng, J. E., Cox, D. A., Stuckey, T., Garcia, E., Guagliumi, G., Turco, M., Josephson, M. E., & Zimetbaum, P. (2004). Prognostic utility of comparative methods for assessment of ST-segment resolution after primary angioplasty for acute myocardial infarction: The controlled abciximab and device investigation to lower late angioplasty complications (CADILLAC) trial. *Journal of the American College of Cardiology*, 44(6), 1215–1223. <https://doi.org/10.1016/j.jacc.2004.06.053>
- Medvedovsky, D., Goldenberg, I., Fefer, P., Gottlieb, S., & Matetzky, S. (2013). Statins loading before PCI on STEMI. *Journal of the American College of Cardiology*, 61(10_Supplement), E65–E65. [https://doi.org/10.1016/S0735-1097\(13\)60066-2](https://doi.org/10.1016/S0735-1097(13)60066-2)
- Mitchell, R. N., & Connoll, A. J. (2020). The Heart. In V. Kumar, A. K. Abbas, J. C. Aster, & J. R. Turner (Eds.), *Robbins & Cotran Pathologic Basis Of Disease* (10th ed., pp. 528–581). Elsevier.
- Mitchell, R. N., & Halushka, M. K. (2020). Blood Vessels. In V. Kumar, A. K. Abbas, J. C. Aster, & J. R. Turner (Eds.), *Robbins & Cotran Pathologic Basis Of Disease* (10th ed., pp. 485–516). Elsevier.
- Morrow, David A. and Braunwald, E. (2017). Classification and Diagnosis of Acute Coronary Syndromes. In D. A. Morrow (Ed.), *Myocardial Infarction: A Companion To Braunwald's Heart Disease* (1st ed., p. 27). Elsevier.



- Ng, M. K. C., Yeung, A. C., & Fearon, W. F. (2006). Invasive Assessment of the Coronary Microcirculation. *Circulation*, 113(17), 2054–2061. <https://doi.org/10.1161/CIRCULATIONAHA.105.603522>
- Niccoli, G., Scalzone, G., Lerman, A., & Crea, F. (2016). Coronary microvascular obstruction in acute myocardial infarction. *European Heart Journal*, 37(13), 1024–1033. <https://doi.org/10.1093/eurheartj/ehv484>
- Nour, M. K. (2017). Significance of reciprocal ST segment depression in ST elevation myocardial infarction. *The Egyptian Journal of Critical Care Medicine*, 5(1), 23–27. <https://doi.org/10.1016/j.ejccm.2017.01.003>
- O'Connor, R. E., Ali, A. S. Al, Brady, W. J., Ghaemmaghami, C. A., Menon, V., Welsford, M., & Shuster, M. (2015). Acute Coronary Syndromes 2015 American Heart Association Guidelines Update for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. *American Heart Journal*, 132(18), 483–501. <https://doi.org/10.1161/CIR.0000000000000263>
- O'Gara, P. T., Kushner, F. G., Ascheim, D. D., Casey, D. E., Chung, M. K., Lemos, J. A. de, Ettinger, S. M., Fang, J. C., Fesmire, F. M., Franklin, B. A., Granger, C. B., Krumholz, H. M., Linderbaum, J. A., Morrow, D. A., Newby, L. K., Ornato, J. P., OuPharmD, N., Radford, M. J., Tamis-Holland, J. E., ZhaoMD, D. X. (2013). 2013 ACCF/AHA Guideline for the Management of ST-Elevation Myocardial Infarction. *Journal of the American College of Cardiology*, 61(4), e78–e140. <https://doi.org/10.1016/j.jacc.2012.11.019>
- Ong, P., Athanasiadis, A., & Sechtem, U. (2015). Pharmacotherapy for coronary microvascular dysfunction. *European Heart Journal - Cardiovascular Pharmacotherapy*, 1(1), 65–71. <https://doi.org/10.1093/ehjcvp/pvu020>
- Onwordi, E. N. C., Gamal, A., & Zaman, A. (2018). Anticoagulant therapy for acute coronary syndromes. *Interventional Cardiology Review*, 13(2), 87–92. <https://doi.org/10.15420/icr.2017:26:1>
- Padro, T., Manfrini, O., Bugiardini, R., Canty, J., Cenko, E., De Luca, G., Duncker, D. J., Eringa, E. C., Koller, A., Tousoulis, D., Trifunovic, D., Vavlukis, M., De Wit, C., & Badimon, L. (2020). ESC Working Group on Coronary Pathophysiology and Microcirculation position paper on coronary microvascular dysfunction in cardiovascular disease. *Cardiovascular Research*, 116(4), 741–755. <https://doi.org/10.1093/cvr/cvaa003>
- Pereiraa, H., Caléa, R., Pintob, F. J., Pereiraa, E., Caldeiraa, D., Melloc, S., Vitorinoa, S., Almeidad, M. de S., & Mimosoe, J. (2018). Cardiologia. Portuguese Journal of Cardiology, 37(5). <https://doi.org/https://doi.org/10.1016/j.repc.2017.07.014> 0870-2551
- Poorhosseini, H., Saadat, M., Salarifar, M., Mortazavi, S. H., & Geraiely, B. (2019). Pre-Hospital Delay and Its Contributing Factors in Patients with ST-Elevation Myocardial Infarction; a Cross sectional Study. *Archives of Academic Emergency Medicine*, 7(1), e29. <https://doi.org/10.22037/aaem.v7i1.349>
- Pu, J., Ding, S., Ge, H., Han, Y., Guo, J., Lin, R., Su, X., Zhang, H., Chen, L., & He, B. (2017). Efficacy and safety of a pharmaco-invasive strategy with half-dose alteplase versus primary angioplasty in ST-segment elevation myocardial infarction: EARLY-MYO Trial (Early routine catheterization after alteplase fibrinolysis versus primary pci in acute st. *Circulation*, 136(16), 1462–1473.



UNIVERSITAS
GADJAH MADA

**PERBEDAAN RESOLUSI JUMLAH DEVIASI SEGMENT-ST ANTARA STRATEGI FARMAKO-INVASIF
DENGAN STRATEGI
INTERVENSI KORONER PERKUTAN PRIMER PADA PASIEN INFARK MIOKARD AKUT DENGAN
ELEVASI SEGMENT-ST DI RSUP**

DR. SARDJITO

MUHAMMAD IQBAL AMIN, Dr. dr. Nahar Taufiq, Sp.JP (K); dr. Erika Maharani, Sp.JP(K)

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

<https://doi.org/10.1161/CIRCULATIONAHA.117.030582>

- Reinstadler, S. J., Baum, A., Rommel, K. P., Eitel, C., Desch, S., Mende, M., Metzler, B., Poess, J., Thiele, H., & Eitel, I. (2015). ST-segment depression resolution predicts infarct size and reperfusion injury in ST-elevation myocardial infarction. *British Medical Journal*, 101(22), 1819–1825. <https://doi.org/10.1136/heartjnl-2015-307876>
- Rentrop, K. P., & Feit, F. (2015). Reperfusion therapy for acute myocardial infarction: Concepts and controversies from inception to acceptance. *American Heart Journal*, 170(5), 971–980. <https://doi.org/https://doi.org/10.1016/j.ahj.2015.08.005>
- Rhee, J. W., Sabatine, M. S., & Lilly, L. S. (2011). Acute Coronary Syndromes. In L. S. Lilly (Ed.), *Patophysiology of Heart Disease* (5th ed., pp. 161–190). Wolter Kluwer.
- RSUP dr. Sardjito. (2020). *Registri Sindroma Koroner Akut RSUP Dr. Sardjito*. Yogyakarta.
- Santoro, G. M., Valenti, R., Buonamici, P., Bolognese, L., Cerisano, G., Moschi, G., Trapani, M., Antonucci, D., & Fazzini, P. F. (1998). Relation between ST-segment changes and myocardial perfusion evaluated by myocardial contrast echocardiography in patients with acute myocardial infarction treated with direct angioplasty. *American Journal of Cardiology*, 82(8), 932–937. [https://doi.org/10.1016/S0002-9149\(98\)00508-6](https://doi.org/10.1016/S0002-9149(98)00508-6)
- Sawhney, J., Wankhade, P., & Sawhney, S. (2020). Pathophysiology of acute coronary syndrome. In K. S. Chandra & A. Swamy (Eds.), *Acute Coronary Syndromes* (First, pp. 13–17). Taylor & Francis Group.
- Schröder, K., Wegscheider, K., Zeymer, U., Tebbe, U., & Schröder, R. (2001). Extent of ST-segment deviation in a single electrocardiogram lead 90 min after thrombolysis as a predictor of medium-term mortality in acute myocardial infarction. *Lancet*, 358(9292), 1479–1486. [https://doi.org/10.1016/S0140-6736\(01\)06577-1](https://doi.org/10.1016/S0140-6736(01)06577-1)
- Schröder, R., Dissmann, R., Brüggemann, T., Wegscheider, K., Linderer, T., Tebbe, U., & Neuhaus, K. L. (1994). Extent of early ST segment elevation resolution: A simple but strong predictor of outcome in patients with acute myocardial infarction. *Journal of the American College of Cardiology*, 24(2), 384–391. [https://doi.org/10.1016/0735-1097\(94\)90292-5](https://doi.org/10.1016/0735-1097(94)90292-5)
- Sezer, M., Oflaz, H., Gören, T., Okçular, İ., Umman, B., Nişancı, Y., Bilge, A. K., Şanlı, Y., Meriç, M., & Umman, S. (2007). Intracoronary Streptokinase after Primary Percutaneous Coronary Intervention. *New England Journal of Medicine*, 356(18), 1823–1834. <https://doi.org/10.1056/NEJMoa054374>
- Sezer, M., Pinto, M. E., Ryan, N., & Umman, S. (2017). The Coronary Circulation in Acute Coronary Syndromes. In J. Escaned & J. Davies (Eds.), *Physiological Assessment of Coronary Stenoses and the Microcirculation* (pp. 99–110). Springer London. <https://doi.org/10.1007/978-1-4471-5245-3>
- Shah, N. R., Charytan, D. M., Murthy, V. L., Skali Lami, H., Veeranna, V., Cheezum, M. K., Taqueti, V. R., Kato, T., Foster, C. R., Hainer, J., Gaber, M., Klein, J., Dorbala, S., Blankstein, R., & Di Carli, M. F. (2016). Prognostic Value of Coronary Flow Reserve in Patients with Dialysis-Dependent ESRD.



- Journal of the American Society of Nephrology : JASN*, 27(6), 1823–1829.
<https://doi.org/10.1681/ASN.2015030301>
- Shavadia, J. S., Granger, C. B., Alemayehu, W., Westerhout, C. M., Povsic, T. J., Van Diepen, S., Defilippi, C., & Armstrong, P. W. (2020). Novel Biomarkers, ST-Elevation Resolution, and Clinical Outcomes Following Primary Percutaneous Coronary Intervention. *Journal of the American Heart Association*, 9(13), e016033. <https://doi.org/10.1161/JAHA.120.016033>
- Soelistijo, S. A., Lindarto, D., Decroli, E., Permana, H., Sucipto, K. W., Kusnadi, Y., Budiman, Ikhsan, M. R., Sasiarini, L., & Sanusi, H. (2019). *Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2019* (4th ed.). PB. PERKENI.
- Sukhum, P. (2011). Pharmaco-invasive Therapy for STEMI; The Most Suitable STEMI Reperfusion Therapy for Transferred Patients in Thailand Pradub. *Bangkok Medical Journal*, 1, 96–102. <https://doi.org/10.31524/bkkmedj.2011.02.015>.
- Taquetti, V. R., & Di Carli, M. F. (2018). Coronary Microvascular Disease Pathogenic Mechanisms and Therapeutic Options: JACC State-of-the-Art Review. *Journal of the American College of Cardiology*, 72(21), 2625–2641. <https://doi.org/10.1016/j.jacc.2018.09.042>
- Tarantini, G., Cacciavillani, L., Corbetti, F., Ramondo, A., Marra, M. P., Bacchiega, E., Napodano, M., Bilato, C., Razzolini, R., & Iliceto, S. (2005). Duration of ischemia is a major determinant of transmurality and severe microvascular obstruction after primary angioplasty: A study performed with contrast-enhanced magnetic resonance. *Journal of the American College of Cardiology*, 46(7), 1229–1235. <https://doi.org/10.1016/j.jacc.2005.06.054>
- Terkelsen, C. J., Nørgaard, B. L., Lassen, J. F., Poulsen, S. H., Gerdes, J. C., Sloth, E., Gøtzsche, L. B.-H., Rømer, F. K., Thuesen, L., Nielsen, T. T., & Andersen, H. R. (2006). Potential significance of spontaneous and interventional ST-changes in patients transferred for primary percutaneous coronary intervention: observations from the ST-MONitoring in Acute Myocardial Infarction study (The MONAMI study). *European Heart Journal*, 27(3), 267–275. <https://doi.org/10.1093/eurheartj/ehi606>
- Terkelsen, C. J., Sørensen, J. T., Maeng, M., Jensen, L. O., Tilsted, H.-H., Trautner, S., Vach, W., Johnsen, S. P., Thuesen, L., & Lassen, J. F. (2010). System Delay and Mortality Among Patients With STEMI Treated With Primary Percutaneous Coronary Intervention. *JAMA*, 304(7), 763–771. <https://doi.org/10.1001/jama.2010.1139>
- The GUSTO Investigators. (1993). An International Randomized Trial Comparing Four Thrombolytic Strategies for Acute Myocardial Infarction. *New England Journal of Medicine*, 329(10), 673–682. <https://doi.org/10.1056/NEJM199309023291001>
- Thygesen, K., Alpert, J. S., Jaffe, A. S., Chaitman, B. R., Bax, J. J., Morrow, D. A., White, H. D., Mickley, H., Crea, F., Van De Werf, F., Bucciarelli-Ducci, C., Katus, H. A., Pinto, F. J., Antman, E. M., Hamm, C. W., De Caterina, R., Januzzi, J. L., Apple, F. S., Garcia, M. A. A., ... Windecker, S. (2018). Fourth universal definition of myocardial infarction (2018). *European Heart Journal*,



- 40(3), 237–269. <https://doi.org/10.1093/eurheartj/ehy462>
- Tjandrawidjaja, M. C., Fu, Y., Westerhout, C. M., White, H. D., Todaro, T. G., Van De Werf, F., Mahaffey, K. W., Wagner, G. S., Granger, C. B., & Armstrong, P. W. (2010). Resolution of ST-segment depression: A new prognostic marker in ST-segment elevation myocardial infarction. *European Heart Journal*, 31(5), 573–581. <https://doi.org/10.1093/eurheartj/ehp494>
- Tobing, D. P., & Djalaludin, R. (2013). The Role of Early ST-Segment Recovery as Prognostic Outcome After Primary Percutaneous Coronary Intervention for ST-Elevation Myocardial Infarction. *American Journal of Cardiology*, 111(7), 7B. <https://doi.org/10.1016/j.amjcard.2013.01.022>
- Topal, D. G., Ahtarovski, K. A., Lønborg, J., Høfsten, D., Nepper-Christensen, L., Kyhl, K., Schoos, M., Ghotbi, A. A., Göransson, C., Bertelsen, L., Holmvang, L., Helqvist, S., Pedersen, F., Schnabel, R., & Køber, L. (2021). Impact of age on reperfusion success and long-term prognosis in ST-segment elevation myocardial infarction – A cardiac magnetic resonance imaging study. *IJC Heart & Vasculature*, 33, 100731. <https://doi.org/https://doi.org/10.1016/j.ijcha.2021.100731>
- Verouden, N. J., Haeck, J. D. E., Kuijt, W. J., Koch, K. T., Henriques, J. P. S., Baan, J., Vis, M. M., Piek, J. J., Tijssen, J. G. P., & de Winter, R. J. (2010). Early ST-segment recovery after primary percutaneous coronary intervention accurately predicts long-term prognosis after acute myocardial infarction. *American Heart Journal*, 159(6), 1005–1011. <https://doi.org/10.1016/j.ahj.2010.02.031>
- Vora, A. N., Holmes, D. N., Rokos, I., Roe, M. T., Granger, C. B., French, W. J., Antman, E., Henry, T. D., Thomas, L., Bates, E. R., & Wang, T. Y. (2015). Fibrinolysis Use Among Patients Requiring Interhospital Transfer for ST-Segment Elevation Myocardial Infarction Care: A Report From the US National Cardiovascular Data Registry. *JAMA Internal Medicine*, 175(2), 207–215. <https://doi.org/10.1001/jamainternmed.2014.6573>
- Weaver, J. C., Ramsay, D. D., Rees, D., Binnekamp, M. F., Prasan, A. M., & McCrohon, J. A. (2011). Dynamic Changes in ST Segment Resolution After Myocardial Infarction and the Association with Microvascular Injury on Cardiac Magnetic Resonance Imaging. *Heart Lung and Circulation*, 20(2), 111–118. <https://doi.org/10.1016/j.hlc.2010.09.006>
- Wellens, H., Gorgels, A., & Doevedans, P. (2002). *The ECG in Acute Myocardial Infarction and Unstable Angina*. Kluwer Academic Publishers.
- Werf, F. Van De. (2009). *Pharmacoinvasive vs facilitated percutaneous coronary intervention strategies for ST-segment-elevation acute myocardial infarction patients in the new ESC Guidelines The Cardiologist as a writer: thoughts about and within everyday medical practice* Ca. 2817–2828. <https://doi.org/10.1093/eurheartj/ehp409>
- Werf, F. Van de, Bax, J., Blomstrom-Lundqvist, C., Crea, F., Falk, V., Filippatos, G., Fox, K., Huber, K., Kastrati, A., Rosengren, A., Steg, P. G., Tubaro, M., Verheugt, F., Weidinger, F., & Weis, M. (2008). Management of acute myocardial infarction in patients presenting with persistent ST-segment elevation: The Task Force on the management of ST-segment elevation acute



- myocardial infarction of the European Society of Cardiology: *European Heart Journal*, 29(23), 2909–2945. <https://doi.org/10.1093/eurheartj/ehn416>
- Wiffen, P., Mitchell, M., Snelling, M., & Stoner, N. (2017). *Oxford Handbook of Clinical Pharmacy* (Third). Oxford University Press.
- Wilder, J., Tine, M. S. S., & Lilly, L. S. (2016). Acute Coronary Syndromes. In L. S. Lilly (Ed.), *Pathophysiology of Heart Disease: a collaborative project of medical students and faculty* (6th ed., pp. 162–190). Wolter Kluwer.
- Xiao, Y., He, S., Zhang, Z., Feng, H., Cui, S., & Wu, J. (2018). Effect of High-Dose Statin Pretreatment for Myocardial Perfusion in Patients Receiving Percutaneous Coronary Intervention (PCI): A Meta-Analysis of 15 Randomized Studies. *Medical Science Monitor: International Medical Journal of Experimental and Clinical Research*, 24, 9166–9176. <https://doi.org/10.12659/MSM.911921>
- Xu, J., Lo, S., Juergens, C. P., & Leung, D. Y. (2020). Assessing Coronary Microvascular Dysfunction in Ischaemic Heart Disease: Little Things Can Make a Big Difference. *Heart Lung and Circulation*, 29(1), 118–127. <https://doi.org/10.1016/j.hlc.2019.05.187>
- Zamani, B., Abdollahi, A., & Mardi, A. (2018). The effect of heparin prescription before primary PCI on long-term and short-term clinical and para clinical results and the mortality of patients with acute coronary syndrome. *International Journal of Basic & Clinical Pharmacology*, 7(4), 748. <https://doi.org/10.18203/2319-2003.ijbcp20181181>
- Zeymer, U., Rao, S. V., & Montalescot, G. (2016). Anticoagulation in coronary intervention. *European Heart Journal*, 37(45), 3376–3385. <https://doi.org/10.1093/eurheartj/ehw061>
- Zubaid, M., Khraishah, H., Alahmad, B., Rashed, W., Ridha, M., Alenezi, F., Aljarralah, M., Al-Marri, K., Almutairi, M., Althalji, K., & Alfaddagh, A. (2020). Efficacy and safety of pharmacoinvasive strategy compared to primary percutaneous coronary intervention in the management of ST-segment elevation myocardial infarction: A prospective country-wide registry. *Annals of Global Health*, 86(1), 1–10. <https://doi.org/10.5334/aogh.2632>
- Zuhdi, A. S. M., Ahmad, W. A. W., Zaki, R. A., Mariapun, J., Ali, R. M., Sari, N. M., Ismail, M. D., & Kui Hian, S. (2016). Acute coronary syndrome in the elderly: the Malaysian National Cardiovascular Disease Database-Acute Coronary Syndrome registry. *Singapore Medical Journal*, 57(4), 191–197. <https://doi.org/10.11622/smedj.2015145>
- Zwaan, H. B. van der Stoel, M. G., Roos-Hesselink, J. W., Veen, G., Boersma, E., & Birgelen, C. von. (2010). Early versus late ST-segment resolution and clinical outcomes after percutaneous coronary intervention for acute myocardial infarction. *Netherlands Heart Journal*, 18(9), 416–422. <https://doi.org/10.1007/BF03091808>