

DAFTAR PUSTAKA

- Ahmed, D., Nahid, M.A., Sami, A.B., Halim, F., Akter, N., Sadique, T., Rana, M.S., Elahi, M.S. bin, Rahman, M.M., 2017. Bacterial etiology of bloodstream infections and antimicrobial resistance in Dhaka, Bangladesh, 2005-2014. *Antimicrob. Resist. Infect. Control* 6: 1–11.
- Aliyu, S., Cohen, B., Liu, J., Larson, E., 2018. Prevalence and risk factors for bloodstream infection present on hospital admission. *J. Infect. Prev.* 19: 37–42.
- Alpern, E.R., 2008. *Bacteremia. In: Pediatric Emergency Medicine.* Elsevier Inc., 530–534.
- Alzoubi, K., Ayoub, N., Sakaji, S., Azzam, S., Mhaidat, N. and Masadeh, M. 2009. Awareness of Bacterial Resistance Among Physicians, Pharmacists and Nurses. *Int J Occup Med Environ Health*, 22(4): 363-372.
- Anonim. 2011. Peraturan Menteri Kesehatan Republik Indonesia Nomor 2406/MENKES/PER/XII. Pedoman Umum Penggunaan Antibiotik 34–44.
- Anonim, 2019. Pedoman Penggunaan Antibiotik RSUP Dr. Sardjito.
- Ataee, R.A., Mehrabi-Tavana, A., Hosseini, S.M.J., Moridi, K., Zadegan, M.G., 2012. A method for antibiotic susceptibility testing: Applicable and accurate. *Jundishapur J. Microbiol.* 5: 341–345.
- Bai, Y., Zheng, Z., Du, M., Yao, H., Liu, Y., Suo, J., 2019. Bloodstream Infection and Its Clinical Characteristics and Relevant Factors Associated with Interventional Therapy in a Large Tertiary Hospital: A Six Years Surveillance Study. *Bio. Med. Res. Int.* 2019:1-8.
- Bhattacharya, S., 2013. Early diagnosis of resistant pathogens: How can it improve antimicrobial treatment? *Virulence* 4(2): 172–184.
- Brooks, G. F., Carroll, K. C., Butel, J. S., Morse, S. A., & Mietzner, T. A. 2013. *Jawetz, Melnick & Adelberg's Medical Microbiology, 26th Edition.* Buku Kedokteran EGC: Jakarta;120-125.
- Brunton, L. L., Chabner, B. A., & Knollmann, B. C. (2011). *Goodman & Gilman's The Pharmacological Basis of Therapeutics (12 ed.)*. San Diego, California: McGraw-Hill Companies, 92-94.
- Buetti, N., Atkinson, A., Marschall, J., Kronenberg, A., 2017. Incidence of bloodstream infections: A nationwide surveillance of acute care hospitals in Switzerland 2008-2014. *BMJ Open* 7: 2014–2017.
- C Reysgaert, W., 2018. An overview of the antimicrobial resistance mechanisms of bacteria. *AIMS Microbiol* 4: 482–501.
- CDC - Center for Disease Control and Prevention, 2016. Bloodstream Infection Event (Central Line-Associated Bloodstream Infection and Non-central line-associated Bloodstream Infection). Published on-line: <http://www.cdc.gov/nhsn/> 1–32.
- Chandrasekaran, S., Abbott, A., Campeau, S., Zimmer, B.L., Weinstein, M., Thrupp, L., Hejna, J., Walker, L., Ammann, T., Kirn, T., Patel, R., Humphries, R.M., 2018. Direct-from-blood-culture disk diffusion to determine antimicrobial susceptibility of gram-negative bacteria: Preliminary report

- from the clinical and Laboratory Standards Institute Methods Development and Standardization Working Group. *J. Clin. Microbiol.* 56: 1–10.
- Chela, H.K., Vasudevan, A., Rojas-Moreno, C., Naqvi, S.H., 2019. Approach to Positive Blood Cultures in the Hospitalized Patient: A Review. *Missouri medicine* 116: 313–317.
- CLSI. 2020. *Performance Standards for Antimicrobial Susceptibility Testing*. 30th edition. CLSI supplement M100. Wayne, PA: Clinical and Laboratory Standards Institute; 58-73.
- Cohen, B., Choi, Y.J., Hyman, S., Furuya, E.Y., Neidell, M., Larson, E., 2013. Gender differences in risk of bloodstream and surgical site infections. *J. Gen. Intern. Med.* 28: 1318–1325.
- Connor, M.N.O., Gallagher, P., Mahony, D.O., 2002. Inappropriate prescribing. *N. Z. Med. J.* 115: 28.
- Cusini, A., Rampini, S.K., Bansal, V., Ledergerber, B., Kuster, S.P., Ruef, C., Weber, R., 2010. Different patterns of inappropriate antimicrobial use in surgical and medical units at a tertiary care hospital in Switzerland: A prevalence survey. *PLoS ONE* 5: 1–8.
- Dahlan, M.S., 2010. *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. Edisi 3 Seri Evidence Based Medicine 2.
- Davey, P.G., Marwick, C., 2008. Appropriate vs. inappropriate antimicrobial therapy. *Clin. Microb. Infect.* 14: 15–21.
- Davies, S.C., 2018. Reducing inappropriate prescribing of antibiotics in English primary care: evidence and outlook. *J. Antimicrob. Chemoter.* 2018 (73): 833–834.
- Devansh, M., Kumar, S., 2015. *Cephalosporins: A Review on Imperative Class of Antibiotics*. *Rapid: Mol. Pharmaco* 1:1-16.
- Deyno, S., Fekadu, S., Astatkie, A., 2017. Resistance of *Staphylococcus aureus* to antimicrobial agents in Ethiopia: A meta-analysis. *Antimicrob. Resist. Infect. Control.* 6: 1–15.
- Friedman, C.R., Whitney, C.G., 2008. It's time for a change in practice: Reducing antibiotic use can alter antibiotic resistance. *J. Infect. Dis.* 197: 1082–1083.
- Gashe, F., Mulisa, E., Mekonnen, M., Zeleke, G., 2018. Antimicrobial Resistance Profile of Different Clinical Isolates against Third-Generation Cephalosporins. *J. Pharm.* 2018:1-7.
- Genevieve Cadieux, Robyn Tamblyn, Dale Dauphinee, M.L., 2007. Predictors of inappropriate antibiotic prescribing among primary care physicians. *Can. Med. Assoc. J.* 177:1-8.
- Gould, I.M., 2007. The problem with glycopeptides. *Int. J. Antimicrob. Agents.* 30: 1–3.
- Hadaway, L.C., 2006. Preventing catheter-related bloodstream infections. *Lpn* 2, 51–55.
- Hollenbeck, B.L., Rice, L.B., 2012. Intrinsic and acquired resistance mechanisms in enterococcus. *Virulence.* 3: 421–569.
- Hudzicki, J. 2012. Kirby-Bauer Disk Diffusion Susceptibility Test Protocol Author Information. *Am. Soc. Microb.* 2012. 1–13.

- Jansen, W.T.M., Beitsma, M.M., Koeman, C.J., van Wamel, W.J.B., Verhoef, J., Fluit, A.C., 2006. Novel mobile variants of staphylococcal cassette chromosome mec in *Staphylococcus aureus*. *Antimicrob. Agents. Chemother.* 50: 2072–2078.
- Jorgensen, J.H., Ferraro, M.J., 2009. Antimicrobial Susceptibility Testing: A Review of General Principles and Contemporary Practices Overview of Commonly Used Susceptibility Testing Methods. *Clin. Infect. Dis.* 49: 1749–55.
- Kontula, K.S.K., Skogberg, K., Ollgren, J., Järvinen, A., Lyytikäinen, O., 2016. Early deaths in bloodstream infections: A population-based case series. *Infect. Dis.* 48: 379–385.
- Kouegnigan Rerambiah, Léonard Ndong, Jean Charles Mbakob Mengue Massoua, Pauline, Medzegue, Severin, Elisee-Ndam, Médard Mintsa-Ndong, Armel Djoba Siawaya, Joel Fleure. 2014. Antimicrobial profiles of bacterial clinical isolates from the Gabonese National Laboratory of Public Health: Data from routine activity. *Inter. J. Infect. Dis.* 29: 48–53.
- Kumar, M., Shergill, S.P.S., Tandel, K., Sahai, K., Gupta, R.M., 2019. Direct antimicrobial susceptibility testing from positive blood culture bottles in laboratories lacking automated antimicrobial susceptibility testing systems. *Med. J. Arm. Forc. Ind.* 75: 450–457.
- Laupland, K.B., 2013. Incidence of bloodstream infection: A review of population-based studies. *Clin. Microb. Infect.* 19: 492–500.
- Lalitha, M., 2014. Manual on Antimicrobial Susceptibility Testing. *Department of Microbiology Christian Medical College, Vellore, Tamil Nadu.*
- Magiorakos, A.P., Srinivasan, A., Carey, R.B., Carmeli, Y., Falagas, M.E., Giske, C.G., Harbarth, S., Hindler, J.F., Kahlmeter, G., Olsson-Liljequist, B., Paterson, D.L., Rice, L.B., Stelling, J., Struelens, M.J., Vatopoulos, A., Weber, J.T., Monnet, D.L., 2012. Multidrug-resistant, extensively drug-resistant and pandrug-resistant bacteria: An international expert proposal for interim standard definitions for acquired resistance. *Clin. Microb. Infect.* 18: 268–281.
- Mahaluça, F.A., Sacarlal, J., Essack, S., 2018. Antibacterial Resistance Pattern of Gram-Positive Bacteria Isolated in the ICU from A Reference Hospital in Southern Mozambique. *J. Bact. Parasit.* 2018 (9):1-5.
- Malhotra-Kumar, S., Cortinas Abrahantes, J., Sabiiti, W., Lammens, C., Vercauteren, G., Ieven, M., Molenberghs, G., Aerts, M., Goossens, H., 2010. Evaluation of Chromogenic Media for Detection of Methicillin-Resistant *Staphylococcus aureus* †. *J. Clin. Microb.* 48: 1040–1046.
- Menon, V., Lahanas, S., Janto, C., Lee, A., 2016. Utility of direct susceptibility testing on blood cultures: Is it still worthwhile? *J. Med. Microb.* 65: 501–509.
- Mermel, L.A., Allon, M., Bouza, E., Craven, D.E., Flynn, P., O’Grady, N.P., Raad, I.I., Rijnders, B.J.A., Sherertz, R.J., Warren, D.K., 2014. Clinical Practice Guidelines for the Diagnosis and Management of Intravascular Catheter-Related Infection. *Clin. Infect. Dis.* 49: 1–45.
- Miller, W.R., Munita, J.M., Arias, C.A., 2014. Mechanisms of antibiotic resistance in enterococci. *Expert. Rev. Anti. Infect. Ther.* 12: 1221–1236.

- Nath, A.P., Balasubramanian, A., Ramalingam, K., 2020. Cephalosporins: An imperative antibiotic over the generations. *Int. J. Res. Pharm. Sci.* 11: 623–629.
- Parameswaran, R., Sherchan, J.B., Muralidhar Varma, D., Mukhopadhyay, C., Vidyasagar, S., 2011. Intravascular catheter-related infections in an Indian tertiary care hospital. *J. Infect. Dev. Ctries.* 5: 452–458.
- Peters, R.P.H., van Agtmael, M.A., Gierveld, S., Danner, S.A., Groeneveld, A.B.J., Vandenbroucke-Grauls, C.M.J.E., Savelkoul, P.H.M., 2007. Quantitative Detection of *Staphylococcus aureus* and *Enterococcus faecalis* DNA in Blood To Diagnose Bacteremia in Patients in the Intensive Care Unit. *J. Clin. Microb.* 45: 3641–3646.
- Pinto Pereira, L.M., Phillips, M., Ramlal, H., Teemul, K., Prabhakar, P., 2004. Third generation cephalosporin use in a tertiary hospital in Port of Spain, Trinidad: Need for an antibiotic policy. *BMC Infectious Diseases* 4: 1–7.
- Retamar, P., Portillo, M.M., López-Prieto, M.D., Rodríguez-López, F., de Cueto, M., García, M. v., Gómez, M.J., del Arco, A., Muñoz, A., Sánchez-Porto, A., Torres-Tortosa, M., Martín-Aspas, A., Arroyo, A., García-Figueras, C., Acosta, F., Corzo, J.E., León-Ruiz, L., Escobar-Lara, T., Rodríguez-Baño, J., Natera, C., Nuño, E., Herrero, M., Fernández-Sánchez, F., Pérez-Santos, M.J., Téllez, F., Becerril, B., García-Tapia, A., Carazo, I., Alados, J.C., Moya, R., Florez, C., Navas, P., Muñoz, L., 2012. Impact of inadequate empirical therapy on the mortality of patients with bloodstream infections: A propensity score-based analysis. *Antimicrob. Agents. Chemother.* 56: 472–478.
- Rolston, K.V.I., Yadegarynia, D., Kontoyiannis, D.P., Raad, I.I., Ho, D.H., 2006. The spectrum of Gram-positive bloodstream infections in patients with hematologic malignancies, and the in vitro activity of various quinolones against Gram-positive bacteria isolated from cancer patients. *Int. J. Infect. Dis.* 10: 223–230.
- Saha, S.K., 2017. Factors Influencing Clinician’s Antibiotic Prescribing Behaviors (APB) in Bangladesh: An In-Depth Review Using COMB Model. *Open Access J. Transl. Med. Res.* 1: 91–95.
- Sahli, F., Feidjel, R. and Laalaoui, R. 2017. Hemodialysis catheter-related infection: rates, risk factors and pathogens. *J. Infect. Public Health*, 10(4):403–408. doi: 10.1016/j.jiph.2016.06.008.
- Sahu C, Jain V, Mishra P, Prasad KN. 2018. Clinical and laboratory standards institute versus European committee for antimicrobial susceptibility testing guidelines for interpretation of carbapenem antimicrobial susceptibility results for *Escherichia coli* in urinary tract infection (UTI). *J Lab Physicians.* 10(3):289-293
- Saleem, Z., Saeed, H., Hassali, M.A., Godman, B., Asif, U., Yousaf, M., Ahmed, Z., Riaz, H., Raza, S.A., 2019. Pattern of inappropriate antibiotic use among hospitalized patients in Pakistan: a longitudinal surveillance and implications. *Antimicrob. Resist. Infect. Con.* 8(188): 1-7.
- Saleh, N., Awada, S., Awwad, R., Jibai, S., Arfoul, C., Zaiter, L., Dib, W., Salameh, P., 2015. Evaluation of antibiotic prescription in the Lebanese community: a pilot study. *Infect. Ecol. Epidemiol.* 5: 1-8.

- Satari, H., Firmansyah, A. and Theresia, T. 2011. Qualitative evaluation of antibiotic usage in pediatric patients. *Paediatr. Indones.* 51(6): 303-10. doi: 10.14238/pi51.6.2011.303-10
- Smieszek, T., Pouwels, K.B., Dolk, F.C.K., Smith, D.R.M., Hopkins, S., Sharland, M., Hay, A.D., Moore, M. v, Robotham, J. v, 2020. Potential for reducing inappropriate antibiotic prescribing in English primary care. *J. Antimicrob. Chemother.* 73(2): 36–43.
- Smith, D. A., & Nehring, S. M. (2017). *Bacteremia*. StatPearls Publishing LLC, 10-15.
- Søgaard, M., Nørgaard, M., Dethlefsen, C., Schønheyder, H.C., 2011. Temporal changes in the incidence and 30-day mortality associated with bacteremia in hospitalized patients from 1992 through 2006: A population-based cohort study. *Clin. Infect. Dis.* 5: 61–69.
- Spivak, E.S., 2016. Measuring Appropriate Antimicrobial Use: Attempts at Opening the Black Box. *Clin. Infect. Dis.* 63: 139–148.
- Sudigdoadi, S., 2001. *Mekanisme Timbulnya Resistensi Antibiotik Pada Infeksi Bakteri*. Edisi 1. Universitas Padjadjaran: Bandung. 1–14.
- The European Committee on Antimicrobial Susceptibility Testing, 2020. *Reading guide; EUCAST disk diffusion method for antimicrobial susceptibility testing*. Version 3.0 April.
- Timsit, J.F., Soubirou, J.F., Voiriot, G., Chemam, S., Neuville, M., Mourvillier, B., Sonnevile, R., Mariotte, E., Bouadma, L., Wolff, M., 2014. Treatment of bloodstream infections in ICUs. *BMC Infect. Dis.* 14: 1–11.
- Uslan, D.Z., 2007. Age- and Sex-Associated Trends in Bloodstream Infection. *Arch. Intern. Med.* 16: 834.
- Vanbelle, S., 2016. A New Interpretation of the Weighted Kappa Coefficients. *Psychometrika.* 81: 399–410.
- Vannuffel, P. and Cocito, C. (1996). Mechanism of action of streptogramins and macrolides. *Drugs*, 51(Suppl 1): 20-30.
- Ventola, L., 2015. The Antibiotic Resistance Crisis. *P&T.* 40: 277–283.
- Viceconte, G., Maraolo, A.E., Iula, V.D., Catania, M.R., Tosone, G., Orlando, R., 2017. Appropriateness of antibiotic prescription for targeted therapy of infections caused by multidrug-resistant bacteria: Assessment of the most common improper uses in a tertiary hospital in Southern Italy. *Infect. Med.* 25: 224–233.
- Willey, Sherwood, W. H. E. 2013. *Prescott's Principles of Microbiology*. 9th edition. McGraw-Hill: New York. 42-76.
- Y.Liang, S., 2015. Empiric Antimicrobial Therapy in Severe Sepsis and Septic Shock: Optimizing Pathogen Clearance. *Curr. Infect. Dis. Rep.* 17 (7): 493.
- Yamada, Koichi Namikawa, Hiroki Fujimoto, Hiroki Nakaie, Kiyotaka Takizawa, Etsuko Okada, Yasuyo Fujita, Akiko Kawaguchi, Hiroyoshi Nakamura, Yasutaka Abe, Junko Kaneko, Yukihiko Kakeya, Hiroshi. 2017. Clinical characteristics of methicillin-resistant coagulase-negative staphylococcal bacteremia in a tertiary hospital, *Intern. Med.*, 56(7):781–785. doi: 10.2169/internalmedicine.56.7715.

- Yu, C.C.A., 2016. *Guide to Antimicrobial Therapy in the Adult ICU 2017*. Malaysian Society of Intensive Care, Kuala Lumpur.
- Zhu Yue, Yan Zhu, Lichen Cui, Jiewei Zhu, Minghui Chen, Liangan Yang, Zhen Liang, Zhixin 2018. Epidemiology and microbiology of Gram-positive bloodstream infections in a tertiary-care hospital in Beijing, China: A 6-year retrospective study. *Antimicrob. Resist. Infect. Con.*, 7(1):1–9. doi: 10.1186/s13756-018-0398-x.