

DAFTAR PUSTAKA

- Abdul Rahman, H., Saari, N., Abas, F., Ismail, A., Mumtaz, M.W. and Abdul Hamid, A. (2017). Anti-obesity and antioxidant activities of selected medicinal plants and phytochemical profiling of bioactive compounds. *International Journal of Food Properties*, 20 (11): 2616-2629.
- Achadiyah, S. 2017. Kajian pembuatan kopi jahe celup. *Agroteknose. Jurnal Teknologi dan Enjiniring Pertanian*, 3(2).
- Adi, D.N., Khasanah, L.U. and Anandito, B.K. (2012). Produksi oleoresin berbahan baku limbah destilasi kayu manis (*Cinnamomum burmannii*). *Jurnal Teknologi Hasil Pertanian*, 7(1).
- Agoes, G. (2007). *Teknologi Bahan Alam. Bandung*. Penerbit ITB, Bandung.
- Agustina, W., Dzakia, N.F., Cahyadi, W., Surahman, D.N. and Iwansyah, A.C. (2020). Optimasi formula dan karakterisasi produk cookies berbahan dasar pasta kacang mete (*Anacardium occidentale* L). *Jurnal Riset Teknologi Industri*, 14(2): 176-187.
- Al Mahbub, A.S. and Swasono, M.A.H. (2017). Pengaruh proporsi kayu secang (*Caesalpinia Sappan* L.) dan kayu manis (*Cinnamomum Burmanii* Bl) terhadap aktivitas antioksidan “Wedang Semanis”. *Teknologi Pangan: Media Informasi dan Komunikasi Ilmiah Teknologi Pertanian*, 8(2): 107-114.
- Alara, O.R. Mudalip, S.K.A. dan Olalere, O.A. (2018). Optimization of mangiferin extracted from phaleria macrocarpa fruits using response surface methodology. *Journal of Applied Research on Medicinal and Aromatic Plants* 5(1): 82–87.
- Albi, M.P., Rona, J.N., dan Mimi, N. (2015). Pengaruh konsentrasi bubur buah sirsak dengan jahe dan konsentrasi gum arab terhadap mutu fruit leather. *Jurnal Rekayasa Pangan dan Pert*, 3(2).
- Amaranti, W., Inur, T. dan Aldi, B.R. (2017). Uji Kandungan saponin pada daun, tangkai daun dan biji tanaman turi (*Sesbania grandiflora*). In *Politeknik Tegal: Seminar Nasional 2nd IPTEK Terapan (SENIT)*.
- Amin, M., Taihuttu, M.P., dan Lestari, U. (2019). Bioaktif alami dari minyak atsiri akar wangi terhadap pengaruh kerusakan lambung. *Jurnal Bioterdidik: Wahana Ekspresi Ilmiah*, 7(4): 64-68.
- Amriani, H. Syam, H. Wijaya, M. (2019). Pembuatan teh fungsional berbahan dasar buah mahkota dewa (*Phaleria macrocarpa*) dengan penambahan daun stevia. *Jurnal Pendidikan Teknologi Pertanian*, 5(1): 251–261.

- Andrade, E.F.D. Leone, R.D.S. Ellendersen, L.N. Masson, M.L. (2014). Phenolic profile and antioxidant activity of extracts of leaves and flowers of yacon (*Smallanthus sonchifolius*). *Industrial Crops and Products*, 62(1): 499–506.
- Anggraini, D.T., Wahyu P., dan Elly P. (2015). Penggunaan ekstrak batang kayu manis (*Cinnamomum burmannii*) terhadap kualitas minuman nata de coco. *Seminar Nasional XII Pendidikan Biologi FKIP UNS*.
- Antara, N.S. and Wartini, M. (2012). Senyawa aroma dan citarasa (*aroma and flavor compounds*). *Modul Kuliah*. SEAFast-IPB, Bogor.
- Arablou, T., dan Aryaeian, N. (2018). The effect of ginger (*Zingiber Officinale*) as an ancient medicinal plant on improving blood lipids. *Journal of Herbal Medicine*, 12: 11-15.
- Ariefandi, N., dan Rizki, V.M. (2015). Development of cardamom (*Amomum cardamomum*) herbal coffee beverages: a study of physicochemical characteristic and consumer perception towards sensory properties. *Pelita Perkebunan a Coffee and Cocoa Research Journal*, 31(1): 49-58.
- Arwangga, A.F., Asih, I.A.R.A. and Sudiarta, I.W. (2016). Analisis kandungan kafein pada kopi di desa sesaot narmada menggunakan spektrofotometri UV-Vis. *Jurnal Kimia*, 10(1): 110-114.
- Aryanti, N., Nafiunisa, A., dan Wardhani, D.H. (2019). Conventional and ultrasound-assisted extraction of anthocyanin from red and purple roselle (*Hibiscus sabdariffa* L.) calyces and characterisation of its anthocyanin powder. *International Food Research Journal*, 26(2).
- Ashokkumar, K. Murugan, M. Dhanya, M.K. dan Warkentin, T.D. (2020). Botany, traditional uses, phytochemistry and biological activities of cardamom (*Elettaria cardamomum* (L.) Maton) – A critical review. *Journal of Ethnopharmacology*, 246(1): 1-10.
- Asmara, A.P. (2017). Uji fitokimia senyawa metabolit sekunder dalam ekstrak metanol bunga turi merah (*Sesbania grandiflora* L. Pers). *Universitas Islam Negeri Ar-Raniry. Aceh*.
- Azni, I.N. dan Amelia, J.R. (2018). Pembuatan minuman okra (*Abelmoschus esculentus*) dengan penambahan daun stevia dan ekstrak jahe. *Prosiding TECHNOPEX*, 138-142.
- Bagchi, D. dan Nair, S. eds., 2016. *Developing New Functional Food and Nutraceutical Products*. Academic Press. USA.
- Ballesteros, L.F., Ramirez, M.J., Orrego, C.E., Teixeira, J.A., dan Mussatto, S.I. (2017). Optimization of autohydrolysis conditions to extract antioxidant

phenolic compounds from spent coffee grounds. *Journal of Food Engineering*, 199: 1-8.

- Banurea, K.R. (2018). Formulasi dan analisis preferensi konsumen terhadap kopi hijau sebagai minuman kesehatan. *Skripsi*. Institut Pertanian Bogor, Bogor.
- Barcellona, C.S. Cabrera, W.M. Honore, S.M. Mercado, M.I. Sanchez, S.S. dan Genta, S.B. (2012). Safety assessment of aqueous extract from leaf *Smallanthus Sonchifolius* and its main active lactone, enhydrin. *Journal of Ethnopharmacology*, 144(1): 362–370.
- Batubara, S.C. dan Pratiwi, N.A. (2018). Pengembangan minuman berbasis teh dan rempah sebagai minuman fungsional. *Jurnal Industri Kreatif dan Kewirausahaan*, 1(2): 27-41.
- Bogue, J., Collins, O., dan Troy, A.J. (2017). *Market Analysis and Concept Development of Functional Foods*. In *Developing New Functional Food and Nutraceutical Products* (29-45). Academic Press.
- BPOM. (2005). *Peraturan Kepala Badan Pengawas Obat Dan Makanan Tentang Ketentuan Pokok Pengawasan Pangan Fungsional*. Badan Pengawas Obat dan Makanan, Jakarta.
- BPOM. (2014). *Peraturan Kepala Badan Pengawas Obat Dan Makanan Republik Indonesia Nomor 12 Tahun 2014 Tentang Persyaratan Mutu Obat Tradisional*, Badan Pengawas Obat dan Makanan, Jakarta.
- Bresciani, L., Calani, L., Bruni, R., Brighenti, F., dan Del Rio, D. (2014). Phenolic composition, caffeine content and antioxidant capacity of coffee silverskin. *Food Research International*, 61: 196-201.
- BSN. (2006). *Petunjuk Pengujian Organoleptik dan atau Sensori*. Badan Standar Nasional. Indonesia.
- BSN. (2014). *Kopi instan SNI 2983 : 2014*. Badan Standarisasi Nasional, Jakarta.
- Buchori, L. (2007). Pembuatan gula non karsinogenik non kalori dari daun stevia. *Reaktor*, 11(2): 57-60.
- Buckle, K.A., Edwards, R.A., Fleet, G.H., dan Wotton, M. (2010). *Ilmu Pangan*. Penerjemah Hari Purnomo dan Adiono. UI. Press. Jakarta.
- Buditriami, K., Legowo, A.M. dan Nurwantoro, N. (2017). Sifat fisik, serat kasar dan sifat organoleptik mie kering substitusi tepung terigu dengan tepung suweg (*Armophopallus paeoniifolius*). *Skripsi*, UNDIP.
- BUMN. (2013). <http://www.bumn.go.id/ptpn12/berita/5918> diakses 1 oktober 2019.

- Buruk Sahin, Y., Aktar Demirtaş, E., dan Burnak, N. (2016). Mixture design: A review of recent applications in the food industry. *Journal of Engineering Sciences*, 22(4).
- Carbonell-Capella, J.M., Buniowska, M., Esteve, M.J. and Frígola, A. (2015). Effect of Stevia rebaudiana addition on bioaccessibility of bioactive compounds and antioxidant activity of beverages based on exotic fruits mixed with oat following simulated human digestion. *Food Chemistry*, 184: 22-130.
- Chomchalow, N. (2001). *The Utilization of Vetiver as Medicinal and Aromatic Plants with Special Reference to Thailand*. Pacific Rim Vetiver Network. Thailand, Bangkok.
- Chranioti, C., Chanioti, S., dan Tzia, C. (2016). Comparison of spray, freeze and oven drying as a means of reducing bitter aftertaste of steviol glycosides (derived from *Stevia rebaudiana* Bertoni plant)–evaluation of the final products. *Food chemistry*, 190: 1151-1158.
- Coffeelabs. (2018). <https://www.coffeelabs.com/blogs/coffee-labs-roasters/the-science-of-coffee-part-1-coffee-the-botanical> diakses 1 oktober 2019.
- Damayanti D, Sari I.P, Sulaiman T.N.S, Bestari A.N, dan Setiawan I.M. (2018) The formulation of pacing (*Costus speciosus*) extract tablet by using avicel®Ph 200 as filler/binder and amylum as disintegration agent. *Indones J Pharm*. 29(1): 29.
- Darmajana, D.A., Wulandari, N., Kumalasari, R. dan Irwansyah, A.C. (2020). Pengaruh perbandingan tepung rebung (*dendrocalamus asper*) dan tepung terigu terhadap karakteristik kimia dan karakteristik sensori cookies. *Jurnal Penelitian Pascapanen Pertanian*, 16(1): 47-55.
- Darsini, D.T.P., Maheshu, V., Vishnupriya, M., Nishaa, S., dan Sasikumar, J.M., (2013). Antioxidant potential and amino acid analysis of underutilized tropical fruit *Limonia acidissima* L. *Free Radicals and Antioxidants*, 3: S62-S69.
- Desai, N.M., Gilbert Stanley, J., dan Murthy, P.S. (2020). Kopi hijau nanoparticles: optimisation, in vitro bioactivity and bio-release property. *Journal of microencapsulation*, 37(1): 52-64.
- Dewatisari, W.F., Rumiyantri, L., dan Rakhmawati, I. (2017). Rendemen dan Skrining Fitokimia pada Ekstrak Daun *Sansevieria* sp. *Jurnal Penelitian Pertanian Terapan*, 17(3), 197-202.
- Do, Q.D., Angkawijaya, A.E., Tran-Nguyen P.L., Huynh, L.H., Soetaredjo, F.E., SuryadiIsmadji, Yi, H.Ju. (2014). Effect of extraction solvent on total phenol content, total flavonoid content, and antioxidant activity of *limnophila*

aromatica. *Journal of Food and Drug Analysis* 22 (3): 296-302.
doi:10.1016/j.jfda.2013.11.001.

- Durak, A., Gawlik-Dziki, U., dan Pecio, Ł. (2014). Coffee with cinnamon—impact of phytochemicals interactions on antioxidant and anti-inflammatory in vitro activity. *Food chemistry*, 162, 81-88.
- Dziki, D., Gawlik-Dziki, U., Pecio, Ł., Różyło, R., Świeca, M., Krzykowski, A., dan Rudy, S. (2015). Ground kopi hijau beans as a functional food supplement—Preliminary study. *LWT-Food Science and Technology*, 63(1): 691-699.
- Farah, A. (2012). Coffee constituents. *Coffee: Emerging Health Effects and Disease Prevention*, Chu, Y.F. (Ed.). 1, 22-58. John Wiley & Sons. USA.
- Fatdhilah R, dan Nurul. (2014). Pengaruh jumlah maltodekstrin dan lama pengeringan terhadap sifat organoleptik sup labu kuning instan. *Jurnal Tata Boga*, 3(3).
- Febrianti, R., Susanto W.H., Nugrahini.N.I.P. (2015). Karakteristik sirup jahe nira kelapa terfermentasi delapan jam (kajian jenis dan konsentrasi jahe. *Jurnal Pangan dan Agroindustri*. 3(3): 1026-1031.
- Firdausni, F., Failisnur, F. dan Diza, Y.H. (2011). Potensi pigmen cassiavera pada minuman jahe instan sebagai minuman fungsional. *Jurnal Litbang Industri*, 1(1): 15-21.
- Galanakis, C.M. (2016). *Nutraceutical and Functional Food Components*. Academic Press. London.
- Gamage, R.N.N. Hasanthi, K.B. dan Kumari, K.D.K.P. (2017). A comparative study on in vitro antibacterial activity of different leaf extracts of medicinal plant *Talinum paniculatum*. *International Journal of Pharmacy & Pharmaceutical Research*, 10(3): 143–154.
- Garg, S.K. (2016). *Green Coffee Bean. In Nutraceuticals*. Academic Press.
- Garrett, R., Vaz, B.G., Hovell, A.M.C., Eberlin, M.N. dan Rezende, C.M. (2012). Arabica and robusta coffees: identification of major polar compounds and quantification of blends by direct-infusion electrospray ionization–mass spectrometry. *Journal of agricultural and food chemistry*, 60(17).
- Gorji, Z., Nazary-Vannani, A., Varkaneh, H.K., Clark, C.C., Fatahi, S., Rahmani, J., dan Zhang, Y. (2019). The effect of green-coffee extract supplementation on obesity: a systematic review and dose-response meta-analysis of randomized controlled trials. *Phytomedicine*, 153018.

- Gotmare S, dan Tambe E. (2018). Chemical kinetics study and evaluation of antioxidant activity in clove, cumin, cinnamon and cardamom oils using DPPH radical. *International Journal of Recent Scientific Research*, 9(6).
- Gouthamchandra, K., Sudeep, H.V., Venkatesh, B.J., dan Prasad, K.S. (2017). Chlorogenic acid complex (CGA7), standardized extract from green coffee beans exerts anticancer effects against cultured human colon cancer HCT-116 cells. *Food Science and Human Wellness*, 6(3): 147-153.
- Goyal, S.K., Samsher dan Goyal, R.K. (2010). Stevia (*Stevia rebaudiana*) a bio-sweetener: a review. *International journal of food sciences and nutrition*, 61(1): 1-10.
- Granato, D., Branco, G.F., Nazzaro, F., Cruz, A.G., dan Faria, J.A. (2010). Functional foods and nondairy probiotic food development: trends, concepts, and products. *Comprehensive Reviews in Food Science and Food Safety*, 9(3): 292-302.
- Gulcin, I., Kaya R., Goren, A.C., Akincioglu, H, Topal, M. *et al.* (2019). Anticholinergic, antidiabetic, and antioxidant activities of cinnamon (*Cinnamomum verum*) bark extracts: polyphenol contents analysis by LC-MS/MS. *International Journal of Food Properties*, 22(1): 1511-26.
- Gultom, R.P.J., dan Siagian, H.S. (2019). *Potensial Farmakologis Tanaman "Gynura" Analisis Fitokimia & Bioaktivitasnya*. Deepublish.
- Habibi, A.I., Firmansyah, R.A. dan Setyawati, S.M., (2018). Skrining fitokimia ekstrak n-heksan korteks batang Salam (*Syzygium polyanthum*). *Indonesian Journal of Chemical Science*, 7(1): 1-4.
- Hajian, S. (2014). Positive effect of antioxidants on immune system. *Immunopathologia Persa*, 1(1).
- Hamdan dan Aries. (2018). *Coffee, Karena Selera Tidak Dapat Diperdebatkan*. PT AgroMedia Pustaka, Jakarta.
- Handayani, H., Achmad, H., Suci, A.D., Firman, M., Mappangara, S., Ramadhany, S., Sri, R., Rini, P., dan Wulansari, D.P. (2018). Analysis of antibacterial effectiveness of red ginger extract (*Zingiber officinale* Var. Rubrum) compared to white ginger extract (*Zingiber officinale* Var. Amarum) in mouth cavity bacterial *Streptococcus mutans* (In-vitro). *Journal of International Dental and Medical Research*, 11(2), 676-681.
- Harborne, J.B. (1987). *Metode Fitokimia Penuntun Cara Modern Menganalisis Tumbuhan*. Second Edition. Penerbit ITB, Bandung 5: 69-76.
- Hayati, R., Marliah, A. dan Rosita, F. (2012). Sifat kimia dan evaluasi sensori bubuk kopi arabika. *Jurnal Floratek*, 7(1): 66-75.

- Helal, A. dan Tagliazucchi, D. (2018). Impact of in-vitro gastro-pancreatic digestion on polyphenols and cinnamaldehyde bioaccessibility and antioxidant activity in stirred cinnamon-fortified yogurt. *LWT*, 89: 164-170.
- Hidayat, I.R., Zuhrotun, A. dan Sopyan, I. (2020). Design-Expert software sebagai alat optimasi formulasi sediaan farmasi. *Majalah Farmasetika*, 6(1): 99-120.
- Ibrahim, A.M., Yuniarta, Y., dan Sriherfyna, F.H. (2014). Pengaruh suhu dan lama waktu ekstraksi terhadap sifat kimia dan fisik pada pembuatan minuman sari jahe merah (*Zingiber officinale* var. *Rubrum*) dengan kombinasi penambahan madu sebagai pemanis. *Jurnal Pangan dan Agroindustri*, 3(2).
- Igho, O., Rohini, T., dan Edzard, E. (2011). The use of kopi hijau extract as a weight loss supplement: a systematic review and meta-analysis of randomised clinical trials. *Gastroenterology Research and Practice*, 31.
- Indriaty, F. dan Assah, Y.F. (2015). Pengaruh penambahan gula dan sari buah terhadap kualitas minuman serbuk daging buah pala. *Jurnal Penelitian Teknologi Industri*, 7(1): 49-61.
- Jaiswal, Rakesh., Maria A Patras., Pinkie J.E., Nikolai, K. (2010). Profile and characterization of the chlorogenic acid in green robusta coffee beans by LC-MS : identification seven new classes of compounds. *J. Agric. Food Chem.* 58(15): 8722-8737.
- Jakubczyk, A., Świeca, M., Gawlik-Dziki, U., dan Dziki, D. (2018). Nutritional potential and inhibitory activity of bread fortified with kopi hijau beans against enzymes involved in metabolic syndrome pathogenesis. *LWT Journal*, 95: 78-84.
- Januariani. (2018). *Tulung Agung dalam Rasa*. Deepublish. Yogyakarta.
- Jeszka-Skowron, M., Stanisz, E., dan De Peña, M.P. (2016). Relationship between antioxidant capacity, chlorogenic acids and elemental composition of green coffee. *LWT*, 73: 243-250.
- Kausar, H., Saeed, S., Ahmad, M.M., dan Salam, A. (2012). Studies on the development and storage stability of cucumber-melon functional drink. *J. Agric. Res*, 50(2): 239-248.
- Khurana, R.K., Kaur, R., Lohan, S., Singh, K.K. dan Singh, B. (2016). Mangiferin: a promising anticancer bioactive. *Pharmaceutical patent analyst*, 5(3): 169-181.
- Kim W.J, Veriansyah B, Lee Y.W, Kim J, Kim J.D (2010). Extraction of mangiferin from mahkota dewa (*Phaleria macrocarpa*) using subcritical water. *Journal of Industrial and Engineering Chemistry*, 16(3): 425-30.

- Kim, M.S. and Kim, J.Y. (2019). Cinnamon subcritical water extract attenuates intestinal inflammation and enhances intestinal tight junction in a Caco-2 and RAW264. 7 co-culture model. *Food & function*, 10(7): 4350-4360.
- Klejdus, B. dan Kováčik, J. (2016). Quantification of phenols in cinnamon: A special focus on “total phenols” and phenolic acids including DESI-Orbitrap MS detection. *Industrial Crops and Products*, 83: 774-780.
- Kristianto, N. (2018). Deskripsi Proses Inovasi Kopi Hijau Pada Kelompok Tani Rahayu IV. *Skripsi*, UNIKA Soegijapranata, Semarang.
- Kua, Y.L., Gan, S., Morris, A. dan Ng, H.K. (2016). Ethyl lactate as a potential green solvent to extract hydrophilic (polar) and lipophilic (non-polar) phytonutrients simultaneously from fruit and vegetable by-products. *Sustainable Chemistry and Pharmacy*, 4: 21-31.
- Kumari, S., Sharma, L., Ajmera, P. dan Raghav, A. (2018). A diverse therapeutically useful herb cinnamon. *International Journal of Research in Social Sciences*, 8(5): 296-307.
- Kurniati, D. Arifin, H.R. Ciptaningtyas, D., dan Windarningsih, F. (2018). Teknologi budidaya dan pengolahan buah mengkudu kaya antioksidan sebagai alternatif sumber pangan fungsional. *Jurnal Pengabdian Kepada Masyarakat*, 2(7) : 1-3.
- Kusnandar, F. (2019). *Kimia Pangan Komponen Makro*. Jakarta. Bumi Aksara.
- Kustyawati, M.E., Sugiharto, R., Waluyo, S., dan Erlina, E. (2019). Pemberdayaan wanita kelompok serba usaha srikandi melalui diversifikasi produk kopi bubuk herbal. *Riau Journal of Empowerment*, 2(1): 15-20.
- Kusumaningtyas, R.D., Triwibowo, B., Ramadhani, R.A., Riyadi, D.H.S. dan Istadi, I. (2019). Simplex lattice design method for the optimization of non-edible oils mixture composition as feedstock for biodiesel synthesis using reactive distillation. *Journal of Physics: Conference Series*, 1295(1).
- Lee H.G., Jo Y, Ameer K, Kwon J.H. (2018). Optimization of green extraction methods for cinnamic acid and cinnamaldehyde from cinnamon (*Cinnamomum cassia*) by response surface methodology. *Food Science and Biotechnology*, 27(6): 1607-1617.
- Lee, L.W., Cheong, M.W., Curran, P., Yu, B., dan Liu, S.Q. (2016). Modulation of coffee aroma via the fermentation of green coffee beans with rhizopus oligosporus. *Food chemistry*, 211: 916-924.
- Lestari, L.A., Lestari, P.M. dan Utami, F.A. (2018). *Kandungan Zat Gizi Makanan Khas Yogyakarta*. UGM PRESS, Yogyakarta.

- Lestario, L.N., Christian, A.E. dan Martono, Y. (2009). Aktivitas antioksidan daun ginseng jawa (*Talinum paniculatum Gaertn*). *AGRITECH*, 29(2).
- Leviana, W. dan Paramita, V. (2017). Pengaruh suhu terhadap kadar air dan aktivitas air dalam bahan pada kunyit (*Curcuma longa*) dengan alat pengering electrical oven. *Metana*, 13(2): 37-44.
- Li, J., Niu, D., Zhang, Y., dan Zeng, X. (2020). Physicochemical properties, antioxidant and antiproliferative activities of polysaccharides from *Morinda Citrifolia L.* (Noni) based on different extraction methods. *International Journal of Biological Macromolecules*, 150(1): 114–121.
- Li, N., Shi, C., Zhang, Z., Wang, H. dan Liu, Y. (2019). A review on mixture design methods for geopolymer concrete. *Composites Part B: Engineering*, 178: 107490.
- Liang, N. dan Kitts, D.D. (2016). Role of Chlorogenic Acids in controlling oxidative and inflammatory stress conditions. *Nutrients*, 8(1): 16.
- Luqman, S. dan Kumar, R. (2012). Correlation between scavenging property and antioxidant activity in the extracts of *Emblica officinalis Gaertn.*, syn. *Phyllanthus emblica L.* Fruit. *Annals of Phytomedicine*, 1(1): 54-61.
- Macheiner, L., Schmidt, A., Schreiner, M., dan Mayer, H.K. (2019). Green coffee Infusion as a Source of caffeine and chlorogenic acid. *Journal of Food Composition and Analysis*, 103307.
- Maffei, M. (2002). *Vetiveria: the genus Vetiveria*. CRC Press.USA.
- Mangiwa, Septiani, Alowisya, F., dan Puteri M.A. 2015. Kadar asam klorogenat (CGA) dalam biji kopi arabika (*Coffea arabica*) asal wamena, papua. *Hydrogen: Jurnal Kependidikan Kimia*, 3(2): 313-317.
- Marcinek, K. dan Krejpcio, Z. (2015). Stevia rebaudiana bertonii – chemical composition and functional properties. *Acta Sci Pol Technol Aliment*, 14(2): 145–152.
- Mardiah. F.R.Z., Prangdimurti, E. dan Damanik, R. (2015). Perubahan kandungan kimia sari rosela merah dan ungu (*Hibiscus sabdariffa L.*) hasil pengeringan menggunakan cabinet dryer dan fluidized bed dryer. *Jurnal Teknologi Industri Pertanian*, 25(1): 1-7.
- Marete, E.N., Jacquier, J.C., dan O’Riordan, D. (2011). Feverfew as a source of bioactives for functional foods: storage stability in model beverages. *Journal of Functional Foods*, 3(1): 38-43.
- Maryam, S., Baits, M. dan Nadia, A. (2015). Pengukuran aktivitas antioksidan ekstrak etanol daun kelor (*Moringa oleifera Lam.*) menggunakan metode

FRAP (Ferric Reducing Antioxidant Power). *Jurnal Fitofarmaka Indonesia*, 2(2): 115-118.

- Masek, A., Latos-Brozio, M., Kałużna-Czaplińska, J., Rosiak, A. dan Chrzescijanska, E. (2020). Antioxidant properties of green coffee extract. *Forests*, 11(5): 557.
- Maulana, I.T. (2018). Penerapan iptek bagi masyarakat (IbM) di desa sukalaksana, samarang garut melalui pemanfaatan sumberdaya alam dalam mewujudkan berdirinya UKM center saung ciburial. *Charity*, 1(01): 80-89.
- Mechchate, H., Es-Safi, I., Haddad, H., Bekkari, H., Grafov, A. dan Bousta, D. (2020). Combination of catechin, epicatechin, and rutin: optimization of a novel complete antidiabetic formulation using a mixture design approach. *The Journal of Nutritional Biochemistry*, 88: 108520.
- Mogra, R. and Dashora, V. (2009). Exploring the use of *Stevia rebaudiana* as a sweetener in comparison with other sweeteners. *Journal of Human Ecology*, 25(2): 117-120.
- Monente, C., Bravo, J., Vitas, A.I., Arbillaga, L., De Peña, M.P., dan Cid, C. (2015). Coffee and spent coffee extracts protect against cell mutagens and inhibit growth of food-borne pathogen microorganisms. *Journal of Functional Foods*, 12: 365-374.
- Montgomery D.C. (2017). *Design and Analysis of Experiments*. 9th Edition. John Wiley & Sons.
- Moreira, A.S.P., Nunes, F.M., Simões, C., Maciel, E., Domingues, P., Domingues, M.R.M., dan Coimbra, M.A. (2017). Data on coffee composition and mass spectrometry analysis of mixtures of coffee related carbohydrates, phenolic compounds and peptides. *Data in Brief*, 13: 145–161.
- Mpapa, B.L. (2019). *Kopi Saluan: Local Coffee Kas Bangai*. Deepublish.Yogyakarta.
- Mukhriani, Mukhriani, Faridha Y. N., dan Mumang, M. (2017). Penetapan kadar tanin total ekstrak biji jintan hitam (*Nigella sativa*) secara spektrofotometri UV-Vis. *Jurnal Farmasi*, 2(4): 154-158.
- Nair, S., Nagar, R., Gupta, R. (1998). Antioxidant phenolics and flavonoids in common Indian foods. *The Journal of the Association of Physicians of India*, 46(8): 708-710.
- Nair, K.P. (2013). *The Agronomy and Economy of Turmeric and Ginger: The Invaluable Medicinal Spice Crops*. Newnes.

- Naveena, B.M., Muthukumar, M., Sen, A.R., Praveen Kumar, Y., dan Kiran, M. (2014). Use of cinnamaldehyde as a potential antioxidant in ground spent hen meat. *Journal of food processing and preservation*, 38(4): 1911-1917.
- Nichmah, L. Yuwanti, S. dan Suwasono, S. (2019). Kopi kayu manis celup dengan variasi tingkat penyangraian kopi dan konsentrasi bubuk kayu manis. *Berkala Ilmiah PERTANIAN*, 2(2): 50-55.
- Nikzade, V., Tehrani, M.M. dan Saadatmand-Tarzjan, M. (2012). Optimization of low-cholesterol-low-fat mayonnaise formulation: effect of using soy milk and some stabilizer by a mixture design approach. *Food Hydrocolloids*, 28(2): 344-352.
- Nuraida dan R. Dewanti-Hariyadi (2001). Formulasi minuman fungsional tradisional dari rempah-rempah menggunakan konsep optimasi sinergisme antioksidan. *Prosiding Seminar Nasional Pangan Tradisional*.
- Nurmiah, S., Syarief, R., Sukarno, S., Peranginangin, R. dan Nurmata, B. (2013). Aplikasi response surface methodology pada optimalisasi kondisi proses pengolahan Alkali Treated Cottonii (ATC). *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 8(1): .9-22.
- Nurnasari, E., dan Khuluq, A. D. (2018). Potensi diversifikasi rosella herbal (*Hibiscus sabdariffa* L.) untuk pangan dan kesehatan. *Buletin Tanaman Tembakau, Serat & Minyak Industri*, 9(2): 82-92.
- Oboh, G., Akinyemi, A.J. dan Ademiluyi, A.O. (2012). Antioxidant and inhibitory effect of red ginger (*Zingiber officinale* var. Rubra) and white ginger (*Zingiber officinale* Roscoe) on Fe²⁺ induced lipid peroxidation in rat brain in vitro. *Experimental and Toxicologic Pathology*, 64(1-2):.31-36.
- Ogundele, O.M., Awolu, O.O., Badejo, A.A., Nwachukwu, I.D., dan Fagbemi, T.N. (2016). Development of functional beverages from blends of Hibiscus sabdariffa extract and selected fruit juices for optimal antioxidant properties. *Food science & nutrition*, 4(5): 679-685.
- Olszowy, M. (2019). What is responsible for antioxidant properties of polyphenolic compounds from plants?. *Plant Physiology and Biochemistry*, 144: 135-143.
- Pacifico, S., Piccolella, S., Nocera, P., Tranquillo, E., Dal Poggetto, F., dan Catauro, M. (2019). New insights into phenol and polyphenol composition of Stevia rebaudiana leaves. *Journal of pharmaceutical and biomedical analysis*, 163: 45-57.
- Pahlawan, P.P. dan Oktaria, D. (2016). Pengaruh daun insulin (*Smallanthus sonchifolius*) sebagai anti diabetik. *Majority*, 5(4): 133-137.

- Palupi, N.S., Wardiani, L.I. dan Nurtama, B. (2016). Optimasi formula kuah jahe dalam pengembangan wedang tahu sebagai pangan fungsional. *Jurnal Teknologi dan Industri Pangan*, 27(1): 95-104.
- Panusa, A., Petrucci, R., Lavecchia, R. dan Zuorro, A. (2017). UHPLC-PDA-ESI-TOF/MS metabolic profiling and antioxidant capacity of arabica and robusta coffee silverskin: Antioxidants vs phytotoxins. *Food Research International*, 99: 155-165.
- Patel, J. Santos, K. Mungai, K. Arseneault, V. Pokuaa, Y.K. Louis, K.S. Patel, K. Giligan, L. Mansour, K. Patel, P. Gonzalez, K.A. (2018). *Talinum paniculatum* root exhibits synergistic antimicrobial activity with tetracycline, erythromycin, and streptomycin against s. aureus but has no observed effect on antibiotic efficacy against e. coli. *Journal of Emerging Investigators*, 9(1) : 1-4.
- Permatasari, D.R.I., Purwadi dan Evanuarini, H. (2018). Kualitas kefir dengan penambahan tepung daun stevia (*Stevia Rebaudiana Bertoni*) sebagai pemanis alami. *Jurnal Ilmu dan Teknologi Hasil Ternak*, 13(2): 91-97.
- Permatasari, E dan Mardiani, D. (2015). *Panduan Budidaya Stevia sebagai Penghasil Gula Rendah Kalori*. Koperasi Nukita. Bandung.
- Pertiwi, A.S. (2018). Kajian konsentrasi kayu manis (*Cinnamomum burmannii*) dan dextrin terhadap karakteristik serbuk instan kopi robusta (*Coffea canephora*). *Skripsi*. Universitas Pasundan. Bandung.
- Phongpaichit, S., Nikom, J., Rungjindamai, N., Sakayaroj, J., Hutadilok-Towatana, N., Rukachaisirikul, V., dan Kirtikara, K. (2007). Biological activities of extracts from endophytic fungi isolated from Garcinia plants. *FEMS Immunology & Medical Microbiology*, 51(3): 517-525.
- Pramitasari, D., Anandhito, R.B.K. dan Fauza, G. (2011). The addition of ginger extract in making soymilk powder by spray drying method: Chemical constituents, sensory characteristic and antioxidant activity. *Biofarmasi Journal of Natural Product Biochemistry*, 9(1): 17-25.
- Prasetyaningrum, Utami R., Anandita R.B.K. (2012). Antioxidant activity, total phenolic content, and antibacterial activity of cinnamon bark oil and oleoresin (*Cinnamomum burmannii*). *Jurnal Teknosains Pangan*, 1(1): 24-31.
- Pratiwi, I.Y. (2011). Pengaruh variasi maltodekstrin terhadap kualitas minuman serbuk instan kayu manis (*Cinnamomum burmanii* Bl). *Skripsi*. Universitas Atma Jaya Yogyakarta. Yogyakarta.
- Prieto P, Pineda M, dan Aguilar M. (1999). Spectrophotometric quantitation of antioxidant capacity through the formation of a phosphomolybdenum

complex: specific application to the determination of vitamin E. *Analytical Biochemistry* 269(2): 337–341.

- Purwadi, D., Ainuri, M., Kurniawan, M.K., dan Dermawan, A.B. (2010). komersialisasi produk stevia (*Stevia Rebaudiana*) sebagai pemanis alami rendah kalori. *Prosiding Seminar Nasional APTA*. 287-293.
- Purwaningsih, S., Salamah, E., Sukarno, A.Y.P., dan Deskawati. (2013). Aktivitas antioksidan dari buah mangrove (*Rhizophora Muronata* Lamk.) pada suhu yang berbeda. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 16(3): 199-206.
- Purwanti, H., Mardinah dan Amalia, L. (2015). Penggunaan stevia (*Stevia Rebaudiana*) sebagai antimikroba pada produk minuman teh. *Jurnal Agroindustri Halal*, 1(2): 122- 130.
- Putri, D.D., dan Nurmagustina, D.E. (2017). Kandungan total fenol dan aktivitas antibakteri kelopak buah rosela merah dan ungu sebagai kandidat feed additive alami pada broiler. *Jurnal Penelitian Pertanian Terapan*, 14(3).
- Putri, D.D.N. (2017). Pengaruh rebusan daun insulin (*smallanthus sonchifolius*) terhadap penurunan kadar glukosa darah pada tikus diabetes melitus. *Jurnal ProNers*, 3(1): 1-13.
- Rahardjo, P. (2012). *Berkebun Kopi*. Penebar Swadaya. Jakarta.
- Raini, M., dan Isnawati, A. (2011). Kajian: khasiat dan keamanan stevia sebagai pemanis pengganti gula. *Media Penelitian dan Pengembangan Kesehatan*, 21.
- Ranggawati, M. Tamrin dan Asyik, N. (2018). Karakteristik organoleptik dan sifat kimia minuman fungsional liang teh daun karamunting (*Rhodomyrtus Tomentosa*) dengan penambahan kayu manis. *Jurnal Sains dan Teknologi Pangan*, 3(1): 1111-1118.
- Rao, S. (2014). *The Coffee Roasters Companion*. China.
- Raof, G.F.A., Mohamed, K.Y., dan Mohammed, H.M. (2017). Phytochemical evaluation, anti-obesity and antihyperlipidemic effects of combined administration of green coffee, cinnamon and ginger. *Plant*, 5(5): 80.
- Rohmah, M. (2010). Aktivitas antioksidan campuran kopi robusta *Coffea canephora* dengan kayu manis *Cinnamomum burmanii*. *Jurnal Teknologi Pertanian*, 6(2): 50-54.
- Rosliuk, D., Rutkaite, R., Ivanauskas, L., dan Jakstas, V. (2020). Interaction between cross-linked cationic starch micro granules and chlorogenic acid

isomers in artichoke and green coffee bean aqueous extracts. *Journal of Chromatography*, 1160: 122385.

- Sadeghi, S. Davoodvandi, A. Pourhanifeh, M.H. Sharifi, N. Arefnezhad, R. Sahebnaasagh, R. Moghadam, S.A. Sahebkar, A. dan Mirzaei, H. (2019). Anti-cancer effects of cinnamon: Insights into its apoptosis effects. *European Journal of Medicinal Chemistry*, 178(1): 131 – 140.
- Saefudin, S., Basri, E. dan Sukito, A. (2018). Antioxidant activity and toxicity effect of eleven types of bark extracts acquired from euphorbiaceae. *Indonesian Journal of Forestry Research*, 5(2): 133-146.
- Saida, H.R., Nurhayati, N., Purnomo, B.H., dan Ruriani, E. (2014). Analisis kelayakan finansial produk kopi herbal instan terproduksi oleh UD. Sari Alam. *JURNAL AGROTEKNOLOGI*, 8(02): 158-170.
- Saloko, S., Handito, D. dan Apriani, N. (2020). The effect of addition papaya leaf extract (*Carica papaya* L.) on reducing caffeine levels in robusta coffee. In *IOP Conference Series: Earth and Environmental Science*, 515(1).
- Samoggia, A., & Riedel, B. 2018. Coffee Consumption and Purchasing Behavior Review: Insights for Further Research. *Appetite*. 129, 70-81.
- Samosir, A.P., Runtuwene, M.R.J. dan Citraningtyas, G. (2012). Uji aktivitas antioksidan dan total flavonoid pada ekstrak etanol pinang yaki (*Areca vestiaria*). *Pharmacon*, 1(2).
- Sangsopha, J., Moongngarm, A., Johns, N.P. dan Grigg, N.P. (2019). Optimization of pasteurized milk with soymilk powder and mulberry leaf tea based on melatonin, bioactive compounds and antioxidant activity using response surface methodology. *Heliyon*, 5(11): e02939.
- Santos, R.R. Andrade, M. Madella, D. Martinazzo, A.P. Moura, L.D.A.G. Melo, N.R.D. dan Silva, A.S. (2017). Revisiting an ancient spice with medicinal purposes: Cinnamon. *Trends in Food Science & Technology*, 62(1): 154 – 169.
- Santoso, A.M. Amin, M. Sumitro, S.B. dan Lukiati, B. (2016). LC MS determination of java ginseng (*Talinum paiculatum*) ginsenoside. *Proceeding International Biology Conference*. 3-6.
- Sari, C. Damayanthi, E., dan Kustiyah, L. (2018). The effect of rosella beverage intervention on lipid profiles and antropometric in obese adult men. *Indian Journal of Public Health Research & Development*, 9(12): 644-649.
- Sarria, B., Martínez-López, S., Mateos, R., dan Bravo-Clemente, L. (2016). Long-term consumption of a green/roasted coffee blend positively affects glucose

metabolism and insulin resistance in humans. *Food Research International*, 89: 1023-1028.

- Sarumpaet, P. (2013). Analisis nilai tambah kopi teripang jahe pra campur saset. *Jurnal Agrisepe: Kajian Masalah Sosial Ekonomi Pertanian dan Agribisnis*, 12(2): 209-216.
- Sęczyk, Ł., Świeca, M., dan Gawlik-Dziki, U. (2017). Soymilk enriched with green coffee phenolics—antioxidant and nutritional properties in the light of phenolics–food matrix interactions. *Food chemistry*, 223, 1-7
- Shahidi, F. dan Zhong, Y. (2015). Measurement of antioxidant activity. *Journal of functional foods*, 18: 757-781.
- Shalan, N.A.A.M. Mustapha, N.M. dan Mohamed, S. (2016). Morinda citrifolia leaf enhanced performance by improving angiogenesis, mitochondrial biogenesis, antioxidant, anti-inflammatory & stress responses. *Food Chemistry*, 212(1): 443–452.
- Shwter, A.N. Abdullah, N.I. Alshawsh, M.A. El-Seedi, H.R. Al-Henhena, N.A. Khalifa, S.A.M. dan Abdulla, M.A. (2016). Chemopreventive effect of phaleria macrocarpa on colorectal cancer aberrant crypt foci in vivo. *Journal of Ethnopharmacology*, 193(1): 195–206.
- Siburian, R. B., Jose, C., dan Kartika, G.F. (2014). Total fenolik, flavonoid, dan aktivitas antioksidan produk teh hijau dan teh hitam tanaman bangun-bangun (*coleus amboinicus*) dengan perlakuan ett rempah-rempah. *Jurnal Online Mahasiswa Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Riau*, 2(1): 15-22.
- Šilarová, P., Boulekbache-Makhlouf, L., Pellati, F. dan Česlová, L. (2019). Monitoring of chlorogenic acid and antioxidant capacity of *Solanum melongena* L. under different heat and storage treatments. *Antioxidants*, 8(7): 234.
- Souissi, M. Azelmat, J. Chaieb, K. dan Grenier, D. (2020). Antibacterial and anti-inflammatory activities of cardamom (*Elettaria cardamomum*) extracts: potential therapeutic benefits for periodontal infections. *Anaerobe*, 61(1): 1-7.
- Sudarmadji, S., B. Haryono, dan Suhardi. (2010). *Prosedur Analisa Untuk Bahan Makanan dan Pertanian*. Liberty, Yogyakarta.
- Sudiyarto, S., Widayanti, S. dan Kresna, D.M. (2012). Perilaku konsumen penikmat kopi tubruk dan kopi instan. *JSEP (Journal of Social and Agricultural Economics)*, 6(3): 1-11.
- Sudjono, W. (2017). Optimization of roasting and subcritical water extraction for the development of functional beverages based on green coffee beans. *Skripsi*. UGM.

- Suharsanti, R., dan Wibowo, F.S. (2016). Uji aktivitas antijamur ekstrak etanol daun som jawa terhadap pertumbuhan *candida albicans* untuk menjamin mutu penggunaan sebagai obat herbal anti keputihan. *Media Farmasi Indonesia*, 11(2).
- Sumardjo, D. (2008). *Pengantar Kimia*. Jakarta: EGC. hal 26.
- Supartono, W., Guritno, A.D., Ushada, M., dan Sukartiko, A.C. (2016). Possibility of some indigenous spices as flavor agents to enrich Indonesia flavor database. *KnE Life Sciences*, 35-39.
- Surati, S., dan Saptiwi, B. (2015). Efektifitas berbagai konsentrasi rebusan akar wangi (*Vetiveria zizanoides*) terhadap daya hambat bakteri streptococcus mutans. *LINK*, 11(3): 1083-1088.
- Suryanto, E. (2007). Aktivitas antioksidan ekstrak flavonoid dari buah andaliman (*Zanthoxylum acanthopodium* DC) pada ikan mas (*Cyprinus carpio* L). *Jurnal Sains*. UNSRAT, Manado.
- Susilowati, D.N., Ginanjar, H., Yuniarti, E., Setyowati, M., dan Roostika, I. (2018). Karakterisasi bakteri endofit tanaman purwoceng sebagai penghasil senyawa steroid dan antipatogen/endophytic bacteria from purwoceng as steroid and antipatogenic compounds producers. *Jurnal Penelitian Tanaman Industri*, 24(1): 1-10.
- Swieca, M., Gawlik-Dziki, U., Dziki, D., dan Baraniak, B. (2017). Wheat bread enriched with kopi hijau—in vitro bioaccessibility and bioavailability of phenolics and antioxidant activity. *Food Chemistry*, 221: 1451-1457.
- Syahrul, S., Syarief, R., Hermanianto, J., dan Nurtama, B. (2017). The optimization of frying process of tumpi-tumpi from milkfish used response surface methodology. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20(3): 432-445.
- Tajik, N., Tajik, M., Mack, I. dan Enck, P. (2017). The potential effects of chlorogenic acid, the main phenolic components in coffee, on health: a comprehensive review of the literature. *European Journal of Nutrition*, 56(7): 2215-2244.
- Talha, M. (2012). Analysis of stevioside in stevia rebaudiana. *Journal of Medicinal Plants Research*, 6(1): 2216-2219.
- Tarigan, E.B., Pranowo, D. dan Iflah, T. (2015). Tingkat kesukaan konsumen terhadap kopi campuran robusta dengan arabika. *Jurnal Teknologi dan Industri Pertanian Indonesia*, 7(1): 12-17.
- Taufik, Y., dan Widiantara, T. (2018). Optimalisasi formulasi minuman jelly lidah buaya (aloe vera l.) dan daun black mulberry (*Morus nigra* L.) menggunakan

design expert metode mixture d-optimal. *Pasundan Food Technology Journal (PFTJ)*, 4(3): 176-181.

- Trang, V.T.N., Trang, L.T.H., Hiep, H.P., Thuong, S.D., Thuy, V.T.T. dan Mau, C.H. (2018). Overexpression of the Glycine max Chalcone Isomerase (GmCHI) gene in transgenic *Talinum Paniculatum* plants. *Turkish Journal of Botany* 42(5): 551-558.
- Tulini, F.L., Souza, V.B. Echalar-Barrientos, M.A. Thomazini, M. Pallone, E.M.J.A. dan Favaro-Trindade, C.S. (2016). Development of solid lipid microparticles loaded with a proanthocyanidinrich cinnamon extract (*Cinnamomum zeylanicum*): Potential for increasing antioxidant content in functional foods for diabetic population. *Food Research International*, 85(1): 10-18.
- Tupamahu, Y.M. (2014). Analisis usaha pengolahan kopi jahe instan di ternate. *Agrikan: Jurnal Agribisnis Perikanan*, 7(2): 68-74.
- Untea, A., Lupu, A., Saracila, M. dan Panaite, T. (2018). Comparison of ABTS, DPPH, phosphomolybdenum assays for estimating antioxidant activity and phenolic compounds in five different plant extracts. *Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca. Animal Science and Biotechnologies*, 75(2): 110-114.
- Utami, R., Khasanah, L.U., Yunitier, K.K. dan Manuhara, G.J. (2017). Pengaruh oleoresin daun kayu manis (*Cinnamomum burmanii*) dua tahap terhadap karakteristik edible film tapioka. *Caraka Tani Journal of Sustainable Agriculture*, 32(1):55-67.
- Varastegani, B., Lubowa, M., Teixeira, J.A. dan Easa, A.M. (2019). Storage stability of spray dried *Nigella sativa* (*Ranunculaceae* family) instant beverage powder: effect of carrier agents on the physicochemical, phenolic compounds and antioxidant properties.
- Vinson, J.A., Chen, X., dan Garver, D.D. (2019). Determination of total chlorogenic acids in commercial kopi hijau extracts. *Journal of Medicinal Food*, 22(3): 314-320.
- Wafaa, K.G., Azza, A.O., dan El-Ola, M.M.Z. (2016). Production of natural drinks sweeten with stevia. *AFS-ADVANCES IN FOOD SCIENCES*, 93.
- Wahyuningrum, R., Utami, P.I., Dhiani, B.A., Kumalasari, M., dan Kusumawardani, R.S. (2016). Screening of potential free radicals scavenger and antibacterial activities of purwoceng (*Pimpinella alpina* Mol). *Tropical Life Sciences Research*, 27: 161.
- Wahyuningsih, N., Suhartatik, N., dan Mustofa, A. (2018). Aktivitas antioksidan herbs infused water dengan variasi lama perendaman dan varietas jahe

(*Zingiber officinale*) emprit, gajah, dan merah. *Prosiding Seminar Nasional Fakultas Pertanian*, 1(1).

- Wang, X., del Mar Contreras, M., Xu, D., Jia, W., Wang, L., dan Yang, D. (2021). New insights into free and bound phenolic compounds as antioxidant cluster in tea seed oil: distribution and contribution. *LWT*, 136(1): 1-11.
- Wasia, N.H., Sudarma, I.M., Savalas, L.R.T. dan Hakim, A., (2017). Isolasi senyawa sinamaldehyd dari batang kayu manis (*Cinnamomum burmanii*) dengan metode kromatografi kolom. *Jurnal Pijar Mipa*, 12(2): 91-94.
- Widodo, P. 2019. Persebaran purwoceng (*Pimpinella Pruatjan Molkenb.*) masa lalu dan masa kini. *Prosiding*, 8(1): 14-15.
- Widyaningsih, T.D., Novita, W., Nur, I.P.N. (2017). *Pangan Fungsional: Aspek Kesehatan, Evaluasi, dan Regulasi*. UB Press. Malang.
- Widyotomo, S., Mulato, S., Purwadaria, H.K. dan Syarief, A.M. (2009). Decaffeination process characteristic of Robusta coffee in single column reactor using ethyl acetate solvent. *Pelita Perkebunan (a Coffee and Cocoa Research Journal)*, 25(2).
- Wijayanti, S.D., Fibrianto, K. and Reri, P.Y.D., (2016). Pengaruh perbedaan stimulus haptic terhadap persepsi kekentalan secara oral pada kopi instan panas dan dingin. *Jurnal Teknologi Pangan*, 9(2).
- Wildman, R.E. 2016. *Handbook of Nutraceuticals and Functional Foods*. CRC press.
- Wongsa, P., Khampa, N., Horadee, S., Chaiwarith, J., dan Rattanapanone, N. (2019). Quality and bioactive compounds of blends of arabica and robusta spray-dried coffee. *Food chemistry*, 283: 579-587.
- Wu, H.Y. Yang, K.M. dan Chiang, P.Y. (2018). Roselle anthocyanins: antioxidant properties and stability to heat and ph. *Molecules* 23(6): 1-13.
- Yamlean, P. (2020). *Buku Ajar Farmasetika*. Lakeshi. Klaten.
- Yulianto, R.R. dan Widyaningsih, T.D., (2013). formulasi produk minuman herbal berbasis cincau hitam (*Mesona Palustris*), jahe (*Zingiber Officinale*), dan Kayu Manis (*Cinnamomum burmanii*). *Jurnal Pangan Dan Agroindustri*, 1(1): 65-77.
- Yuliawaty, S.T., dan Susanto, W.H. 2015. Effect of drying time and concentration of maltodextrin of the physical chemical and organoleptic characteristic of instant drink noni leaf (*Morinda citrifolia* L.). *Jurnal Pangan dan Agroindustri*, 3(1): 41-52.



UNIVERSITAS
GADJAH MADA

**OPTIMASI FORMULA MINUMAN FUNGSIONAL BERBASIS EKSTRAK KOPI HIJAU, EKSTRAK
SIMPLISIA TERPILIH, DAN
PEMANIS STEVIA**

FASYA FAUZIAH S B N, Dr. Jumeri Mangun Wikarta, S.T.P., M.Si. ; Dr. Mirwan Ushada, S.T.P., M.App.Life.Sc.
Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhao, D., Xu, J. dan Xu, X. (2018). Bioactivity of fucoidan extracted from *Laminaria japonica* using a novel procedure with high yield. *Food Chemistry*, 245: 911-918.