

DAFTAR PUSTAKA

- Adewoyin, A.S., Adeyemi, O., Davies, N.O. & Ogbenna, A.A. 2019. Erythrocyte Morphology and Its Disorders. *IntechOpen*: 1–8.
- Adewoyin, A.S. & Nwogoh, B. 2014. Peripheral blood film - a review. *Ann Ibd. Pg. Med*, 12(2): 71–79.
<http://www.ncbi.nlm.nih.gov/pubmed/25960697><http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC4415389>.
- Bahr, T.M., Judkins, A.J., Christensen, R.D., Baer, V.L., Henry, E., Minton, S.D., Gerday, E. & Bennett, S.T. 2019. Neonates with suspected microangiopathic disorders: performance of standard manual schistocyte enumeration vs. the automated fragmented red cell count. *J.of Perinatol*, 39(11): 1555–1561.
<http://dx.doi.org/10.1038/s41372-019-0482-y>.
- Bain, B.J. 2006. *Blood Cells A Practical Guide*. 4th ed. UK: Blackwell Publishing Ltd.
- Bain, B.J., Bates, I., Laffan, M.A. & Lewis, S.M. 2011. *Dacie and Lewis Practical Haematology*. 11th ed. M. Houston, N. Clansey, & K. Lowson, eds. UK: Elsevier Ltd.
- Banno, S., Ito, Y., Hori, T. & Mizokami, M. 2005. Quantification of red blood cell fragmentation by the automated hematology analyzer XE-2100 in patients with living donor liver transplantation. *Clin. Lab. Haem*, 27(1995): 292–296.
- Bhargava, P., Etzell, J. & Finn, W. 2018. Erythrocytes. In E. Glassy, ed. *Color Atlas of Hematology*. USA: College of American Pathologist: 50–51.
- Bland, J.M. & Altman, D.G. 1986. Statistical Methods for Assessing Agreement Between Two methods of Clinical Measurement. *The Lancet*, 1(8476): 307–10.
- Briggs, C. 2012. Evaluation of Hematology Analyzers. In K. K. Marchant & B. H. Davis, eds. *Laboratory Hematology Practice*. UK: Blackwell Publishing Ltd: 96–102.
- Briggs, C. & Bain, B.J. 2017. Basic Hematological techniques. In B. J. Bain, I. Bates, & M. A. Laffan, eds. *Dacie and Lewis Practical Haematology*. London: Elsevier Ltd: 24–56.
- Brooks, C., Burke, S.P. & Persaud, G. 2001. Benchmarks and the accuracy of GARCH model estimation. *Int. J.Forecast*, 17(1): 45–56.
- Bull, B.S. & Kuhn, I.N. 1970. The Production of Schistocyte by Fibrin Strands (a Scanning Electron Microscope Study). *Blood Research*, 35(1): 145–170.
- Chalvatzi, Kyriaki, Spiroglou, S., Nikolaidou, A. & Diza, E. 2013. Evaluation of fragmented red cell (FRC) counting using Sysmex XE-5000 - Does hypochromia play a role? *Int J Lab Hem*, 35(2): 193–199.
- Chalvatzi, K., Spiroglou, S., Nikolaidou, A. & Diza, E. 2013. Evaluation of fragmented red cell (FRC) counting using Sysmex XE-5000 - Does hypochromia play a role? *International Journal of Laboratory Hematology*, 35(2): 193–199.
- Davis, B.H. & Barnes, P.W. 2012. Automated Cell Analysis: Principles. In K. K. Marchant, ed. *Laboratory Hematology Practice*. USA: Blackwell Publishing Ltd: 26–32.

- Giavarina, D. 2015. Understanding Bland Altman analysis. *Biochem Med*, 25(2): 141–151.
- Hall, J.E. 2018. *Buku Ajar Fisiologi Kedokteran*. 13th ed. Singapore: Elsevier Ltd.
- Hantaweeant, C., Sasijareonrat, N., Chutvanichkul, B., Karaketklang, K. & Chinthammitr, Y. 2020. Comparison between optical microscopy and the Sysmex XN-3000 for schistocyte determination in patients suspected of having schistocytosis. *Health Sci Rep.*, 3(1): 1–8.
- Jiang, M., Saigo, K., Kumagai, S., Imoto, S., Kosaka, Y., Matsumoto, H. & Fujimoto, K. 2001. Quantification of red blood cell fragmentation by automated haematology analyser XE-2100. *Clin Lab Haem.*, 23(3): 167–172.
- Johnston, A., Bourner, G., Martin, T., McFarlane, A., Good, D., Padmore, R., Raby, A. & Aslan, B. 2019. Guidance for quality control practices and precision goals for CBCs based on IQMH patterns-of-practice survey. *Int. J. of Lab. Hematol*, 41(1): 15–22.
- Kementerian Kesehatan RI. 2018. *Profil Kesehatan Indonesia Tahun 2017*. Jakarta: Pusdatin Kemenkes RI.
- Keohane, E.M., Smith, L.J. & Walenga, J.M. 2016. *Rodak's Hematology Clinical Principle and Application*. 5th ed. St. Louis: Elsevier Inc.
- Khodaiji, S. 2019. Newer CBC Parameters of Clinical Significance R. Saxena & H. P. Pati, eds. *Hematopathology*: 3–25. https://doi.org/10.1007/978-981-13-7713-6_1%0A3 20 September 2020.
- Kiswari, R. 2014. *Hematologi dan Transfusi*. Cetakan 1. Jakarta: Erlangga.
- Koo, T.K. & Li, M.Y. 2016. A Guideline of Selecting and Reporting Intraclass Correlation Coefficients for Reliability Research. *J of Chiropract Med*, 15(2): 155–163. <http://dx.doi.org/10.1016/j.jcm.2016.02.012>.
- Lesesve, J., Asnafi, V., Braun, F. & Zini, G. 2012. Fragmented red blood cells automated measurement is a useful parameter to exclude schistocytes on the blood film. : 566–576.
- Lesesve, J., Speyer, E. & Perol, J. 2015. Fragmented red cells reference range for the Sysmex XN -series of automated blood cell counters. *Int J Lab Haematol*, 37: 583–587.
- Lesesve, J.F., El Adssi, H., Watine, J., Oosterhuis, W. & Régnier, F. 2013. Evaluation of ICSH schistocyte measurement guidelines in France. *International Journal of Laboratory Hematology*, 35(6): 601–607.
- Lesesve, J.F., Asnafi, V., Braun, F. & Zini, G. 2012. Fragmented red blood cells automated measurement is a useful parameter to exclude schistocytes on the blood film. *Int. Jnl. Lab. Hem.*, 34(6): 566–576.
- Lesesve, J.F., Martin, M., Banasiak, C., André-Kerneis, E., Bardet, V., Lusina, D., Kharbach, A., Geneviève, F. & Lecompte, T. 2014. Schistocytes in disseminated intravascular coagulation. *Int. Jnl. Lab. Hem.*, 36(4): 439–443.
- Longanbach, S., Chapman, D., Waldron, K. & Miers, M. 2007. Automated Cell Counting Instrumentation and Point of Care Testing. In B. Rodak, G. Fritsma, & K. Doig, eds. *Hematology Clinical Principles and Applications*. USA: Elsevier: 541–545.

- Longanbach, S., Chapman, D.H. & Miers, M.K. 2012. Automated Cell-Counting Instrumentation. In B. F. Rodak, G. A. Fritsma, & E. Keohane, eds. *Hematology: Clinical principles and applications*. St. Louis: Elsevier Ltd: 598–625.
- Lu, M.J., Zhong, W.H., Liu, Y.X., Miao, H.Z., Li, Y.C. & Ji, M.H. 2016. Sample Size for Assessing Agreement between Two Methods of Measurement by Bland-Altman Method. *International Journal of Biostatistics*, 12(2): 1–8.
- Magari, R.T. 2002. Statistics for laboratory method comparison studies. *BioPharm*, 15(1): 28–32.
- Matsushita, H., Tanaka, Y. & Hayato, M. 2012. *XN-Series Automated Hematology Analyzer*. Tokyo.
- Medcalc Ltd. 2021a. Passing Bablok regression. <https://www.medcalc.org/manual/passing-bablok-regression.php>.
- Medcalc Ltd. 2021b. Sample size calculation: Bland Altman plot. <https://www.medcalc.org/manual/sample-size-bland-altman.php>.
- Medcalc Ltd. 2021c. Sample size for Bland Altman plot Calculators. <https://www.scistat.com/samplesize/samplesize.php?id=11>.
- Miwa, S. 1998. *Atlas of Blood Cells*. 1st ed. Tokyo: Bunkodo Co., Ltd.
- Nadhira, M., Puspitasari, R.L., Moegni, K.F., Rosadi, I. & Rosliana, I. 2018. Profil Peripheral Blood Mononuclear Cells (PBMC) Pasien dengan Berbagai Usia Menggunakan Flow Cytometry di Klinik Hayandra. *J. Al-AZHAR Indones. Seri SAINS dan Teknol.*, 4(4): 208.
- Palmer, L., Briggs, C., Mcfadden, S., Zini, G., Burthem, J., Rozenberg, G., Proytcheva, M. & Machin, S.J. 2015. ICSH recommendations for the standardization of nomenclature and grading of peripheral blood cell morphological features. *Int J Lab Hem*, 37(3): 287–303.
- Passing, H. & Bablok, W. 2009. A New Biometrical Procedure for Testing the Equality of Measurements from Two Different Analytical Methods. Application of linear regression procedures for method comparison studies in Clinical Chemistry, Part I. *Clinical Chemistry and Laboratory Medicine*, 21(11): 709–720.
- Perkins, S.L., Agarwal, A.M., Bhargava, P., Bradley, K.T., Fedoriw, Y.D. & Hsi, E.D. 2017. *Hematology and Clinical Microscopy Glossary*. 23rd ed. The College of American Pathologist, ed. St. Louis: Elsevier.
- Raharjo, S. 2017. Analisis Korelasi Rank Spearman. *SPSS Indonesia*. <https://www.spssindonesia.com/2017/04/analisis-korelasi-rank-spearman.html>.
- Rodak, B.F. & Carr, J.H. 2013. *Clinical Hematology Atlas*. 4th ed. St. Louis: Elsevier.
- Rodak, B.F., Fritsma, G.A. & Keohane, E.M. 2007. *Hematology Clinical Principles and Application*. Third edit. Philadelphia: Elsevier Health Sciences.
- Sacher, R.A. & McPherson, R.A. 2004. *Tinjauan Klinis Hasil Laboratorium*. 11th ed. Jakarta: Penerbit Buku Kedokteran EGC.

- Schapkaitz, E. & Mezgebe, M.H. 2017. The Clinical Significance of Schistocytes : A Prospective Evaluation of the International Council for Standardization in Hematology Schistocyte Guidelines Kılavuzlarının Prospektif Bir Değerlendirmesi. *Turk J Hematol* 2017, 34(1): 59–63.
- Simson, E. 2012. Historical Perspective on Cellular Analysis. In K. K. Marchant & B. H. Davis, eds. *Laboratory Hematology Practice*. UK: Blackwell Publishing Ltd: 3–9.
- Suri, M. 2018. Disseminated intravascular coagulation. , 16(3): 151–161. <http://www.fastbleep.com/medical-notes/other/15/32/508> 8 September 2020.
- Suryani, E., Wiharto, W. & Wahyudiani, K.N. 2016. Identifikasi Anemia Thalasemia Beta (?) Mayor Berdasarkan Morfologi Sel Darah Merah. *Scientific Journal of Informatics*, 2(1): 15–27.
- Sysmex Corporation. 2008. Flagging Interpretation Guide. : 3–11.
- Tefferi, A. & Elliott, M.A. 2004. Schistocytes on the peripheral blood smear. *Mayo Clinic Proceedings*, 79(6): 809.
- Urrechaga, E. 2008. Discriminant value of % microcytic/% hypochromic ratio in the differential diagnosis of microcytic anemia. *Clinical Chemistry and Laboratory Medicine*, 46(12): 1752–1758.
- Vis, J.Y. & Huisman, A. 2016. Verification and quality control of routine hematology analyzers. *Int. J. of Lab. Hematol*, 38: 100–109.
- Wahid, A.A. 2013. Hematology Analyzer. In R. Mengko, ed. *Instrumentasi Laboratorium Klinik*. Bandung: Penerbit ITB: 11–26.
- Yip, R., Mohandas, N., Clark, M., Jain, S., Shohet, S. & Dallman, P. 1983. Red cell membrane stiffness in iron deficiency. *American Society of Hematology*, 62: 99–106.
- Yturralde, E.M., Bulseco-Damian, K. & Geraldino, N. 2020. Comparison of Digital Image Analysis and Conventional Microscopy in Evaluating Erythrocyte Morphology in Peripheral Blood Smears. *Philippine Journal of Pathology*, 5(1): 10–18.
- Zini, Onofrio, G.D., Briggs, C., Erber, W., Jou, J.M., Lee, S.H. & Mcfadden, S. 2012. ICSH recommendations for identification , diagnostic value , and quantitation of schistocytes. *Int J Haematol Oncol*, 34: 107–116.