



## DAFTAR PUSTAKA

- Alli, N., Vaughan, J., & Patel, M. (2017). Anaemia: Approach to diagnosis. *South African Medical Journal*, 107(1), 23–27. <https://doi.org/10.7196/SAMJ.2017.v107i1.12148>
- An, X., Schulz, V. P., Li, J., Wu, K., Liu, J., Xue, F., Hu, J., Mohandas, N., & Gallagher, P. G. (2014). Global transcriptome analyses of human and murine terminal erythroid differentiation. *Blood*, 123(22), 3466–3477. <https://doi.org/10.1182/blood-2014-01-548305>
- Anderson, S. A., Nizzi, C. P., Chang, Y. I., Deck, K. M., Schmidt, P. J., Galy, B., Damnernsawad, A., Broman, A. T., Kendzierski, C., Hentze, M. W., Fleming, M. D., Zhang, J., & Eisenstein, R. S. (2013). The IRP1-HIF-2 $\alpha$  axis coordinates iron and oxygen sensing with erythropoiesis and iron absorption. In *Cell Metabolism* (Vol. 17, Issue 2, pp. 282–290). <https://doi.org/10.1016/j.cmet.2013.01.007>
- Andriastuti, M., Adiwijaya, M., & Satari, H. I. (2019). Diagnosis of iron deficiency and iron deficiency anemia with reticulocyte hemoglobin content among children aged 6–18 years. *Iranian Journal of Blood and Cancer*, 11(4), 127–132.
- Arosio, P., Elia, L., & Poli, M. (2017). Ferritin, cellular iron storage and regulation. *IUBMB Life*, 69(6), 414–422. <https://doi.org/10.1002/iub.1621>
- Auerbach, M., & Adamson, J. W. (2016). How we diagnose and treat iron deficiency anemia. *American Journal of Hematology*, 91(1), 31–38. <https://doi.org/10.1002/ajh.24201>
- Bager, P. (2014). Fatigue and acute/chronic anaemia. *Danish Medical Journal*, 61(4), B4824.
- Banfi, G., Mauri, C., Morelli, B., Di Gaetano, N., Malgeri, U., & Melegati, G. (2006). Reticulocyte count, mean reticulocyte volume, immature reticulocyte fraction, and mean spheroid cell volume in elite athletes: Reference values and comparison with the general population. *Clinical Chemistry and Laboratory Medicine*, 44(5), 616–622. <https://doi.org/10.1515/CCLM.2006.094>
- Beck, E. (2012). Essentials in Human Nutrition. 4th edition edited by MannJ and TruswellS (eds). Oxford University Press, Oxford, 2012, 640 pages (paperback), \$76.95, ISBN-10: 0199566348. *Nutrition & Dietetics*, 69(4), 316–316. <https://doi.org/10.1111/1747-0080.12001>
- Bjorn Rasmussen, E., Hallberg, L., Isaksson, B., & Arvidsson, B. (1974). Food iron absorption in man. Applications of the two pool extrinsic tag method to measure heme and nonheme iron absorption from the whole diet. *Journal of Clinical Investigation*, 53(1), 247–255. <https://doi.org/10.1172/JCI107545>
- Brugnara, C. (2006). Reticulocyte hemoglobin equivalent (Ret He) and assessment of iron-deficient states. *Clinical and Laboratory Haematology*, 28(5), 303–308. <https://doi.org/10.1111/j.1365-2257.2006.00812.x>
- Brugnara, Carlo, Zurkowski, D., Dicanzio, J., & Boyd, T. (1996). *Reticulocyte Hemoglobin to Diagnose Iron Deficiency in Children*. 281(23), 2225–2230.
- Buttarello, M., Pajola, R., Novello, E., Mezzapelle, G., & Plebani, M. (2016).



Evaluation of the hypochromic erythrocyte and reticulocyte hemoglobin content provided by the Sysmex XE-5000 analyzer in diagnosis of iron deficiency erythropoiesis. *Clinical Chemistry and Laboratory Medicine*, 54(12), 1939–1945. <https://doi.org/10.1515/cclm-2016-0041>

Buttarello, M., Temporin, V., Ceravolo, R., Farina, G., & Bulian, P. (2004). The New Reticulocyte Parameter (RET-Y) of the Sysmex XE 2100: Its Use in the Diagnosis and Monitoring of Posttreatment Sideropenic Anemia. *American Journal of Clinical Pathology*, 121(4), 489–495. <https://doi.org/10.1309/W65295DTUWK7U1HH>

Cacoub, P., Vandewalle, C., & Peoc, K. (2019). Using transferrin saturation as a diagnostic criterion for iron deficiency : A systematic review. *Critical Reviews in Clinical Laboratory Sciences*, 0(0), 1–7. <https://doi.org/10.1080/10408363.2019.1653820>

Camaschella, C. (2017). New insights into iron deficiency and iron deficiency anemia. *Blood Reviews*, 31(4), 225–233. <https://doi.org/10.1016/j.blre.2017.02.004>

Camaschella, C. (2019). Iron deficiency. *Blood*, 133(1), 30–39. <https://doi.org/10.1182/blood-2018-05-815944>

Chang, C. C., & Kass, L. (1997). Clinical significance of immature reticulocyte fraction determined by automated reticulocyte counting. *American Journal of Clinical Pathology*, 108(1), 69–73. <https://doi.org/10.1093/ajcp/108.1.69>

Chang, M. K., Raggatt, L.-J., Alexander, K. A., Kuliwaba, J. S., Fazzalari, N. L., Schroder, K., Maylin, E. R., Ripoll, V. M., Hume, D. A., & Pettit, A. R. (2008). Osteal Tissue Macrophages Are Intercalated throughout Human and Mouse Bone Lining Tissues and Regulate Osteoblast Function In Vitro and In Vivo. *The Journal of Immunology*, 181(2), 1232–1244. <https://doi.org/10.4049/jimmunol.181.2.1232>

Cheng, H. L., Bryant, C., Cook, R., O'Connor, H., Rooney, K., & Steinbeck, K. (2012). The relationship between obesity and hypoferraemia in adults: A systematic review. *Obesity Reviews*, 13(2), 150–161. <https://doi.org/10.1111/j.1467-789X.2011.00938.x>

Chevion, M. (1988). A site-specific mechanism for free radical induced biological damage: The essential role of redox-active transition metals. *Free Radical Biology and Medicine*, 5(1), 27–37. [https://doi.org/10.1016/0891-5849\(88\)90059-7](https://doi.org/10.1016/0891-5849(88)90059-7)

Chinudomwong, P., Binyasing, A., Trongsakul, R., & Paisooksantivatana, K. (2020). Diagnostic performance of reticulocyte hemoglobin equivalent in assessing the iron status. *Journal of Clinical Laboratory Analysis*, 34(6), 1–7. <https://doi.org/10.1002/jcla.23225>

Chow, A., Huggins, M., Ahmed, J., Hashimoto, D., Lucas, D., Kunisaki, Y., Pinho, S., Leboeuf, M., Noizat, C., Van Rooijen, N., Tanaka, M., Zhao, Z. J., Bergman, A., Merad, M., & Frenette, P. S. (2013). CD169 + macrophages provide a niche promoting erythropoiesis under homeostasis and stress. In *Nature Medicine* (Vol. 19, Issue 4, pp. 429–436). <https://doi.org/10.1038/nm.3057>

Chung, M., Chan, J. A., Moorthy, D., Hadar, N., Raticek, S. J., Concannon, T. W.,



- & Lau, J. (2012). Biomarkers for Assessing and Managing Iron Deficiency Anemia in Late-Stage Chronic Kidney Disease: Future Research Need. *Future Research Needs Paper*, 33(83).
- Coad, J., & Pedley, K. (2014). Iron deficiency and iron deficiency anemia in women. *Scandinavian Journal of Clinical and Laboratory Investigation*, 74(SUPPL. 244), 82–89. <https://doi.org/10.3109/00365513.2014.936694>
- Cobas, R. (2011). *Iron Gen.2*. 2–4.
- Cogswell, M. E., Looker, A. C., Pfeiffer, C. M., Cook, J. D., Lacher, D. A., Beard, J. L., Lynch, S. R., & Grummer-Strawn, L. M. (2009). Assessment of iron deficiency in US preschool children and nonpregnant females of childbearing age: National Health and Nutrition Examination Survey 2003–2006. *American Journal of Clinical Nutrition*, 89(5), 1334–1342. <https://doi.org/10.3945/ajcn.2008.27151>
- Crielaard, B. J., Lammers, T., & Rivella, S. (2017). Targeting iron metabolism in drug discovery and delivery. *Nature Reviews Drug Discovery*, 16(6), 400–423. <https://doi.org/10.1038/nrd.2016.248>
- Davis, B. H., Ornvold, K., & Bigelow, N. C. (1995). Flow cytometric reticulocyte maturity index: A useful laboratory parameter of erythropoietic activity in anemia. *Cytometry*, 22(1), 35–39. <https://doi.org/10.1002/cyto.990220107>
- Davis, Bigelow, N. C., Koepke, J. A., Borowitz, M. J., Houwen, B., Jacobberger, J. W., Pierre, R. V., Corash, L., Ault, K. A., & Batjer, J. D. (1994). Flow cytometric reticulocyte analysis: Multiinstitutional interlaboratory correlation study. *American Journal of Clinical Pathology*, 102(4), 468–477. <https://doi.org/10.1093/ajcp/102.4.468>
- Delforge, M., Selleslag, D., Triffet, A., Mineur, P., Bries, G., Graux, C., Trullemans, F., MacDonald, K., Abraham, I., Pluymers, W., & Ravoet, C. (2011). Iron status and treatment modalities in transfusion-dependent patients with myelodysplastic syndromes. *Annals of Hematology*, 90(6), 655–666. <https://doi.org/10.1007/s00277-011-1164-9>
- Dev, S., & Babitt, J. L. (2017). Overview of iron metabolism in health and disease. *Hemodialysis International*, 21, S6–S20. <https://doi.org/10.1111/hdi.12542>
- Eren, H. (2005). Calibration Process. *Handbook of Measuring System Design*, March 2005. <https://doi.org/10.1002/0471497398.mm999>
- Evstatiev, R., & Gasche, C. (2012). Iron sensing and signalling. *Gut*, 61(6), 933–952. <https://doi.org/10.1136/gut.2010.214312>
- Faruqi, A., & Mukkamalla, S. K. R. (2020). *Iron Binding Capacity*. <https://www.ncbi.nlm.nih.gov/books/NBK559119/>
- Fernandez-Jimenez, M. C., Moreno, G., Wright, I., Shih, P.-C., Vaquero, M. P., & Remacha, A. F. (2020). Iron Deficiency in Menstruating Adult Women: Much More than Anemia. *Women's Health Reports*, 1(1), 26–35. <https://doi.org/10.1089/whr.2019.0011>
- Ferrari, M., Mistura, L., Patterson, E., Sjöström, M., Díaz, L. E., Stehle, P., Gonzalez-Gross, M., Kersting, M., Widhalm, K., Molnár, D., Gottrand, F., De Henauw, S., Manios, Y., Kafatos, A., Moreno, L. A., & Leclercq, C. (2011). Evaluation of iron status in European adolescents through biochemical iron indicators: The HELENA Study. *European Journal of Clinical Nutrition*,



- 65(3), 340–349. <https://doi.org/10.1038/ejcn.2010.279>
- Finch, C. (1994). *Regulators of Iron Balance in Humans*. 84(6), 1697–1702. <https://doi.org/10.1111/j.1552-6909.1978.tb00910.x>
- Ganz, T. (2013). Systemic iron homeostasis. *Physiological Reviews*, 93(4), 1721–1741. <https://doi.org/10.1152/physrev.00008.2013>
- Geissler, C., & Singh, M. (2011). Iron, meat and health. *Nutrients*, 3(3), 283–316. <https://doi.org/10.3390/nu3030283>
- Gifford, S. C., Derganc, J., Shevkoplyas, S. S., Yoshida, T., & Bitensky, M. W. (2006). A detailed study of time-dependent changes in human red blood cells: From reticulocyte maturation to erythrocyte senescence. *British Journal of Haematology*, 135(3), 395–404. <https://doi.org/10.1111/j.1365-2141.2006.06279.x>
- Gkouvatsos, K. (2012). Regulation of iron transport and the role of transferrin. *Biochimica et Biophysica Acta - General Subjects*, 1820(3), 188–202. <https://doi.org/10.1016/j.bbagen.2011.10.013>
- Gregory, C. J., & Eaves, A. C. (1977). Human marrow cells capable of erythropoietic differentiation in vitro: definition of three erythroid colony responses. 49(6), 855.
- Hallberg, L., Hogdahl, A., Nilsson, L., & Rybo, G. (1966). *Menstrual Blood Loss-a. 1945*.
- Harms, K., & Kaiser, T. (2015). Beyond soluble transferrin receptor: Old challenges and new horizons. In *Best Practice and Research: Clinical Endocrinology and Metabolism* (Vol. 29, Issue 5, pp. 799–810). Bailliere Tindall Ltd. <https://doi.org/10.1016/j.beem.2015.09.003>
- Harrison, P. M., & Arosio, P. (1996). The ferritins: Molecular properties, iron storage function and cellular regulation. *Biochimica et Biophysica Acta - Bioenergetics*, 1275(3), 161–203. [https://doi.org/10.1016/0005-2728\(96\)00022-9](https://doi.org/10.1016/0005-2728(96)00022-9)
- Harvey, L. J., Armah, C. N., Dainty, J. R., Foxall, R. J., Lewis, D. J., Langford, N. J., & Fairweather-Tait, S. J. (2005). Impact of menstrual blood loss and diet on iron deficiency among women in the UK. *British Journal of Nutrition*, 94(4), 557–564. <https://doi.org/10.1079/bjn20051493>
- Hashimoto, D., Chow, A., Noizat, C., Teo, P., Beth, M., Leboeuf, M., Becker, C. D., See, P., Price, J., Lucas, D., Greter, M., Mortha, A., Boyer, S. W., & Camilla, E. (2013). Tissue resident macrophages self-maintain locally. *Immunity*, 38(4), 792–804. <https://doi.org/10.1016/j.immuni.2013.04.004>
- Heideveld, E., & van den Akker, E. (2017). Digesting the role of bone marrow macrophages on hematopoiesis. *Immunobiology*, 222(6), 814–822. <https://doi.org/10.1016/j.imbio.2016.11.007>
- Hillman, R. S. (1969). Characteristics of marrow production and reticulocyte maturation in normal man in response to anemia. *The Journal of Clinical Investigation*, 48(3), 443–453. <https://doi.org/10.1172/JCI106001>
- Jakobsen, T. H., Hansen, M. A., Jensen, P. Ø., Hansen, L., Riber, L., Cockburn, A., Kolpen, M., Rønne Hansen, C., Ridderberg, W., Eickhardt, S., Hansen, M., Kerpedjiev, P., Alhede, M., Qvortrup, K., Burmølle, M., Moser, C., Kühl, M.,



- Ciofu, O., Givskov, M., ... Bjarnsholt, T. (2013). Complete Genome Sequence of the Cystic Fibrosis Pathogen *Achromobacter xylosoxidans* NH44784-1996 Complies with Important Pathogenic Phenotypes. *PLoS ONE*, 8(7), 8–11. <https://doi.org/10.1371/journal.pone.0068484>
- Karlsson, T. (2011). Comparative evaluation of the reticulocyte hemoglobin content assay when screening for iron deficiency in elderly anemic patients. *Anemia*, 2011. <https://doi.org/10.1155/2011/925907>
- Kassebaum, N. J., Jasrasaria, R., Naghavi, M., Wulf, S. K., Johns, N., Lozano, R., Regan, M., Weatherall, D., Chou, D. P., Eisele, T. P., Flaxman, S. R., Pullan, R. L., Brooker, S. J., & Murray, C. J. L. (2015). Plenary Paper RED CELLS , IRON , AND ERYTHROPOIESIS A systematic analysis of global anemia burden from 1990 to 2010. *Blood Journal*, 123(5), 615–625. <https://doi.org/10.1182/blood-2013-06-508325>.The
- Khan, N., Altaf, C., Malik, H. S., Sajjad, Z., Khurshid, A., & Khadim, M. T. (2019). *Diagnostic Accuracy of Reticulocyte Haemoglobin Equivalent (RET-He) in Detecting Iron Deficiency Anaemia Keeping Serum Ferritin as Gold Standart*. 69(5), 1010–1014.
- Kiudeliene, R., Griniute, R., & Labanauskas, L. (2008). Prognostic value of reticulocyte hemoglobin content to diagnose iron deficiency in 6-24-month-old children. *Medicina*, 44(9), 673–677. <https://doi.org/10.3390/medicina44090086>
- Koury, M. J., Koury, S. T., Kopsombut, P., & Bondurant, M. C. (2005). In vitro maturation of nascent reticulocytes to erythrocytes. *Blood*, 105(5), 2168–2174. <https://doi.org/10.1182/blood-2004-02-0616>
- Lam, L. F., & Lawlis, T. R. (2017). Feeding the brain – The effects of micronutrient interventions on cognitive performance among school-aged children: A systematic review of randomized controlled trials. *Clinical Nutrition*, 36(4), 1007–1014. <https://doi.org/10.1016/j.clnu.2016.06.013>
- Leimberg, M. J., Prus, E., Konijn, A. M., & Fibach, E. (2008). Macrophages function as a ferritin iron source for cultured human erythroid precursors. *Journal of Cellular Biochemistry*, 103(4), 1211–1218. <https://doi.org/10.1002/jcb.21499>
- Mancias, J. D., Vaites, L. P., Nissim, S., Biancur, D. E., Kim, A. J., Wang, X., Liu, Y., Goessling, W., Kimmelman, A. C., & Harper, J. W. (2015). Ferritinophagy via NCOA4 is required for erythropoiesis and is regulated by iron dependent HERC2-mediated proteolysis. *eLife*, 4(OCTOBER2015), 1–19. <https://doi.org/10.7554/eLife.10308>
- Martin, W., Russell, M. J., Horner, D., Blankenship, R., Cavalier-Smith, T., & Nisbet, E. (2003). On the origins of cells: A hypothesis for the evolutionary transitions from abiotic geochemistry to chemoautotrophic prokaryotes, and from prokaryotes to nucleated cells. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 358(1429), 59–85. <https://doi.org/10.1098/rstb.2002.1183>
- Mast, A. E., Blinder, M. A., Lu, Q., Flax, S., & Dietzen, D. J. (2011). Clinical utility of the reticulocyte hemoglobin content in the diagnosis of iron deficiency Brief report Clinical utility of the reticulocyte hemoglobin content in the diagnosis



- of iron deficiency. *Bone*, 99(4), 1489–1491.  
<https://doi.org/10.1182/blood.V99.4.1489>
- Mattiello, V., Schmugge, M., Hengartner, H., von der Weid, N., & Renella, R. (2020). Diagnosis and management of iron deficiency in children with or without anemia: consensus recommendations of the SPOG Pediatric Hematology Working Group. *European Journal of Pediatrics, MC*.  
<https://doi.org/10.1007/s00431-020-03597-5>
- McCann, J. C., & Ames, B. N. (2007). An overview of evidence for a causal relation between iron deficiency during development and deficits in cognitive or behavioral function. *American Journal of Clinical Nutrition*, 85(4), 931–945.  
<https://doi.org/10.1093/ajcn/85.4.931>
- McLean, E., Cogswell, M., Egli, I., Wojdyla, D., & De Benoist, B. (2009). Worldwide prevalence of anaemia, WHO Vitamin and Mineral Nutrition Information System, 1993–2005. *Public Health Nutrition*, 12(4), 444–454.  
<https://doi.org/10.1017/S1368980008002401>
- Mirza, F. G., Abdul-Kadir, R., Breymann, C., Fraser, I. S., & Taher, A. (2018). Impact and management of iron deficiency and iron deficiency anemia in women's health. *Expert Review of Hematology*, 11(9), 727–736.  
<https://doi.org/10.1080/17474086.2018.1502081>
- Morkis, I. V. C., Farias, M. G., & Scotti, L. (2016). Determination of reference ranges for immature platelet and reticulocyte fractions and reticulocyte hemoglobin equivalent. *Revista Brasileira de Hematologia e Hemoterapia*, 38(4), 310–313. <https://doi.org/10.1016/j.bjhh.2016.07.001>
- Muckenthaler, M. U., Galy, B., & Hentze, M. W. (2008). Systemic iron homeostasis and the iron-responsive element/iron-regulatory protein (IRE/IRP) regulatory network. *Annual Review of Nutrition*, 28, 197–213.  
<https://doi.org/10.1146/annurev.nutr.28.061807.155521>
- Musallam, K. M., & Taher, A. T. (2018). Iron deficiency beyond erythropoiesis: should we be concerned? *Current Medical Research and Opinion*, 34(1), 81–93. <https://doi.org/10.1080/03007995.2017.1394833>
- Nead, K. G., Halterman, J. S., Kaczorowski, J. M., Auinger, P., & Weitzman, M. (2004). Overweight children and adolescents: A risk group for iron deficiency. *Pediatrics*, 114(1), 104–108. <https://doi.org/10.1542/peds.114.1.104>
- Nemeth, E., Tuttle, M. S., Powelson, J., Vaughn, M. D., Donovan, A., Ward, D. M. V., Ganz, T., & Kaplan, J. (2004). Hepcidin regulates cellular iron efflux by binding to ferroportin and inducing its internalization. *Science*, 306(5704), 2090–2093. <https://doi.org/10.1126/science.1104742>
- Orkin, S. H. (2000). Diversification of haematopoietic stem cells to specific lineages. *Nature Reviews Genetics*, 1(1), 57–64.  
<https://doi.org/10.1038/35049577>
- Palis, J. (2014). Primitive and definitive erythropoiesis in mammals. *Frontiers in Physiology*, 5 JAN(January), 1–10. <https://doi.org/10.3389/fphys.2014.00003>
- Papanikolaou, G., & Pantopoulos, K. (2017). Systemic iron homeostasis and erythropoiesis. *IUBMB Life*, 69(6), 399–413. <https://doi.org/10.1002/iub.1629>
- Patel, H. H., Patel, H. R., & Higgins, J. M. (2015). Modulation of red blood cell population dynamics is a fundamental homeostatic response to disease.



- American Journal of Hematology, 90(5), 422–428.  
<https://doi.org/10.1002/ajh.23982>
- Petitcorps, H. Le, Monti, A., & Pautas, É. (2015). Anémie par carence ferrique du sujet âgé : utilisation pratique des biomarqueurs. 73(6), 639–642.  
<https://doi.org/10.1684/abc.2015.1091>
- Peyssonnaux, C., Nizet, V., & Johnson, R. S. (2008). Role of the hypoxia inducible factors in iron metabolism. Cell Cycle, 7(1), 28–32.  
<https://doi.org/10.4161/cc.7.1.5145>
- Piva, E., Brugnara, C., Spolaore, F., & Plebani, M. (2015). Clinical Utility of Reticulocyte Parameters. Clinics in Laboratory Medicine, 35(1), 133–163.  
<https://doi.org/10.1016/j.cll.2014.10.004>
- Porter, D. R., Sturrock, R. D., & Capell, H. A. (1994). The use of serum ferritin estimation in the investigation of anaemia in patients with rheumatoid arthritis. <https://pubmed.ncbi.nlm.nih.gov/8039285/>
- Potter, Y. (2013). Iron deficiency anaemia. Nursing Standard (Royal College of Nursing (Great Britain) : 1987), 27(23), 59.  
<https://doi.org/10.7748/ns2013.02.27.23.59.p10441>
- Rahayu, E. T. (2014). Peran Reticulocyte Hemoglobin Equivalent (RET-He) untuk Skrining Defisiensi Besi pada Anak Usia 6 Bulan- 5 Tahun. Sysmex.
- Rangan, A. M. (1997). Factors affecting iron status in 15-30 year old female students. In Asia Pacific Journal of Clinical Nutrition (Vol. 6, Issue 4, pp. 291–295).
- Remacha, D. A. F. (1994). Flow cytometric reticulocyte quantification in the evaluation of hematologic recover. European Journal of Haematology, 53(5), 293–297. <https://doi.org/10.1111/j.1600-0609.1994.tb01322.x>
- Rowland, T. W., Deisroth, M. B., Green, G. M., & Kelleher, J. F. (1988). The Effect of Iron Therapy on the Exercise Capacity of Nonanemic Iron-Deficient Adolescent Runners. American Journal of Diseases of Children, 142(2), 165–169. <https://doi.org/10.1001/archpedi.1988.02150020067030>
- Russel, R., Beard, J. L., Cousins, R. J., Dunn, J. T., Ferland, G., & Hambidge, K. M. (2002). Dietary reference intakes for vitamin A, vitamin K, arsenic, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium, and zinc. National Academy Press Washington DC.
- Salahudeen, A. A., Thompson, J. W., Ruiz, J. C., Ma, H. W., Kinch, L. N., Li, Q., Grishin, N. V., & Bruick, R. K. (2009). An E3 ligase possessing an iron-responsive hemerythrin domain is a regulator of iron homeostasis. Science, 326(5953), 722–726. <https://doi.org/10.1126/science.1176326>
- Schoorl, M., Schoorl, M., Van Pelt, J., & Bartels, P. C. M. (2015). Application of innovative hemocytometric parameters and algorithms for improvement of microcytic anemia discrimination. Hematology Reports, 7(2), 52–55.  
<https://doi.org/10.4081/hr.2015.5843>
- Setyawati, Dahesihdewi, A., & Winarno, A. A. (2005). Indeks produksi retikulosit pada klasifikasi anemia. Berkala Ilmu Kedokteran Vol 37, No 1.
- Setyawati, Pembantjanawati, E., & Rosita, L. (2007). Hubungan antara Indeks Produksi Retikulosit (IPR) dengan Red Blood Cell Distribution Width (RDW) pada Klasifikasi Anemia berdasarkan Defek Fungsional Correlation of



- Reticulocyte Production Index ( RPI ) and Red Blood Cell Distribution Width ( RDW ) on. *Jurnal Kedokteran Yarsi*, 16(1), 63–71.
- Shaw, G. C., Cope, J. J., Li, L., Corson, K., Hersey, C., Ackermann, G. E., Gwynn, B., Lambert, A. J., Wingert, R. A., Traver, D., Trede, N. S., Barut, B. A., Zhou, Y., Minet, E., Donovan, A., Brownlie, A., Balzan, R., Weiss, M. J., Peters, L. L., ... Paw, B. H. (2006). Mitoferrin is essential for erythroid iron assimilation. *Nature*, 440(7080), 96–100. <https://doi.org/10.1038/nature04512>
- Sheftel, A. D., Zhang, A. S., Brown, C., Shirihai, O. S., & Ponka, P. (2007). Direct interorganellar transfer of iron from endosome to mitochondrion. *Blood*, 110(1), 125–132. <https://doi.org/10.1182/blood-2007-01-068148>
- Stevens, G. A., Finucane, M. M., De-Regil, L. M., Paciorek, C. J., Flaxman, S. R., Branca, F., Peña-Rosas, J. P., Bhutta, Z. A., & Ezzati, M. (2013). Global, regional, and national trends in haemoglobin concentration and prevalence of total and severe anaemia in children and pregnant and non-pregnant women for 1995–2011: A systematic analysis of population-representative data. *The Lancet Global Health*, 1(1), 16–25. [https://doi.org/10.1016/S2214-109X\(13\)70001-9](https://doi.org/10.1016/S2214-109X(13)70001-9)
- Stoffman, N. (2005). An algorithm using reticulocyte hemoglobin content (CHr) measurement in screening adolescents for iron deficiency. *Journal of Adolescent Health*, 36(6), 1–6. <https://doi.org/10.1016/j.jadohealth.2004.09.011>
- Stoltzfus, R. J. (2003). *Iron deficiency: global prevalence and consequences*. 24(4).
- Susanne, F. (2004). Potential Utility of Ret-Y in the Diagnosis of Iron- Restricted Erythropoiesis. *Clinical Chemistry*, 50(7), 1237–1240. <https://doi.org/10.1373/clinchem.2004.031237>
- Taylor, M., Qu, A., Anderson, E. R., Matsubara, T., Martin, A., Gonzalez, F. J., & Shah, Y. M. (2011). Hypoxia-inducible factor-2 $\alpha$  mediates the adaptive increase of intestinal ferroportin during iron deficiency in mice. In *Gastroenterology* (Vol. 140, Issue 7, pp. 2044–2055). <https://doi.org/10.1053/j.gastro.2011.03.007>
- Terrier, B., Resche-Rigon, M., Andres, E., Bonnet, F., Hachulla, E., Marie, I., Rosenthal, E., & Cacoub, P. (2012). Prevalence, characteristics and prognostic significance of anemia in daily practice. *Qjm*, 105(4), 345–354. <https://doi.org/10.1093/qjmed/hcr230>
- Thomas, D. W., Hinchliffe, R. F., Briggs, C., Macdougall, I. C., Littlewood, T., & Cavill, I. (2013). Guideline for the laboratory diagnosis of functional iron deficiency. *British Journal of Haematology*, 161(5), 639–648. <https://doi.org/10.1111/bjh.12311>
- Thuret, I. (2017). Diagnostic biologique de la carence martiale chez l'enfant. *Archives de Pediatrie*, 24(5), 5S6-5S13. [https://doi.org/10.1016/S0929-693X\(17\)24003-2](https://doi.org/10.1016/S0929-693X(17)24003-2)
- Tim Riskesdas. (2018). Laporan Nasional RISKESDAS 2018.pdf. In *Badan Penelitian dan Pengembangan Kesehatan* (p. 198). [http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan\\_Nasional\\_RKD2018\\_FINAL.pdf](http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf)
- Uijterschout, L., Domellöf, M., Vloemans, J., Vos, R., Hudig, C., Bubbers, S.,



- Verbruggen, S., Veldhorst, M., De Leeuw, T., Teunisse, P. P., Van Goudoever, J. B., & Brus, F. (2014). The value of Ret-Hb and sTfR in the diagnosis of iron depletion in healthy, young children. *European Journal of Clinical Nutrition*, 68(8), 882–886. <https://doi.org/10.1038/ejcn.2014.70>
- Urrechaga, Borque, L., & Escanero, J. F. (2011). Erythrocyte and reticulocyte parameters in iron deficiency and thalassemia. *Journal of Clinical Laboratory Analysis*, 25(3), 223–228. <https://doi.org/10.1002/jcla.20462>
- Urrechaga, E. (2013). Erythrocyte and reticulocyte indices in the assessment of erythropoiesis activity and iron availability. *International Journal of Laboratory Hematology*, 35(2), 144–149. <https://doi.org/10.1111/ijlh.12013>
- Urrechaga, Eloísa, Borque, L., & Escanero, J. F. (2009). Potential utility of the new sysmex XE 5000 red blood cell extended parameters in the study of disorders of iron metabolism. *Clinical Chemistry and Laboratory Medicine*, 47(11), 1411–1416. <https://doi.org/10.1515/CCLM.2009.301>
- Urrechaga Igartua, E., Hoffmann, J. J. M. L., Izquierdo-Álvarez, S., & Escanero, J. F. (2017). Reticulocyte hemoglobin content (MChr) in the detection of iron deficiency. *Journal of Trace Elements in Medicine and Biology*, 43, 29–32. <https://doi.org/10.1016/j.jtemb.2016.11.001>
- Vázquez-López, M. A., López-Ruzafa, E., Ibáñez-Alcalde, M., Martín-González, M., Bonillo-Perales, A., & Lendínez-Molinos, F. (2019). The usefulness of reticulocyte haemoglobin content, serum transferrin receptor and the sTfR-ferritin index to identify iron deficiency in healthy children aged 1–16 years. *European Journal of Pediatrics*, 178(1), 41–49. <https://doi.org/10.1007/s00431-018-3257-0>
- Wang, C. Y., & Babitt, J. L. (2016). Hepcidin regulation in the anemia of inflammation. *Current Opinion in Hematology*, 23(3), 189–197. <https://doi.org/10.1097/MOH.0000000000000236>
- Wang, H., Mao, Y., Ju, L., Zhang, J., Liu, Z., Zhou, X., Li, Q., Wang, Y., Kim, S., & Zhang, L. (2004). Detection and monitoring of SARS coronavirus in the plasma and peripheral blood lymphocytes of patients with severe acute respiratory syndrome. *Clinical Chemistry*, 50(7), 1237–1240. <https://doi.org/10.1373/clinchem.2004.031237>
- Wang, Z., Vogel, O., Kuhn, G., Gassmann, M., & Vogel, J. (2013). Decreased stability of erythroblastic islands in integrin  $\beta$ 3-deficient mice. In *Physiological Reports* (Vol. 1, Issue 2). <https://doi.org/10.1002/phy2.18>
- World Health Organization. (2011). Prevention of iron deficiency anaemia in adolescents. *Role of Weekly Iron and Folic Acid Supplementation*, 50.
- Yanoff, L. B., Menzie, C. M., Denninger, B., Sebring, N. G., McHugh, T., Remaley, A. T., & Yanovski, J. A. (2007). Inflammation and iron deficiency in the hypoferremia of obesity. *International Journal of Obesity*, 31(9), 1412–1419. <https://doi.org/10.1038/sj.ijo.0803625>
- Yesmin, S., Sultana, T., Roy, C. K., Rahman, M. Q., & Ahmed, A. N. N. (2011). Immature reticulocyte fraction as a predictor of bone marrow recovery in children with acute lymphoblastic leukaemia on remission induction phase. *Bangladesh Medical Research Council Bulletin*, 37(2), 57–60. <https://doi.org/10.3329/bmrcb.v37i2.8435>



UNIVERSITAS  
GADJAH MADA

KORELASI INDEX ADVANCED RETICULOCYTE DENGAN FERITIN PADA REMAJA PUTRI DI  
KECAMATAN PRAMBANAN  
KABUPATEN SLEMAN

M NASRUL BASUKI, Dr. dr. Tri Ratnaningsih, M.Kes.,Sp.PK(K); Dr. dr. Teguh Triyono, M.Kes., Sp.PK(K)

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Young, I., Parker, H. M., Rangan, A., Prvan, T., Cook, R. L., Donges, C. E., Steinbeck, K. S., O'Dwyer, N. J., Cheng, H. L., Franklin, J. L., & O'Connor, H. T. (2018). Association between haem and non-haem iron intake and serum Ferritin in healthy young women. *Nutrients*, 10(1), 1–13. <https://doi.org/10.3390/nu10010081>

Zivot A, Lipton JM, Narla A, & Blanc L. (2018). Erythropoiesis : insights into pathophysiology and treatments in 2017. *Molecular Medicine*\, 24(11), 1–15.

Zumerle, S., Mathieu, J. R. R., Delga, S., Heinis, M., Viatte, L., Vaulont, S., & Peyssonnaux, C. (2014). Targeted disruption of hepcidin in the liver recapitulates the hemochromatotic phenotype. *Blood*, 123(23), 3646–3650. <https://doi.org/10.1182/blood-2014-01-550467>