UNIVERSITAS
GADJAH MADA
Kajian Infeksi Haemonchus contortus pada Domba terhadap Produksi Gas Metana
NUR ADIANTO, Dr. drh. R. Wisnu Nurcahyo : Dr. drh. Joko Prastowo, M.Si.
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Akhadiarto, S dan Rofiq, M.N. 2107. Estimasi Emisi Gas Metana dari Fermentasi Enterik Ternak Ruminansia Menggunakan Metode Tier-1 di Indonesia. Jurnal Teknologi Lingkungan Vol. 18, No 1, Januari 2017, 1-8

AOAC. 2005. Official Method of Analysis of the Association of Official Analitycal Chemists. 18th ed. Maryland: AOAC International. William Harwitz (ed). United States of America.

Atmaja, D.S., E. Kurnianto, dan B. Sutiyono. 2012. The performance of ewes based on type of birth in bawen and jambu sub-district. Anim. Agri. J. 1: 123 - 133.

Bambou, J.C., Archimede, H., Arquet, R., Mahieu, M., Alexandre, G., Gonzalez-Garcia, E., Mandonnet, N., 2011. Effect of dietary supplementation on resistance to experimental infection with Haemonchus contortus in Creole kids. Vet. Parasitol. 178, 279e285.

Bambou, J.C., Arquet, R., Archim ede, H., Alexandre, G., Mandonnet, N., Gonzalez- Garcia, E., 2009. Intake and digestibility of naive kids differing in genetic resistance and experimental parasitized (indoors) with Haemonchus contortus in two successive challenges. J. Anim. Sci. 87, 2367e2375.

Bambou, J.C., Cei, W., Camous, S., Archim ede, H., Decherf, A., Philibert, L., Barbier, C., Mandonnet, N., Gonzalez-Garcia, E., 2013. Effects of single or trickle Haemonchus contortus experimental infection on digestibility and host responses of naïve Creole kids reared indoor. Vet. Parasitol. 191, 284e292.

Bricarello, P.A., Amarante, A.F.T., Rocha, R.A., Cabral-Filho, S.L., Huntley, J.F., Houdijk, J.G.M., Abdalla, A.L., Gennari, S.M., 2005. Influence of dietary protein supply on resistance to experimental infections with Haemonchus contortus in Ile-de-France and Santa-Ines lambs. Vet. Parasitol. 134, 99e109.

Bulu, S., Sugiono, H. Cahyanto, E. Rianto, D.H. Reksowardojo, dan A. Purnomoadi. 2004. Pengaruh ampas tahu kering pada ransum terhadap pemanfaatan protein pakan pada domba ekor tipis jantan. J. Indon. Trop. Anim. Agric. 29 (4): 213 - 219.

Carberry, C. A., D. A. Kenny, A. K. Kelly, and S. M. Waters. 2014. Quantitative analysis of ruminal methanogenic microbial populations in beef cattle divergent in phenotypic residual feed intake (RFI) offered contrasting diets. J. Anim. Sci. Biotechnol. 5:41–49. doi:10.1186/2049-1891-5-41.

UNIVERSITAS
GADJAH MADA
Kajian Infeksi Haemonchus contortus pada Domba terhadap Produksi Gas Metana
NUR ADIANTO, Dr. drh. R. Wisnu Nurcahyo : Dr. drh. Joko Prastowo, M.Si.
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Coop, R.L., Kyriazakis, I., Huntley, J.F., Jackson, E., Jackson, F., 1997. The influence of protein and amino acid on the resilience of sheep to intestinal parasitism. In: Proc. 4th International Congress for Sheep Veterinarians, February 1997, Armidale, N.S.W., Australia, pp. 196e198.

Coop, R.L., Kyriazakis, I., 1999. Nutrition-parasite interaction. Vet. Parasitol. 84, 187e204. Coop, R.L., Kyriazakis, I.K., 2001. Influence of host nutrition on the development and consequences of nematode parasitism in ruminants. Trends Parasitol. 17, 325e330.

Dakkak, A., 1984. Physiopathologie digestive des trichostrongylidoses ovines 1⁄4 physiopathologie digestive de l'haemonchose ovine: revue bibliographique. Rev. Med. Vet. 135, 459e467.

Dargie, J.D., Allonby, E.W., 1975. Pathophysiology of single and challenge infections of Haemonchus contortus in Merino sheep: studies on red cell kinetics and the "self cure" phenomenon. Int. J. Parasitol. 5, 147e157.

Dorny, P., Batubara, A., Iskander, M., dan Pandey, P.S. 1995. Helminth infections of sheep in North Sumatra, Indonesia. Vet. Parasitology. 61(3-4): 353-358.

Doyle, E.K , L.P. Kahn, S.J. McClure 2011 Rumen function and digestion of Merino sheep divergently selected for genetic difference in resistance to Haemonchus contortus Veterinary Parasitology 179 (2011) 130–136

EPA. 2012. Overview of Greenhouse Gases. https//www.epa.gov/ghgemissions/overview-greenhouse-gases. accessed date 6 November 2019.

EPA. 2016. Understanding Global Warming Potentials. https://www.epa.gov/ghgemissions/understanding-global-warming-potentials accessed date 6 November 2019.

FAOSTAT 2016. FAOSTAT database. *Food and Agriculture Organization of the United Nations*. Available at: http://faostat.fao.org/ accessed date 8 Oktober 2019

Giuburunca M., Criste A., Cocan D., Constantinescu R., Raducu C., Miresan V 2014methane Production In The Rumen And Its Influence On Global Warming Proenvironment 7 (2014) 64 - 70

Goodland, R. and J. Anhand, 2006. Livestock and Climate Change: Livestock long shadow. UNFAO.

Haile, A., Tembely, S., Anindo, D.O., Mukasa-Mugerwa, E., Rege, J.E.O., Yami, A., Baker, R.L., 2002. Effects of breed and dietary protein supplementation on the re- sponses to gastrointestinal nematode infections in Ethiopian sheep. Small Rumin. Res. 44, 247e261.

UNIVERSITAS
GADJAH MADA
Kajian Infeksi Haemonchus contortus pada Domba terhadap Produksi Gas Metana
NUR ADIANTO, Dr. drh. R. Wisnu Nurcahyo : Dr. drh. Joko Prastowo, M.Si.
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Haile, A., Anindo, D.O., Tembely, S., Mukasa-Mugerwa, E., Tibbo, M., Yami, A., Baker, R.L., Rege, J.E.O., 2004. Effects of dietary protein supplementation and infec- tion with gastrointestinal nematode parasites on some nutritional and metabolic param- eters in Ethiopian Menz and Horro sheep. Livest. Prod. Sci. 91, 183e195.

Hook, S. E., A. D. G. Wright, and B. W. McBride. 2010. Methanogens: Methane producers of the rumen and mitigation strategies. Archaea. 2010:50–60. doi:10.1155/2010/945785.

Hoste H, Torres-Acosta JF, Quijada J, Chan-Perez I, Dakheel MM[3], Kommuru DS[4], Mueller-Harvey I[3], . 2016 Interactions Between Nutrition and Infections With Haemonchus contortus and Related Gastrointestinal Nematodes in Small Ruminants. Adv Parasitol. 2016;93:239-351.

Houdijk, J.G.M., Tolkamp, B.J., Rooke, J.A., Hutchings, M.R., 2016. Animal health and greenhouse gas intensity: the paradox of periparturient parasitism. Int. J. Parasitol. 47, 633–641.

Hurst, D.F. *et al*. (2011) Stratospheric water vapor trends over Boulder, Colorado: analysis of the 30 year Boulder record. J. Geophys. Res. Atmos. 116, D02306

Inounu, I. 2011. Pembentukan domba komposit melalui teknologi persilangan dalam upaya peningkatan mutu genetik domba lokal. Jurnal Pengembangan Inovasi Pertanian. 4: 218 - 230.

Jarmuji. 2010. Produksi susu induk terhadap pengaruh pertambahan bobot badan, bobot sapih, dan daya hidup anak domba ekor tipis Jawa periode prasapih. J. Sain Peternakan Indonesia. 5 (1): 34 - 42.

Jayanegara, A., M. Ridla, D.A. Astuti, K.G. Wiryawan, E.B. Laconi, dan Nahrowi. 2017. Determination of energy and protein requirements of sheep in Indonesia using meta-analytical approach. Med. Pet.. 40: 124 - 133.

Johnson K.A. and D.E. Johnson. 1995. Methane emissions from cattle. J Anim Sci. 73: 2483 - 2492.

Junquera, P. 2014. Haemonchus spp., Parasitic Roundworms of Cattle, Sheep and Goats.Biology, Prevention and Control.Haemonchus contortus, Haemonchus placei. parasitipedia.net/index.

Kamalidin. 2012. Pengaruh Formulasi complet feed terhadap kinerja ternak domba ekor tipis. Tesis Fakultas Peternakan Universitas Gadjah Mada Yogyakarta.

Khan, F.A., Sahoo, A., Sonawane, G.G., Karim, S.A., Dhakad, A.K., Pareek, A.K.,

UNIVERSITAS
GADJAH MADA
Kajian Infeksi Haemonchus contortus pada Domba terhadap Produksi Gas Metana
NUR ADIANTO, Dr. drh. R. Wisnu Nurcahyo : Dr. drh. Joko Prastowo, M.Si.
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Tropathi, B.N., 2012. Effect of dietary protein on responses of lambs to repeated Hae- monchus contortus infection. Livest. Sci. 150, 143e151.

Kitessa S. , P. C. Flinn, and G. G. Irish 199 Comparison of methods used to predict the in vivo digestibility of feeds in ruminants, Australian Journal of Agricultural Research Volume 50.

Lascano, C.E., Cárdenas, E., 2010. Alternatives for methane emission mitigation in livestock systems. R. Bras. Zootec. 39, 175–182.

Le Jambre, L.F., 1995. Relationship of blood loss to worm numbers, biomass and egg pro- duction in Haemonchus infected sheep. Int. J. Parasitol. 25, 269e273.

Lelieveld, J. *et al*. (2008) Atmospheric oxidation capacity sustained by a tropical forest. Nature 452, 737–740

Lovley, D.R., R.C. Greening, and J.G. Ferry. 1984. Rapidly growing rumen methanogenic organism that synthesizes coenzyme M and has a high affinity for formate. Appl. Environ. Microbiol. 48 (1): 81 - 87.

Makkar, H. P. S. 2002. Recent Advances in the *In vitro* Gas Method for Evaluation of Nutritional Quality of Feed Resources. Animal Production and Health Section, International Atomic Energy Agency. Vienna, Austria

McAllister T.A., Okine E.K., Mathison G.W. and Cheng K.-J. 1996. Dietary, environmental and microbiological aspects of methane production in ruminants. Can.J. Anim. Sci. 76: 231-243

McDonald, P., R.A. Edward, J.F.D. Greenhalgh, and C.A Morgan. 2002. Animal Nutrition. 6th Ed. Ashford colour press ltd., Gosport, London.

McLeod, R. S. 2004. The economic impact of worm infections in small ruminants in Southeast Asia, India and Australia in: Worm Control for Small Ruminants in Tropical Asia. ACIAR Monograph. 113: 23-33.

Moss A.R., Jouany J and Newbold J. 2000. Methane production by ruminants: its contribution to global warming. Annales De Zootechnie 49: 231-253.

Moss, A.R., J.P. Jouany, and J. Newbold. 2000. Methane production by ruminants: its contribution to global warming. INRA, EDP Sci. Ann. Zootech. 49: 231 - 253.

Mahesti, G., Achmadi, J., dan Rianto, E., 2010. Pemanfaatan Protein pada Domba Lokal Jantan dengan Bobot Badan dan Aras Pemberian Pakan yang Berbeda., Universitas Diponegoro, Semarang. (Tesis Magister Ilmu Ternak).

UNIVERSITAS
GADJAH MADA
Kajian Infeksi Haemonchus contortus pada Domba terhadap Produksi Gas Metana
NUR ADIANTO, Dr. drh. R. Wisnu Nurcahyo : Dr. drh. Joko Prastowo, M.Si.
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Mulliadi, D. dan J. Arifin. 2010. Prediction equilibrium of population used blood albumin pattern of thin tailed sheep population (Javanese Thin Tailed) in Indramayu. Jurnal Ilmu Ternak. 10: 65 - 72.

Ngaradoum, O., Kagira, J.M., Karanja, S.M., Kipyegon, C. dan Maina, N. 2017. In Vitro Ovicidal and Larvicidal Activity of Aqueous and Methanolic Extracts of Ziziphus mucronata Barks against Haemonchus contortus. European Journal of Experimental Biology. 7(1):1-6.

Nichols, C.D., Hayes, P.R., Lee, D.L., 1987. Physiological and microbiological changes in the abomasum of sheep infected with large doses of Haemonchus contortus. J. Comp. Pathol. 97, 299e308.

Parakkasi, A. 1999. Ilmu Nutrisi dan Makanan Ternak Ruminansia. Universitas Indonesia Press, Jakarta.

Patra, A. K., and J. Saxena. 2009. Dietary phytochemicals as rumen modifiers: A review of the effects on microbial populations. Antonie van Leeuwenhoek, Int. J. Gen. Mol. Microbiol. 96:363–375.

Pelchen, A., and K. J. Peters. 1998. Methane emissions from sheep. Small Rumin. Res. 27:137–150. doi:10.1016/S0921-4488(97)00031-X.

Phillips. 2001. Principles of Cattle Production. CABI Publishing, New York.

Purbowati, E., C.I. Sutrisno, E. Baliarti, S.P.S. Budhi, W. Lestariana, E. Rianto, dan Kholidin. 2009. Penampilan produksi domba lokal jantan dengan pakan komplit dari berbagai limbah pertanian dan agroindustri. Prosiding. Seminar Nasional Kebangkitan Peternakan. Semarang: 130 - 138.

Rahman, W.A., Collins, G.H., 1991. Changes in liveweight gain and blood constituents in experimental infection of goat-derived compared with a sheep-derived strain of Haemon- chus contortus. Vet. Parasitol. 38, 145e153.

Robert, J.A. 2000. Frequency of the prolificacy gene in flocks of Indonesian thin tail sheep: a review. Small Ruminant Research. 36: 215 - 226.

Rowe, J.B., Dargie, J.D., Holmes, P.H., 1982. The effect of haemonchosis and blood loss into the abomasum on N digestion in sheep. Proc. Nutr. Soc. Lond. 41, 74A.

Salman, S.K., Duncan, J.L., 1985. Studies on the abomasal pathology of immunized and non-immunized sheep infected with Haemonchus contortus. J. Helminthol. 59, 351e359.

Simpson, H.V., 2000. Pathophysiology of abomasal parasitism: is the host or

UNIVERSITAS
GADJAH MADA
Kajian Infeksi Haemonchus contortus pada Domba terhadap Produksi Gas Metana
NUR ADIANTO, Dr. drh. R. Wisnu Nurcahyo : Dr. drh. Joko Prastowo, M.Si.
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

parasite responsible? Vet. J. 160, 177e191.

Sodiq, A. and E.S. Tawfik. 2004. Productivity and breeding strategies of sheep in Indonesia: a review. Journal of Agriculture and Rural Development in the Tropics and Subtropics. 105 (1): 71 - 82.

Somanjaya, R., D. Heriyadi, dan I. Hernaman. 2015. Local ewes performance at various variation of length grazing in rentang irigation area of Kabupaten Majalengka. Jurnal Ilmu Ternak. 15: 41 - 49.

Soulsby, E.J.L. 1965. Textbook of Veterinary Clinical Parasitology Volume 1: Helminths. Blackwell Scientific Publications, Great Britain.

Steinsfeld, H., P. Gerber, T. Wassenaar, V. Castel, M. Rosales, and C. deHaan. 2006. Livestock's Long Shadow. Food and Agriculture Organisation of The United Nation. Rome

Sutherland, I. dan Scott, I. 2010. Gastrointestinal Nematodes of Sheep and Cattle: Biology and Control. Wiley-Blackwell, United Kingdom.

Taylor, M.A, Coop, R.L., dan Wall, R.L. 2007. Veterinary Parasitology. Third Edition. Blackwell Publishing Ltd, 9600 Garsington Road, Oxford OX4 2DQ, UK.

Taylor, R. E. & T. G. Field. 2004. Scientific Farm Animal Production. 8th Edition. Pearson Prentice Hall Inc., New Jersey.

Thauer, R.K. 1998. Biochemistry of methanogenesis: a tribute to Marjory Stephenson. Microbiology, 144: 2377 – 2406

Thonney, M. L, B. A. Palhof, M. R. DeCarlo, D. A. Ross, N. L. Firth, R. L. Quaas, D. J. Perosio, D. J. Duhaime, S. R. Rollins, & A. Y. M. Nour. 1985. Source of variation of dry matter digestibility measured by the acid insolube ash marker. J. Dairy. Sci. 68: 661-668.

Tillman A. D. H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo, & S. Lebdosukojo. 1991. Ilmu Makanan Ternak Dasar. Gajah Mada University Press, Yogyakarta.

Ungerfeld, E. M., and R. A. Kohn. 2008. The role of thermodynamics in the control of ruminal fermentation. In: K. Sejrsen, T. Hvelplund, and M. O. Nielsen, editors. Ruminant Physiology Digestion, metabolism and impact of nutrition on gene expression, immunology and stress. Wageningen Academic Publisher. p. 55–87.

Urquhart, G.M., Armour, J.L., Duncan, J.L., Dunn, A.M., dan Jennings, F.W. 1996. Veterinary Parasitology Longman Scientific and Technical. Paper. p: 264.

UNIVERSITAS
GADJAH MADA
Kajian Infeksi Haemonchus contortus pada Domba terhadap Produksi Gas Metana
NUR ADIANTO, Dr. drh. R. Wisnu Nurcahyo : Dr. drh. Joko Prastowo, M.Si.
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Van Kessel, J. . S., and J. B. Russel. 1996. The effect of pH on ruminal methanogenesis. Methyl Mercur. Prod. Decompos. Lake-Sediments. Can. J. Fish. Aquat. Sci. 20:205–210. doi:10.1111/j.1574-6941.1996.tb00319.

Widiyanto, Surahmanto, Mulyono, and E. Kusumanti. 2011. Pelleted field grass to increases the java thin tail sheep productivity. J.Indonesian Trop. Anim. Agric. 36 (4): 273 - 280.

Wilson, L.L., Merritt, T.L., Rugh, M.C., Thompson, C.E., Rothenbacher, H., 1969. Effects of Haemonchus contortus inoculation on growth rate, feed efficiency and haematology of feeder lambs. Vet. Med. Small Anim. Clin. 64, 59e62.

Wilson, R. C., T. R. Overton and J. H. Clark. 1998. Effect of *Yucca schidigera* extract and soluble protein on performance of cows and concentrations or urea nitrogen in plasma and milk. J. Dairy Sci. 81:1022-1027

Yuswandi dan Yuniar S.R. 2015.Studi Biologi Larva dan Cacing Dewasa *Hemonchus contortus* pada Kambing. Jurnal Sains Veteriner. 33 : 42-52

Zhu, W Y., M.F. Iqbal, Y.F. Cheng, J.X. Liu, and S.Y. Mao. 2008. Rumen methanogenesis and nutritional approaches to the mitigation of ruminant methane. Asian Aust. J. Anim. Sci. 13: 33 – 40