

**DAFTAR PUSTAKA**

- Alpaslan, O., Yaras, A. and Arslanoğlu, H. (2020) ‘A Kinetic Model for Chelating Extraction of Metals from Spent Hydrodesulphurization Catalyst by Complexing Agent’, *Transactions of the Indian Institute of Metals*, 73(7), pp. 1925–1937. doi: 10.1007/s12666-020-02007-6.
- An, L. and Methods, P. (2019) *Recycling of Spent Lithium-Ion Batteries, Recycling of Spent Lithium-Ion Batteries*. doi: 10.1007/978-3-030-31834-5.
- Anderegg, G. (2013) ‘Critical survey of stability constants of nta complexes’, *Pure and Applied Chemistry*, 54(12), pp. 2693–2758. doi: 10.1351/pac198254122693.
- Chaudhary, A. J. et al. (2000) ‘Separation of nickel from cobalt using electrodialysis in the presence of EDTA’, *Journal of Applied Electrochemistry*, 30(4), pp. 439–445. doi: 10.1023/A:1003966132167.
- Cheret, D. and Santen, S. (2007) ‘US7169206B2 Battery recycling’, 2(12), pp. 12–15. doi: 10.1016/j.(73).
- Deng, Z., Mo, Y. and Ong, S. P. (2016) ‘Computational studies of solid-state alkali conduction in rechargeable alkali-ion batteries’. Nature Publishing Group, 8(3), pp. e254-15. doi: 10.1038/am.2016.7.
- Dincer, I., Rosen, M. A. and Zamfirescu, C. (2010) *Economic and Environmental Comparison of Conventional and Alternative Vehicle Options, Electric and Hybrid Vehicles*. Elsevier B.V. doi: 10.1016/B978-0-444-53565-8.00001-4.
- Ekmekyapar, A. et al. (2012) ‘Investigation of leaching kinetics of copper from malachite ore in ammonium nitrate solutions’, *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, 43(4), pp. 764–772. doi: 10.1007/s11663-012-9670-2.
- Fangueiro, D. et al. (2005) ‘Kinetic approach to heavy metal mobilization assessment in sediments: Choose of kinetic equations and models to achieve maximum information’, *Talanta*, 66(4), pp. 844–857. doi: 10.1016/j.talanta.2004.12.036.
- Finžgar, N. and Leštan, D. (2007) ‘Multi-step leaching of Pb and Zn contaminated soils with EDTA’, *Chemosphere*, 66(5), pp. 824–832. doi: 10.1016/j.chemosphere.2006.06.029.
- Fogler, H. S. (2006) *Elements of Chemical Reaction Engineering*. 4th edn. Prentice Hall Professional Technical Reference.
- Gaines, L. (2014) ‘The future of automotive lithium-ion battery recycling: Charting a sustainable course’, *Sustainable Materials and Technologies*. Elsevier B.V., 1, pp. 2–7. doi: 10.1016/j.susmat.2014.10.001.
- Gao, W. et al. (2018) ‘Comprehensive evaluation on effective leaching of critical metals from spent lithium-ion batteries’, *Waste Management*. Elsevier Ltd, 75(2018), pp. 477–485. doi: 10.1016/j.wasman.2018.02.023.
- Georgi-Maschler, T. et al. (2012) ‘Development of a recycling process for Li-ion batteries’, *Journal of Power Sources*. Elsevier B.V., 207, pp. 173–182. doi: 10.1016/j.jpowsour.2012.01.152.
- Golmohammadzadeh, R., Faraji, F. and Rashchi, F. (2018) ‘Recovery of lithium and cobalt from spent lithium ion batteries (LIBs) using organic acids as leaching reagents: A review’, *Resources, Conservation and Recycling*. Elsevier, 136(May 2018), pp. 418–435. doi: 10.1016/j.resconrec.2018.04.024.
- Golmohammadzadeh, R., Rashchi, F. and Vahidi, E. (2017) ‘Recovery of lithium and cobalt from spent lithium-ion batteries using organic acids: Process optimization and kinetic aspects’, *Waste Management*. Elsevier Ltd, 64, pp. 244–254. doi:



- Gratz, E. *et al.* (2014) ‘A closed loop process for recycling spent lithium ion batteries’, *Journal of Power Sources*. Elsevier B.V, 262, pp. 255–262. doi: 10.1016/j.jpowsour.2014.03.126.
- Hertzke, P. *et al.* (2019) ‘Expanding electric- vehicle adoption despite early growing pains’, *McKinsey Center for Future Mobility*, (August).
- Horeh, N. B., Mousavi, S. M. and Shojaosadati, S. A. (2016) ‘Bioleaching of valuable metals from spent lithium-ion mobile phone batteries using *Aspergillus Niger*’, *Journal of Power Sources*. Elsevier B.V, 320, pp. 257–266. doi: 10.1016/j.jpowsour.2016.04.104.
- Huang, B. *et al.* (2018) ‘Recycling of lithium-ion batteries: Recent advances and perspectives’, *Journal of Power Sources*. Elsevier, 399(July), pp. 274–286. doi: 10.1016/j.jpowsour.2018.07.116.
- Jagannath, A., Vidya Shetty, K. and Saidutta, M. B. (2017) ‘Bioleaching of copper from electronic waste using *Acinetobacter* sp. Cr B2 in a pulsed plate column operated in batch and sequential batch mode’, *Journal of Environmental Chemical Engineering*. Elsevier B.V., 5(2), pp. 1599–1607. doi: 10.1016/j.jece.2017.02.023.
- Johnston, M. B., Barnard, A. J. and Flaschka, H. A. (1958) ‘EDTA and complex formation: A demonstration lecture’, *Journal of Chemical Education*, 35(12), pp. 601–606. doi: 10.1021/ed035p601.
- Joulié, M. *et al.* (2017) ‘Current collectors as reducing agent to dissolve active materials of positive electrodes from Li-ion battery wastes’, *Hydrometallurgy*, 169, pp. 426–432. doi: 10.1016/j.hydromet.2017.02.010.
- Joulié, M., Laucournet, R. and Billy, E. (2014) ‘Hydrometallurgical process for the recovery of high value metals from spent lithium nickel cobalt aluminum oxide based lithium-ion batteries’, *Journal of Power Sources*. Elsevier B.V, 247, pp. 551–555. doi: 10.1016/j.jpowsour.2013.08.128.
- Levenspiel, O. (1999) *Chemical Reaction Engineering*. 3rd edn. John Wiley & Sons.
- Li, L. *et al.* (2013) ‘Recovery of metals from spent lithium-ion batteries with organic acids as leaching reagents and environmental assessment’, *Journal of Power Sources*, 233, pp. 180–189. doi: 10.1016/j.jpowsour.2012.12.089.
- Makimura, Y. *et al.* (2016) ‘Factors affecting cycling life of LiNi0.8Co0.15Al0.05O2 for lithium-ion batteries’, *Journal of Materials Chemistry A*, 4(21), pp. 8350–8358. doi: 10.1039/c6ta01251e.
- Mulder, M. (1996) ‘Mulder, M. - 1996 - Basic Principles of Membrane Technology, 2E.pdf’, p. 576.
- Muzayyanha, S. U. *et al.* (2019) ‘Lithium Nickel Cobalt Aluminum Oxide Material from Cathode Waste’, *metals*, 9(5), pp. 1–17. Available at: <https://www.mdpi.com/2075-4701/9/5/615>.
- Nayl, A. A. *et al.* (2017) ‘Acid leaching of mixed spent Li-ion batteries’, *Arabian Journal of Chemistry*. King Saud University, 10, pp. S3632–S3639. doi: 10.1016/j.arabjc.2014.04.001.
- Nie, X. *et al.* (2016) ‘Ion-fractionation of lithium ions from magnesium ions by electrodialysis using monovalent selective ion-exchange membranes’, *DES*. Elsevier B.V. doi: 10.1016/j.desal.2016.05.010.
- Nitta, N. *et al.* (2015) ‘Li-ion battery materials: Present and future’, *Materials Today*. Elsevier Ltd., 18(5), pp. 252–264. doi: 10.1016/j.mattod.2014.10.040.
- Nurul, Z. *et al.* (2020) ‘Kinetics Study on Lithium Leaching of Spent Lithium Iron Phosphate Batteries in Low Concentration of Sulfuric Acid’, (Li), pp. 14–15.



PEMISAHAN NIKEL DAN KOBALT DARI PRESIPITAT PELINDIAN BATERAI LITIUM-ION TIPE NCA MENGGUNAKAN DISODIUM ETILENADIAMINATETRAASETAT

ALIF ULFATUN NUR I, Himawan Tri Bayu M. P., S.T., M.Eng., D.Eng.; Ir. Agus Prasetya, M.Eng.Sc., Ph.D.

UNIVERSITAS
GADJAH MADA
Pasquet, C. et al. (2016) 'Alternative dry separation of PM10 from soils for characterization by kinetic extraction: example of new Caledonian mining soils', *Environmental Science and Pollution Research*. Environmental Science and Pollution Research, 23(24), pp. 25105–25113. doi: 10.1007/s11356-016-7617-x.

Pillot, C. (2017) 'Lithium ion battery raw material Supply & demand 2016-2025'.

Pinto, I. S. S. and Soares, H. M. V. M. (2013) 'Microwave-assisted selective leaching of nickel from spent hydrodesulphurization catalyst: A comparative study between sulphuric and organic acids', *Hydrometallurgy*. Elsevier B.V., 140, pp. 20–27. doi: 10.1016/j.hydromet.2013.08.009.

PubChem Database (no date) *Disodium Ethylenediaminetetraacetate*, National Center for Biotechnology Information. Available at: <https://pubchem.ncbi.nlm.nih.gov/compound/Disodium-EDTA> (Accessed: 30 June 2020).

Rahal, H. T. et al. (2017) 'Synthesis, Characterization, and Magnetic Properties of Pure and EDTA-Capped NiO Nanosized Particles', *Journal of Nanomaterials*, 2017. doi: 10.1155/2017/7460323.

Scrosati, B. and Garche, J. (2010) 'Lithium batteries: Status, prospects and future', *Journal of Power Sources*, 195(9), pp. 2419–2430. doi: 10.1016/j.jpowsour.2009.11.048.

Setiawan, H. et al. (2019) 'Reaction kinetics modeling for lithium and cobalt recovery from spent lithium-ion batteries using acetic acid', 26(1), pp. 98–107.

Setiawan, H., Petrus, H. T. B. M. and Perdana, I. (2018) 'A kinetics study of acetic acid on cobalt leaching of spent LIBs: Shrinking Core Model', *MATEC Web of Conferences*, 154, pp. 0–4. doi: 10.1051/matecconf/201815401033.

Setiawan, H., Petrus, H. T. B. M. and Perdana, I. (2019) 'Reaction kinetics modeling for lithium and cobalt recovery from spent lithium-ion batteries using acetic acid', *International Journal of Minerals, Metallurgy and Materials*, 26(1), pp. 98–107. doi: 10.1007/s12613-019-1713-0.

Smith, J. M., Van Ness, H. C. and Abbott, M. M. (1925) 'Introduction to chemical engineering thermodynamics (4th)'.

Takeno, N. (2005) 'Atlas of Eh-pH diagrams Intercomparison of thermodynamic databases', *National Institute of Advanced Industrial Science and Technology Tokyo*, (419), p. 285. Available at: <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Atlas+of+Eh-pH+diagrams+Intercomparison+of+thermodynamic+databases#0>.

Verma, A. and Hait, S. (2019) 'Chelating extraction of metals from e-waste using diethylene triamine pentaacetic acid', *Process Safety and Environmental Protection*. Elsevier Ireland Ltd, 121, pp. 1–11. doi: 10.1016/j.psep.2018.10.005.

Wahyu, C. et al. (2018) 'Lithium recovery from spent Li-ion batteries using coconut shell activated carbon', *Waste Management*, 79, pp. 454–461. doi: 10.1016/j.wasman.2018.08.017.

Wang, H. et al. (2017) 'Recovery of Lithium, Nickel, and Cobalt from Spent Lithium-Ion Battery Powders by Selective Ammonia Leaching and an Adsorption Separation System', *ACS Sustainable Chemistry and Engineering*, 5(12), pp. 11489–11495. doi: 10.1021/acssuschemeng.7b02700.

Wang, M. M., Zhang, C. C. and Zhang, F. S. (2016) 'An environmental benign process for cobalt and lithium recovery from spent lithium-ion batteries by mechanochemical approach', *Waste Management*. Elsevier Ltd, 51, pp. 239–244. doi: 10.1016/j.wasman.2016.03.006.

Wang, X. et al. (2013) 'Leaching kinetics of zinc residues augmented with ultrasound',



UNIVERSITAS
GADJAH MADA

**PEMISAHAN NIKEL DAN KOBALT DARI PRESIPITAT PELINDIAN BATERAI LITIUM-ION TIPE NCA
MENGGUNAKAN**

DISODIUM ETILENADIAMINATETRAASETAT

ALIF ULFATUN NUR I, Himawan Tri Bayu M. P., S.T., M.Eng., D.Eng.; Ir. Agus Prasetya, M.Eng.Sc., Ph.D.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Separation and Purification Technology. Elsevier B.V., 115, pp. 66–72. doi:
10.1016/j.seppur.2013.04.043.

Zachara, J. M., Smith, S. C. and Kuzel, L. S. (1995) ‘Adsorption and dissociation of Co-EDTA complexes in iron oxide-containing subsurface sands’, *Geochimica et Cosmochimica Acta*, 59(23), pp. 4825–4844. doi: 10.1016/0016-7037(95)00340-1.

Zeng, X., Li, J. and Singh, N. (2014) ‘Recycling of spent lithium-ion battery: A critical review’, *Critical Reviews in Environmental Science and Technology*, 44(10), pp. 1129–1165. doi: 10.1080/10643389.2013.763578.

Zheng, Y. *et al.* (2016) ‘Leaching procedure and kinetic studies of cobalt in cathode materials from spent lithium ion batteries using organic citric acid as leachant’, *International Journal of Environmental Research*, 10(1), pp. 159–168. doi: 10.22059/ijer.2016.56898.