

DAFTAR PUSTAKA

- Amarowicz, R., and Pegg, R.B. 2019. Natural antioxidants of plant origin In *Advances in Food and Nutrition Research*. Elsevier Inc. 1-81.
- Anesini, C., Ferraro, G. E., and Filip., R. 2008. Total Polyphenol Content and Antioxidant Capacity of Commercially Available Tea (*Camellia sinensis*) in Argentina. *Journal of Agricultural and Food Chemistry*. 56: 9225-9229.
- Bae, I.K., Ham, H.M., Jeong, M.H., Kim, D.H., and Kim, H.J. 2015. Simultaneous determination of 15 phenolic compounds and caffeine in teas and mate using RP-HPLC/UV detection: Method development and optimization of extraction process. *Food Chemistry*. 172: 469-475.
- Bahorun, T., Luximon-ramma, A., Neergheen-bhujun, V.S., Kumar, T., Googoolye, K., Auger, C., Crozier, A., and Aruoma, O.I. 2012. The effect of black tea on risk factors of cardiovascular disease in a normal population. *Preventive Medicine*. 54: S98-S102.
- Benzie, I.F.F., and Strain, J.J. 1996. The Ferric Reducing Ability of Plasma (FRAP) as a Measure of "Antioxidant Power": The FRAP Assay. *Measurement of Reducing Ability of Plasma*. 70-76.
- Berté, K., Rodriguez-Amaya, D.B., Hoffmann-Ribani, R., Maccari, A., and Junior. 2014. Antioxidant Activity of Mate Tea and Effects of Processing In *Processing and Impact on Antioxidants in Beverages*. Elsevier Inc. 145-153.
- Bhuyan, L.P., Borah, P., Sabhapondit, S., and Gogoi, R. 2015. Spatial variability of theaflavins and thearubigins fractions and their impact on black tea quality. *Journal of Food Science and Technology*. 52: 7984-7993.
- Borse, B.B., and Rao, L.J.M. 2012. Novel Bio-Chemical Profiling of Indian Black Teas with Reference to Quality Parameters Bioequivalence & Bioavailability. *Journal of Bioequivalence & Bioavailability*. 14: 1-16.
- Cabrera, C., Gimenez, R., and Lopez, M.C. 2003. Determination of Tea Components with Antioxidant Activity. *Journal of Agricultural and Food Chemistry*. 51: 4427-4435.
- Carloni, P., Tiano, L., Padella, L., Bacchetti, T., Customu, C., Kay, A., and Damiani, E. 2012. Antioxidant activity of white, green and black tea obtained from the same tea cultivar. *Food Research International*. 53 (2): 900-908.
- Chandini, S.K., Rao, L.J., and Subramanian, R. 2011. Original article Influence of extraction conditions on polyphenols content and cream constituents in black tea extracts. *Journal of Food Science and Technology*. 46: 879-886.
- Chandrasekara, C.M.S.C., Chandrajith, V.G.G., and Wickramasinghe, I. 2018. Analysis of the effect dosage of the enzyme pretreatment on different physicochemical characteristics of

- Charlton, A.J., Davis, A.L., Jones, D.P., Lewis, J.R., Davies, A.P., Haslam, E., and Williamson, M.P. 2000. The self-association of the black tea polyphenol theaflavin and its complexation with caffeine. *The Royal Society of Chemistry*. 2: 317–322.
- Chaturvedula, V.S.P., and Prakash, I. 2011. The aroma, taste, color and bioactive constituents of tea. *Journal of Medicinal Plants Research*. 5 (11): 2110–2124.
- Cleverdon, R., Elhalaby, Y., McAlpine, M. D., Gittings, W., and Ward, W.E. 2018. Total Polyphenol Content and Antioxidant Capacity of Tea Bags: Comparison of Black, Green, Red Rooibos, Chamomile and Peppermint over Different Steep Times. *Beverages*. 4: 1-13.
- Dasgupta, A., and Klein, K. 2014. Tea, Coffee, and Chocolate: Rich Sources of Antioxidants In *Antioxidants in Food, Vitamins and Supplements*. Elsevier Inc. 237–257.
- Dubey, K.K., Janve, M., Ray, A., and Singhal, R.S. 2020. Ready-to-Drink Tea In *Trends in Non-alcoholic Beverages*. Elsevier Inc. 103–105.
- Effendi, D.S., Syakir, M., Yusron, M., and Wiratno. 2010. Budidaya dan Pasca Panen TEH. Pusat Penelitian dan Pengembangan Perkebunan: Bogor. 5-10.
- Engelhardt, U.H. 2010. Chemistry of Tea In *Comprehensive Natural Products II*. Elsevier Ltd.: Braunschweig. 1011–1012.
- Engelhardt, U.H. 2013 Chemistry of Tea In *Reference Module in Chemistry, Molecular Sciences and Chemical Engineering*. Elsevier Inc. 1-29.
- Flores-Martínez, D., Urías-Orona, V., Hernández-García, L., Rubio-Carrasco, W., Silva-Gutiérrez, K., Guevara-Zambrano, M., Prieto-Cadena, J., Serna-Mendez, T., Muy-Rangel, D., and Niño-Medina, G. 2018. Physicochemical Parameters, Mineral Composition, and Nutraceutical Properties of Ready-to-Drink Flavored-Colored. *Journal of Chemistry*. 2018: 1–7.
- Ghosh, A., Tudu, B., Tamuly, P., Bhattacharyya, N., and Bandyopadhyay, R. 2012. Chemometrics and Intelligent Laboratory Systems Prediction of theaflavin and thearubigin content in black tea using a voltammetric electronic tongue. *Chemometrics and Intelligent Laboratory Systems*. 116: 57–66.
- Hang, H.T.T., Anh, P.T.L., Phuong, T.T.C., and Hai, T.C. 2017. A Study on The Antioxidant Compounds Extraction From The Old Tea Leaves With Supporting of Viscozyme Enzyme. *Proceedings of Scientific Seminar*. 147–155.
- Hong, Y., Jung, E.Y., Park, Y., Shin, K., Kim, T.Y., Yu, K., Chang, U., and Suh, H.J. 2013. Enzymatic Improvement in the Polyphenol Extractability and Antioxidant Activity of Green Tea Extracts. *Bioscience, Biotechnology, Biochemistry*. 77 (1): 22–29.
- Ichsan, O.A.N. 2019. Seleksi Klon Teh Unggul PT Pagilaran Sebagai Bahan Baku Teh Hitam Kualitas Premium. Tesis: Universitas Gadjah Mada. 33–35.

- Inca, Widodo, T.W., and Lelono, D. 2018. Klasifikasi Teh Hijau dan Teh Hitam Tambi-Pagilaran dengan Metode *Principal Component Analysis* (PCA) Menggunakan *E-Nose*. *IJEIS (Indonesian Journal of Electronics and Instrumentation Systems)*. 8 (1): 61–72.
- Jakubczyk, K., Kałduńska, J., Kochman, J., and Janda, K. 2020. Chemical profile and antioxidant activity of the kombucha beverage derived from white, green, black and red tea. *Antioxidants*. 9: 1–15.
- Jayawardana, B.C., Warnasooriya, V.B., Thotawattage, G.H., Dharmasena, V.A.K.I., and Liyanage, R. 2019. Black and green tea (*Camellia sinensis* L.) extracts as natural antioxidants in uncured pork sausages. *Journal of Food Processing and Preservation*. 10: 1–8.
- Jiang, X., Liu, Y., Li, W., Zhao, L., Meng, F., Wang, Y., and Tan, H. 2013. Tissue-Specific, Development-Dependent Phenolic Compounds Accumulation Profile and Gene Expression Pattern in Tea Plant [*Camellia sinensis*]. *Phenolic Compounds Accumulation & Gene Expression various*. 8 (4): 1-14.
- Jiang, Y., Hua, J., Wang, B., Yuan, H., and Ma, H. 2018. Effects of Variety, Season, and Region on Theaflavins Content of Fermented Chinese Congou Black Tea. *Journal of Food Quality*. 2018: 1–9.
- Jobstl, E., Fairclough, J.P.A., Davies, A.P., and Williamson, M.P. 2005. Creaming in Black Tea. *Journal of Agricultural and Food Chemistry*. 53: 7997–8002.
- Karori, S.M., Wachira, F.N., Wanyoko, J.K., and Ngure, R.M. 2007. Antioxidant capacity of different types of tea products. *African Journal of Biotechnology*. 6 (19): 2287–2296.
- Kataoka, S., Norikura, T., and Sato, S. 2018. Maternal green tea polyphenol intake during lactation attenuates kidney injury in high-fat-diet-fed male offspring programmed by maternal protein restriction in rats. *The Journal of Nutritional Biochemistry*. 56: 99–108.
- Kaur, A., Kaur, M., Kaur, P., Kaur, H., Kaur, S., and Kaur, K. 2015. Estimastion and Comparison of Total Phenolic and Total Antioxidant in Green Tea and Black Tea. *Global Journal of Bio-Science and Biotechnology*. 4 (1): 116–120.
- Khanum, H., Faiza, S., Sulochanamma, G., and Borse, B.B. 2017. Quality, antioxidant activity and composition of Indian black teas. *Journal of Food Science and Technology*. 54 (5): 1266–1272.
- Kosinska, A., and Andlauer, W. 2014. Antioxidant Capacity of Tea: Effect of Processing and Storage In *Processing and Impact on Antioxidants in Beverages*. Elsevier Inc.: Switzerland. 109–120.
- Krisyando, P., Indradewa, D., and Waluyo, S. 2012. Potensi Hasil dan Toleransi Kekeringan Seri Klon Teh (*Camellia sinensis* (L.) Kuntze) PGL di Kebun Produksi Pagilaran Bagian Andongsili. *Vegetalika*. 1 (1): 160–172.
- Kuhnert, N., Drynan, J.W., Obuchowicz, J., Clifford, M.N., and Witt, M. 2010. Mass



spectrometric characterization of black tea thearubigins leading to an oxidative cascade hypothesis for thearubigin formation. *Rapid Communications in Mass Spectrometry*. 24: 3387–3404.

- Kumar, R.S.S., Murugesan, S., Kottur, G., and Gyamfi, D. 2013 Black Tea: The Plants, Processing/Manufacturing and Production In *Tea in Health and Disease Prevention*. Elsevier Inc. 41–57.
- Lee, L., Kim, Y., Park, J., Kim, Y., and Kim, S. 2016. Changes in major polyphenolic compounds of tea (*Camellia sinensis*) leaves during the production of black tea. *Food Science and Biotechnology*. 25 (6): 1523–1527.
- Leung, L., Su, Y., Chen, R., Zhang, Z., Huang, Yu., and Chen, Z. 2001. Theaflavins in Black Tea and Catechins in Green Tea Are Equally. *Biochemical and Molecular Action of Nutrients Research Communication Theaflavins*. 1: 2248–2251.
- Liang, Y., and Xu, Y. 2003. Effect of extraction temperature on cream and extractability of black tea [*Camellia sinensis* (L.) O. Kuntze]. *International Journal of Food Science and Technology*. 38: 37–45.
- Liang, Y., Lu, J., and Zhang, L. 2002. Comparative study of cream in infusions of black tea and green tea [*Camellia sinensis* (L.) O. Kuntze]. *International Journal of Food Science and Technology*. 37: 627–634.
- Liang, Y., Lu, J., Zhang, L., Wu, S., and Wu, Y. 2003. Estimation of tea quality by infusion colour difference analysis. *Food Chemistry*. 80: 283–290.
- Liang, Y.R., Ye, Q., Jin, J., Liang, H., Lu, J.L., Du, Y.Y., and Dong, J.J. 2008. Chemical and Instrumental Assessment of Green Tea Sensory Preference. *International Journal of Food Properties*. 11: 258–272.
- Lin, S., Yang, J., Hsieh, Y., Liu, E., and Mau, J. 2014. Effect of Different Brewing Methods on Quality of Green Tea. *Journal of Food Processing and Preservation*. 38: 1234–1243.
- Lin, X., Chen, Z., Zhang, Y., Luo, W., Tang, H., Deng, B., Deng, J., and Li, B. 2015. Comparative characterisation of green tea and black tea cream: Physicochemical and phytochemical nature. *Food Chemistry*. 173: 432–440.
- Martono, Y., and Sudibyoy, M. 2012. Analisis Kromatografi Cair Kinerja Tinggi Untuk Penetapan Kadar Asam Galat, Kafein Dan Epigalokatekin Galat Pada Beberapa Produk Teh Celup. *Agritech*. 32 (4): 362–369.
- Maung, P.P., Bo, B., Oo, A.K.K., and Aye, K.N. 2015. Isolation and Study The Profile of Polyphenol Oxidase from Myanmar Tea Leaf (*Camellia* Spp.). *International Journal of Advances in Science Engineering and Technology*. (5): 26–29.
- Munday, R. 2016. Tea: Health Effects In *Encyclopedia of Food and Health*. Elsevier Ltd. 273–278.
- Nair, K.P.P. 2010. Tea (*Camellia sinensis* L.) In *The Agronomy and Economy of Important*

- Narai-Kanayama, A., Kawashima, A., Uchida, Y., Kawamura, M., and Nakayama, T. 2017. Specificity of tyrosinase-catalyzed synthesis of theaflavins. *Journal of Molecular Catalysis. B, Enzymatic*. 133: 452-458.
- Narai-Kanayama, A., Uchida, Y., Kawashima, A., and Nakayama, T. 2019. Elimination of hydrogen peroxide enhances tyrosinase-catalyzed synthesis of theaflavins. *Process Biochemistry*. 85: 19-28.
- Ngure, F.M., Wanyoko, J.K., Mahungu, S.M., and Shitandi, A.A. 2009. Catechins depletion patterns in relation to theaflavin and thearubigins formation. *Food Chemistry*. 115: 8–14.
- Owuor, P.O. 2003. TEA / Chemistry In *Encyclopedia of Food Sciences and Nutrition*. Elsevier Science Ltd. 5743–5752.
- Özdemir, F., Nadeem, H.S., Akdoğan, A., DİNÇER, C., and Topuz, A. 2018. Effect of altitude, shooting period, and tea grade on the catechins, caffeine, theaflavin, and thearubigin of Turkish black tea. *Turkish Journal of Agriculture and Forestry*. 42: 334–340.
- Park, J., and Na, K. 2015. Effect of RTD Tea Drinks Selection Attributes on the Purchase Satisfaction and Repurchase Intention: Evidence in Korea. *Indian Journal of Science and Technology*. 8 (S8): 242–249.
- Pekal, A., Drozd, P., Biesaga, M., and Pyrzynska, K. 2011. Evaluation of the antioxidant properties of fruit and flavoured black teas. *European Journal Nutrition*. 50: 681–688.
- Pereira, V.P., Knor, F.J., Velloso, J.C.R., and Beltrame, F.L. 2014. Determination of Phenolic Compounds and Antioxidant Activity of Green, Black and White Teas of *Camellia sinensis* (L.) Kuntze, Theaceae. *Rev. Bras. Pl. Med.* 16 (3): 490–498.
- Phuong, H.T., Oanh, H.N., and Hien, P.P. 2014. Use of Viscozyme L to extract polyphenols from Kim Tuyen green tea. *Science and Technologi Administrative Technology*. 17: 56-63.
- Pou, K.R.J., Paul, S.K., and Malakar, S. 2019 Industrial Processing of CTC Black Tea In *Caffeinated and cocoa based beverages*. Elsevier Inc.: Silchar. 137–141.
- Pou, K.R.J. 2016. Fermentation: The Key Step in the Processing of Black Tea. *Journal of Biosystems Engineering*. 41 (2): 85–92.
- Preedy, V.R. 2013 Tea In Health and Disease Prevention In *Diabetes & Nutrition Sciences Division*. Elsevier: London. 19-41.
- Pretzler, M., Bijelic, A., and Rompel, A. 2015. Fungal Tyrosinases: Why Mushrooms Turn Brown In *Chemistry Molecular Sciences and Chemical Engineering*. Elsevier Inc. 1-17.
- Raghuwanshi, S., Misra, S., and Saxena, R.K. 2012. Enzymatic Treatment of Black Tea (CTC and Kangra Orthodox) Using *Penicillium charlesii* Tannase to Improve The Quality of Tea. *Journal of Food Processing and Preservation*. (4): 1–9.

- Rajbhar, K., and Dawda, H. 2018. Study of Cellulase and Macerating Enzyme Activity and Effect of Catechin on Cellulose. *Asian Journal of Biology*. 6 (1): 1–9.
- Rao, L. J. M., and Ramalakshmi, K. 2011. Types of tea and processing In *Recent Trends in Soft Beveragesft Beverages*. 87–99.
- Ross, I.A. 2005 Medical Plants of the World In Ami Thau In *Chemical Constituents, Traditional and Modern Medicinal Uses*. Humana Press: Totowa. 1-19.
- Samanta, T., Cheeni, V., Das, S., Roy, A. B., Ghosh, B. C., and Mitra, A. 2015. Assessing biochemical changes during standardization of fermentation time and temperature for manufacturing quality black tea. *Journal of Food Science and Technology*. 52 (4): 2387-2393.
- Sanchez-Ferrer, A., and Bru, R. 1988. Characterization of catecholase and cresolase activities of monastrell grape polyphenol oxidase. *Phytochemistry*. 27 (2): 319-321.
- Sang, S. 2016. Tea: Chemistry and Processing In *Encyclopedia of Food and Health*. Elsevier Ltd. 268–272.
- Sari, R. 2017. Analisis Produksi Teh Hitam Jenis BOP di PT. Perkebunan Nusantara VIII Goalpara Kabupaten Sukabumi. *Jurnal Administrasi Bisnis*. 1-9.
- Seo, S., Sharma, V.K, and Sharma, N. 2003. Mushroom Tyrosinase: Recent Prospects. *Journal of Agricultural and Food Chemistry*. 51: 2837–2853.
- Sinha, S.K., and Ghaskadbi, S.S. 2013. Thearubigins rich black tea fraction reveals strong antioxidant activity. *International Journal of Green Pharmacy*. 7 (4): 336–344.
- Somarathna, A.P.H., Perera, G.A.A.R., Piyasena, K.G.N.P., and Edirisingha, E.N.U. 2019. Effects of Tannase in Comparison to Viscozyme on Physicochemical Properties of Cold-Water-Soluble Instant Tea. *International Research Conference of UWU-2019*. 99-105.
- Subramanian, N., Venkatesh, P., Ganguli, S., and Sinkar, V.P. 1999. Role of Polyphenol Oxidase and Peroxidase in the Generation of Black Tea Theaflavins. *Journal of Agricultural and Food Chemistry*. 47: 2571–2578.
- Thakur, R., Devi, R., and Sud, R.G. 2018. Evaluation of phenolic constituents and antioxidant activity of aqueous extracts of Kangra tea [*Camellia sinensis* (L) O Kuntze]. *Journal of Pharmacognosy and Phytochemistry*. 7 (6): 1591–1599.
- Tozlu, B.H., and Okumus, H.I. 2018. A new approach to automation of black tea fermentation process with electronic nose. *Automatika*. 59: 373–381.
- Troup, R., Hayes, J.H., Raatz, S.K., Thyagarajan, B., Khaliq, W., Jacobs, D.R., Key, N.S., Morawski, B.M., Kaiser, D., Bank, A.J., and Gross, M. 2015. Effect of Black Tea Intake on Blood Cholesterol Concentrations in Individuals with Mild Hypercholesterolemia: A Diet-Controlled Randomized Trial. *Journal of the Academy of Nutrition and Dietetics*. 115 (2): 264–271.

- Ullah, M.R., Gogoi, N., and Baruah, D. 1984. The Effect of Withering on Fermentation of Tea Leaf and Development of Liquor Characters of Black Teas. *Journal of Food Science and Agricultural*. 35: 1142–1147.
- Verloop, A.J.W., Gruppen, H., Bisschop, R., and Vincken, J. 2016. Altering the phenolics profile of a green tea leaves extract using exogenous oxidases. *Food Chemistry*. 196: 1197–1206.
- Wang, L., Lee, W., Cui, Y.R., Ahn, G., and Jeon, Y. 2019. Protective effect of green tea catechin against urban fine dust particle-induced skin aging by regulation of NF- κ B, AP-1, and MAPKs signaling. *Environmental Pollution*. 252: 1318–1324.
- Wang, L.F., Park, S.C., Chung, J.O., Baik, J.H., and Park, S.K. 2004. To the Greenness of Green Tea. *Sensory and Nutritive Qualities of Food*. 69 (8): 301–305.
- Wang, Y., and Ho, C. 2009. Polyphenolic Chemistry of Tea and Coffee: A Century of Progress. *Journal of Agricultural and Food Chemistry*. 57: 8109–8114.
- Wang, Y., Ren, N., Rankin, G.O., Li, B., Rojanasakul, Y., Tu, Y., and Chen, C.Y. 2017. Anti-proliferative effect and cell cycle arrest induced by saponins extracted from tea (*Camellia sinensis*) flower in human ovarian cancer cells. *Journal of Functional Foods*. 37: 310–321.
- Wijoseno, G., Indradewa, D., and Putra, E.T.S. 2012. Potensi hasil dan Toleransi Curah Hujan Beberapa Klon Teh (*Camellia sinensis* (L.) O. Kuntze) PGL di Bagian Kebun Kayulandak PT. Pagilaran. *Agritech*. 1-14.
- Willis, S., Verghese, M., McCollum, M., Cheatom, K., Willis, Z., Seay, K., Sunkara, R., and Walker, L. 2017. A Comparison of Selected Phytochemical and Antioxidant Potential of Two Tea Beverages. *Food and Nutrition Sciences*. 8: 1039–1049.
- Wu, C. D., and Wei, G. 2002. Tea as a Functional Food for Oral Health. *Nutrition and Oral Health*. 9007 (02): 443-444.
- Xu, Y., Zhao, H., Zhang, M., Li, C., Lin, X., Sheng, J., and Shi, W. 2011. Variations of antioxidant properties and NO scavenging abilities during fermentation of tea. *International Journal of Molecular Sciences*. 12: 4574–4590.
- Yabuki, C., Yagi, K., and Nanjo, F. 2017. Highly Efficient Synthesis of Theaflavins by Tyrosinase from Mushroom and Its Application to Theaflavin Related Compounds. *Process Biochemistry*. 55: 61–69.
- Yuliana, R. A., Indradewa, D., and Ambarwati, E. 2013. Potensi Hasil dan Tanggapan Sembilan Klon Teh (*Camelia sinensis* (L.) O. Kuntze). *Vegetalika*. 2 (3): 54–67.
- Zaiter, A., Becker, L., Karam, M., and Dicko, A. 2016. Effect of particle size on antioxidant activity and catechin content of green tea powders. *Journal of Food Science and Technology*. 53 (4): 2025–2032.
- Zhang, Q., and Ruan, J. 2016. Tea: Analysis and Tasting In *Encyclopedia of Food and Health*.



Penambahan Viscozyme dan Tirosinase terhadap Kandungan Senyawa Fenolik, Aktivitas Antioksidan, dan Kenampakan Teh Hitam Siap Minum

META AQUARISTA GALIA, Dr.Ir.Supriyadi, M.Sc.; Dr.Ir.Rachmad Gunadi, M.Si.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Elsevier Ltd. 256-267.

Zhang, X.B., and Du, X.F. 2015. Effects of Exogenous Enzymatic Treatment During Processing on the Sensory Quality of Summer Tieguanyin Oolong Tea from the Chinese Anxi County. *Food Technology and Biotechnology*. 53 (2): 180–189.

Zhao, C., Tang, G., Cao, S., Xu, X., Gan, R., Liu, Q., Mao, Q., Shang, A., and Li, H. 2019. Phenolic profiles and antioxidant activities of 30 tea infusions from green, black, oolong, white, yellow and dark teas. *Antioxidants*. 8: 9–13.