

DAFTAR PUSTAKA

- Abrigo, J., Elorza, A.A., Riedel, C.A., Vilos, C., Simon, F., Cabrera, D., Estrada, L., Cabello-Verrugio, C., 2018. Role of oxidative stress as key regulator of *muscle wasting* during cachexia. *Oxid. Med. Cell. Longev.* 2018. <https://doi.org/10.1155/2018/2063179>
- Association, American Diabetic., 2019. 2. Classification and diagnosis of diabetes: Standards of medical care in diabetesd2019. *Diabetes Care* 42, S13–S28. <https://doi.org/10.2337/dc19-S002>.
- Andreollo, N. A. *et al.* (2012) ‘Rat’s age versus human’s age: what is the relationship?’, *Arquivos brasileiros de cirurgia digestiva: ABCD = Brazilian archives of digestive surgery*, 25(1), pp. 49–51. doi: 10.1590/s0102-67202012000100011.
- Chen, Y., Yang, R., Yao, L., Sun, Z., Wang, R., & Dai, Y., 2007. Differential expression of neurotrophins in penises of streptozotocin- induced diabetic rats. *J. Androl.* 28: 306–312. doi:10.2164/jandrol.106.000794
- Ciciliot, S., Rossi, A.C., Dyar, K.A., Blaw, B., Schiaffino, S. 2013. Muscle type and fiber type specificity in *muscle wasting*. *International Journal of Biochemistry and Cell Biology*. Elsevier Ltd, 45(10), pp. 2191–2199. doi: 10.1016/j.biocel.2013.05.016.
- Diabetes. 2013. Diagnosis and classification of diabetes mellitus. *Diabetes Care*, 36(SUPPL.1), pp. 67–74. doi: 10.2337/dc13-S067.
- Dirks-Naylor, A.J., 2015. The benefits of coffee on skeletal muscle. *Life Sci.* 143, 182–186. <https://doi.org/10.1016/j.lfs.2015.11.005>
- Dodd, S.L., Gagnon, B.J., Senf, S.M., Hain, B.A., Judge, A.R., 2010. Ros-mediated activation of NF-κB and foxo during muscle disuse. *Muscle and Nerve* 41, 110–113. <https://doi.org/10.1002/mus.21526>
- Duguez, P. *et al.* (2002) ‘Mitochondrial biogenesis during skeletal muscle regeneration’, (May). doi: 10.1152/ajpendo.00343.2001.
- D’Souza, D.M., Al-Sajee, D., Hawke, T.J., 2013. Diabetic myopathy: Impact of diabetes mellitus on skeletal muscle progenitor cells. *Front. Physiol.* 4 DEC, 1–7. <https://doi.org/10.3389/fphys.2013.00379>
- Ferri, E. *et al.* (2020) ‘Role of Age-Related Mitochondrial Dysfunction in Sarcopenia’.
- Fitria, L., Tiraya, C. M. and Andreas Budi, D. S. (2015) ‘Profil Reproduksi Jantan Tikus (*Rattus norvegicus* Berkenhout, 1769) Galur Wistar Stadia Muda, Pradewasa, dan Dewasa’, *Jurnal Biologi Papua*, 7(1), pp. 29–36.

- Gao, Y., Arfat, Y., Wang, H., Goswami, N., 2018. Muscle atrophy induced by mechanical unloading: Mechanisms and potential countermeasures. *Front. Physiol.* 9. <https://doi.org/10.3389/fphys.2018.00235>
- Gartner P. Hiatt JL. Muscle. *Color Textbook of Histology* (Third Edition). Philadelphia: Saunders Elsevier, 2007.
- Gonthier, M.P., Marie, A.V., Catherine, B., Christian, R., Augustin, S., 2003. Chlorogenic acid bioavailability largely depends on metabolism of the gut microflora in rats. *J.Nutr.*133: 58-59.
- Guthrie, R, A. and Guthrie, D, W. 2004. Pathophysiology of Diabetes Mellitus. *Critical Care Nursing Quarterly*, 27(2), pp. 113–125. doi: 10.1097/00002727-200404000-00003.
- Hassani, M. k. and Ibrahim, M. K. (2018) ‘The effect of Diabetes mellitus (DM) induction on the Structure of Skeletal Muscle in experimental rats and the protective role of arginine on (DM) complications (Ultrastructural Study)’, *Scientific Journal of Medical Research*, 02(07), pp. 113–123. doi: 10.37623/sjmr.2018.2702.
- Hernández, E.O., Camilo Vanegas, O., 2015. Diabetic Myopathy and Mechanisms of Disease. *Biochem. Pharmacol. Open Access* 04, 1–5. <https://doi.org/10.4172/2167->
- Hudson,M,B. and Price,S,R.2013.Calcineurin : A poorly understood regulator of muscle mass. *International Journal of Biochemistry and Cell Biology*.doi: 10.1016/j.biocel.2013.06.029.
- Jang, Y.J., Son, H.J., Kim, J.S., Jung, C.H., Ahn, J., Hur, J., Ha, T.Y., 2018. Coffee consumption promotes skeletal muscle hypertrophy and myoblast differentiation. *Food Funct.* 9, 1102–1111. <https://doi.org/10.1039/c7fo01683b>
- Joseph, A. *et al.* (2012) ‘Mitochondrial Dysregulation in the Pathogenesis of Diabetes : Potential for Mitochondrial Biogenesis-Mediated Interventions’, 2012. doi: 10.1155/2012/642038.
- Khairani. 2019. Hari Diabetes Sedunia Tahun 2018. *Pusat Data dan Informasi Kementrian Kesehatan RI*, pp. 1–8.
- Klotz, L.O., Sánchez-Ramos, C., Prieto-Arroyo, I., Urbánek, P., Steinbrenner, H., Monsalve, M., 2015. Redox regulation of FoxO transcription factors. *Redox Biol.* 6, 51–72. <https://doi.org/10.1016/j.redox.2015.06.019>
- Krause, M.P., Riddell, M.C., Hawke, T.J., 2011. Effects of type 1 diabetes mellitus on skeletal muscle: Clinical observations and physiological mechanisms. *Pediatr. Diabetes* 12, 345–364. <https://doi.org/10.1111/j.1399-5448.2010.00699.x>

- Lecker, S.H., Jagoe, R.T., Gilbert, A., Gomes, M., Baracos, V., Bailey, J., *et al.* 2004. Multiple types of skeletal muscle atrophy involve a common program of changes in gene expression. *FASEB Journal*, 18(1), pp. 39–51. doi: 10.1096/fj.03-0610com.
- Mastrocola, R., Reffo, P., Penna, F., Tomasinelli, C.E., Boccuzzi, G., Baccino, F.M., *et al.* 2008. *Muscle wasting* in diabetic and in tumor-bearing rats: Role of oxidative stress. *Free Radical Biology and Medicine*, 44(4), pp. 584–593. doi: 10.1016/j.freeradbiomed.2007.10.047.
- Mazibuko-Mbeje, S. E. *et al.* (2018) ‘The Role of Glucose and Fatty Acid Metabolism in the Development of Insulin Resistance in Skeletal Muscle’, *Muscle Cell and Tissue - Current Status of Research Field*, 2. doi: 10.5772/intechopen.75904.
- Mescher AL. Muscle tissue. Junqueira’s Basic Histology Text & Atlas (Twelfth Edition). New York: Mc GrawHill, 2010.
- Milan, G., Romanello, V., Pescatore, F., Armani, A., Paik, J.H., Frasson, L., Seydel, A., Zhao, J., Abraham, R., Goldberg, A.L., Blaauw, B., DePinho, R.A., Sandri, M., 2015. Regulation of autophagy and the ubiquitin-proteasome system by the FoxO transcriptional network during muscle atrophy. *Nat. Commun.* 6. <https://doi.org/10.1038/ncomms7670>
- Molanouri Shamsi, M. and Mahdavi, M. 2016. The Effect Of Resistance Training On Expression Of Interleukin-6 And Rcan-1 In Skeletal Muscle Of Streptozotocin-Induced Diabetic Rats. *Iranian Journal of Diabetes and Metabolism*. 15(5), pp. 283–291.
- Moore, T.M., Mortensen, X.M., Ashby, C.K., Harris, A.M., Kump, K.J., Laird, D.W., Adams, A.J., Bray, J.K., Chen, T., Thomson, D.M., 2017. The effect of caffeine on skeletal muscle anabolic signaling and hypertrophy. *Appl. Physiol. Nutr. Metab.* 42, 621–629. <https://doi.org/10.1139/apnm-2016-0547>
- Naveed, M., Hejazi, V., Abbas, M., Kamboh, A.A., Khan, G.J., Shumzaid, M., *et al.*, 2018. Chlorogenic acid (CGA): A pharmacological review and call for further research. *Biomed. Pharmacother.* doi:10.1016/j.biopha.2017.10.064
- Ong, K.W., Hsu, A., Tan, B.K.H., 2012. Chlorogenic acid stimulates glucose transport in skeletal muscle via AMPK activation: A contributor to the beneficial effects of coffee on diabetes. *PLoS One* 7. <https://doi.org/10.1371/journal.pone.0032718>
- Pereira, R. M. *et al.* (2017) ‘Molecular mechanisms of glucose uptake in skeletal muscle at rest and in response to exercise’, *Motriz. Revista de Educacao Fisica*, 23, pp. 1–8. doi: 10.1590/S1980-6574201700SI0004.
- Roberts-Wilson, T.K., Reddy, R.N., Bailey, J.L., Zheng, B., Ordas, R., Gooch, J.L., *et al.* 2010. Calcineurin signaling and PGC-1 α expression are suppressed during muscle atrophy due to diabetes. *Biochimica et Biophysica Acta - Molecular Cell Research*. Elsevier B.V. 1803(8), pp. 960–967. doi:

10.1016/j.bbamcr.2010.03.019.

Rolo, A. P. and Palmeira, C. M. (2006) 'Diabetes and mitochondrial function : Role of hyperglycemia and oxidative stress', 212, pp. 167–178. doi: 10.1016/j.taap.2006.01.003.

Romanello, V. and Sandri, M. (2016) 'Mitochondrial Quality Control and Muscle Mass Maintenance', 6(January), pp. 1–21. doi: 10.3389/fphys.2015.00422.

Rudrappa,S,S., Wilkinson,D,J., Greenhaff,P,L., Smith,K., Idris,I., Atherton,P,J. 2016. Human Skeletal Muscle Disuse Atrophy : Effects on Muscle Protein Synthesis, Breakdown, and Insulin Resistance - A Qualitative Review. *Frontiers in Physiology*. 7:361. doi: 10.3389/fphys.2016.00361.

Sandri,M., Lin,J., Handschin,C., Yang,W., Arany,Z,P., Lecker, S,H., *et al.* 2006. PGC-1 α Protects skeletal muscle from atrophy by supressing FoxO3 action and atrophy-specific gene transcription. *PNAS*. 103(44). doi: 10.1073_pnas.0607795103.

Sherwood, L. 2014. Fisiologi manusia : dari sel ke sistem. Edisi 8. Jakarta: EGC.

Skipworth, R, J, E., Steewart,G,D., Ross,J,A., Guttridge,D,C., Fearon,K,C,H. 2006 .The molecular mechanisms of skeletal *muscle wasting*: Implications for therapy.*Surgeon*, 4(5), pp. 273–283. doi: 10.1016/S1479-666X(06)80004-1.

Sun,Z., Liu,L., Liu,N., Liu,Y. 2008.Muscular response and adaptation to diabetes mellitus.*Department of Endocrinology, ZhongDa hospital, Southeast University, Nanjing, People's Republic of China, 2 Department of Internal Medicine, ZhongDa hospital, Southeast University, Nanjing, People's Republic of China, 3 Section Sports and Rehabilitation M.* pp. 4765–4794.

Tsuda, S., Egawa, T., Kitani, K., Oshima, R., Ma, X., Hayashi, T., 2015. Caffeine and contraction synergistically stimulate 5'-AMP-activated protein kinase and insulin-independent glucose transport in rat skeletal muscle. *Physiol. Rep.* 3, 1–12. <https://doi.org/10.14814/phy2.12592>

Workeneh, B. and Bajaj, M. 2013. The regulation of muscle protein turnover in diabetes.*International Journal of Biochemistry and Cell Biology*. Elsevier Ltd, 45(10), pp. 2239–2244. doi: 10.1016/j.biocel.2013.06.028.