

## DAFTAR PUSTAKA

- Akila, P., & Vennila, L., 2016. Chlorogenic acid a dietary polyphenol attenuates isoproterenol induced myocardial oxidative stress in rat myocardium: An in vivo study. *Biomed. Pharmacother.* 84: 208–214. doi:10.1016/j.biopha.2016.09.028
- Amato, A., Terzo, S., & Mulè, F., 2019. Natural compounds as beneficial antioxidant agents in neurodegenerative disorders: A focus on Alzheimer's disease. *Antioxidants*. doi:10.3390/antiox8120608
- Amiri, A., Torabi Parizi, G., Kousha, M., Saadat, F., Modabbernia, M.J., Najafi, K., *et al.*, 2013. Changes in plasma Brain-derived neurotrophic factor (BDNF) levels induced by methylphenidate in children with Attention deficit-hyperactivity disorder (ADHD). *Prog. Neuro-Psychopharmacology Biol. Psychiatry* 47: 20–24. doi:10.1016/j.pnpbp.2013.07.018
- Anacker, C., & Hen, R., 2017. Adult hippocampal neurogenesis and cognitive flexibility-linking memory and mood. *Nat. Rev. Neurosci.* doi:10.1038/nrn.2017.45
- Arfian, N., Wahyudi, D.A.P., Zulfatima, I.B., Citta, A.N., Anggorowati, N., Multazam, A., *et al.*, 2019. Chlorogenic acid attenuates kidney ischemic/reperfusion injury via reducing inflammation, tubular injury, and myofibroblast formation. *Biomed Res. Int.* 2019. doi:10.1155/2019/5423703
- Avchalumov, Y., & Mandyam, C.D., 2021. Plasticity in the hippocampus, neurogenesis and drugs of abuse. *Brain Sci.* doi:10.3390/brainsci11030404
- Bagdas, D., Etoz, B.C., Gul, Z., Ziyank, S., Inan, S., Turacozen, O., *et al.*, 2015. In vivo systemic chlorogenic acid therapy under diabetic conditions: Wound healing effects and cytotoxicity/genotoxicity profile. *Food Chem. Toxicol.* 81: 54–61. doi:10.1016/j.fct.2015.04.001
- Bathina, S., Srinivas, N., & Das, U.N., 2017. Streptozotocin produces oxidative stress, inflammation and decreases BDNF concentrations to induce apoptosis of RIN5F cells and type 2 diabetes mellitus in Wistar rats. *Biochem. Biophys. Res. Commun.* 486: 406–413. doi:10.1016/j.bbrc.2017.03.054
- Bellmund, J.L.S., Polti, I., & Doeller, C.F., 2020. Sequence memory in the hippocampal–entorhinal region. *J. Cogn. Neurosci.* 32: 2056–2070. doi:10.1162/jocn\_a\_01592
- Bingham, E., Hopkins, D., Smith, D., Pernet, A., Hallett, W., Reed, L., *et al.*, 2002. The role of insulin in human brain glucose metabolism. *Diabetes* 51: 3384–3390.
- Bird, C.M., & Burgess, N., 2009. Spatial Memory: Assessment in Animals, in: *Encyclopedia of Neuroscience*. pp. 187–194. doi:10.1016/B978-008045046-9.00288-6
- Bliss, T.V.P., & Cooke, S.F., 2011. Long-term potentiation and long-term depression: A clinical perspective. *Clinics* 66: 3–17. doi:10.1590/S1807-59322011001300002

- Camina, E., & Güell, F., 2017. The neuroanatomical, neurophysiological and psychological basis of memory: Current models and their origins. *Front. Pharmacol.* doi:10.3389/fphar.2017.00438
- Cerf, M.E., 2013. Beta cell dysfunction and insulin resistance. *Front. Endocrinol. (Lausanne)*. doi:10.3389/fendo.2013.00037
- Chen, X., Guo, C., & Kong, J., 2012. Oxidative stress in neurodegenerative diseases. *Neural Regen. Res.* 7: 376–385. doi:10.1146/annurev.pharmtox.36.1.83
- Cosar, M., Songur, A., Sahin, O., Uz, E., Yilmaz, R., Yagmurca, M., *et al.*, 2008. The neuroprotective effect of fish n-3 fatty acids in the hippocampus of diabetic rats. *Nutr. Neurosci.* 11: 161–166. doi:10.1179/147683008X301531
- Decroli, S.-K.F., 2019. Diabetes Melitus Tipe 2, Pusat Penerbitan Bagian Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Andalas.
- Diegues, J.C., Pauli, J.R., Luciano, E., de Almeida Leme, J.A.C., de Moura, L.P., Dalia, R.A., *et al.*, 2014. Spatial memory in sedentary and trained diabetic rats: MOLECULAR mechanisms. *Hippocampus* 24: 703–711. doi:10.1002/hipo.22261
- Bathina, S., Srinivas, N., & Das, U.N., 2017. Streptozotocin produces oxidative stress, inflammation and decreases BDNF concentrations to induce apoptosis of RIN5F cells and type 2 diabetes mellitus in Wistar rats. *Biochem. Biophys. Res. Commun.* 486: 406–413. doi:10.1016/j.bbrc.2017.03.054
- Bird, C.M., & Burgess, N., 2009. Spatial Memory: Assessment in Animals, in: *Encyclopedia of Neuroscience*. pp. 187–194. doi:10.1016/B978-008045046-9.00288-6
- Camina, E., & Güell, F., 2017. The neuroanatomical, neurophysiological and psychological basis of memory: Current models and their origins. *Front. Pharmacol.* doi:10.3389/fphar.2017.00438
- Diegues, J.C., Pauli, J.R., Luciano, E., de Almeida Leme, J.A.C., de Moura, L.P., Dalia, R.A., *et al.*, 2014. Spatial memory in sedentary and trained diabetic rats: MOLECULAR mechanisms. *Hippocampus* 24: 703–711. doi:10.1002/hipo.22261
- Dong, P., Xu, Z., Jia, N., Li, D., & Feng, Y., 2009. Elevated expression of p53 gain-of-function mutation R175H in endometrial cancer cells can increase the invasive phenotypes by activation of the EGFR/PI3K/AKT pathway. *Mol. Cancer* 8. doi:10.1186/1476-4598-8-103
- Eichenbaum, H., 2017. The role of the hippocampus in navigation is memory. *J. Neurophysiol.* doi:10.1152/jn.00005.2017
- Fanselow, M.S., & Dong, H.W., 2010. Are the Dorsal and Ventral Hippocampus Functionally Distinct Structures? *Neuron*. doi:10.1016/j.neuron.2009.11.031
- Faraji, H., 2019. The effect of coffee-enriched chlorogenic acid on insulin, GIP and GLP-1 levels in healthy humans: A systematic review. *Prog. Nutr.* 21: 744–751. doi:10.23751/pn.v21i4.6557
- Giribabu, N., Srinivasarao, N., Swapna Rekha, S., Muniandy, S., & Salleh, N., 2014. Centella asiatica attenuates diabetes induced hippocampal changes in

- experimental diabetic rats. *Evidence-based Complement. Altern. Med.* 2014. doi:10.1155/2014/592062
- Heitman, E., & Ingram, D.K., 2017. Cognitive and neuroprotective effects of chlorogenic acid. *Nutr. Neurosci.* doi:10.1179/1476830514Y.0000000146
- Kato, M., Ochiai, R., Kozuma, K., Sato, H., & Katsuragi, Y., 2018. Effect of Chlorogenic Acid Intake on Cognitive Function in the Elderly: A Pilot Study. *Evidence-based Complement. Altern. Med.* 2018. doi:10.1155/2018/8608497
- Kirkby, L.A., Sack, G.S., Firl, A., & Feller, M.B., 2013. A role for correlated spontaneous activity in the assembly of neural circuits. *Neuron.* doi:10.1016/j.neuron.2013.10.030
- Kroemer, G., 1997. The proto-oncogene Bcl-2 and its role in regulating apoptosis. *Nat. Med.* doi:10.1038/nm0697-614
- Li, D., Huang, Y., Cheng, B., Su, J., Zhou, W.X., & Zhang, Y.X., 2016. Streptozotocin induces mild cognitive impairment at appropriate doses in mice as determined by long-term potentiation and the morris water maze. *J. Alzheimer's Dis.* 54: 89–98. doi:10.3233/JAD-150979
- Li, X., Cheng, K.K.Y., Liu, Z., Yang, J.K., Wang, B., Jiang, X., et al., 2016. The MDM2-p53-pyruvate carboxylase signalling axis couples mitochondrial metabolism to glucose-stimulated insulin secretion in pancreatic  $\beta$ -cells. *Nat. Commun.* 7. doi:10.1038/ncomms11740
- Matough, F.A., Budin, S.B., Hamid, Z.A., Alwahaibi, N., & Mohamed, J., 2012. The role of oxidative stress and antioxidants in diabetic complications. *Sultan Qaboos Univ. Med. J.* doi:10.12816/0003082
- Meng, S., Cao, J., Feng, Q., Peng, J., & Hu, Y., 2013. Roles of chlorogenic acid on regulating glucose and lipids metabolism: A review. *Evidence-based Complement. Altern. Med.* doi:10.1155/2013/801457
- Moheet, A., Mangia, S., & Seaquist, E.R., 2015. Impact of diabetes on cognitive function and brain structure. *Ann. N. Y. Acad. Sci.* 1353: 60–71. doi:10.1111/nyas.12807
- Murtas, D., Piras, F., Minerba, L., Ugalde, J., Floris, C., Maxia, C., et al., 2010. Nuclear 8-hydroxy-2'-deoxyguanosine as survival biomarker in patients with cutaneous melanoma. *Oncol. Rep.* 23: 329–335. doi:10.3892/or-00000640
- Naveed, M., Hejazi, V., Abbas, M., Kamboh, A.A., Khan, G.J., Shumzaid, M., et al., 2018. Chlorogenic acid (CGA): A pharmacological review and call for further research. *Biomed. Pharmacother.* doi:10.1016/j.biopha.2017.10.064
- Nielson, D.M., Smith, T.A., Sreekumar, V., Dennis, S., & Sederberg, P.B., 2015. Human hippocampus represents space and time during retrieval of real-world memories. *Proc. Natl. Acad. Sci. U. S. A.* 112: 11078–11083. doi:10.1073/pnas.1507104112
- Ortega-Camarillo, C., Guzmán-Grenfell, A.M., García-Macedo, R., Rosales-Torres, A.M., Ávalos-Rodríguez, A., Durán-Reyes, G., et al., 2006. Hyperglycemia induces apoptosis and p53 mobilization to mitochondria in RINm5F cells. *Mol. Cell. Biochem.* 281: 163–171. doi:10.1007/s11010-006-0829-5

- Öz, G., Kumar, A., Rao, J.P., Kodl, C.T., Chow, L., Eberly, L.E., et al., 2009. Human brain glycogen metabolism during and after hypoglycemia. *Diabetes* 58: 1978–1985. doi:10.2337/db09-0226
- Ozougwu, O., 2013. The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus. *J. Physiol. Pathophysiol.* 4: 46–57. doi:10.5897/jpap2013.0001
- Park, J.B., 2013. Isolation and quantification of major chlorogenic acids in three major instant coffee brands and their potential effects on H<sub>2</sub>O<sub>2</sub>-induced mitochondrial membrane depolarization and apoptosis in PC-12 cells. *Food Funct.* 4: 1632–1638. doi:10.1039/c3fo60138b
- Piekema, C., Kessels, R.P.C., Mars, R.B., Petersson, K.M., & Fernández, G., 2006. The right hippocampus participates in short-term memory maintenance of object-location associations. *Neuroimage* 33: 374–382. doi:10.1016/j.neuroimage.2006.06.035
- Remodes, M., & Schuman, E.M., 2004. Role for a cortical input to hippocampal area CA1 in the consolidation of a long-term memory. *Nature* 431: 699–703. doi:10.1038/nature02965
- Reymann, K.G., & Frey, J.U., 2007. The late maintenance of hippocampal LTP: Requirements, phases, “synaptic tagging”, “late-associativity” and implications. *Neuropharmacology* 52: 24–40. doi:10.1016/j.neuropharm.2006.07.026
- Rice, C.J., Sandman, C.A., Lenjavi, M.R., & Baram, T.Z., 2008. A novel mouse model for acute and long-lasting consequences of early life stress. *Endocrinology* 149: 4892–4900. doi:10.1210/en.2008-0633
- Schisano, B., Tripathi, G., McGee, K., McTernan, P.G., & Ceriello, A., 2011. Glucose oscillations, more than constant high glucose, induce p53 activation and a metabolic memory in human endothelial cells. *Diabetologia* 54: 1219–1226. doi:10.1007/s00125-011-2049-0
- SCOVILLE, W.B., & MILNER, B., 1957. Loss of recent memory after bilateral hippocampal lesions. *J. Neurol. Neurosurg. Psychiatry* 20: 11–21. doi:10.1136/jnnp.20.1.11
- Shen, W., Qi, R., Zhang, J., Wang, Z., Wang, H., Hu, C., et al., 2012. Chlorogenic acid inhibits LPS-induced microglial activation and improves survival of dopaminergic neurons. *Brain Res. Bull.* 88: 487–494. doi:10.1016/j.brainresbull.2012.04.010
- Shen, Z.X., Xiao, Q., Zhao, Y.X., & Zhao, K.X., 2016. Effects of ghrelin on hippocampal DKK-1 expression and cognitive function in rats with diabetes mellitus. *Nan Fang Yi Ke Da Xue Xue Bao* 36: 500–505.
- Sheu, M.L., Ho, F.M., Yang, R. Sen, Chao, K.F., Lin, W.W., Lin-Shiau, S.Y., et al., 2005. High glucose induces human endothelial cell apoptosis through a phosphoinositide 3-kinase-regulated cyclooxygenase-2 pathway. *Arterioscler. Thromb. Vasc. Biol.* 25: 539–545. doi:10.1161/01.ATV.0000155462.24263.e4
- Squire, L.R., Genzel, L., Wixted, J.T., & Morris, R.G., 2015. Memory consolidation. *Cold Spring Harb. Perspect. Biol.* 7. doi:10.1101/cshperspect.a021766

- Stefanello, N., Schmatz, R., Pereira, L.B., Rubin, M.A., Da Rocha, J.B.T., Facco, G., et al., 2014. Effects of chlorogenic acid, caffeine, and coffee on behavioral and biochemical parameters of diabetic rats. *Mol. Cell. Biochem.* 388: 277–286. doi:10.1007/s11010-013-1919-9
- Stranahan, A.M., Norman, E.D., Lee, K., Cutler, R.G., Telljohann, R.S., Egan, J.M., et al., 2008. Diet-induced insulin resistance impairs hippocampal synaptic plasticity and cognition in middle-aged rats. *Hippocampus* 18: 1085–1088. doi:10.1002/hipo.20470
- Szkudelski, T., 2001. The mechanism of alloxan and streptozotocin action in B cells of the rat pancreas. *Physiol. Res.*
- Tajik, N., Tajik, M., Mack, I., & Enck, P., 2017. The potential effects of chlorogenic acid, the main phenolic components in coffee, on health: a comprehensive review of the literature. *Eur. J. Nutr.* doi:10.1007/s00394-017-1379-1
- Taupin, P., 2007. *The Hippocampus Neurotransmission and Plasticity in the Nervous System*, New York.
- Thornberry, N.A., & Lazebnik, Y., 1998. Caspases: Enemies within. *Science* (80-. ). doi:10.1126/science.281.5381.1312
- Tian, Z., Wang, J., Xu, M., Wang, Y., Zhang, M., & Zhou, Y., 2016. Resveratrol Improves Cognitive Impairment by Regulating Apoptosis and Synaptic Plasticity in Streptozotocin-Induced Diabetic Rats. *Cell. Physiol. Biochem.* 40: 1670–1677. doi:10.1159/000453216
- Vorhees, C. V., & Williams, M.T., 2006. Morris water maze: Procedures for assessing spatial and related forms of learning and memory. *Nat. Protoc.* 1: 848–858. doi:10.1038/nprot.2006.116
- Wild, S., Roglic, G., Green, A., Sicree, R., & King, H., 2004. Global Prevalence of Diabetes: Estimates for the year 2000 and projections for 2030. *Diabetes Care* 27: 1047–1053. doi:10.2337/diacare.27.5.1047
- Wong, R.H.X., Nealon, R.S., Scholey, A., & Howe, P.R.C., 2016. Low dose resveratrol improves cerebrovascular function in type 2 diabetes mellitus. *Nutr. Metab. Cardiovasc. Dis.* 26: 393–399. doi:10.1016/j.numecd.2016.03.003
- Zhang, J., Liu, Z., Li, Z., Wang, Y., Chen, Y., Li, X., et al., 2016. Disrupted White Matter Network and Cognitive Decline in Type 2 Diabetes Patients. *J. Alzheimer's Dis.* 53: 185–195. doi:10.3233/JAD-160111
- Zhou, M., Liu, Z., Zhao, Y., Ding, Y., Liu, H., Xi, Y., et al., 2010. MicroRNA-125b confers the resistance of breast cancer cells to paclitaxel through suppression of pro-apoptotic Bcl-2 antagonist killer 1 (Bak1) expression. *J. Biol. Chem.* 285: 21496–21507. doi:10.1074/jbc.M109.083337