

DAFTAR PUSTAKA

- Acharya, B., & Dutta, A. (2016). Fuel property enhancement of lignocellulosic and nonlignocellulosic biomass through torrefaction. *Biomass Conversion and Biorefinery*, 6, 139–149. <https://doi.org/10.1007/s13399-015-0170-x>
- Acharya, B., Sule, I., & Dutta, A. (2012). *A review on advances of torrefaction technologies for biomass processing*. 349–369. <https://doi.org/10.1007/s13399-012-0058-y>
- Adhiguna, P. (2021). Indonesia ' s Biomass Cofiring Bet Beware of the Implementation Risks. In *Ieefa* (Issue February).
- Adzimah, S. K., & Asiam, E. K. (2010). Design of a Cocoa Pod Splitting Machine. *Research Journal of Applied Sciences, Engineering and Technology*, 2(7), 622–634.
- Akram, M., Tan, C. K., Garwood, D. R., Fisher, M., Gent, D. R., & Kaye, W. G. (2015). Co-firing of pressed sugar beet pulp with coal in a laboratory-scale fluidised bed combustor. *Applied Energy*, 139, 1–8. <https://doi.org/10.1016/j.apenergy.2014.11.008>
- Akram, M., Tan, C. K., Garwood, R., & Thai, S. M. (2015). Vinasse – A potential biofuel – Cofiring with coal in a fluidised bed combustor. *Fuel*, 158, 1006–1015. <https://doi.org/10.1016/j.fuel.2015.06.036>
- Al-mansour, F., & Zuwala, J. (2010). An evaluation of biomass co-firing in Europe. *Biomass and Bioenergy*, 34(5), 620–629. <https://doi.org/10.1016/j.biombioe.2010.01.004>
- Álvarez, A., Pizarro, C., García, R., Bueno, J. L., & Lavín, A. G. (2016). Determination of kinetic parameters for biomass combustion. *Bioresource Technology*, 216, 36–43. <https://doi.org/10.1016/j.biortech.2016.05.039>
- Amirabedin, E., Pooyanfar, M., Rahim, M. A., & Topal, H. (2014). Techno-environmental assessment of co-gasification of low-grade Turkish lignite with biomass in a trigeneration power plant. *Environmental and Climate Technologies*, 13(1), 5–11. <https://doi.org/10.2478/rtuect-2014-0001>
- Arias, B., Pevida, C., Feroso, J., Plaza, M. G., Rubiera, F., & Pis, J. J. (2008). Influence of torrefaction on the grindability and reactivity of woody biomass. *Fuel Processing Technology*, 89(2), 169–175. <https://doi.org/10.1016/j.fuproc.2007.09.002>



- Asadullah, M., Adi, A. M., Suhada, N., Malek, N. H., Saringat, M. I., & Azdarpour, A. (2014). Optimization of palm kernel shell torrefaction to produce energy densified bio-coal. *Energy Conversion and Management*, 88, 1086–1093.
<https://doi.org/10.1016/j.enconman.2014.04.071>
- Awang, A. N., Mohamed, A. R., Hasyierah, N., Salleh, M., Hoo, P. Y., & Kasim, N. N. (2019). Torrefaction of *Leucaena Leucocephala* under isothermal conditions using the Coats – Redfern method : kinetics and surface morphological analysis. *Reaction Kinetics, Mechanisms and Catalysis*, 128(2), 663–680.
<https://doi.org/10.1007/s11144-019-01659-w>
- Bach, Q., Chen, W., Chu, Y., & Skreiberg, Ø. (2016). Predictions of biochar yield and elemental composition during torrefaction of forest residues. *Bioresource Technology*, 215, 239–246. <https://doi.org/10.1016/j.biortech.2016.04.009>
- Bach, Q., & Skreiberg, Ø. (2016). Upgrading biomass fuels via wet torrefaction : A review and comparison with dry torrefaction. *Renewable and Sustainable Energy Reviews*, 54, 665–677. <https://doi.org/10.1016/j.rser.2015.10.014>
- Bada, S. O., Falcon, R. M. S., & Falcon, L. M. (2014). Investigation of combustion and co-combustion characteristics of raw and thermal treated bamboo with thermal gravimetric analysis. *Thermochimica Acta*, 589, 207–214.
<https://doi.org/10.1016/j.tca.2014.05.021>
- Basu, P. (2013). *Biomass Gasification, Pyrolysis and Torrefaction (Practical Design and Theory)* (2nd ed.). Academic Press.
- Basu, P., Rao, S., & Dhungana, A. (2013). An investigation into the effect of biomass particle size on its torrefaction. *Canadian Journal of Chemical Engineering*, 91(3), 466–474. <https://doi.org/10.1002/cjce.21710>
- Baxter, L. (2005). *Biomass-coal co-combustion : opportunity for affordable renewable energy*. 84, 1295–1302. <https://doi.org/10.1016/j.fuel.2004.09.023>
- Benavente, V., & Fullana, A. (2015). Torrefaction of olive mill waste. *Biomass and Bioenergy*, 73, 186–194. <https://doi.org/10.1016/j.biombioe.2014.12.020>
- Bergman, P. . C. A., & Kiel, J. H. A. (2005). Torrefaction for biomass upgrading. *Energy Research Centre of the Netherlands (ECN)*, October, 17–21.
- Beyond Petroleum. (2018). *BP Statistical Review of World Energy 2018*.



- Bhuiyan, A. A., Blicblau, A. S., Islam, A. K. M. S., & Naser, J. (2016). A review on thermo-chemical characteristics of coal / biomass co- firing in industrial furnace. *Journal of the Energy Institute*. <https://doi.org/10.1016/j.joei.2016.10.006>
- Borman, G. L., & Ragland, K. . (1998). *Combustion Engineering*. McGraw-Hill Book Co.
- BPPT. (2017). *Indonesia Energy Outlook 2017. Clean Energy Technology Development Initiatives* (I. Fitriana, Anindhita, A. Sugiyono, L. M. A. Wahid, & Adiarso (eds.)). Pusat Teknologi Sumberdaya Energi dan Industri Kimia BPPT.
- Bridgeman, T. G., & Jones, J. M. (2008). *Torrefaction of reed canary grass , wheat straw and willow to enhance solid fuel qualities and combustion properties*. 87, 844–856. <https://doi.org/10.1016/j.fuel.2007.05.041>
- Bridgeman, T. G., Jones, J. M., Williams, A., & Waldron, D. J. (2010). An investigation of the grindability of two torrefied energy crops. *Fuel*, 89(12), 3911–3918. <https://doi.org/10.1016/j.fuel.2010.06.043>
- Castells, B., Amez, I., Medic, L., & García-Torrent, J. (2021). Torrefaction influence on combustion kinetics of Malaysian oil palm wastes. *Fuel Processing Technology*, 218(February), 106843. <https://doi.org/10.1016/j.fuproc.2021.106843>
- Ceylan, S. (2015). Kinetic analysis on the non-isothermal degradation of plum stone waste by thermogravimetric analysis and integral Master-Plots method. *Waste Management & Research*, 33(4), 345–352. <https://doi.org/10.1177/0734242X15574590>
- Chao, C. Y. H., Kwong, P. C. W., Wang, J. H., Cheung, C. W., & Kendall, G. (2008). *Co- W ring coal with rice husk and bamboo and the impact on particulate matters and associated polycyclic aromatic hydrocarbon emissions*. 99, 83–93. <https://doi.org/10.1016/j.biortech.2006.11.051>
- Chen, H., Chen, X., Qin, Y., Wei, J., & Liu, H. (2017). Effect of torrefaction on the properties of rice straw high temperature pyrolysis char : Pore structure , aromaticity and gasification activity. *Bioresource Technology*, 228, 241–249. <https://doi.org/10.1016/j.biortech.2016.12.074>
- Chen, W., Du, S., Tsai, C., & Wang, Z. (2012). Torrefied biomasses in a drop tube furnace to evaluate their utility in blast furnaces. *Bioresource Technology*, 111, 433–438. <https://doi.org/10.1016/j.biortech.2012.01.163>
- Chen, W. H., Hsu, H. C., Lu, K. M., Lee, W. J., & Lin, T. C. (2011). Thermal pretreatment



- of wood (Lauan) block by torrefaction and its influence on the properties of the biomass. *Energy*, 36(5), 3012–3021. <https://doi.org/10.1016/j.energy.2011.02.045>
- Chen, W., Lin, B., Colin, B., Chang, J., Pétrissans, A., Bi, X., & Pétrissans, M. (2018). Hygroscopic transformation of woody biomass torrefaction for carbon storage. *Applied Energy*, 231(May), 768–776. <https://doi.org/10.1016/j.apenergy.2018.09.135>
- Chen, X., Liu, L., Zhang, L., Zhao, Y., & Qiu, P. (2019). Gasification reactivity of co-pyrolysis char from coal blended with corn stalks. *Bioresource Technology*, 279(December 2018), 243–251. <https://doi.org/10.1016/j.biortech.2019.01.108>
- Chen, Y., Liu, B., Yang, H., Yang, Q., & Chen, H. (2014). Evolution of functional groups and pore structure during cotton and corn stalks torrefaction and its correlation with hydrophobicity. *Fuel*, 137, 41–49. <https://doi.org/10.1016/j.fuel.2014.07.036>
- Ciolkosz, D., & Wallace, R. (2011). A review of torrefaction for bioenergy feedstock. *Biofuels, Bioprod. Biorefinery*, 5, 317–329. <https://doi.org/10.1002/bbb>
- Cornejo, P., Flores, M., Gordon, A., & García, X. (2017). A modeling approach to co-firing biomass / coal blends in pulverized coal utility boilers : Synergistic effects and emissions profiles. *Energy*, 120, 663–674. <https://doi.org/10.1016/j.energy.2016.11.116>
- Correia, R., Gonçalves, M., Nobre, C., & Mendes, B. (2017). Impact of torrefaction and low-temperature carbonization on the properties of biomass wastes from *Arundo donax* L. and *Phoenix canariensis*. *Bioresource Technology*, 223, 210–218. <https://doi.org/10.1016/j.biortech.2016.10.046>
- Cruz, G., Pirilä, M., Carrión, L., Alvarenga, E., & Keiski, R. L. (2012). Production of Activated Carbon from Cocoa (*Theobroma cacao*) Pod Husk. *Civil & Environmental Engineering*, 2(2). <https://doi.org/10.4172/2165-784X.1000109>
- Fang, X., Jia, L., & Yin, L. (2012). A weighted average global process model based on two L stage kinetic scheme for biomass combustion. *Biomass and Bioenergy*, 48, 43–50. <https://doi.org/10.1016/j.biombioe.2012.11.011>
- Garcia-maraver, A., Perez-jimenez, J. A., & Serrano-bernardo, F. (2015). Determination and comparison of combustion kinetics parameters of agricultural biomass from olive trees. *Renewable Energy*, 83, 897–904. <https://doi.org/10.1016/j.renene.2015.05.049>
- Gil, M. V., García, R., Pevida, C., & Rubiera, F. (2015). Grindability and combustion



- behavior of coal and torrefied biomass blends. *Bioresource Technology*, 191, 205–212. <https://doi.org/10.1016/j.biortech.2015.04.117>
- Goldfarb, J. L., & Liu, C. (2013). Bioresource Technology Impact of blend ratio on the co-firing of a commercial torrefied biomass and coal via analysis of oxidation kinetics. *Bioresource Technology*, 149, 208–215. <https://doi.org/10.1016/j.biortech.2013.09.053>
- Gong, C., Huang, J., Feng, C., Wang, G., Tabil, L., & Wang, D. (2016). Effects and mechanism of ball milling on torrefaction of pine sawdust. *Bioresource Technology*, 214, 242–247. <https://doi.org/10.1016/j.biortech.2016.04.062>
- Gou, X., Zhao, X., Singh, S., & Qiao, D. (2019). Tri-pyrolysis: A thermo-kinetic characterisation of polyethylene, cornstalk, and anthracite coal using TGA-FTIR analysis. *Fuel*, 252(April), 393–402. <https://doi.org/10.1016/j.fuel.2019.03.143>
- Gucho, E. M., Shahzad, K., Bramer, E. A., Akhtar, N. A., & Brem, G. (2015). Experimental study on dry torrefaction of beech wood and miscanthus. *Energies*, 8(5), 3903–3923. <https://doi.org/10.3390/en8053903>
- Güneş, A., Kalkan, H., & Durmuş, E. (2016). Optimizing the color-to-grayscale conversion for image classification. *Signal, Image and Video Processing*, 10(5), 853–860. <https://doi.org/10.1007/s11760-015-0828-7>
- International Cocoa Organization. (2020). *ICCO Quarterly Bulletin of Cocoa Statistics: Vol. XLVI (Issue 4)*. <https://www.icco.org/wp-content/uploads/Production-QBCS-XLVI-No-4.pdf>
- Iroba, K. L., Baik, O., & Tabil, L. G. (2017). Torrefaction of biomass from municipal solid waste fractions I: Temperature profiles, moisture content, energy consumption, mass yield, and thermochemical properties. *Biomass and Bioenergy*, 105, 320–330. <https://doi.org/10.1016/j.biombioe.2017.07.009>
- Islam, A., Auta, M., Kabir, G., & Hameed, B. H. (2016). A thermogravimetric analysis of the combustion kinetics of karanja (*Pongamia pinnata*) fruit hulls char. *Bioresource Technology*, 200, 335–341. <https://doi.org/10.1016/j.biortech.2015.09.057>
- Jin, Y., Lu, L., Ma, X., Liu, H., Chi, Y., & Yoshikawa, K. (2013). Effects of blending hydrothermally treated municipal solid waste with coal on co-combustion characteristics in a lab-scale fluidized bed reactor. In *Applied Energy* (Vol. 102). Elsevier Ltd. <https://doi.org/10.1016/j.apenergy.2012.08.026>



- Jiricek, I., Rudasova, P., & Zemlov, T. (2012). A Thermogravimetric Study of the Behaviour of Biomass Blends During Combustion. *Acta Polytechnica*, 52(3), 39–42.
- Kabir, R., & Kumar, A. (2012). Comparison of the energy and environmental performances of nine biomass / coal co-firing pathways. *Bioresource Technology*, 124, 394–405. <https://doi.org/10.1016/j.biortech.2012.07.106>
- Kazanc, F., Khatami, R., Crnkovic, P. M., & Levendis, Y. A. (2011). Emissions of NO_x and SO₂ from Coals of Various Ranks, Bagasse, and Coal-Bagasse Blends Burning in O₂/N₂ and O₂/CO₂ Environments. *Energy and Fuels*, 25, 2850–2861.
- Peraturan Menteri Lingkungan Hidup Dan Kehutanan Republik Indonesia Tentang Baku Mutu Emisi Pembangkit Listrik Tenaga Termal, Pub. L. No. NOMOR P.15/MENLHK/SETJEN/KUM.1/4/2019, - 1 (2019). <https://icel.or.id/wp-content/uploads/PERMENLHK-NO-15-TH-2019-ttg-BM-Emisi-Pembangkit-Listrik-Thermal.pdf>
- Khan, A. A., de Jong, W., Jansens, P. J., & Spliethoff, H. (2009). Biomass combustion in fluidized bed boilers: Potential problems and remedies. *Fuel Processing Technology*, 90(1), 21–50. <https://doi.org/10.1016/j.fuproc.2008.07.012>
- Kitto, E. J. B., & Stultz, S. C. (2005). *Steam/its generation and use* (J. B. Kitto & S. C. Stultz. (eds.); 41st ed.). The Babcock & Wilcox Company.
- Koppejan, J., Sokhansanj, S., Melin, S., & Sebnem Madrali. (2012). *Status overview of torrefaction technologies*.
- Kumar, T., & Verma, K. (2010). A Theory Based on Conversion of RGB image to Gray image. *International Journal of Computer Applications*, 7(2), 5–12. <https://doi.org/10.5120/1140-1493>
- Laougé, Z. B., & Merdun, H. (2020). Pyrolysis and combustion kinetics of *Sida cordifolia* L. using thermogravimetric analysis. *Bioresource Technology*, 299, 122602. <https://doi.org/10.1016/j.biortech.2019.122602>
- Lee, B., Song, J., Kim, R., Kim, S., Kim, Y., Chang, Y., & Jeon, C. (2010). Simulation of the Influence of the Coal Volatile Matter Content on Fuel NO Emissions in a Drop-Tube Furnace. 11, 4333–4340. <https://doi.org/10.1021/ef1003792>
- Li, J., Zhang, X., Pawlak-kruczek, H., Yang, W., Kruczek, P., & Blasiak, W. (2014). Process simulation of co-firing torrefied biomass in a 220 MWe. *Energy Conversion*



- and Management*, 84, 503–511. <https://doi.org/10.1016/j.enconman.2014.04.075>
- Li, M., Li, X., Bian, J., Chen, C., Yu, Y., & Sun, R. (2015). Effect of temperature and holding time on bamboo torrefaction. *Biomass and Bioenergy*, 83, 366–372. <https://doi.org/10.1016/j.biombioe.2015.10.016>
- Liu, M., Liu, J., Yu, Y., Wang, Z., Zhou, J., & Cen, K. (2013). Investigation of lignite combustion characteristics with thermal analysis. *Advanced Materials Research*, 614–615, 25–30. <https://doi.org/10.4028/www.scientific.net/AMR.614-615.25>
- Liu, S., Tsai, W., & Li, M. (2015). Effect of holding time on fuel properties of biochars prepared from the torrefaction of coffee residue. *Biomass Conversion and Biorefinery*, 5, 209–214. <https://doi.org/10.1007/s13399-014-0139-1>
- Liu, Z., Hu, W., Jiang, Z., Mi, B., & Fei, B. (2016). Investigating combustion behaviors of bamboo, torrefied bamboo, coal and their respective blends by thermogravimetric analysis. *Renewable Energy*, 87, 346–352. <https://doi.org/10.1016/j.renene.2015.10.039>
- Loppinet-serani, A., Aymonier, C., & Cansell, F. (2008). *Current and Foreseeable Applications of Supercritical Water for Energy and the Environment*. 486–503. <https://doi.org/10.1002/cssc.200700167>
- Lu, J. J., & Chen, W. H. (2015). Investigation on the ignition and burnout temperatures of bamboo and sugarcane bagasse by thermogravimetric analysis. *Applied Energy*, 160(2015), 49–57. <https://doi.org/10.1016/j.apenergy.2015.09.026>
- Maia, A. A. D., & de Moraes, L. C. (2016). Kinetic parameters of red pepper waste as biomass to solid biofuel. *Bioresour. Technol.*, 204, 157–163. <https://doi.org/10.1016/j.biortech.2015.12.055>
- Martínez-Ángel, J. D., Villamizar-Gallardo, R. A., & Ortíz-Rodríguez, O. O. (2015). Characterization and evaluation of cocoa (*Theobroma cacao* L.) pod husk as a renewable energy source. *Agrociencia*, 49(3), 329–345.
- Medic, D., Darr, M., Shah, A., & Rahn, S. (2012). *Effect of Torrefaction on Water Vapor Adsorption Properties and Resistance to Microbial Degradation of Corn Stover*.
- Mei, Y., Che, Q., Yang, Q., Draper, C., Yang, H., Zhang, S., & Chen, H. (2016). Torrefaction of different parts from a corn stalk and its effect on the characterization of products. *Industrial Crops & Products*, 92, 26–33.



<https://doi.org/10.1016/j.indcrop.2016.07.021>

Miedema, J. H., Benders, R. M. J., Moll, H. C., & Pierie, F. (2017). Renew , reduce or become more efficient ? The climate contribution of biomass co-combustion in a coal-fired power plant. *Applied Energy*, 187, 873–885.

<https://doi.org/10.1016/j.apenergy.2016.11.033>

Mursito, A. T., Hirajima, T., & Sasaki, K. (2010). Upgrading and dewatering of raw tropical peat by hydrothermal treatment. *Fuel*, 89(3), 635–641.

<https://doi.org/10.1016/j.fuel.2009.07.004>

Nam, S. B., Park, Y. S., Kim, D. J., & Gu, J. H. (2016). *Torrefaction Reaction Characteristic of various Biomass Waste on Pilot Scale of Torrefaction Reaction System*. 35, 890–894. <https://doi.org/10.1016/j.proenv.2016.07.044>

Naqvi, S. R., Uemura, Y., Osman, N., & Yusup, S. (2015). Kinetic study of the catalytic pyrolysis of paddy husk by use of thermogravimetric data and the Coats – Redfern model. *Research on Chemical Intermediates*, 41, 9743–9755.

<https://doi.org/10.1007/s11164-015-1962-0>

Narayanan, K. V, & Natarajan, E. (2007). Experimental studies on cofiring of coal and biomass blends in India. *Re*, 32, 2548–2558.

<https://doi.org/10.1016/j.renene.2006.12.018>

Neminda, B., Gan, S., Eastwick, C., & Kiat, H. (2017). Biomass as an energy source in coal co- fi ring and its feasibility enhancement via pre-treatment techniques. *Fuel Processing Technology*, 159, 287–305. <https://doi.org/10.1016/j.fuproc.2017.01.029>

Nguyen, V. T. (2015). Mass proportion , proximate composition and effects of solvents and extraction parameters on pigment yield from cacao pod shell (theobroma cacao l.).

Journal of Food Processing and Preservation, 39, 1414–1420.

<https://doi.org/10.1111/jfpp.12360>

Nugraha, N. B., Yusuf, Y., & Refiadi, G. (2016). Pemodelan Perolehan Massa dan Waktu Reaksi Pirolisis Serbuk Gergaji Kayu Jati. *Jurnal Konversi Energi Dan Manufaktur UNJ*, 3(3), 135–141.

Odusote, J. K., Adeleke, A. A., Lasode, O. A., Malathi, M., & Paswan, D. (2019). Thermal and compositional properties of treated Tectona grandis. *Biomass Conversion and Biorefinery*, 1–9. <https://doi.org/10.1007/s13399-019-00398-1>



- Park, S. W., & Jang, C. H. (2012). Effects of pyrolysis temperature on changes in fuel characteristics of biomass char. *Energy*, *39*(1), 187–195.
<https://doi.org/10.1016/j.energy.2012.01.031>
- Parthasarathy, P., Narayanan, K. S., & Arockiam, L. (2013). Study on kinetic parameters of different biomass samples using thermo-gravimetric analysis. *Biomass and Bioenergy*, *58*, 58–66. <https://doi.org/10.1016/j.biombioe.2013.08.004>
- Phanphanich, M., & Mani, S. (2011). Impact of torrefaction on the grindability and fuel characteristics of forest biomass. *Bioresourc Technology*, *102*(2), 1246–1253.
<https://doi.org/10.1016/j.biortech.2010.08.028>
- Pimchuai, A., Dutta, A., & Basu, P. (2010). Torrefaction of Agriculture Residue To Enhance Combustible Properties. *Energy & Fuel*, *24*, 4638–4645.
<https://doi.org/10.1021/ef901168f>
- Piwowar, A., & Dziku, M. (2016). Outline of the economic and technical problems associated with the co-combustion of biomass in Poland. *Renewable and Sustainable Energy Reviews*, *54*, 415–420. <https://doi.org/10.1016/j.rser.2015.10.044>
- Prins, M. J., Ptasiński, K. J., & Janssen, F. J. J. G. (2006). *Torrefaction of wood Part 1 . Weight loss kinetics*. *77*, 28–34. <https://doi.org/10.1016/j.jaap.2006.01.002>
- Priyanto, D. E., Ueno, S., Sato, N., Kasai, H., & Tanoue, T. (2016). Ash transformation by co-firing of coal with high ratios of woody biomass and effect on slagging propensity. *Fuel*, *174*, 172–179. <https://doi.org/10.1016/j.fuel.2016.01.072>
- Pyle, D. L., & Zaror, C. A. (1984). Heat transfer and kinetics in the low temperature pyrolysis of solids. *Chemical Engineering Science*, *39*(1), 147–158.
- Ren, X., Sun, R., Meng, X., Vorobiev, N., Schiemann, M., & Levensis, Y. A. (2017). Carbon, sulfur and nitrogen oxide emissions from combustion of pulverized raw and torrefied biomass. *Fuel*, *188*, 310–323. <https://doi.org/10.1016/j.fuel.2016.10.017>
- Rousset, P., Davrieux, F., Macedo, L., & Perre, P. (2010). *Characterisation of the torrefaction of beech wood using NIRS : Combined effects of temperature and duration*. *5*, 0–7. <https://doi.org/10.1016/j.biombioe.2010.12.012>
- Sait, H. H., Hussain, A., Adam, A., & Nasir, F. (2012). Pyrolysis and combustion kinetics of date palm biomass using thermogravimetric analysis. *Bioresourc Technology*, *118*, 382–389. <https://doi.org/10.1016/j.biortech.2012.04.081>



- Saito, Y., Sakuragi, K., Shoji, T., & Otaka, M. (2018). Expedient prediction of the fuel properties of carbonized woody biomass based on hue angle. *Energies*, *11*(5), 1–8. <https://doi.org/10.3390/en11051191>
- Schweinfurth, B. S. P. (2009). An Introduction to Coal Technology. In B. S. Pierce & K. O. Dennen (Eds.), *The National Coal Resource Assessment Overview*. U.S. Geological Survey Professional Paper 1625–F. <https://doi.org/10.1016/c2012-0-01440-8>
- Seggiani, M., Vitolo, S., Pastorelli, M., & Ghetti, P. (2007). Combustion reactivity of different oil-fired fly ashes as received and leached. *Fuel*, *86*(12–13), 1885–1891. <https://doi.org/10.1016/j.fuel.2006.12.010>
- SGNEC. (2019). *Indonesia Energy Outlook (IEO) 2019*.
- Supramono, D., Devina, Y. M., & Tristantini, D. (2015). Effect of Heating Rate of Torrefaction of Sugarcane Bagasse. *International Journal of Technology*, *7*, 1084–1093.
- Surahmanto, F., Saptoadi, H., Sulistyono, H., & Rohmat, T. A. (2020). Investigation of the pyrolysis characteristics and kinetics of oil-palm solid waste by using Coats – Redfern method. *Energy Exploration & Exploitation*, *38*(1), 298–309. <https://doi.org/10.1177/0144598719877759>
- Syamsiro, M., Saptoadi, H., & Tambunan, B. H. (2011). Experimental Investigation Indonesian Cocoa Pod Husk on Combustion of Bio-Pellets from. *Asian Journal of Applied Sciences*, *4*(7), 712–719. <https://doi.org/10.3923/ajaps.2011.712.719>
- Szucs, T., Szentannai, P., Miklos Szilagy, I., & Bakos, L. P. (2019). Comparing different reaction models for combustion kinetics of solid recovered fuel. *Journal of Thermal Analysis and Calorimetry*. <https://doi.org/10.1007/s10973-019-08438-8>
- Tamura, M., Watanabe, S., Kotake, N., & Hasegawa, M. (2014). Grinding and combustion characteristics of woody biomass for co-firing with coal in pulverised coal boilers. *Fuel*, *134*, 544–553. <https://doi.org/10.1016/j.fuel.2014.05.083>
- Thanapal, S. S., Annamalai, K., Ansley, R. J., & Ranjan, D. (2016). Co-firing carbon dioxide-torrefied woody biomass with coal on emission characteristics. *Biomass Conversion and Biorefinery*, *6*(1), 91–104. <https://doi.org/10.1007/s13399-015-0166-6>
- Tillman, D. A., Duong, D. N. B., & Harding, N. S. (2012). *Solid Fuel Blending: Principle, Practice, and Problems* (1st ed.). Butterworth-Heinemann.



- Tippayawong, N., Tantakitti, C., & Thavornun, S. (2006). Investigation of Lignite and Firewood Co-combustion in a Furnace for Tobacco Curing Application. *American Journal of Applied Sciences*, 3(3), 1775–1780.
- Toptas, A., Yildirim, Y., Duman, G., & Yanik, J. (2015). Combustion behavior of different kinds of torrefied biomass and their blends with lignite. *Bioresource Technology*, 177, 328–336. <https://doi.org/10.1016/j.biortech.2014.11.072>
- Tsai, C., Tsai, W., Liu, S., & Lin, Y. (2018). Thermochemical characterization of biochar from cocoa pod husk prepared at low pyrolysis temperature. *Biomass Conversion and Biorefinery*, 8, 237–243. <https://doi.org/10.1007/s13399-017-0259-5>
- Tumuluru, J. S., Sokhansanji, S., Hess, J. R., Wright, C. T., & Boradman, R. D. (2011). A review on biomass torrefaction process and product properties for energy applications. *Industrial Biotechnology*, 7(No. 5), 384–401. <https://doi.org/10.1089/ind.2011.0014>
- Uemura, Y., Matsumoto, R., Saadon, S., & Matsumura, Y. (2015). A study on torrefaction of *Laminaria japonica*. *Fuel Processing Technology*, 138, 133–138. <https://doi.org/10.1016/j.fuproc.2015.05.016>
- Uemura, Y., Omar, W. N., Tsutsui, T., & Bt, S. (2011). Torrefaction of oil palm wastes. *Fuel*, 90(8), 2585–2591. <https://doi.org/10.1016/j.fuel.2011.03.021>
- Ullah, H., Liu, G., Yousaf, B., Ubaid, M., & Abbas, Q. (2017). Bioresource Technology Combustion characteristics and retention-emission of selenium during co- fi ring of torrefi ed biomass and its blends with high ash coal. *Bioresource Technology*, 245(August), 73–80. <https://doi.org/10.1016/j.biortech.2017.08.144>
- Vassilev, S. V., Baxter, D., Andersen, L. K., & Vassileva, C. G. (2010). An overview of the chemical composition of biomass. *Fuel*, 89(5), 913–933. <https://doi.org/10.1016/j.fuel.2009.10.022>
- Wang, G., Zhang, J., Shao, J., Liu, Z., Zhang, G., Xu, T., Guo, J., Wang, H., Xu, R., & Lin, H. (2016). Thermal behavior and kinetic analysis of co-combustion of waste biomass / low rank coal blends. *Energy Conversion and Management*, 124, 414–426. <https://doi.org/10.1016/j.enconman.2016.07.045>
- Wang, L., Barta-rajnai, E., Skreiberg, Ø., Khalil, R., Czégény, Z., Jakab, E., Barta, Z., & Grønli, M. (2017). Effect of torrefaction on physiochemical characteristics and grindability of stem wood , stump and bark. *Applied Energy*.



<https://doi.org/10.1016/j.apenergy.2017.07.024>

- Wang, Q., Zhang, L., Sato, A., Ninomiya, Y., Yamashita, T., & Dong, Z. (2009). Mineral interactions and their impacts on the reduction of PM 10 emissions during co-combustion of coal with sewage sludge. *Proceedings of the Combustion Institute*, 32(2), 2701–2708. <https://doi.org/10.1016/j.proci.2008.07.035>
- Wang, X. D., Xue, J. J., Zhu, Y. J., Liu, C. R., Hu, X. Y., Liang, H., & Dong, C. Q. (2019). The study of combustion characteristics of corn stalks and cobs via TGA-DTG-DSC analysis The study of combustion characteristics of corn stalks and cobs via TGA-DTG-DSC analysis. *International Conference on New Energy and Future Energy System 2019*. <https://doi.org/10.1088/1755-1315/354/1/012130>
- Wannapeera, J., Fungtammasan, B., & Worasuwanarak, N. (2011). Effects of temperature and holding time during torrefaction on the pyrolysis behaviors of woody biomass. *Journal of Analytical and Applied Pyrolysis*, 92(1), 99–105. <https://doi.org/10.1016/j.jaap.2011.04.010>
- Wilk, M., Magdziarz, A., Gajek, M., Zajemska, M., Jayaraman, K., & Gokalp, I. (2017). Combustion and kinetic parameters estimation of torrefied pine, acacia and *Miscanthus giganteus* using experimental and modelling techniques. *Bioresource Technology*, 243, 304–314. <https://doi.org/10.1016/j.biortech.2017.06.116>
- Wilk, M., Magdziarz, A., & Kalemba, I. (2015). Characterisation of renewable fuels ' torrefaction process with different instrumental techniques. *Energy*, 87, 259–269. <https://doi.org/10.1016/j.energy.2015.04.073>
- Wu, W., Mei, Y., Zhang, L., Liu, R., & Cai, J. (2015). Kinetics and reaction chemistry of pyrolysis and combustion of tobacco waste. *Fuel*, 156, 71–80. <https://doi.org/10.1016/j.fuel.2015.04.016>
- Xing, X., Fan, F., Shi, S., Xing, Y., Li, Y., Zhang, X., Yang, J., & The. (2016). Fuel properties and combustion kinetics of hydrochar prepared by hydrothermal carbonization of bamboo. *Bioresource Technology*, 11(4), 9190–9204. <https://doi.org/10.15376/biores.11.4.9190-9204>
- Yu, D., Chen, M., Wei, Y., Niu, S., & Xue, F. (2016). An assessment on co-combustion characteristics of Chinese lignite and eucalyptus bark with TG – MS technique. *Powder Technology*, 294, 463–471. <https://doi.org/10.1016/j.powtec.2016.03.016>



- Zanatta, E. R., Reinehr, T. O., Awadallak, J. A., Kleinübing, S. J., dos Santos, J. B. O., Bariccatti, R. A., Arroyo, P. A., & da Silva, E. A. (2016). Kinetic studies of thermal decomposition of sugarcane bagasse and cassava bagasse. *Journal of Thermal Analysis and Calorimetry*, 125(1), 437–445.
- Zandersons, J., Zhurinsh, A., & Someus, E. (2006). *Prospects for Co-Firing of Clean Coal and Creosote-Treated Waste Wood at Small-scale Power Stations*. 109–118.
- Zhang, C., Ho, S., Chen, W., Xie, Y., & Liu, Z. (2018). Torrefaction performance and energy usage of biomass wastes and their correlations with torrefaction severity index. *Applied Energy*, 220(September 2017), 598–604.
<https://doi.org/10.1016/j.apenergy.2018.03.129>
- Zhang, K., Li, Y., Wang, Z., Li, Q., Whiddon, R., He, Y., & Cen, K. (2016). Pyrolysis behavior of a typical Chinese sub-bituminous Zhundong coal from moderate to high temperatures. *Fuel*, 185, 701–708. <https://doi.org/10.1016/j.fuel.2016.08.038>
- Zhao, J., Niu, S., Li, Y., Han, K., & Lu, C. (2015). Thermogravimetric Analysis and Kinetics of Combustion of Raw and Torrefied Pine Sawdust. *Journal of Chemical Engineering of Japan*, 48(4), 320–325. <https://doi.org/10.1252/jcej.14we104>
- Zhao, Z., & Liu, P. (2017). Combustion characteristics and kinetics of five tropic oilgal strains using thermogravimetric analysis. *Journal of Thermal Analysis and Calorimetry*. <https://doi.org/10.1007/s10973-017-6646-0>
- Zhou, C., Liu, G., Wang, X., & Qi, C. (2016). Co-combustion of bituminous coal and biomass fuel blends : Thermochemical characterization , potential utilization and environmental advantage. *Bioresource Technology*, 218, 418–427.
<https://doi.org/10.1016/j.biortech.2016.06.134>