

Daftar Pustaka

- Alshehri, A. A. A., Bin Alhasel, H. M., & Abdelgadir, H. S. (2018). Effectiveness of Psychological Intervention in Management of Postpartum Depression. *The Egyptian Journal of Hospital Medicine*, 70(12), 2157–2161. <https://doi.org/10.12816/0045045>
- Angriani, R., Sudaryati, E., & Lubis, Z. (2018). Hubungan Frekuensi Menyusui dengan Kelancaran Produksi ASI Ibu Post Partum di Wilayah Kerja Puskesmas Peusangan Selatan Kabupaten Bireuen Provinsi Aceh Tahun 2017. *Jurnal Muara Sains, Teknologi, Kedokteran, Dan Ilmu Kesehatan*, 2(1), 299–304.
- Anokye, R., Acheampong, E., Budu-Ainooson, A., Obeng, E. I., & Akwasi, A. G. (2018). Prevalence of postpartum depression and interventions utilized for its management. *Annals of General Psychiatry*, 17(1), 1–8. <https://doi.org/10.1186/s12991-018-0188-0>
- APA. (1994). Diagnostic and Statistical Manual of Mental Disorders. In *American Psychiatrics Association* (4th ed.). American Psychiatrics Association. <https://doi.org/10.1017/CBO9781107415324.004>
- Ariguna Dira, I., & Wahyuni, A. (2016). Prevalensi Dan Faktor Risiko Depresi Postpartum Di Kota Denpasar Menggunakan Edinburgh Postnatal Depression Scale. *E-Jurnal Medika Udayana*, 5(7), 5–9.
- Baheiraei, A., Shamsi, A., Khaghani, S., Shams, S., Chamari, M., Boushehri, H., & Khedri, A. (2014). The effects of maternal passive smoking on maternal milk lipid. *Acta Medica Iranica*, 52(4), 280–285.
- Beck, C.T., & Driscoll, J. W. (2006). Postpartum Mood and Anxiety Disorders: A Clinician's Guide. In *Birth* (Vol. 35, Issue 2). Jones & Bartlett Publishers. https://doi.org/10.1111/j.1523-536x.2008.00234_1.x
- Beck, Cheryl Tatano. (2002). Revision of the postpartum depression predictors inventory. *Journal of Obstetric, Gynecologic, and Neonatal Nursing : JOGNN / NAACOG*, 31(4), 394–402. <https://doi.org/10.1111/j.1552-6909.2002.tb00061.x>
- Creswell, J. W. (2016). Metode Kuantitatif. In *Research Design : Pendekatan Metode Kualitatif, Kuantitatif, dan Campuran* (4th ed., pp. 207–244). Penerbit Pustaka Pelajar.
- Cunningham, F. G., Leveno, K. J., Bloom, S. L., Hauth, J. C., Rouse, D. J., & Spong, C. Y. (2010). *Williams Obstetrics* (23rd ed.). Mc Graw Hill Education.
- Cunningham, F. G., Leveno, K. J., Bloom, S. L., Spong, C. Y., Dashe, J. S., Hoffman, B. L., Casey, B. M., & Sheffield, J. S. (2014). *Williams Obstetrics* (24th ed.). Mc Graw Hill Education.
- Dagher, R. K., & Shenassa, E. D. (2012). Prenatal health behaviors and postpartum depression: Is there an association? *Archives of Women's Mental Health*, 15(1), 31–37. <https://doi.org/10.1007/s00737-011-0252-0>
- Deng, A. W., Xiong, R. B., Jiang, T. T., Luo, Y. P., & Chen, W. Z. (2014). Prevalence and risk factors of postpartum depression in a population-based sample of women in Tangxia Community, Guangzhou. *Asian Pacific Journal of*

- Tropical Medicine*, 7(3), 244–249. [https://doi.org/10.1016/S1995-7645\(14\)60030-4](https://doi.org/10.1016/S1995-7645(14)60030-4)
- Drope, J., Cahn, Z., Drope, J., Hamill, S., Islami, F., Liber, Al., Nargis, N., & Stoklosa, M. (2018). *The Tobacco Atlas* (N. W. Schluger (ed.); Sixth Edit). The American Cancer Society. inc.
- Guintivano, J., Sullivan, P. F., Stuebe, A. M., Penders, T., Thorp, J., Rubinow, D. ., & Meltzer-Brody, S. (2018). Adverse life events, psychiatric history, and biological predictors of postpartum depression in an ethnically diverse sample of postpartum women. *Psychological Medicine*, 48(7), 1190–1200. <https://doi.org/10.1017/S0033291717002641>
- Hahn-Holbrook, J., Cornwell-Hinrichs, T., & Anaya, I. (2018). Economic and Health Predictors of National Postpartum Depression Prevalence: A Systematic Review, Meta-analysis, and Meta-Regression of 291 Studies from 56 Countries. *Frontiers in Psychiatry*, 8(February). <https://doi.org/10.3389/fpsy.2017.00248>
- Hanum, H., & Wibowo, A. (2016). The Effect of Environmental Tobacco Smoke Exposure in Pregnant Woman on The Incidence of Low Birth Weight. *Majority*, 5(5), 2.
- Hardiani, R. S. (2017). Status Paritas Dan Pekerjaan Ibu Terhadap Pengeluaran Asi Pada Ibu Menyusui 0-6 Bulan. *NurseLine Journal*, 2(1), 44–51.
- IAKMI. (2014). Masalah Rokok di Indonesia. *Tobacco Control Support Center-IAKMI*, 1, 1–5.
- Jarvis, M. J., Russell, M. A. H., Benowitz, N. L., & Feyerabend, C. (1988). Elimination of cotinine from body fluids: Implications for noninvasive measurement of tobacco smoke exposure. *American Journal of Public Health*, 78(6), 696–698. <https://doi.org/10.2105/AJPH.78.6.696>
- Jung, S. J., Shin, A., & Kang, D. (2015). Active smoking and exposure to secondhand smoke and their relationship to depressive symptoms in the Korea national health and nutrition examination survey (KNHANES) Health behavior, health promotion and society. *BMC Public Health*, 15(1), 1–12. <https://doi.org/10.1186/s12889-015-2402-1>
- Kalayasiri, R., Supcharoen, W., & Ouiyanukoon, P. (2018). Association between Secondhand Smoke Exposure and Quality of Life in Pregnant Women and Postpartum Women and The Consequences on The Newborns. *Quality of Life Research*, 27(4), 905–912. <https://doi.org/10.1007/s11136-018-1783-x>
- Kementerian Pendidikan dan Kebudayaan Republik Indonesia. (2016). *Kamus Besar Bahasa Indonesia (Online)*. [https://kbbi.kemdikbud.go.id/entri/perokok aktif](https://kbbi.kemdikbud.go.id/entri/perokok%20aktif)
- Kim, E. Y., Lee, S. K., Lee, S. H., Hong, J. Y., & Kim, Y. S. (2011). Urine Cotinine Concentrations for Assessing Tobacco Smoke Exposure in Korean: Analysis of the Fourth Korea National Health and Nutrition Examination Survey (KNHANES IV). *Chest*, 140(4), 441A. <https://doi.org/10.1378/chest.1118890>
- Kim, H., Lim, Y., Lee, S., Park, S., Kim, C., Hong, C., & Shin, D. (2004). Relationship between environmental tobacco smoke and urinary cotinine levels in passive smokers at their residence. *Journal of Exposure Analysis and*

- Environmental Epidemiology*, 14(SUPPL. 1), 65–70.
<https://doi.org/10.1038/sj.jea.7500360>
- Lemeshow, S., Jr, D. W. H., Klar, J., & Lwanga, S. K. (1990). *Adequacy of Sample Size in Health Studies*. John Wiley and Sons Ltd.
- Liem, A. (2016). Pengaruh Nikotin Terhadap Aktivitas Dan Fungsi Otak Serta Hubungannya Dengan Gangguan Psikologis Pada Pecandu Rokok. *Buletin Psikologi*, 18(2), 37–50. <https://doi.org/10.22146/bpsi.11536>
- Mental Health America. (2003). *Pregnancy and Postpartum Disorders*. Mental Health America (MHA). <http://www.mentalhealthamerica.net/conditions/pregnancy-and-postpartum-disorders>
- Napierala, M., Mazela, J., Merritt, T. A., & Florek, E. (2016). Tobacco smoking and breastfeeding: Effect on the lactation process, breast milk composition and infant development. A critical review. *Environmental Research*, 151(August), 321–338. <https://doi.org/10.1016/j.envres.2016.08.002>
- Nasri, Z., Wibowo, A., & Ghozali, E. W. (2017). FAKTOR DETERMINAN DEPRESI POSTPARTUM DI KABUPATEN LOMBOK TIMUR Determinants Factors of Postpartum Depression in East Lombok. *Biuletin Penelitian Sistem Kesehatan*, 20(3), 89–95.
- NIMH. (2018). *Postpartum Depression Facts*. National Institute of Mental Health. <https://www.nimh.nih.gov/health/publications/postpartum-depression-facts/index.shtml>
- Nurliawati, E. (2010). *Faktor-Faktor Yang Berhubungan Dengan Produksi Air Susu Ibu Pada Ibu Pasca Seksio Sesarea Di Wilayah Kota Dan Kabupaten Tasikmalaya* [Universitas Indonesia].
[http://lib.ui.ac.id/file?file=digital/20282685-T Enok Nurliawati.pdf](http://lib.ui.ac.id/file?file=digital/20282685-T%20Enok%20Nurliawati.pdf)
- Nururrahmah. (2015). Pengaruh Rokok Terhadap Kesehatan. *Prosiding Seminar Nasional Pendidikan Karakter*, 01(1), 78.
- Pusat Data dan Informasi. (2012). Data dan Informasi Kesehatan Penyakit Tidak Menular. In *Kementerian Kesehatan RI* (p. Volume 2). Kemenkes RI. <https://doi.org/2088-270X>
- Pusat Data dan Informasi. (2015). Perilaku Merokok Masyarakat Indonesia Berdasarkan Riskesdas 2007 dan 2013. In *Hari Tanpa Tembakau Sedunia* (pp. 2–12). Kemenkes RI. <https://doi.org/24422-7659>
- Safitri, I. (2016). *Faktor-Faktor yang Mempengaruhi Kelancaran Produksi ASI pada Ibu Menyusui di Desa Bendan, Kecamatan Banyudono, Kabupaten Boyolali*. Universitas Muhammadiyah Surakarta.
- Samet, J. M. (2001). The Risk of Active and Passive Smoking. In P. Slovic (Ed.), *Smoking : Risk, Perception, and Policy* (pp. 3–28). Sage Publication. [https://books.google.co.id/books?id=kmUUf5n0-5cC&printsec=frontcover&dq=smoking+tobacco&hl=id&sa=X&ved=0ahUKEwjAkYiyt7TkAhWBN48KHQuGDZMQ6AEIODAC#v=onepage&q=smoking tobacco&f=false](https://books.google.co.id/books?id=kmUUf5n0-5cC&printsec=frontcover&dq=smoking+tobacco&hl=id&sa=X&ved=0ahUKEwjAkYiyt7TkAhWBN48KHQuGDZMQ6AEIODAC#v=onepage&q=smoking%20tobacco&f=false)

- SANE. (2019). *Perinatal Mental Illness*. SANE Australia.
<https://www.sane.org/information-stories/facts-and-guides/perinatal-mental-illness?highlight=WyJtZW50YWwiLCInbWVudGFsIiwiaWxsbmVzcyIsImlsbG5lc3MnIiwiaW5lc3MnLCIsImlsbG5lc3MnLiIsIm1lbnRhbCBpbGxuZXNzIl0=>
- Shafey, O., Eriksen, M., Ross, H., & Mackay, J. (2008). Male Smoking. In *Atlas of smoking* (3rd ed., p. 30). American Cancer Society and World Lung Foundation.
- Sharma, P., Sane, N., Anand, S., Marimutthu, P., & Benegal, V. (2019). Assessment of cotinine in urine and saliva of smokers, passive smokers, and nonsmokers: Method validation using liquid chromatography and mass spectrometry. *Indian Journal of Psychiatry*, 61(3), 270.
https://doi.org/10.4103/psychiatry.IndianJPsychiatry_61_18
- Song, C., Li, W., Leng, J., Wang, L., Li, W., Shi, F., Liu, G., Zhou, J., & Yang, X. (2019). Passive smoking and postpartum depression among Chinese women: A prospective cohort study in Tianjin, China. *Women and Health*, 59(3), 281–293.
<https://doi.org/10.1080/03630242.2018.1478365>
- Sulistiyowaty, L. S. (2017). Hidup Sehat Tanpa Rokok. In *Direktorat Jenderal Pencegahan dan Pengendalian Penyakit*. Kementerian Kesehatan Indonesia.
- Trisnowati, H. (2016). Paparan Asap Rokok dalam Rumah dan Berat Bayi Lahir Rendah (Studi pada Rumah Sakit di Wonosari, Yogyakarta). *The 3rd Indonesian Conference on Tobacco or Health*.
https://www.researchgate.net/publication/316738180_PAPARAN_ASAP_ROKOK_DALAM_RUMAH_DAN_BERAT_BAYI_LAHIR_RENDAH_Studi_Pada_Rumah_Sakit_Di_Wonosari_Yogyakarta
- Wall, M. A., Johnson, J., Jacob, P., & Benowitz, N. L. (1988). Cotinine in serum, saliva, and urine of nonsmokers, passive smokers, and active smokers. *American Journal of Public Health*, 78(6), 699–701.
<https://doi.org/10.2105/AJPH.78.6.699>
- Wang, L., Fu, K., Li, X., Kong, B., & Zhang, B. (2018). Exposure to third-hand smoke during pregnancy may increase the risk of postpartum depression in China. *Tobacco Induced Diseases*, 16(April), 1–7.
<https://doi.org/10.18332/tid/87141>
- Weng, S. C., Huang, J. P., Huang, Y. L., Lee, T. S. H., & Chen, Y. H. (2016). Effects of tobacco exposure on perinatal suicidal ideation, depression, and anxiety. *BMC Public Health*, 16(1), 1–9. <https://doi.org/10.1186/s12889-016-3254-z>
- WHO. (2011). Protect : Exposure to Secondhand Smoke. In *Tobacco Questions for Surveys: A Subset of Key Questions from the Global Adult Tobacco Surveys (GATS)* (2nd ed., pp. 12–13). Centers for Disease Control and Prevention.
http://www.who.int/tobacco/surveillance/en_tfi_tqs.pdf
- WHO. (2019). *WHO Highlights Huge Scale of Tobacco-related Lung Disease Deaths*. WHO.Int. <https://www.who.int/news-room/detail/29-05-2019-who-highlights-huge-scale-of-tobacco-related-lung-disease-deaths>

- Widarini, Y. I. P., Arifah, I., & Werdani, K. E. (2020). Analisis Faktor Risiko Gejala Depresi Pada Ibu di Masa Nifas di Kecamatan Banjarsari, Surakarta. *Buletin Penelitian Kesehatan*, 48(2), 131–138. <https://doi.org/10.22435/bpk.v48i2.2872>
- World Health Organization. (2019). *Tobacco*. WHO. <https://www.who.int/news-room/fact-sheets/detail/tobacco>
- Yang, T., Cao, C., Cottrell, R. R., Wu, D., Yu, L., Lin, H., Jiang, S., & Young, K. J. (2015). Second hand smoke exposure in public venues and mental disorder: A representative nationwide study of China. *Tobacco Induced Diseases*, 13(1), 1–9. <https://doi.org/10.1186/s12971-015-0046-7>