

## DAFTAR PUSTAKA

- Backes, C., Paton, K.R., Hanlon, D., Yuan, S., Katsnelson, M.I., Houston, J., Smith, R.J., McCloskey, D., Donegan, J.F. & Coleman, J.N., 2016, Spectroscopic metrics allow in situ measurement of mean size and thickness of liquid-exfoliated few-layer graphene nanosheets, *Nanoscale*, 8, 7, 4311–4323.
- Burt, R., Birkett, G. & Zhao, X.S., 2014, A review of molecular modelling of electric double layer capacitors, *Phys. Chem. Chem. Phys.*, 16, 14, 6519–6538.
- Cai, X., Zhang, Q., Wang, S., Peng, J., Zhang, Y., Ma, H., Li, J. & Zhai, M., 2014, Surfactant-assisted synthesis of reduced graphene oxide/polyaniline composites by gamma irradiation for supercapacitors, *J. Mater. Sci.*, 49, 16, 5667–5675.
- Ciesielski, A. & Samori, P., 2014, Graphene via sonication assisted liquid-phase exfoliation, *Chem. Soc. Rev.*, 43, 1, 381–398.
- Coleman, J.N., 2009, Liquid-phase exfoliation of nanotubes and graphene, *Adv. Funct. Mater.*, 19, 23, 3680–3695.
- Das, A., Chakraborty, B. & Sood, A.K., 2008, Raman spectroscopy of graphene on different substrates and influence of defects, *Bull. Mater. Sci.*, 31, 3, 579–584.
- Du, L., Wang, S., Scarabelli, D., Pfeiffer, L.N., West, K.W., Fallahi, S., Gardner, G.C., Manfra, M.J., Pellegrini, V., Wind, S.J. & Pinczuk, A., 2018, Emerging many-body effects in semiconductor artificial graphene with low disorder, *Nat. Commun.*, 9, 1, 1–6.
- Du, W., Lu, J., Sun, P., Zhu, Y. & Jiang, X., 2013, Organic salt-assisted liquid-phase exfoliation of graphite to produce high-quality graphene, *Chem. Phys. Lett.*, 568–569, 198–201.
- Dudley, B., 2018, BP statistical review of world energy, *BP Stat. Rev. London, UK*, accessed Aug, 6, 2018, 116.
- Ferrari, A.C. & Robertson, J., 2000, Interpretation of Raman spectra of disordered and amorphous carbon, *Phys. Rev. B*, 61, 20, 14095.
- Gomez, C.V., Tene, T., Guevara, M., Usca, G.T., Colcha, D., Brito, H., Molina, R., Bellucci, S. & Tavolaro, A., 2019, Preparation of few-layer graphene

- dispersions from hydrothermally expanded graphite, *Appl. Sci.*, 9, 12, 2539.
- Green, A.A. & Hersam, M.C., 2009, Solution phase production of graphene with controlled thickness via density differentiation, *Nano Lett.*, 9, 12, 4031–4036.
- Guardia, L. & Fernández-Merino, M.J., 2011, High-throughput production of pristine graphene in an aqueous dispersion assisted by non-ionic surfactants, *Carbon N. Y.*, 49, 5, 1653–1662.
- Güler, Ö., Güler, S.H., Selen, V., Albayrak, M.G. & Evin, E., 2016, Production of graphene layer by liquid-phase exfoliation with low sonication power and sonication time from synthesized expanded graphite, *Fullerenes, Nanotub. Carbon Nanostructures*, 24, 2, 123–127.
- Hassan, M., Reddy, K.R., Haque, E., Minett, A.I. & Gomes, V.G., 2013, High-yield aqueous phase exfoliation of graphene for facile nanocomposite synthesis via emulsion polymerization, *J. Colloid Interface Sci.*, 410, 43–51.
- Hernandez, Y. & Coleman, J.N., 2008, High-yield production of graphene by liquid-phase exfoliation of graphite, *Nat. Nanotechnol.*, 3, 9, 563–568.
- Hsia, B., 2013, Materials Synthesis and Characterization for Micro-supercapacitor Applications. *Thesis*, UC Berkeley.
- Kakaei, K., Esrafil, M.D. & Ehsani, A., 2019, Graphene-Based Electrochemical Supercapacitors. In K. Kakaei, M. D. Esrafil, & A. B. T.-I. S. and T. Ehsani, eds. *Interface Science and Technology*. Elsevier, pp. 339–386.
- Ke, Q., Liu, Y., Liu, H., Zhang, Y., Hu, Y. & Wang, J., 2014, Surfactant-modified chemically reduced graphene oxide for electrochemical supercapacitors, *RSC Adv.*, 4, 50, 26398–26406.
- Khan, U., O'Neill, A., Lotya, M., De, S. & Coleman, J.N., 2010, High-concentration solvent exfoliation of graphene, *Small*, 6, 7, 864–871.
- Khan, U., O'Neill, A., Porwal, H., May, P., Nawaz, K. & Coleman, J.N., 2012, Size selection of dispersed, exfoliated graphene flakes by controlled centrifugation, *Carbon N. Y.*, 50, 2, 470–475.
- Kim, Y., 2003, Ultracapacitor technology powers electronic circuits, *Power Electron. Technol.*, 29, October, 34–39.
- Krishna, R., Fernandes, D.M., Venkataramana, E., Dias, C., Ventura, J., Freire, C. & Titus, E., 2015, Improved Reduction of Graphene Oxide, *Mater. Today*

*Proc.*, 2, 1, 423–430.

- Kurnianto, S.H., 2002, Pengukuran Konduktivitas Listrik, *Tesis*, Universitas Negeri Jember.
- Liu, W.W. & Wang, J.N., 2011, Direct exfoliation of graphene in organic solvents with addition of NaOH, *Chem. Commun.*, 47, 24, 6888–6890.
- Lodish, H., Berk, A., Kaiser, C.A., Krieger, M., Scott, M.P., Bretscher, A., Ploegh, H. & Matsudaira, P., 2007, *Molecular Cell Biology*, Macmillan.
- Lotya, M., Hernandez, Y. & Coleman, J.N., 2009, Liquid phase production of graphene by exfoliation of graphite in surfactant/water solutions, *J. Am. Chem. Soc.*, 131, 10, 3611–3620.
- Luo, J., Jang, H.D. & Huang, J., 2013, Effect of sheet morphology on the scalability of graphene-based ultracapacitors, *ACS Nano*, 7, 2, 1464–1471.
- Madito, M.J., 2016, AB-stacked bilayer graphene films obtained on dilute Cu (Ni) foils using atmospheric pressure chemical vapour deposition, *Desertation*, University of Pretoria.
- Namisnyk, A.M., 2003, *A survey of electrochemical supercapacitor technology*. University of Technology.
- Neill, A.O., Khan, U. & Coleman, J.N., 2009, Graphene Dispersion and Exfoliation in Low Boiling Point Solvents, *J. Am. Chem. Soc.*, 131, 10, 3611–3620.
- Notley, S.M., 2012, Highly concentrated aqueous suspensions of graphene through ultrasonic exfoliation with continuous surfactant addition, *Langmuir*, 28, 40, 14110–14113.
- Novoselov, K.S., 2004, Electric Field Effect in Atomically Thin Carbon Films, 306, October, 666–670.
- Oliveira, A.E.F., Braga, G.B., Tarley, C.R.T. & Pereira, A.C., 2018, Thermally reduced graphene oxide: synthesis, studies and characterization, *J. Mater. Sci.*, 53, 17, 12005–12015.
- Parviz, D., Irin, F., Shah, S.A., Das, S., Sweeney, C.B. & Green, M.J., 2016, Challenges in Liquid-Phase Exfoliation, Processing, and Assembly of Pristine Graphene, *Adv. Mater.*, 28, 40, 8796–8818.
- Pratama, B.W. & Dwandaru, W.S.B., 2020, Synthesis of reduced graphene oxide based on thermally modified liquid-phase exfoliation, *Nano Express*, 1, 1,

010023.

- Proctor, J.E., 2017, *An introduction to graphene and carbon nanotubes*, CRC Press, Florida.
- Puspitosari, N., 2018, Density of states measurements on semiconductor and thin film materials using photocurrent methods, *Thesis*, Université Paris-Saclay.
- Qian, W., Hao, R., Hou, Y., Tian, Y., Shen, C., Gao, H. & Liang, X., 2009, Solvothermal-assisted exfoliation process to produce graphene with high yield and high quality, *Nano Res.*, 2, 9, 706–712.
- Rae, J., Ashokkumar, M., Eulaerts, O., von Sonntag, C., Reisse, J. & Grieser, F., 2005, Estimation of ultrasound induced cavitation bubble temperatures in aqueous solutions, *Ultrason. Sonochem.*, 12, 5, 325–329.
- Raza, H., 2012, *Graphene nanoelectronics: metrology, synthesis, properties and applications*, Springer Science & Business Media.
- Rojo, M.M., Manzano, C. V., Granados, D., Osorio, M.R., Borca-Tasciuc, T. & Martín-González, M., 2015, High electrical conductivity in out of plane direction of electrodeposited Bi<sub>2</sub>Te<sub>3</sub> films, *AIP Adv.*, 5, 8, 087142.
- Rosen, M.J., 1989, *Surfactants and interfacial phenomena*, John Wiley & Sons, Inc.
- Rosen, M.J. & Kunjappu, J.T., 2012, *Surfactants and interfacial phenomena*, John Wiley & Sons.
- Schneider, A., 2017, Liquid-Phase Exfoliated Graphene for Supercapacitors, *Desertation*, Universität Erlangen-Nürnberg.
- Sengupta, I., Chakraborty, Samarshi, Talukdar, M., Pal, S.K. & Chakraborty, Sudipto, 2018, Thermal reduction of graphene oxide: How temperature influences purity, *J. Mater. Res.*, 33, 23, 4113–4122.
- Smith, R.J., Lotya, M. & Coleman, J.N., 2010, The importance of repulsive potential barriers for the dispersion of graphene using surfactants, *New J. Phys.*, 12, 125008.
- Smits, F.M., 1958, Measurement of Sheet Resistivities with the Four-Point Probe, *Bell Syst. Tech. J.*, 37, 3, 711–718.
- Stoller, M.D. & Ruoff, R.S., 2010, Best practice methods for determining an electrode material's performance for ultracapacitors, *Energy Environ. Sci.*, 3, 9, 1294–1301.

- Suhartati, T., 2017, *Dasar-dasar Spektrofotometri UV-Vis dan Spektrofotometri Massa untuk Penentuan Struktur Senyawa Organik*, Anugrah Utama Raharja, Bandar Lampung.
- Suhendar, H., 2020, Pemisahan Ion Menggunakan Elektroda Berbasis Karbon Nanofiber Polyacrylonitrile (PAN)/Graphene Oxide (GO) dalam Sistem Capacitive Deionization (CDI), *Tesis*, Universitas Gadjah Mada.
- Suhendar, H., 2016, Sintesis reduced graphene oxide dan aplikasinya pada kinerja superkapasitor, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Sun, Z., Huang, X. & Liu, F., 2014, Amine-based solvents for exfoliating graphite to graphene outperform the dispersing capacity of N-methyl-pyrrolidone and surfactants, *Chem. Commun.*, 50, 72, 10382–10385.
- Vadukumpully, S., Paul, J. & Valiyaveetil, S., 2009, Cationic surfactant mediated exfoliation of graphite into graphene flakes, *Carbon N. Y.*, 47, 14, 3288–3294.
- Xu, Y., Cao, H., Xue, Y., Li, B. & Cai, W., 2018, Liquid-phase exfoliation of graphene: An overview on exfoliation media, techniques, and challenges, *Nanomaterials*, 8, 11, 942.
- Xu, Y.L., Li, H.X., Zhou, C.B., Xiao, X.S., Bai, Z.C., Zhang, Z.P. & Qin, S.J., 2020, The ultraviolet absorption of graphene in the Tamm state, *Optik (Stuttg.)*, 219, 165015.
- Yang, W., Ni, M., Ren, X., Tian, Y., Li, N., Su, Y. & Zhang, X., 2015, Graphene in Supercapacitor Applications, *Curr. Opin. Colloid Interface Sci.*, 20, 5–6, 416–428.
- Yi, M., Shen, Z., Ma, S. & Zhang, X., 2012, A mixed-solvent strategy for facile and green preparation of graphene by liquid-phase exfoliation of graphite, *J. Nanoparticle Res.*, 14, 8, 1–9.
- Zhang, K., Mao, L., Zhang, L.L., On Chan, H.S., Zhao, X.S. & Wu, J., 2011, Surfactant-intercalated, chemically reduced graphene oxide for high performance supercapacitor electrodes, *J. Mater. Chem.*, 21, 20, 7302–7307.
- Zhang, X., Coleman, A.C., Katsonis, N., Browne, W.R., Van Wees, B.J. & Feringa, B.L., 2010, Dispersion of graphene in ethanol using a simple solvent exchange method, *Chem. Commun.*, 46, 40, 7539–7541.
- Zhang, Y., Zhang, L. & Zhou, C., 2013, Review of chemical vapor deposition of graphene and related applications, *Acc. Chem. Res.*, 46, 10, 2329–2339.