DAFTAR PUSTAKA

Abdullahi, M., Shallangwa, G.A., and Uzairu, A., 2020, In silico QSAR and molecular docking simulation of some novel aryl sulfonamide derivatives as inhibitors of H5N1 influenza A virus subtype, *Beni-Suef Univ. J. Basic Appl. Sci.*, 9, 1–12.

Adeniji, S.E., Uba, S., Uzairu, A., and Arthur, D.E., 2019, A Derived QSAR Model for Predicting Some Compounds as Potent Antagonist against Mycobacterium tuberculosis : A Theoretical Approach , *Adv. Prev. Med.*, 2019, 1–18.

Agniswamy, J., Shen, C.-H., Aniana, A., Sayer, J.M., Louis, J.M., and Weber, I.T., 2012, HIV-1 Protease with 20 Mutations Exhibits Extreme Resistance to Clinical Inhibitors through Coordinated Structural Rearrangements, *Biochemistry*, 51, 2819–2828.

Ahmadi, R., Hemmateenejad, B., Safavi, A., and Shojaeifard, Z., 2018, Chemosphere Assessment of cytotoxicity of choline chloride-based natural deep eutectic solvents against human HEK-293 cells : A QSAR analysis, *Chemosphere*, 209, 831–838.

Aiken, C. and Chen, C., 2005, Betulinic acid derivatives as HIV-1 antivirals, *Trends Mol. Med.*, 11, 31–36.

Alves, V.M., Muratov, E.N., Zakharov, A., Muratov, N.N., Andrade, C.H., and Tropsha, A., 2018, Chemical toxicity prediction for major classes of industrial chemicals: Is it possible to develop universal models covering cosmetics, drugs, and pesticides?, *Food Chem. Toxicol.*, 112, 526–534.

Amin, S.A., Ghosh, K., Gayen, S., and Jha, T., 2020, Chemical-informatics approach to COVID-19 drug discovery: Monte Carlo based QSAR, virtual screening and molecular docking study of some in-house molecules as papain-like protease (PLpro) inhibitors, *J. Biomol. Struct. Dyn.*, 0, 1–10.

Andrade-Ochoa, S., García-Machorro, J., Bello, M., Rodríguez-Valdez, L.M., Flores-Sandoval, C.A., and Correa-Basurto, J., 2018, QSAR, DFT and molecular modeling studies of peptides from HIV-1 to describe their recognition properties by MHC-I, *J. Biomol. Struct. Dyn.*, 36, 2312–2330.

Aoki, M., Hayashi, H., Yedidi, R.S., Martyr, C.D., Takamatsu, Y., Aoki-Ogata, H., Nakamura, T., Nakata, H., Das, D., Yamagata, Y., Ghosh, A.K., and Mitsuya, H., 2016, C-5-Modified Tetrahydropyrano-Tetrahydofuran-Derived Protease Inhibitors (PIs) Exert Potent Inhibition of the Replication of HIV-1 Variants Highly Resistant to Various PIs, including Darunavir, *J. Virol.*, 90, 2180–2194.

Aouidate, A., Ghaleb, A., Ghamali, M., Chtita, S., Ousaa, A., Choukrad, M., Sbai, A., Bouachrine, M., and Lakhlifi, T., 2018, QSAR study and rustic ligand-based virtual screening in a search for aminooxadiazole derivatives as PIM1 inhibitors, *Chem. Cent. J.*, 12, 1–12.

Asadollahi, T., Dadfarnia, S., Haji Shabani, A.M., and Ghasemi, J.B., 2014, Use of the genetic algorithm for variable selection of PLS regression in a QSAR study on [4,5-d] pyrimidinederivativesas antagonist of CXCR2, *Match*, 71, 287–304.

Athar, M., Lone, M.Y., Khedkar, V.M., and Jha, P.C., 2016, Pharmacophore model prediction, 3D-QSAR and molecular docking studies on vinyl sulfones targeting Nrf2-mediated gene transcription intended for anti-Parkinson drug design, *J. Biomol. Struct. Dyn.*, 34, 1282–1297.

Balupuri, A., Gadhe, C.G., Balasubramanian, P.K., Kothandan, G., and Cho, S.J. oo, 2014, In silico study on indole derivatives as anti HIV-1 agents: a combined docking, molecular dynamics and 3D-QSAR study, *Arch. Pharm. Res.*, 37, 1001–1015.

Barzegar, A., Jafari Mousavi, S., Hamidi, H., and Sadeghi, M., 2017, 2D-QSAR study of fullerene nanostructure derivatives as potent HIV-1 protease inhibitors, *Phys. E Low-dimensional Syst. Nanostructures*, 93, 324–331.

Becke, A.D., 1988, Density-functional exchange-energy approximation with correct asymptotic behavior, *Phys. Rev. A*, 38, 3098–3100.

Bellifa, K. and Mekelleche, S.M., 2016, QSAR study of the toxicity of nitrobenzenes to Tetrahymena pyriformis using quantum chemical descriptors, *Arab. J. Chem.*, 9, S1683–S1689.

De Benedetti, P.G. and Fanelli, F., 2014, Multiscale quantum chemical approaches to QSAR modeling and drug design, *Drug Discov. Today*, 19, 1921–1927.

Bungard, C.J. et al., 2017, Design and Synthesis of Piperazine Sulfonamide Cores Leading to Highly Potent HIV-1 Protease Inhibitors, *ACS Med. Chem. Lett.*, 8, 1292–1297.

Chaudhary, K.K. and Mishra, N., 2016, A Review on Molecular Docking : Novel Tool for Drug Discovery, *JSM Chem.*, 4, 1029–1033.

Chen, J., 2016, Drug resistance mechanisms of three mutations V32I, I47V and V82I in HIV-1 protease toward inhibitors probed by molecular dynamics simulations and binding free energy predictions, *RSC Adv.*, 6, 58573–58585.

Chen, X.H., Shan, Z.J., and Zhai, H.L., 2016, QSAR models for predicting the toxicity of halogenated phenols to Tetrahymena, *Toxicol. Environ. Chem.*, 2248, 1–12.

Chen, Y., 2015, Beware of docking !, *Trends Pharmacol. Sci.*, 36, 78–95.

Chen, Y. et al., 2018, The design, synthesis and structure-activity relationships associated with C28 amine-based betulinic acid derivatives as inhibitors of HIV-1 maturation, *Bioorganic Med. Chem. Lett.*, 28, 1550–1557.

Choubey, S.K. and Jeyaraman, J., 2016, A mechanistic approach to explore novel HDAC1 inhibitor using pharmacophore modeling, 3D- QSAR analysis, molecular docking, density functional and molecular dynamics simulation study, *J. Mol. Graph. Model.*, 70, 54–69.

Chrobak, E., Marciniec, K., Dąbrowska, A., Pęcak, P., Bębenek, E., Kadela-Tomanek, M., Bak, A., Jastrzębska, M., and Boryczka, S., 2019, New phosphorus analogs of bevirimat: Synthesis, evaluation of anti-HIV-1 activity and molecular docking study, *Int. J. Mol. Sci.*, 20, 1–20.

Consonni, V., Ballabio, D., and Todeschini, R., 2009, Comments on the definition of the Q2 parameter for QSAR validation, *J. Chem. Inf. Model.*, 49, 1669–1678.

Cox, B.D., Prosser, A.R., Sun, Y., Li, Z., Lee, S., Huang, M.B., Bond, V.C., Snyder, J.P., Krystal, M., Wilson, L.J., and Liotta, D.C., 2015, Pyrazolo-Piperidines Exhibit Dual Inhibition of CCR5/CXCR4 HIV Entry and Reverse Transcriptase, *ACS Med. Chem. Lett.*, 6, 753–757.

Cramer, C.J., 2004, Essensials of computational chemisty, Second Edi. John Wiley & Sons Ltd, Chichester.

Curreli, F., Kwon, Y. Do, Belov, D.S., Ramesh, R.R., Kurkin, A. V., Altieri, A., Kwong, P.D., and Debnath, A.K., 2017, Synthesis, Antiviral Potency, in Vitro ADMET, and X-ray Structure of Potent CD4 Mimics as Entry Inhibitors That Target the Phe43 Cavity of HIV-1 gp120, *J. Med. Chem.*, 60, 3124–3153.

Dai, D., Zhou, L., Zhu, X., You, R., and Zhong, L., 2017, Combined multi-pharmacophore, molecular docking and molecular dynamic study for discovery of promising MTH1 inhibitors, *J. Mol. Struct.*, 1137, 33–42.

Danishuddin and Khan, A.U., 2016, Descriptors and their selection methods in QSAR analysis: paradigm for drug design, *Drug Discov. Today*, 21, 1291–1302.

Darnag, R., Minaoui, B., and Fakir, M., 2017, QSAR models for prediction study of HIV protease inhibitors using support vector machines, neural networks and multiple linear regression, *Arab. J. Chem.*, 10, S600–S608.

Datta, S.A.K., Temeselew, L.G., Crist, R.M., Soheilian, F., Kamata, A., Mirro, J., Harvin, D., Nagashima, K., Cachau, R.E., and Rein, A., 2011, On the Role of the SP1 Domain in HIV-1 Particle Assembly: a Molecular Switch?, *J. Virol.*, 85, 4111–4121.

Ding, L., Wang, Z.Z., Sun, X.D., Yang, J., Ma, C.Y., Li, W., and Liu, H.M., 2017, 3D-QSAR (CoMFA, CoMSIA), molecular docking and molecular dynamics simulations study of 6-aryl-5-cyano-pyrimidine derivatives to explore the structure requirements of LSD1 inhibitors, *Bioorganic Med. Chem. Lett.*, 27, 3521–3528.

Duchowicz, P.R., Bacelo, D.E., Fioressi, S.E., Palermo, V., Ibezim, N.E., and Romanelli, G.P., 2018, QSAR studies of indoyl aryl sulfides and sulfones as reverse transcriptase inhibitors, *Med. Chem. Res.*, 27, 420–428.

Ehrhardt, H., Fulda, S., Führer, M., Debatin, K.M., and Jeremias, I., 2004, Betulinic acid-induced apoptosis in leukemia cells, *Leukemia*, 18, 1406–1412.

Ferreira, L., dos Santos, R., Oliva, G., and Andricopulo, A., 2015, Molecular Docking and Structure-Based Drug Design Strategies, *Molecules*, 20, 13384–13421.

Freed, E.O., 2015, HIV-1 assembly, release and maturation, *Nat. Rev. Microbiol.*, 13, 484–496.

Fulda, S., 2008, Betulinic acid for cancer treatment and prevention, *Int. J. Mol. Sci.*, 9, 1096–1107.

Funicello, M., Chiummiento, L., Tramutola, F., Armentano, M.F., Bisaccia, F., Miglionico, R., Milella, L., Benedetti, F., Berti, F., and Lupattelli, P., 2017, Synthesis and biological evaluation in vitro and in mammalian cells of new heteroaryl carboxyamides as HIV-protease inhibitors, *Bioorganic Med. Chem.*, 25, 4715–4722.

Garro Martinez, J.C., Andrada, M.F., Vega-Hissi, E.G., Garibotto, F.M., Nogueras, M., Rodríguez, R., Cobo, J., Enriz, R.D., and Estrada, M.R., 2017, Dihydrofolate reductase inhibitors: a quantitative structure–activity relationship study using 2D-QSAR and 3D-QSAR methods, *Med. Chem. Res.*, 26, 247–261.

Genheden, S. and Ryde, U., 2015, The MM/PBSA and MM/GBSA methods to estimate ligand-binding affinities, *Expert Opin. Drug Discov.*, 10, 449–461.

Ghosh, A.K., Osswald, H.L., and Prato, G., 2016a, Recent Progress in the Development of HIV-1 Protease Inhibitors for the Treatment of HIV/AIDS, *J. Med. Chem.*, 59, 5172–5208.

Ghosh, A.K., Osswald, H.L., and Prato, G., 2016b, Recent Progress in the Development of HIV-1 Protease Inhibitors for the Treatment of HIV/AIDS, *J. Med. Chem.*, 59, 5172–5208.

Ghosh, A.K., Yu, X., Osswald, H.L., Agniswamy, J., Wang, Y.F., Amano, M., Weber, I.T., and Mitsuya, H., 2015, Structure-Based Design of Potent HIV-1 Protease Inhibitors with Modified P1-Biphenyl Ligands: Synthesis, Biological Evaluation, and Enzyme-Inhibitor X-ray Structural Studies, *J. Med. Chem.*, 58, 5334–5343.

Golbraikh, A. and Tropsha, A., 2000, Predictive QSAR modeling based on diversity sampling of experimental datasets for the training and test set selection, *Mol. Divers.*, 5, 231–243.

Gómez-jeria, J.S., Robles-navarro, A., Kpotin, G.A., and Gatica-díaz, N., 2020, Some remarks about the relationships between the common skeleton concept within the Klopman-Peradejordi-Gómez QSAR method and the weak molecule-site interactions, *Chem. Res. J.*, 5, 32–52.

Gramatica, P., 2007, Principles of QSAR models validation: Internal and external, *QSAR Comb. Sci.*, 26, 694–701.

Gu, S.X., Xue, P., Ju, X.L., and Zhu, Y.Y., 2016, Advances in rationally designed dual inhibitors of HIV-1 reverse transcriptase and integrase, *Bioorganic Med. Chem.*, 24, 5007–5016.

Han, D., Su, M., Tan, J., Li, C., Zhang, X., and Wang, C., 2016, Structure–activity relationship and binding mode studies for a series of diketo-acids as HIV integrase inhibitors by 3D-QSAR, molecular docking and molecular dynamics simulations, *RSC Adv.*, 6, 27594–27606.

Hemmer, M.C., Steinhauer, V., and Gasteiger, J., 1999, Deriving the 3D structure of organic molecules from their infrared spectra, *Vib. Spectrosc.*, 19, 151–164.

Hidaka, K., Kimura, T., Sankaranarayanan, R., Wang, J., McDaniel, K.F., Kempf, D.J., Kameoka, M., Adachi, M., Kuroki, R., Nguyen, J.T., Hayashi, Y., and Kiso, Y., 2018, Identification of Highly Potent Human Immunodeficiency Virus Type-1 Protease Inhibitors against Lopinavir and Darunavir Resistant Viruses from Allophenylnorstatine-Based Peptidomimetics with P2 Tetrahydrofuranylglycine, *J. Med. Chem.*, 61, 5138–5153.

Hou, T., Wang, J., Li, Y., and Wang, W., 2011, Assessing the Performance of the MM/PBSA and MM/GBSA Methods. 1. The Accuracy of Binding Free Energy Calculations Based on Molecular Dynamics Simulations, *J. Chem. Inf. Model.*, 51, 69–82.

Hu, X. and Contini, A., 2019, Rescoring Virtual Screening Results with the MM-PBSA Methods: Beware of Internal Dielectric Constants, *J. Chem. Inf. Model.*, 59, 2714–2728.

Innocente, A.M., Silva, G.N.S., Cruz, L.N., Moraes, M.S., Nakabashi, M., Sonnet, P., Gosmann, G., Garcia, C.R.S., and Gnoatto, S.C.B., 2012, Synthesis and antiplasmodial activity of betulinic acid and ursolic acid analogues, *Molecules*, 17, 12003–12014.

Jain, S. V., Ghate, M., Bhadoriya, K.S., Bari, S.B., Chaudhari, A., and Borse, J.S., 2012, 2D, 3D-QSAR and docking studies of 1,2,3-thiadiazole thioacetanilides analogues as potent HIV-1 non-nucleoside reverse transcriptase inhibitors, *Org. Med. Chem. Lett.*, 2, 22–34.

James, N., Shanthi, V., and Ramanathan, K., 2018, Drug Design for ALK-Positive NSCLC: an Integrated Pharmacophore-Based 3D QSAR and Virtual Screening Strategy, *Appl. Biochem. Biotechnol.*, 185, 289–315.

Joselevich, E., 2004, Electronic Structure and Chemical Reactivity of Carbon Nanotubes: A Chemist's View, *ChemPhysChem*, 5, 619–624.

Katritzky, A.R., Mu, L., Lobanov, V.S., and Karelson, M., 1996, Correlation of boiling points with molecular structure. 1. A training set of 298 diverse organics and a test set of 9 simple inorganics, *J. Phys. Chem.*, 100, 10400–10407.

Keller, P.W., Adamson, C.S., Heymann, J.B., Freed, E.O., and Steven, A.C., 2011, HIV-1 Maturation Inhibitor Bevirimat Stabilizes the Immature Gag Lattice, *J. Virol.*, 85, 1420–1428.

Khaitan, A. and Unutmaz, D., 2011, Revisiting Immune Exhaustion During HIV Infection, *Curr. HIV/AIDS Rep.*, 8, 4–11.

Khan, P.M. and Roy, K., 2018, Current approaches for choosing feature selection and learning algorithms in quantitative structure–activity relationships (QSAR), *Expert Opin. Drug Discov.*, 13, 1075–1089.

Kier, L.B. and Hall, L.H., 1999, Molecular Structure Description: The Electrotopological State, Academic Press, San Diego.

Kovalishyn, V., Grouleff, J., Semenyuta, I., Sinenko, V.O., Slivchuk, S.R., Hodyna, D., Brovarets, V., Blagodatny, V., Poda, G., Tetko, I. V., and Metelytsia, L., 2018, Rational design of isonicotinic acid hydrazide derivatives with antitubercular activity: Machine learning, molecular docking, synthesis and biological testing, *Chem. Biol. Drug Des.*, 92, 1272–1278.

Kožíšek, M., Lepšík, M., Grantz Šašková, K., Brynda, J., Konvalinka, J., and Řezáčová, P., 2014, Thermodynamic and structural analysis of HIV protease resistance to darunavir - analysis of heavily mutated patient-derived HIV-1 proteases, *FEBS J.*, 281, 1834–1847.

Kumar, A., Roy, S., Tripathi, S., and Sharma, A., 2016, Molecular docking based virtual screening of natural compounds as potential BACE1 inhibitors: 3D QSAR pharmacophore mapping and molecular dynamics analysis, *J. Biomol. Struct. Dyn.*, 34, 239–249.

Lai, W., Huang, L., Ho, P., Li, Z., Montefiori, D., and Chen, C.H., 2008, Betulinic acid derivatives that target gp120 and inhibit multiple genetic subtypes of human immunodeficiency virus type 1, *Antimicrob. Agents Chemother.*, 52, 128–136.

Leach, A.R., 2001, Molecular Modelling, Pearson, Dorchester.

Lee, C., Yang, W., and Parr, R.G., 1988, Development of the Colle-Salvetti correlation-energy formula into a functional of the electron density, *Phys. Rev. B*, 37, 785–789.

Leidner, F., Kurt Yilmaz, N., Paulsen, J., Muller, Y.A., and Schiffer, C.A., 2018, Hydration Structure and Dynamics of Inhibitor-Bound HIV-1 Protease, *J. Chem. Theory Comput.*, 14, 2784–2796.

Li, H., Xiao, H., Lin, L., Jou, D., Kumari, V., Lin, J., and Li, C., 2014, Drug design targeting protein-protein interactions (PPIs) using multiple ligand simultaneous docking (MLSD) and drug repositioning: Discovery of raloxifene and bazedoxifene as novel inhibitors of IL-6/GP130 interface, *J. Med. Chem.*, 57, 632–641.

Li, L., Yan, F., Xu, X., Jia, Q., Wang, Q., and Ma, P., 2016, A QSAR model for predicting the anti HIV-1 activity of TIBO derivatives using the norm indexes, *Bull. Korean Chem. Soc.*, 37, 923–930.

Lin, Z., Cantone, J., Lu, H., Nowicka-Sans, B., Protack, T., Yuan, T., Yang, H., Liu, Z., Drexler, D., Regueiro-Ren, A., Meanwell, N.A., Cockett, M., Krystal, M., Lataillade, M., and Dicker, I.B., 2016, Mechanistic Studies and Modeling Reveal the Origin of Differential Inhibition of Gag Polymorphic Viruses by HIV-1 Maturation Inhibitors, *PLoS Pathog.*, 12, 1–33.

Liu, X., Chen, X., Zhang, L., Zhan, P., and Liu, X., 2015, 3D-QSAR and docking studies on piperidine-substituted diarylpyrimidine analogues as HIV-1 reverse transcriptase inhibitors, *Med. Chem. Res.*, 24, 3314–3326.

Liu, Z., Swidorski, J.J., Nowicka-Sans, B., Terry, B., Protack, T., Lin, Z., Samanta, H., Zhang, S., Li, Z., Parker, D.D., Rahematpura, S., Jenkins, S., Beno, B.R., Krystal, M., Meanwell, N.A., Dicker, I.B., and Regueiro-Ren, A., 2016, C-3 benzoic acid derivatives of C-3 deoxybetulinic acid and deoxybetulin as HIV-1 maturation inhibitors, *Bioorg. Med. Chem.*, 24, 1757–1770.

Ma, S., Zhou, S., Lin, W., Zhang, R., Wu, W., and Zheng, K., 2016, Study of novel pyrazolo[3,4-d]pyrimidine derivatives as selective TgCDPK1 inhibitors: molecular docking, structure-based 3D-QSAR and molecular dynamics simulation, *RSC Adv.*, 6, 100772–100782.

Maffucci, I. and Contini, A., 2013, Explicit ligand hydration shells improve the correlation between MM-PB/GBSA binding energies and experimental activities, *J. Chem. Theory Comput.*, 9, 2706–2717.

Maragakis, P., Lindorff-Larsen, K., Eastwood, M.P., Dror, R.O., Klepeis, J.L., Arkin, I.T., Jensen, M.Ø., Xu, H., Trbovic, N., Friesner, R.A., Palmer, A.G., and Shaw, D.E., 2008, Microsecond Molecular Dynamics Simulation Shows Effect of Slow Loop Dynamics on Backbone Amide Order Parameters of Proteins †, *J. Phys. Chem. B*, 112, 6155–6158.

Massarotti, A. and Coluccia, A., 2016, An in-silico approach aimed to clarify the role of Y181C and K103N HIV-1 reverse transcriptase mutations versus Indole Aryl Sulphones, *J. Mol. Graph. Model.*, 63, 49–56.

Mavromoustakos, T., 2011, Editorial [Hot Topic:Methodologies and Applied Strategies in the Rational Drug Design (Guest Editor: T. Mavromoustakos)], *Curr. Med. Chem.*, 18, 2516–2516.

Medina, J.S., Prosmiti, R., Villarreal, P., Delgado-barrio, G., Winter, G., González, B., and Alemán, J. V, 2011, Molecular dynamics simulations of rigid and flexible water models : Temperature dependence of viscosity, *Chem. Phys.*, 388, 9–18.

Mehellou, Y. and Clercq, E. De, 2010, Twenty-Six Years of Anti-HIV Drug Discovery : Where Do We Stand and Where Do We Go ?, *J. Med. Chem.*, 53, 521–538.

Melo-Filho, C.C., Braga, R.C., Muratov, E.N., Franco, C.H., Moraes, C.B., Freitas-Junior, L.H., and Andrade, C.H., 2019, Discovery of new potent hits against intracellular Trypanosoma cruzi by QSAR-based virtual screening, *Eur. J. Med. Chem.*, 163, 649–659.

Mena-Ulecia, K., Tiznado, W., and Caballero, J., 2015, Study of the differential activity of thrombin inhibitors using docking, QSAR, molecular dynamics, and MM-GBSA, *PLoS One*, 10, 1–21.

Miller Jenkins, L.M., Paine, E.L., Deshmukh, L., Nikolayevskiy, H., Lyons, G.C., Scerba, M.T., Rosenker, K.G., Luecke, H.F., Louis, J.M., Chertova, E., Gorelick, R.J., Ott, D.E., Clore, G.M., and Appella, D.H., 2020, Inhibition of HIV maturation via selective unfolding and cross-linking of Gag polyprotein by a mercaptobenzamide acetylator, *J. Am. Chem. Soc.*, 141, 8327–8338.

Mitra, I., Roy, P.P., Kar, S., Ojha, P.K., and Roy, K., 2010, On further application of rm2 as a metric for validation of QSAR models, *J. Chemom.*, 24, 22–33.

Moonsamy, S., Bhakat, S., Ramesh, M., and Soliman, M.E.S., 2017, Identification of Binding Mode and Prospective Structural Features of Novel Nef Protein Inhibitors as Potential Anti-HIV Drugs, *Cell Biochem. Biophys.*, 75, 49–64.

Mortier, J., Rakers, C., Bermudez, M., Murgueitio, M.S., Riniker, S., and Wolber, G., 2015, The impact of molecular dynamics on drug design: Applications for the characterization of ligand-macromolecule complexes, *Drug Discov. Today*, 20, 686–702.

Nayak, C., Chandra, I., and Singh, S.K., 2019, An in silico pharmacological approach toward the discovery of potent inhibitors to combat drug resistance HIV-1 protease variants, *J. Cell. Biochem.*, 120, 9063–9081.

Neves, B.J., Dantas, R.F., Senger, M.R., Melo-Filho, C.C., Valente, W.C.G., De Almeida, A.C.M., Rezende-Neto, J.M., Lima, E.F.C., Paveley, R., Furnham, N., Muratov, E., Kamentsky, L., Carpenter, A.E., Braga, R.C., Silva-Junior, F.P., and Andrade, C.H., 2016, Discovery of New Anti-Schistosomal Hits by Integration of QSAR-Based Virtual Screening and High Content Screening, *J. Med. Chem.*, 59, 7075–7088.

Ortiz, A., Soumeillant, M., Savage, S.A., Strotman, N.A., Haley, M., Benkovics, T., Nye, J., Xu, Z., Tan, Y., Ayers, S., Gao, Q., and Kiau, S., 2017, Synthesis of HIV-Maturation Inhibitor BMS-955176 from Betulin by an Enabling Oxidation Strategy, *J. Org. Chem.*, 82, 4958–4963.

Panthong, P., Bunluepuech, K., Boonnak, N., Chaniad, P., Pianwanit, S., Wattanapiromsakul, C., and Tewtrakul, S., 2015, Anti-HIV-1 integrase activity and molecular docking of compounds from *Albizia procera* bark, *Pharm. Biol.*, 53, 1861–1866.

Pathakoti, K., Huang, M., Watts, J.D., He, X., and Hwang, H., 2014, Journal of Photochemistry and Photobiology B : Biology Using experimental data of Escherichia coli to develop a QSAR model for predicting the photo-induced cytotoxicity of metal oxide nanoparticles, *J. Photochem. Photobiol. B Biol.*, 130, 234–240.

Patil, R.B. and Sawant, S.D., 2015, 4D-QSAR studies of coumarin derivatives as HIV-1 integrase 3′-processing inhibitors, *Med. Chem. Res.*, 24, 3062–3076.

Petitjean, M., 1992, Applications of the radius-diameter diagram to the classification of topological and geometrical shapes of chemical compounds, *J. Chem. Inf. Model.*, 32, 331–337.

Ponzoni, I., Sebastián-Pérez, V., Requena-Triguero, C., Roca, C., Martínez, M.J., Cravero, F., Díaz, M.F., Páez, J.A., Arrayás, R.G., Adrio, J., and Campillo, N.E., 2017, Hybridizing Feature Selection and Feature Learning Approaches in QSAR Modeling for Drug Discovery /631/114/2248 /631/154/309 /639/638/563/606 /119/118 article, *Sci. Rep.*, 7, 1–19.

Pornillos, O. and Ganser-Pornillos, B.K., 2019, Maturation of retroviruses, *Curr. Opin. Virol.*, 36, 47–55.

Prachayasittikul, Veda, Worachartcheewan, A., Shoombuatong, W., Songtawee, N., Simeon, S., Prachayasittikul, Virapong, and Nantasenamat, C., 2015, Computer-Aided Drug Design of Bioactive Natural Products, *Curr. Top. Med. Chem.*, 15, 1780–1800.

Puzyn, T., Mostrag-Szlichtyng, A., Gajewicz, A., Skrzyński, M., and Worth, A.P., 2011, Investigating the influence of data splitting on the predictive ability of QSAR/QSPR models, *Struct. Chem.*, 22, 795–804.

Rácz, A., Bajusz, D., and Héberger, K., 2015, Consistency of QSAR models: Correct split of training and test sets, ranking of models and performance parameters, *SAR QSAR Environ. Res.*, 26, 683–700.

Ramsay, R.R., Popovic-Nikolic, M.R., Nikolic, K., Uliassi, E., and Bolognesi, M.L., 2018, A perspective on multi-target drug discovery and design for complex diseases, *Clin. Transl. Med.*, 7, 3–16.

Rastelli, G., Rio, A. Del, Degliesposti, G., and Sgobba, M., 2009, Fast and accurate predictions of binding free energies using MM-PBSA and MM-GBSA, *J. Comput. Chem.*, 31, NA-NA.

Rasyid, H., Purwono, B., and Armunanto, R., 2018, Quantitative Structure Activity Relationship (QSAR) Based on Electronic Descriptors and Docking Studies of Quinazoline Derivatives for Anticancer Activity, *Orient. J. Chem.*, 34, 2361–2369.

Ravichandran, V., Venkateskumar, K., Shalini, S., and Harish, R., 2016, Exploring the structure-activity relationship of oxazolidinones as HIV-1 protease inhibitors-QSAR and pharmacophore modelling studies, *Chemom. Intell. Lab. Syst.*, 154, 52–61.

Regueiro-Ren, A., Dicker, I.B., Hanumegowda, U., and Meanwell, N.A., 2019, Second Generation Inhibitors of HIV-1 Maturation, *ACS Med. Chem. Lett.*, 10, 287–294.

Ríos, J.L. and Máñez, S., 2018a, New Pharmacological Opportunities for Betulinic Acid, *Planta Med.*, 84, 8–19.

Ríos, J.L. and Máñez, S., 2018b, New Pharmacological Opportunities for Betulinic Acid Authors Antidiabetic Properties, *Planta Med.*, 84, 8–19.

Roy, K., Kar, S., and Ambure, P., 2015, On a simple approach for determining applicability domain of QSAR models, *Chemom. Intell. Lab. Syst.*, 145, 22–29.

Roy, K., Kar, S., and Das, R.N., 2015, A Primer on QSAR/QSPR Modeling: Fundamental Concepts, Springer International Publishing, Heidelberg.

de Ruyck, J., Brysbaert, G., Blossey, R., and Lensink, M.F., 2016, Molecular docking as a popular tool in drug design, an in silico travel, *Adv. Appl. Bioinforma. Chem.*, 9, 1–11.

Salentin, S., Haupt, V.J., Daminelli, S., and Schroeder, M., 2014, Polypharmacology rescored: Protein–ligand interaction profiles for remote binding site similarity assessment, *Prog. Biophys. Mol. Biol.*, 116, 174–186.

Sanderson, R.T., 1988, Principles of electronegativity Part I. General nature, *J. Chem. Educ.*, 65, 112–118.

Sepehri, S., Soleymani, S., Zabihollahi, R., Aghasadeghi, M.R., Sadat, M., Saghaie, L., and Fassihi, A., 2017, Synthesis, Biological Evaluation, and Molecular Docking Studies of Novel 4-[4-Arylpyridin-1(4 H)-yl]benzoic Acid Derivatives as Anti-HIV-1 Agents, *Chem. Biodivers.*, 14, e1700295.

Shafer, R.W., 2017, Human Immunodeficiency Virus Type 1 Drug Resistance Mutations Update, *J. Infect. Dis.*, 216, 843–846.

Shahlaei, M., 2013, Descriptor Selection Methods in Quantitative Structure–Activity Relationship Studies: A Review Study, *Chem. Rev.*, 113, 8093–8103.

Shi, S., Zhang, S., and Zhang, Q., 2018a, Insight into binding mechanisms of inhibitors MKP56, MKP73, MKP86, and MKP97 to HIV-1 protease by using molecular dynamics simulation, *J. Biomol. Struct. Dyn.*, 36, 981–992.

Shi, S., Zhang, S., and Zhang, Q., 2018b, Insight into binding mechanisms of inhibitors MKP56, MKP73, MKP86, and MKP97 to HIV-1 protease by using molecular dynamics simulation, *J. Biomol. Struct. Dyn.*, 36, 981–992.

Shiri, F., Pirhadi, S., and Rahmani, A., 2018, Identification of new potential HIV-1 reverse transcriptase inhibitors by QSAR modeling and structure-based virtual screening, *J. Recept. Signal Transduct.*, 38, 37–47.

Singh, S.P., Deb, C.R., Kakati, L.N., and Konwar, B.K., 2016a, QSAR-based drug designing studies on HIV-1 integrase inhibitors, *Netw. Model. Anal. Heal. Informatics Bioinforma.*, 5, 1–11.

Singh, S.P., Deb, C.R., Kakati, L.N., and Konwar, B.K., 2016b, QSAR-based drug designing studies on HIV-1 integrase inhibitors, *Netw. Model. Anal. Heal. Informatics Bioinforma.*, 5, 33.

Śledź, P. and Caflisch, A., 2018, Protein structure-based drug design: from docking to molecular dynamics, *Curr. Opin. Struct. Biol.*, 48, 93–102.

Sliwoski, G., Mendenhall, J., and Meiler, J., 2016, Autocorrelation descriptor improvements for QSAR: 2DA_Sign and 3DA_Sign, *J. Comput. Aided. Mol. Des.*, 30, 209–217.

Soares, R.O., Torres, P.H.M., da Silva, M.L., and Pascutti, P.G., 2016, Unraveling HIV protease flaps dynamics by Constant pH Molecular Dynamics simulations, *J. Struct. Biol.*, 195, 216–226.

Speck-Planche, A., Kleandrova, V. V, Luan, F., and Cordeiro, M.N.D.S., 2012, Chemoinformatics in anti-cancer chemotherapy: Multi-target QSAR model for the in silico discovery of anti-breast cancer agents, *Eur. J. Pharm. Sci.*, 47, 273–279.

Stanton, D.T. and Jurs, P.C., 1990, Development and use of charged partial surface area structural descriptors in computer-assisted quantitative structure-property relationship studies, *Anal. Chem.*, 62, 2323–2329.

Stephens, P.J., Devlin, F.J., Ashvar, C.S., Chabalowski, C.F., and Frisch, M.J., 1994, Theoretical calculation of vibrational circular dichroism spectra, *Faraday Discuss.*, 99, 103–119.

Sun, H., Li, Y., Tian, S., Xu, L., and Hou, T., 2014, Assessing the performance of MM/PBSA and MM/GBSA methods. 4. Accuracies of MM/PBSA and MM/GBSA methodologies evaluated by various simulation protocols using PDBbind data set, *Phys. Chem. Chem. Phys.*, 16, 16719–16729.

Sun, Y., Xu, W., Fan, N., Sun, X., Ning, X., Ma, L., Liu, J., and Wang, X., 2017, Design, synthesis and biological evaluation of (E)-3,4-dihydroxystyryl 4-acylaminophenethyl sulfone, sulfoxide derivatives as dual inhibitors of HIV-1 CCR5 and integrase, *Bioorganic Med. Chem.*, 25, 1076–1084.

Tarko, L., 2017, A selection method for molecular descriptors and QSPR equations, *Match*, 77, 245–272.

Thompson, D.C., Humblet, C., and Joseph-McCarthy, D., 2008, Investigation of MM-PBSA rescoring of docking poses, *J. Chem. Inf. Model.*, 48, 1081–1091.

Todeschini, R. and Consonni, V., 2000, Handbook of Molecular Descriptors, Wiley-VCH, Weinheim.

Todeschini, R. and Consonni, V., 2009, Molecular Descriptors for Chemoinformatics, Second. Mannhold,R., Kubinyi,H., and Folkers,G. (eds) Wiley, Weinheim.

Todeschini, R. and Gramatica, P., 1997, SD-modelling and Prediction by WHIM Descriptors. Part 5. Theory Development and Chemical Meaning of WHIM Descriptors, *Quant. Struct. Relationships*, 16, 113–119.

Todeschini, R., Lasagni, M., and Marengo, E., 1994, New molecular descriptors for 2D and 3D structures. Theory, *J. Chemom.*, 8, 263–272.

Tong, J., Wu, Y., Bai, M., and Zhan, P., 2017, 3D-QSAR and molecular docking studies on HIV protease inhibitors, *J. Mol. Struct.*, 1129, 17–22.

Tong, J., Zhan, P., Wang, X.S., and Wu, Y., 2017, Quionolone carboxylic acid derivatives as HIV-1 integrase inhibitors: Docking-based HQSAR and topomer CoMFA analyses, *J. Chemom.*, 31, e2934.

Tong, J.B., Bai, M., and Zhao, X., 2016, 3D-QSAR and docking studies of HIV-1 protease inhibitors using R-group search and Surflex-dock, *Med. Chem. Res.*, 25, 2619–2630.

Triki, D., Billot, T., Visseaux, B., Descamps, D., Flatters, D., Camproux, A.C., and Regad, L., 2018, Exploration of the effect of sequence variations located inside the binding pocket of HIV-1 and HIV-2 proteases, *Sci. Rep.*, 8, 30–40.

Tripuraneni, N.S. and Azam, M.A., 2016, A combination of pharmacophore modeling, atom-based 3D-QSAR, molecular docking and molecular dynamics simulation studies on PDE4 enzyme inhibitors, *J. Biomol. Struct. Dyn.*, 34, 2481–2492.

Urano, E., Ablan, S.D., Mandt, R., Pauly, G.T., Sigano, D.M., Schneider, J.P., Martin, D.E., Nitz, T.J., Wild, C.T., and Freed, E.O., 2016, Alkyl amine bevirimat derivatives are potent and broadly active HIV-1 maturation inhibitors, *Antimicrob. Agents Chemother.*, 60, 190–197.

Valadi, J. and Siarry, P., 2014, Applications of metaheuristics in process engineering, *Appl. Metaheuristics Process Eng.*, 9783319065, 1–444.

Vora, J., Patel, S., Sinha, S., Sharma, S., Srivastava, A., Chhabria, M., and Shrivastava, N., 2018, Molecular docking, QSAR and ADMET based mining of natural compounds against prime targets of HIV, *J. Biomol. Struct. Dyn.*, 1102, 1–16.

Vyas, V.K., Shah, S., and Ghate, M., 2017, Generation of new leads as HIV-1 integrase inhibitors: 3D QSAR, docking and molecular dynamics simulation, *Med. Chem. Res.*, 26, 532–550.

Wang, E., Sun, H., Wang, J., Wang, Z., Liu, H., Zhang, J.Z.H., and Hou, T., 2019, End-Point Binding Free Energy Calculation with MM/PBSA and MM/GBSA: Strategies and Applications in Drug Design, *Chem. Rev.*, 119, 9478–9508.

Wang, T., Wu, M., and Chen, Z., 2014, Fragment-Based Drug Discovery and Molecular Docking in Drug Design, *Curr. Pharm. Biotechnol.*, 15, 1–15.

Warren, S. and Wyatt, P., 2008, Organic Synthesis: The Disconnection Approach, John Wiley & Sons Ltd, Wiltshire.

Wensing, A.M., Calvez, V., Günthard, H.F., Johnson, V.A., Paredes, R., Pillay, D., Shafer, R.W., and Richman, D.D., 2016, 2017 Update of the Drug Resistance Mutations in HIV-1., *Top. Antivir. Med.*, 24, 132–133.

Wright, D.W., Hall, B.A., Kenway, O.A., Jha, S., and Coveney, P. V., 2014, Computing clinically relevant binding free energies of HIV-1 protease inhibitors, *J. Chem. Theory Comput.*, 10, 1228–1241.

Yang, Z.H., Bai, X.G., Zhou, L., Wang, J.X., Liu, H.T., and Wang, Y.C., 2015, Synthesis and biological evaluation of novel HIV-1 protease inhibitors using tertiary amine as P2-ligands, *Bioorganic Med. Chem. Lett.*, 25, 1880–1883.

Yap, C.W., 2011, PaDEL-descriptor: An open source software to calculate molecular descriptors and fingerprints, *J. Comput. Chem.*, 32, 1466–1474.

Yu, H., Fang, Y., Lu, X., Liu, Y., and Zhang, H., 2014, Combined 3D-QSAR, molecular docking, molecular dynamics simulation, and binding free energy calculation studies on the 5-hydroxy-2H-pyridazin-3-one derivatives as HCV NS5B polymerase inhibitors, *Chem. Biol. Drug Des.*, 83, 89–105.

Zhan, P., Pannecouque, C., De Clercq, E., and Liu, X., 2016, Anti-HIV Drug Discovery and Development: Current Innovations and Future Trends, *J. Med. Chem.*, 59, 2849–2878.

Zhang, W., Pei, J., and Lai, L., 2017, Computational Multitarget Drug Design, *J. Chem. Inf. Model.*, 57, 403–412.