



BAB VI

DAFTAR REFRENSI

- Aartsen, J. (1953). *Ekonomi Pertanian Indonesia*. Jakarta: Pembangunan.
- Adiningsih. (2008). Katalog Metodologi Penyusun. *Pusat Pengembangan Pemanfaatan dan Teknologi Penginderaan Jauh (LAPAN)*.
- Afif, H. A., Harist, M. C., & Nurhandayani, D. (2018). *Pemetaan Wilayah Potensi Kekeringan Menggunakan Sistem Informasi Geografi Dan Penginderaan Jauh: Studi Kasus Kabupaten Brebes*. Indonesia: Departemen Geografi, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia.
- Amaranggana, H. D. (2015). *Pemanfaatan Citra Landsat 8 untuk Pemetaan Kekeringan Pertanian di Kabupaten Madiun tahun 2015*. Yogyakarta: Program Studi. Penginderaan Jauh dan Sistem Informasi Geografi. Sekolah Vokasi. Universitas Gadjah Mada.
- Andreson, R. (1976). *Selecting & Developing Media for Instruction*. Wescosin: American Society for Training and Development.
- Aronoff, S. (1989). *Geographic Information System; A Management Perspective*. Ottawa: WDL. Publications.
- Astisiasari. (2015). Comparative Assessment of NDVI Versus NDDI To Indicate Agriculutral Drought (A Case Study Carried Out in District of Gunungkidul, Province of Yogyakarta Special Region). *Double Degree M.Sc. Programme. The Graduate School of Unversitas Gadjah Mada*.



International Institute for Geo-Information Science and Earth Observation.

- Astriani, H., Santoso, B. K., Arifatha, N., Prasetya, R., Utomo, D. S., Juniardi, V. C., & Kamal, M. (2017). Perbandingan Citra Landsat 8 Dan Sentinel 2A Untuk Estimasi Stok Karbon Kelapa Sawit (Elias Huneensis Jacq) Di Wilayah PT. Perkebunan Nusantara VII Unit Rejosari, Natar, Kabupaten Lampung Selatan. *Prosding Seminar Nasional Geomatika*.
- Australia Goverment Bureau of Meteorology. (2021). *ENSO Outlook History*. Retrieved from Australia Goverment Bureau of Meteorology:
<http://www.bom.gov.au/climate/enso/outlook/#tabs=ENSO-Outlook-history>
- Barron, J., Rockstrom, J., Gichuki, F., & Hatibu, N. (2003). Dry Spell Analysis and Maize Yields for Two Semi-Arid Location in East Africa. *Agricultural and Forest Meteorology* 117, 23-37.
- BIG. (2014). *Peraturan Kepala Badan Informasi Geospasial Nomor 15 Tahun 2014 tentang Pedoman Teknis Ketelitian Peta Dasar*. Cibinong: Badan Informasi Geospasial.
- BMKG. (2015, Oktober 1). *Outlook El Nino*. Retrieved from Badan Meteorologi, Klimatologi dan Geofisika:
http://eoffice.bmkg.go.id/Dokumen/Artikel/Artikel_20151005092900_2y99hh_Outlook-El-Nino.pdf
- BNPB. (2018). *Bencana Kekeringan di Indonesia Periode 2003 - 2017*. Indonesia: Visi Teliti Saksama. Infografis: Jean Patricia.



BPS. (2019). *Kabupaten Madiun Dalam Angka 2019*. Madiun: Badan Pusat Statistik Kabupaten Madiun.

BPS Kabupaten Madiun. (2018). Retrieved from <https://madiunkab.bps.go.id/statictable/2020/01/13/1610/luas-wilayah-menurut-kecamatan-di-kabupaten-madiun-2018>

Budiyanto, E. (2002). *Sistem Informasi Geografis Menggunakan Arc View*. Yogyakarta: Andi.

Ceccato, V., Haining, R., & Signoretta, P. (2002). Exploring Offence Statistics in Stockholm City Using Spatial Analysis Tools. *Annals of the Association of American Geographers*, 92, 29-51.

Congalton, R. (1988). Using Spatial Autocorrelation Analysis to Explore Errors in Maps Generated From Remotely Sensed Data. *Photogrammetric Engineering and Remote Sensing*. Vol 54, No. 5, 587-592.

Daneodoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Andi Offset.

Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Andi.

Darmawan, A., Harianto, S. P., Santoso, T., & Winarno, G. D. (2018). *Buku Ajar Penginderaan Jauh untuk Kehutanan*. Bandar Lampung.

Daughtry, C., C. L, W., M.S, K., E , B., & J.E, M. (2000). Estimating Corn Leaf Chlorophyll Concentration from Leaf and Canopy Reflectance. *Remote Sensing of Environment* 74, 229-239.



Delegido, J., J, V., L, A., & J, M. (2011). Evaluation of Sentinel-2 Red Edge Bands

for Empirical Estimation of Green LAI and Chlorophyll Content. *Sensor.*

Number 11, 7063-7081.

Dingeldey, C., Muller-Wilm, U., & Laroque, C. (2016). *Sentinel-2 MSI-Level-2A Prototype Processor Installation and User Manual*. Germany: Telespazio

VEGA Deutschland GmbH.

Drusch, M., Bello, S., Carlier, O., Colin, V., Fernandez, F., Gascon, B., . . . P, B.

(2012). Sentinel-2: ESA's Optical. *Remote Sensing of Environment* , 25 -

36.

ESA. (2015). *Sentinel-2 User Handbook*. Retrieved from European Space Agency:

<https://sentinel.esa.int/documents/247904/685211/Sentinel->

[_User_Handbook](#)

FAO. (2011). *Remotely Sensed Information for Crop Monitoring and Food*

Security. FAO.

FAO. (2014). Understanding th Drought Impact of El-Nino on the Global

Agricultural Areas. doi:*ISBN 978-92-5-108671-1*.

Gao, B.-C. (1996). NDWI-A Normalized Difference Water Index for Remote

Sensing of Vegetation Liquid Water from Space. *Remote Sensing of*

Environment. Volume 58. Issue 3, 257-266.

Ghaleb, F., M, M., & AN, S. (2015). Regional Landsat Based Drought Monitoring

From 1982-200. *Climate. No. 3*, 563–577.

Gu, Y., Brown, J., Verdin, J., & Wardlow, B. (2007). *A Five-year Analysis of*

MODIS NDVI and NDWI for Grassland Drought Assesment Over the



Central Great Plains of the United States. Retrieved from Geophysical

Research Letters: <https://doi.org/10.1029/2006GL029127>

Gulácsi, & Kovács. (2015). Drought Monitoring With Spectral Indices Calculated From MODIS Satellite Images in Hungary. <https://doi.org/10.1515/jengeo-2015-0008>, 11-20.

Haboundance, D., Miller, J., N, T., P.J, Z.-T., & L, D. (2002). Integrated Narrow-Band Vegetation Indices for Prediction of Crop Chlorophyll Content for Application to Precision Agriculture. *Remote Sensing of Environment* 81, 416-426.

Hoffer, R., & Johannsen, C. (1969). *Ecological Potentials in Spectral Signature Analysis*. Athens: University of Georgia Press.

Immitzer, M., F, V., & C, A. (2016). First Experience with Sentinel-2 Data for Crop and Tree Species Classification in Central Europe. *Remote Sensing* 8, 166.

International Rice Research Institute. (2007). *Growth Stages of The Rice Plant*. Retrieved from

http://www.knowledgebank.irri.org/ericeproduction/0.2._Growth_stages_of_the_rice_plant.html

Jackson, Chen, Cosh, Anderson, Walthall, Dorisswanny, & Hunt. (2004). Vegetation Water Content Mapping Using Landsat Data Derived Normalized Difference Water Index For Corn And Soybeans. *Remote Sensing Of Environment* 92, 275-482.

Jamil, D. H., Tjahjono, H., & Parman, S. (2013). Deteksi Potensi Kekeringan Berbasis Penginderaan Jauh Dan Sistem Informasi Geografis Di Kabupaten



Klaten. *urnal*, 30-37. Semarang : Fakultas Ilmu Sosial, Universitas Negeri Semarang.

Jensen, J. (2014). *Remote Sensing of The Environment : An Earth Resource Perspective-Second Edition*. England: Pearson Education Limited: Edinburgh Gate.

Keputusan Direktur Jendral Tanaman Pangan. (2015). 55/HK.310/C/8/2015 tentang Petunjuk Teknis Pemantauan dan Pengamatan serta Pelaporan Organisasi Pengganggu Tumbuhan dan Dampak Perubahan Iklim. Indonesia: Kementerian Pertanian Direktorat Jendral Tanaman Pangan.

LAPAN. (2015). *Pedoman Pengolahan Data Penginderaan Jauh Landsat 8 untuk MPT*. Jakarta: Lembaga Penerbangan dan Antariksa Nasional.

Lillesand, & Kiefer. (1997). *Penginderaan Jauh dan Interpretasi Citra*. Yogyakarta: Gadjah Mada University Press.

Madiun, B. K. (n.d.). *Rekap Bencana Kekeringan di Kabupaten Madiun Tahun 2012 - 2020*.

Martin. (2004). *An Introduction to Ocean Remote Sensing*. Cambridge: University Press.

Mather, P. (2004). *Computer Processing of Remotely Sensing Data: An Introduction, 3rd Edition*. Brisbane: John Wiley and Sons.

McCoy, R. M. (2005). *Field Methods in Remote Sensing*. New York London: The Guilford Press.

Mongkolsawat, C., Wattanakij, N., & Kamchai, T. (2009). *Exploration of Spatio-Temporal Drought Patterns using Satellite-Derived Indices for Crop*



Management in Northeastern Thailand. Retrieved from <http://www.a-a-r-s.org/aars/proceeding/ACRS2009/Papers/Oral.Presentation/TS28-04.pdf>

Moran, M., Jackson, R., Stalter, P., & Teillet, P. (1992). Evaluation of Simplified Procedures for Retrieval of Land Surface Reflectande Factors from Satellite Sensor Output. *Remote Sensing of Environment*, 169-184.

Mosleh, M., Hassan, Q., & Chowdhury, E. (2015). Application of Remote Sensors in Mapping Rice Area and Forecasting Its Production: A Review. *Sensors*. 15. <https://doi.org/10.3390/s150100769>, 769-791.

Myers, V. (1983). Manual of Remote Sensing Vol II. Chap.33, Roberrt N. Colwell, Ed., American Society of Photogrammetry, 2111-2228.

Nabilah, F., Prasetyo, Y., & Sukmono, A. (2017). Analisis Pengaruh Fenomena El Nino Dan La Nina Terhadap Curah Hukan Tahun 1998 – 2016 Menggunakan Indicator ONI (Ocean Nino Index). *Departemen Teknik Geodesi Fakultas Teknik Universitas Diponegoro*.

NASA. (2000, Agustus 30). *Measuring Vegetation (NDVI & EVI)*. Retrieved from https://earthobservatory.nasa.gov/features/MeasuringVegetation/measuring_vegetation_2.php

Penbury. (1997). Algoritma Pendugaan Konsentrasi Klorofil Di Perairan Teluk Ambon Menggunakan Citra Landsat TM. *Program studi Teknik Kelautan Program Pasca Sarjana. IPB. Bogor*.

Perka BPBD Nomor 02 Tahun 2012. (2012). *tentang Pedoman Umum Pengkajian Resiko Bencana*.



PP Nomor 10 Tahun 2000. (n.d.). *tentang Tingkat Ketelitian Peta Untuk Penataan Ruang Wilayah.*

Purwadhi, S. (2001). *Interpretasi Citra Digital*. Jakarta: Gramedia.

Renza, D., Martinez, E., Arquero, A., & Sanchez, J. (2010). Drought Estimation Maps by Means of Multidate Landsat Fused Image. *Remote Sensing for Science, Education and Natural and Cultural Heritage*. Retrieved from http://www.earsel.org/symposia/2010-symposium-Paris/Proceedings/EARSeL-Symposium-2010_17-03.pdf.

Richter, K., T.B, H., F, V., W, M., & G, D. (2012). Optimal Exploitation of the Sentinel-2 Spectral Capabilities for Corp Leaf Area Index Mapping. *Remote Sensing* 4, 561-582.

Rouse, J., R.H, H., A, S., & D.W, D. (1974). Monitoring Vegetation Systems In The Great Plains With ERTS. *Third ERTS. Symposium, NASA SP-351 I*, 309-317.

SNI. (2014). *Klasifikasi Penutup Lahan*. Jakarta: Badan Standardisasi Nasional.

Solopos. (2019). Retrieved from soloposhttps://m.solopos.com/tragis-78-000-lahan-pertanian-di-jateng-alami-kekeringan-25-000-hektare-gagal-panen-1033864

Sudarto. (2011). Pemanfaatan dan Pengembangan Energi Angin Untuk Proses Produksi Garam di Kawasan Timur Indonesia. *Jurnal TRITON. Volume 7. Nomor 2*, 61 - 70.

Sudaryatno. (2015). *Integrasi Citra Penginderaan Jauh dan Sistem Informasi Geografis untuk Penyusunan Model Kerentanan Kekeringan (Kasus di*



Provinsi Jawa Tengah dan Daerah Istimewa Yogyakarta). Yogyakarta:

Progam Studi Geografi Minat Penginderaan Jauh pada Universitas Gadjah Mada.

Sugiarto, Y., & Kurniawan, D. (2009). Analisis Dampak ENSO (El-Nino Southern Oscillation) Terhadap Tingkat Kekeringan untuk Tanaman Pangan dan Palawija. *Jurnal Agromet*, 182-198.

Sukmo, A., Rahman, F., & Darmo, B. Y. (2015). Pemanfaatan Teknologi Penginderaan Jauh Untuk Deteksi Kekeringan Pertanian Menggunakan Metode Difference Drought Index Di Kabupaten Kendal. *Jurnal Geografi. Volume 14 No. 2.*

Sukojo, B. M., & Prayoga, M. P. (2017). Pemanfaatan Teknologi Penginderaan Jauh dan Sistem Informasi Geografis untuk Analisis Spasial Tingkat Kekeringan Wilayah Kabupaten Tuban. *Geoid Vol. 13 No 1*, 85 - 92.

Sumantri. (1980). *Pengantar Agronomi*. Jakarta: PT.Gramedia.
Sutanto. (1986). *Penginderaan Jauh jilid 1*. Yogyakarta: Gadjah Mada University Press.

Syafrezani, S. (2009). *Manfaat Tumbuhan Bunga Penghias Pekarangan*. Bandung: Titan Ilmu.

Tarpley, J., Schineider, S., & Money, R. (1984). Global Vegetation Indices from the NOAA-7 Meteorogical Satellite. *National Environmental Satellite, Data, and Information Service, NOAA. Washington DC 20233*, 491-494.

TKPSDA. (2003). Pedoman Teknis Pengelolaan Daerah Aliran Sungai Terpadu, Draft Final. Jakarta: Sekretariat Dewan SumberDaya Air Nasional.



UNIVERSITAS
GADJAH MADA

Pemanfaatan Citra Sentinel-2A Untuk Pemetaan Kekeringan Pertanian di Kabupaten Madiun Menggunakan

Metode Normalized Difference Drought Index (NDDI)

LISYANA ARDHI R, Dwi Setyo Aji, S.Si., M.Sc.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UN-ISDR. (2009). Drought Risk Reduction Framework and Practices. *United Nations International Strategy for Disaster Reduction*.

Van der Meer, F., Van der Werff, H., & Van Ruitenbeek, F. (2014). Potential of. *Remote Sensing of Environment* 148, 124-133.

Wilhite, D. A. (2010). *Quantification Of Agricultural Drought For Effective Drought Mitigation, In Agricultural Drought Indices. Proceedings of an Expert Meeting 2-4 June*. Murcia, Spain, WMO, Geneva.

Zhang, T., Su, J., Liu, C., & Chen, W.-H. (2017). Band Selection in Sentinel-2 Satellite for Agriculture Applications. *Proceedings of the 23rd International Conference on Automation & Computing*. Huddersfield: University of Huddersfield.

Zhang, T.-X., Su, J.-Y., Liu, C.-J., & Chen, W.-H. (2019). Potential Bands of Sentinel-2A Satellite for Classification Problems in Precision Agriculture. *International Journal of Autimation and Computing*. DOI: 10.1007/s11633-018-1143-x, 16-26.