

## DAFTAR PUSTAKA

- Adachi, K., Sugiyama, T., Yamaguchi, Y., Tamura, Y., Izawa, S., Hijikata, Y., Ebi, M., Funaki, Y., Ogasawara, N., Goto, C., Sasaki, M., Kasugai, K., 2019. Gut microbiota disorders cause type 2 diabetes mellitus and homeostatic disturbances in gut-related metabolism in Japanese subjects. *J. Clin. Biochem. Nutr.* 64, 231–238. <https://doi.org/10.3164/jcbrn.18-101>
- Adeyi, A.O., Idowu, B.A., Mafiana, C.F., Oluwalana, S.A., Ajayi, O.L., Akinloye, O.A., 2012. Rat model of food-induced non-obese-type 2 diabetes mellitus: comparative pathophysiology and histopathology. *Int. J. Physiol. Pathophysiol. Pharmacol.* 4, 51–58.
- Ahnan-Winarno, A.D., Cordeiro, L., Winarno, F.G., Gibbons, J., Xiao, H., 2021. Tempeh: A semicentennial review on its health benefits, fermentation, safety, processing, sustainability, and affordability. *Compr. Rev. Food Sci. Food Saf.* 20, 1717–1767. <https://doi.org/10.1111/1541-4337.12710>
- Allcock, G.H., Allegra, M., Flower, R.J., Perretti, M., 2001. Neutrophil accumulation induced by bacterial lipopolysaccharide: effects of dexamethasone and annexin 1. *Clin. Exp. Immunol.* 123, 62–67. <https://doi.org/10.1046/j.1365-2249.2001.01370.x>
- Alpert, J.S., 2003. Diabetes mellitus and the risk for cardiovascular disease. *Curr. Cardiol. Rep.* 5, 337–337. <https://doi.org/10.1007/s11886-003-0086-0>
- American Diabetes Association, 2014. Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care* 37, S81–S90. <https://doi.org/10.2337/dc14-S081>
- American Diabetes Association, 2010. Diagnosis and classification of diabetes mellitus. *Diabetes Care* 33 Suppl 1, S62-69. <https://doi.org/10.2337/dc10-S062>
- Anderson, J.W., 2003. Diet first, then medication for hypercholesterolemia. *JAMA* 290, 531–533. <https://doi.org/10.1001/jama.290.4.531>
- Archer, Z.A., Rayner, D.V., Rozman, J., Klingenspor, M., Mercer, J.G., 2003. Normal distribution of body weight gain in male Sprague-Dawley rats fed a high-energy diet. *Obes. Res.* 11, 1376–1383. <https://doi.org/10.1038/oby.2003.186>
- Arifin, W.N., Zahiruddin, W.M., 2017. Sample Size Calculation in Animal Studies Using Resource Equation Approach. *Malays. J. Med. Sci. MJMS* 24, 101–105. <https://doi.org/10.21315/mjms2017.24.5.11>
- Assmann, G., Gotto, A.M., 2004. HDL cholesterol and protective factors in atherosclerosis. *Circulation* 109, III8-14. <https://doi.org/10.1161/01.CIR.0000131512.50667.46>
- Astawan, M., 2019. Pengaruh Konsumsi Tempe dari Kedelai Germinasi dan Non-Germinasi Terhadap Profil Darah Tikus Diabetes. *J. PANGAN* 28, 135–144. <https://doi.org/10.33964/jp.v28i2.439>
- Astawan, M., Koswara, S., Herdiani, F., 2010. The Utilization of Seaweed (*Eucaema cottoni*) to Increase Iodine and Dietary Fiber Contents of Jam and Dodol | *Jurnal Teknologi dan Industri Pangan. J. Teknol. Dan Ind. Pangan* 15, 61.
- Astawan, M., Wresdiyati, T., Sirait, J., 2015. PENGARUH KONSUMSI TEMPE KEDELAI GROBOGAN TERHADAP PROFIL SERUM, HEMATOLOGI

- DAN ANTIOKSIDAN TIKUS | Jurnal Teknologi dan Industri Pangan. J Teknol Dan Ind. Pangan 26, 155–162.
- Astriani, A., Diniyah, N., Jayus, J., Nurhayati, N., 2018. Phenotypic identification of indigenous fungi and lactic acid bacteria isolated from 'gatot' an Indonesian fermented food. *Biodiversitas* 19, 947–954. <https://doi.org/10.13057/biodiv/d190325>
- Bahadoran, Z., Mirmiran, P., Azizi, F., 2013. Dietary polyphenols as potential nutraceuticals in management of diabetes: a review. *J. Diabetes Metab. Disord.* 12, 43. <https://doi.org/10.1186/2251-6581-12-43>
- Baron, D.N., Andrianto, P., Gunawan, J., 2010. *Kapita selekta Patologi Klinik (A short textbook of clinical Pathology)*, 10th ed. EGC.
- Barrett, K.E.B., 2014. *Buku Ajar Fisiologi Kedokteran Ganong Edisi 24/ Editor, Dian Ramadhani ...[et al.]. Buku Kedokteran EGC.*
- Behloul, N., Wu, G., 2013. Genistein: a promising therapeutic agent for obesity and diabetes treatment. *Eur. J. Pharmacol.* 698, 31–38. <https://doi.org/10.1016/j.ejphar.2012.11.013>
- Biagi, E., Nylund, L., Candela, M., Ostan, R., Bucci, L., Pini, E., Nikkila, J., Monti, D., Satokari, R., Franceschi, C., Brigidi, P., De Vos, W., 2010. Through ageing, and beyond: gut microbiota and inflammatory status in seniors and centenarians. *PloS One* 5, e10667. <https://doi.org/10.1371/journal.pone.0010667>
- Bintanah, S., Kusuma, H.S., 2010. PENGARUH PEMBERIAN BEKATUL DAN TEPUNG TEMPE TERHADAP PROFIL GULA DARAH PADA TIKUS YANG DIBERI ALLOXAN (The Influence of Rice bran and Flour Tempeh on Blood Sugar Profile in Rats Fed Alloxan). *J. Pangan Dan Gizi* 1. <https://doi.org/10.26714/jpg.1.2.2010.%p>
- Borggreve, S.E., De Vries, R., Dullaart, R.P.F., 2003. Alterations in high-density lipoprotein metabolism and reverse cholesterol transport in insulin resistance and type 2 diabetes mellitus: role of lipolytic enzymes, lecithin:cholesterol acyltransferase and lipid transfer proteins. *Eur. J. Clin. Invest.* 33, 1051–1069. <https://doi.org/10.1111/j.1365-2362.2003.01263.x>
- Budipitojo, T., Wihadmadyatami, H., Aristya, G.R., 2016. Identifikasi Sifat dan Distribusi Sel Endokrin Ghrelin di Lambung Tikus (*Rattus Norvegicus*): Studi Immunohis-Tokimia pada Kondisi Obesitas. *J. Trop. Biodivers. Biotechnol.* 1, 39. <https://doi.org/10.22146/jtbb.12932>
- Cani, P.D., Possemiers, S., Van de Wiele, T., Guiot, Y., Everard, A., Rottier, O., Geurts, L., Naslain, D., Neyrinck, A., Lambert, D.M., Muccioli, G.G., Delzenne, N.M., 2009. Changes in gut microbiota control inflammation in obese mice through a mechanism involving GLP-2-driven improvement of gut permeability. *Gut* 58, 1091–1103. <https://doi.org/10.1136/gut.2008.165886>
- Chehade, J.M., Gladysz, M., Mooradian, A.D., 2013. Dyslipidemia in type 2 diabetes: prevalence, pathophysiology, and management. *Drugs* 73, 327–339. <https://doi.org/10.1007/s40265-013-0023-5>
- Chen, Z.-Y., Jiao, R., Ma, K.Y., 2008. Cholesterol-lowering nutraceuticals and functional foods. *J. Agric. Food Chem.* 56, 8761–8773. <https://doi.org/10.1021/jf801566r>
- Cho, N.H., Shaw, J.E., Karuranga, S., Huang, Y., da Rocha Fernandes, J.D., Ohlrogge, A.W., Malanda, B., 2018. *IDF Diabetes Atlas: Global estimates*

- of diabetes prevalence for 2017 and projections for 2045. *Diabetes Res. Clin. Pract.* 138, 271–281. <https://doi.org/10.1016/j.diabres.2018.02.023>
- Clarkson, T.B., 2002. Soy, soy phytoestrogens and cardiovascular disease. *J. Nutr.* 132, 566S-569S. <https://doi.org/10.1093/jn/132.3.566S>
- Corwin, E.J., 2009. *Buku Saku Patofisiologi ( Handbook of Pathophysiology) Edisi 3 Revisi.* Buku Kedokteran EGC.
- Daou, C., Zhang, H., 2014. Functional and physiological properties of total, soluble, and insoluble dietary fibres derived from defatted rice bran. *J. Food Sci. Technol.* 51, 3878–3885. <https://doi.org/10.1007/s13197-013-0925-y>
- Davis, S.N., 2008. Diabetic Dyslipidemia and Atherosclerosis. *Clin. Cornerstone* 9, S17–S27. [https://doi.org/10.1016/S1098-3597\(09\)60022-3](https://doi.org/10.1016/S1098-3597(09)60022-3)
- Deeds, M.C., Anderson, J.M., Armstrong, A.S., Gastineau, D.A., Hiddinga, H.J., Jahangir, A., Eberhardt, N.L., Kudva, Y.C., 2011. Single dose streptozotocin-induced diabetes: considerations for study design in islet transplantation models. *Lab. Anim.* 45, 131–140. <https://doi.org/10.1258/la.2010.010090>
- Djunaidi, C.S., Affandi, D.R., Praseptiangga, D., 2014. Efek hipoglikemik tepung komposit (ubi jalar ungu, jagung kuning, dan kacang tunggak) pada tikus diabetes induksi streptozotocin. *J. Gizi Klin. Indones.* 10, 119–126. <https://doi.org/10.22146/ijcn.18859>
- Fauziyah, Y., Sunarti, S., Hanoum, I.F., Wahyuningsih, M.S.H., 2018. Ethanol Extract of *Tithonia diversifolia* (Hemsley) A Gray Standardized Ameliorates Hyperglycemia, Polyphagia, and Weight Loss in Diabetic Rats. *Molekul* 13, 72–79. <https://doi.org/10.20884/1.jm.2018.13.1.417>
- Favaretto, F., Milan, G., Collin, G.B., Marshall, J.D., Stasi, F., Maffei, P., Vettor, R., Naggert, J.K., 2014. GLUT4 Defects in Adipose Tissue Are Early Signs of Metabolic Alterations in *Alms1<sup>GT/GT</sup>*, a Mouse Model for Obesity and Insulin Resistance. *PLoS ONE* 9. <https://doi.org/10.1371/journal.pone.0109540>
- Foster, S.R., Omoruyi, F.O., Bustamante, J., Lindo, R.L.A., Dilworth, L.L., 2016. The effect of combined inositol hexakisphosphate and inositol supplement in streptozotocin-induced type 2 diabetic rats. *Int. J. Exp. Pathol.* 97, 397–407. <https://doi.org/10.1111/iep.12210>
- Frost, F., Storck, L.J., Kacprowski, T., Gärtner, S., Rühlemann, M., Bang, C., Franke, A., Völker, U., Aghdassi, A.A., Steveling, A., Mayerle, J., Weiss, F.U., Homuth, G., Lerch, M.M., 2019. A structured weight loss program increases gut microbiota phylogenetic diversity and reduces levels of *Collinsella* in obese type 2 diabetics: A pilot study. *PloS One* 14, e0219489. <https://doi.org/10.1371/journal.pone.0219489>
- Garnadi, Y., 2012. *Hidup Nyaman dengan Hiperkolesterol : Sukses Kendalikan Hiperkolesterol dengan Berbagai Terapi.* agromedia Pustaka.
- Gomez-Arango, L.F., Barrett, H.L., Wilkinson, S.A., Callaway, L.K., McIntyre, H.D., Morrison, M., Dekker Nitert, M., 2018. Low dietary fiber intake increases *Collinsella* abundance in the gut microbiota of overweight and obese pregnant women. *Gut Microbes* 9, 189–201. <https://doi.org/10.1080/19490976.2017.1406584>
- Grundy, S.M., Cleeman, J.I., Merz, C.N.B., Brewer, H.B., Clark, L.T., Hunninghake, D.B., Pasternak, R.C., Smith, S.C., Stone, N.J., National Heart, Lung, and Blood Institute, American College of Cardiology Foundation, American Heart Association, 2004. Implications of recent clinical trials for the National

- Cholesterol Education Program Adult Treatment Panel III guidelines. *Circulation* 110, 227–239. <https://doi.org/10.1161/01.CIR.0000133317.49796.0E>
- Haddaji, N., Boubaker, K., Lagha, R., Khouadja, S., Bakhrouf, A., 2015. Effect of high temperature on viability of *Lactobacillus casei* and analysis of secreted and GroEL proteins profiles. *J. Bacteriol. Res.* 7, 29–34. <https://doi.org/10.5897/JBR2015.0155>
- Hall, J.E., 2014. *Guyton Dan Hall Buku Ajar Fisiologi Kedokteran Edisi Keduabelas*. Saunders Elsevier.
- Handayani, D., Am, A., Soeadmadji, D.W., Widodo, M.A., 2013. ENZIM LIPOPROTEIN LIPASE SUATU ALTERNATIF PEMERIKSAAN GANGGUAN METABOLISME LEMAK PADA PENDERITA DM TIPE 2 IN VITRO. *J. Kedokt. Brawijaya* 19. <https://doi.org/10.21776/ub.jkb.2003.019.02.3>
- Haron, H., Ismail, A., Shahr, S., Azlan, A., Peng, L.S., 2011. Apparent bioavailability of isoflavones in urinary excretions of postmenopausal Malay women consuming tempeh compared with milk. *Int. J. Food Sci. Nutr.* 62, 642–650. <https://doi.org/10.3109/09637486.2011.570742>
- Hashimoto, Y., Hamaguchi, M., Kaji, A., Sakai, R., Osaka, T., Inoue, R., Kashiwagi, S., Mizushima, K., Uchiyama, K., Takagi, T., Naito, Y., Fukui, M., 2020. Intake of sucrose affects gut dysbiosis in patients with type 2 diabetes. *J. Diabetes Investig.* 11, 1623–1634. <https://doi.org/10.1111/jdi.13293>
- Hati, S., Vij, S., Singh, B.P., Mandal, S., 2015.  $\beta$ -Glucosidase activity and bioconversion of isoflavones during fermentation of soymilk. *J. Sci. Food Agric.* 95, 216–220. <https://doi.org/10.1002/jsfa.6743>
- Hernawati, -, Manalu, W., Suprayogi, A., Astuti, D.A., 2013. Perbaikan Parameter Lipid Darah Mencit Hiperkolesterolemia dengan Suplemen Pangan Bekatul. *Maj. Kedokt. Bdg.* 45, 1–9.
- Huang, Y.-C., Wu, B.-H., Chu, Y.-L., Chang, W.-C., Wu, M.-C., 2018. Effects of Tempeh Fermentation with *Lactobacillus plantarum* and *Rhizopus oligosporus* on Streptozotocin-Induced Type II Diabetes Mellitus in Rats. *Nutrients* 10. <https://doi.org/10.3390/nu10091143>
- Husna, F., Suyatna, F.D., Arozal, W., Purwaningsih, E.H., 2019. Model Hewan Coba pada Penelitian Diabetes. *Pharm. Sci. Res.* 6. <https://doi.org/10.7454/psr.v6i3.4531>
- Indra, I.R., Panunggal, B., 2015. PENGARUH PEMBERIAN SELAI KACANG TANAH DENGAN SUBSTITUSI BEKATUL TERHADAP KADAR KOLESTEROL LDL DAN HDL TIKUS HIPERKOLESTEROLEMIA. *J. Nutr. Coll.* 4, 171–179.
- Indrawati, I., Maimaznah, M., 2020. Pengaruh Konsumsi Tempe terhadap Kadar Gula darah pada Penderita Diabetes Melitus di Kelompok Senam Ibu-Ibu di Kelurahan Talang Banjar Jambi. *J. Akad. Baiturrahim Jambi* 9, 110–114. <https://doi.org/10.36565/jab.v9i1.195>
- Izumi, T., Piskula, M.K., Osawa, S., Obata, A., Tobe, K., Saito, M., Kataoka, S., Kubota, Y., Kikuchi, M., 2000. Soy Isoflavone Aglycones Are Absorbed Faster and in Higher Amounts than Their Glucosides in Humans. *J. Nutr.* 130, 1695–1699. <https://doi.org/10.1093/jn/130.7.1695>
- Jakicic, J.M., Rogers, R.J., 2013. The Importance of Physical Activity for Losing Weight, Maintaining Weight, and Preventing Weight Gain. *Pres. Coun. Fit. Sports Nutr.* 14, 1–9.

- Jenkins, D.J.A., Kendall, C.W.C., Vuksan, V., Vidgen, E., Parker, T., Faulkner, D., Mehling, C.C., Garsetti, M., Testolin, G., Cunnane, S.C., Ryan, M.A., Corey, P.N., 2002. Soluble fiber intake at a dose approved by the US Food and Drug Administration for a claim of health benefits: serum lipid risk factors for cardiovascular disease assessed in a randomized controlled crossover trial. *Am. J. Clin. Nutr.* 75, 834–839. <https://doi.org/10.1093/ajcn/75.5.834>
- Kahl, S., Roden, M., 2012. An Update on the Pathogenesis of Type 2 Diabetes Mellitus. *Hamdan Med. J.* 212, 1–23. <https://doi.org/10.7707/hmj.v5i2.167>
- Kiran, G., Nandini, C.D., Ramesh, H.P., Salimath, P.V., 2012. Progression of early phase diabetic nephropathy in streptozotocin-induced diabetic rats: evaluation of various kidney-related parameters. *Indian J. Exp. Biol.* 50, 133–140.
- Kojima, M., Hosoda, H., Kangawa, K., 2004. Clinical endocrinology and metabolism. Ghrelin, a novel growth-hormone-releasing and appetite-stimulating peptide from stomach. *Best Pract. Res. Clin. Endocrinol. Metab.* 18, 517–530. <https://doi.org/10.1016/j.beem.2004.07.001>
- Krentz, A.J., 2003. Lipoprotein abnormalities and their consequences for patients with type 2 diabetes. *Diabetes Obes. Metab.* 5 Suppl 1, S19-27. <https://doi.org/10.1046/j.1462-8902.2003.0310.x>
- Kusuma, R.J., 2020. Penggunaan Kecutan Pada Proses Fermentasi Tempe untuk Memperbaiki Profil Metabolik Tikus yang Diinduksi Diabetes Mellitus (Unpublished doctoral thesis). Universitas Gadjah Mada, Yogyakarta, Indonesia.
- Kwon, D.Y., Daily, J.W., Kim, H.J., Park, S., 2010. Antidiabetic effects of fermented soybean products on type 2 diabetes. *Nutr. Res.* 30, 1–13. <https://doi.org/10.1016/j.nutres.2009.11.004>
- Kwon, D.Y., Jang, J.S., Lee, J.E., Kim, Y.-S., Shin, D.-H., Park, S., 2006. The isoflavonoid aglycone-rich fractions of Chungkookjang, fermented unsalted soybeans, enhance insulin signaling and peroxisome proliferator-activated receptor-gamma activity in vitro. *BioFactors Oxf. Engl.* 26, 245–258. <https://doi.org/10.1002/biof.5520260403>
- Lambeth, S.M., Carson, T., Lowe, J., Ramaraj, T., Leff, J.W., Luo, L., Bell, C.J., Shah, V.O., 2015. Composition, Diversity and Abundance of Gut Microbiome in Prediabetes and Type 2 Diabetes. *J. Diabetes Obes.* 2, 1–7. <https://doi.org/10.15436/2376-0949.15.031>
- Lestari, L.A.S., 2014. Kandungan zat gizi makanan khas Yogyakarta. Gadjah Mada University Press.
- Loaloka, M.S., Pantaleon, M.G., 2020. PENGARUH PEMBERIAN FORMULA TEPUNG TEMPE SEBAGAI BAHAN SUBSTITUSI PADA FORMULA ENTERAL RENDAH LEMAK (HOSPITAL MADE) TERHADAP KADAR LDL DAN HDL DARAH TIKUS (*Rattus norvegicus*) DENGAN DIET ATEROGENIK. *Nutr. J.* 1, 12–17. <https://doi.org/10.30812/nutriology.v1i1.731>
- Mahfouz, M.M., Kummerow, F.A., 2000. Cholesterol-rich diets have different effects on lipid peroxidation, cholesterol oxides, and antioxidant enzymes in rats and rabbits. *J. Nutr. Biochem.* 11, 293–302. [https://doi.org/10.1016/s0955-2863\(00\)00083-8](https://doi.org/10.1016/s0955-2863(00)00083-8)
- Markova, M., Koelman, L., Hornemann, S., Pivovarova, O., Sucher, S., Machann, J., Rudovich, N., Thomann, R., Schneeweiss, R., Rohn, S., Pfeiffer, A.F.H.,

- Aleksandrova, K., 2020. Effects of plant and animal high protein diets on immune-inflammatory biomarkers: A 6-week intervention trial. *Clin. Nutr. Edinb. Scotl.* 39, 862–869. <https://doi.org/10.1016/j.clnu.2019.03.019>
- Maulida, M., Mayasari, D., Rahmayani, F., 2018. Majority| Volume 7| Nomor 2| Maret 2018| 214 Pengaruh Rasio Kolesterol Total terhadap High Density Lipoprotein (HDL) pada Kejadian Stroke Iskemik. *J. Major.* 7, 214–218.
- Membrez, M., Blancher, F., Jaquet, M., Bibiloni, R., Cani, P.D., Burcelin, R.G., Corthesy, I., Macé, K., Chou, C.J., 2008. Gut microbiota modulation with norfloxacin and ampicillin enhances glucose tolerance in mice. *FASEB J. Off. Publ. Fed. Am. Soc. Exp. Biol.* 22, 2416–2426. <https://doi.org/10.1096/fj.07-102723>
- Myers, M.G., Olson, D.P., 2012. Central nervous system control of metabolism. *Nature* 491, 357–363. <https://doi.org/10.1038/nature11705>
- Nair, A.B., Jacob, S., 2016. A simple practice guide for dose conversion between animals and human. *J. Basic Clin. Pharm.* 7, 27–31. <https://doi.org/10.4103/0976-0105.177703>
- Nakagawa, K., Kishida, H., Arai, N., Nishiyama, T., Mae, T., 2004. Licorice flavonoids suppress abdominal fat accumulation and increase in blood glucose level in obese diabetic KK-A(y) mice. *Biol. Pharm. Bull.* 27, 1775–1778. <https://doi.org/10.1248/bpb.27.1775>
- Nelwan, G.N., Wullur, A.C., Bodhi, W., 2012. Pengaruh Jus Buah Apel Merah (*Pyrus malus* L.) Terhadap Kadar Kolesterol HDL (High Density Lipoprotein) Darah Tikus Putih Jantan Galur Wistar (*Rattus norvegicus*). *PHARMACON* 1. <https://doi.org/10.35799/pha.1.2012.511>
- Nirmalkar, K., Murugesan, S., Pizano-Zárate, M.L., Villalobos-Flores, L.E., García-González, C., Morales-Hernández, R.M., Nuñez-Hernández, J.A., Hernández-Quiroz, F., Romero-Figueroa, M.D.S., Hernández-Guerrero, C., Hoyo-Vadillo, C., García-Mena, J., 2018. Gut Microbiota and Endothelial Dysfunction Markers in Obese Mexican Children and Adolescents. *Nutrients* 10. <https://doi.org/10.3390/nu10122009>
- Nørgaard, S.A., Sand, F.W., Sørensen, D.B., Abelson, K.S., Søndergaard, H., 2018. Softened food reduces weight loss in the streptozotocin-induced male mouse model of diabetic nephropathy. *Lab. Anim.* 52, 373–383. <https://doi.org/10.1177/0023677217747915>
- Noviyanti, F., Decroli, E., Sastri, S., 2015. Perbedaan Kadar LDL-kolesterol pada Pasien Diabetes Melitus Tipe 2 dengan dan tanpa Hipertensi di RS Dr. M. Djamil Padang Tahun 2011. *J. Kesehat. Andalas* 4.
- Nugraheni, K., Bintari, S.H., 2017. Aktivitas antidislipidemia Tepung tempe dan susu kedelai pada profil lipid tikus diabetes yang diinduksi streptozotocin. *J. Gizi Dan Diet. Indones.* *Indones. J. Nutr. Diet.* 4, 147–153. [https://doi.org/10.21927/ijnd.2016.4\(3\).147-153](https://doi.org/10.21927/ijnd.2016.4(3).147-153)
- Nugroho, F.A., Ginting, R.M.S., Diana, N., 2015. Kadar NF- K $\beta$  Pankreas Tikus Model Type 2 Diabetes Mellitus dengan Pemberian Tepung Susu Sapi. *Indones. J. Hum. Nutr.* 2, 91–100. <https://doi.org/10.21776/ub.ijhn.2015.002.02.4>
- Nurdini, A., Nuraida, L., Suwanto, A., Suliantari, 2015. Microbial growth dynamics during tempe fermentation in two different home industries. *Int. Food Res. J.* 22, 1668–1674.
- Oduguwa, O.O., Edema, M.O., Ayeni, A.O., 2008. Physico-chemical and microbiological analyses of fermented corn cob, rice bran and cowpea husk

- for use in composite rabbit feed. *Bioresour. Technol.* 99, 1816–1820. <https://doi.org/10.1016/j.biortech.2007.03.036>
- Ozougwu, O., 2013. The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus. <https://doi.org/10.5897/JPAP2013.0001>
- Pandya, H., Lakhani, J., Dadhania, J., Trivedi, A., 2012. The prevalence and pattern of dyslipidemia among Type 2 diabetic patients at rural based hospital in Gujarat, India. *Indian J. Clin. Pract.* 22, 36–44.
- Perkumpulan Endoknologi Indonesia, 2015. *Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Type 2*. Perkumpulan Endoknologi Indonesia, Jakarta.
- Peters, M.L., Huisman, E.L., Schoonen, M., Wolffenbuttel, B.H.R., 2017. The current total economic burden of diabetes mellitus in the Netherlands. *Neth. J. Med.* 75, 281–297.
- Priastiti, D.A., Puruhita, N., 2013. PERBEDAAN KADAR KOLESTEROL LDL PENDERITA DISLIPIDEMIA PADA PEMBERIAN TEMPE KEDELAI HITAM DAN TEMPE KEDELAI KUNING. *J. Nutr. Coll.* 2, 262–276.
- Puspasari, G., Dillon, D., Budiman, B., 2017. The Effect of Tempe Dietary Intake on Plasma Glucose Level in Elderly Patients with Type 2 Diabetes Mellitus. *J. Med. Health* 1. <https://doi.org/10.28932/jmh.v1i6.550>
- Qureshi, A.A., Sami, S.A., Khan, F.A., 2002. Effects of stabilized rice bran, its soluble and fiber fractions on blood glucose levels and serum lipid parameters in humans with diabetes mellitus Types I and II. *J. Nutr. Biochem.* 13, 175–187. [https://doi.org/10.1016/s0955-2863\(01\)00211-x](https://doi.org/10.1016/s0955-2863(01)00211-x)
- Radita, R., Suwanto, A., Kurosawa, N., Wahyudi, A., Rusmana, I., 2017. Metagenome analysis of tempeh production: Where did the bacterial community in tempeh come from? *Malays. J. Microbiol.* 13, 280–288. <https://doi.org/10.21161/mjm.101417>
- Ratnasari, A.D., Indranila, I., Retnoningrum, D., 2017. HUBUNGAN ANTARA HBA1C DENGAN KADAR HDL PADA PASIEN DIABETES MELITUS TIPE 2. *DIPONEGORO Med. J. J. Kedokt. DIPONEGORO* 6, 141–147. <https://doi.org/10.14710/dmj.v6i2.18528>
- Rias, Y.A., Sutikno, E., 2017. HUBUNGAN ANTARA BERAT BADAN DENGAN KADAR GULA DARAH ACAK PADA TIKUS DIABETES MELLITUS. *J. Wiyata Penelit. Sains Dan Kesehat.* 4, 72–77.
- Roglic, G., World Health Organization (Eds.), 2016. *Global report on diabetes*. World Health Organization, Geneva, Switzerland.
- Rohrer, L., Hersberger, M., von Eckardstein, A., 2004. High density lipoproteins in the intersection of diabetes mellitus, inflammation and cardiovascular disease. *Curr. Opin. Lipidol.* 15, 269–278. <https://doi.org/10.1097/00041433-200406000-00006>
- Rosell, M.S., Appleby, P.N., Spencer, E.A., Key, T.J., 2004. Soy intake and blood cholesterol concentrations: a cross-sectional study of 1033 pre- and postmenopausal women in the Oxford arm of the European Prospective Investigation into Cancer and Nutrition. *Am. J. Clin. Nutr.* 80, 1391–1396. <https://doi.org/10.1093/ajcn/80.5.1391>
- Russell-Jones, D., Khan, R., 2007. Insulin-associated weight gain in diabetes--causes, effects and coping strategies. *Diabetes Obes. Metab.* 9, 799–812. <https://doi.org/10.1111/j.1463-1326.2006.00686.x>
- Salazar, J., Angarita, L., Morillo, V., Navarro, C., Martínez, M.S., Chacín, M., Torres, W., Rajotia, A., Rojas, M., Cano, C., Añez, R., Rojas, J., Bermudez,

- V., 2020. Microbiota and Diabetes Mellitus: Role of Lipid Mediators. *Nutrients* 12. <https://doi.org/10.3390/nu12103039>
- Saputra, N.T., Suartha, I.N., Dharmayudha, A.A.G.O., 2018. Agen Diabetagonik Streptozotocin untuk Membuat Tikus Putih Jantan Diabetes Mellitus. *Bul. Vet. Udayana* 10, 116–121. <https://doi.org/10.24843/bulvet.2018.v10.i02.p02>
- Sari, Y.D., Prihatini, S., Bantas, K., 2014. Asupan Serat Makanan dan Kadar Kolesterol-Ildi Penduduk Berusia 25-65 Tahun di Kelurahan Kebon Kalapa, Bogor. *Nutr. Food Res.* 37, 51–58. <https://doi.org/10.22435/pgm.v37i1.4008.51-58>
- Schmidl, M.K., Labuza, T., 2000. *Essentials Of Functional Foods*. undefined.
- Schwartz, M.W., Seeley, R.J., Tschöp, M.H., Woods, S.C., Morton, G.J., Myers, M.G., D'Alessio, D., 2013. Cooperation between brain and islet in glucose homeostasis and diabetes. *Nature* 503, 59–66. <https://doi.org/10.1038/nature12709>
- Schwartz, S.L., 2006. Diabetes and dyslipidaemia. *Diabetes Obes. Metab.* 8, 355–364. <https://doi.org/10.1111/j.1463-1326.2005.00516.x>
- Siboto, A., Sibiya, N., Khathi, A., Ngubane, P., 2018. The Effects of *Momordica balsamina* Methanolic Extract on Kidney Function in STZ-Induced Diabetic Rats: Effects on Selected Metabolic Markers. *J. Diabetes Res.* 2018. <https://doi.org/10.1155/2018/7341242>
- Sinata, N., Arifin, H., 2016. Antidiabetes dari Fraksi Air Daun Karamunting (*Rhodomlyrtus tomentosa* (Ait.) Hassk.) Terhadap Kadar Glukosa Darah Mencit Diabetes. *J. Sains Farm. Klin.* 3, 72–78. <https://doi.org/10.29208/jsfk.2016.3.1.102>
- Suarsana, I.N., Pontjo, B., Wresdiyati, T., Bintang, M., 2010. Sintesis Glikogen Hati dan Otot pada Tikus Diabetes yang Diberi Ekstrak Tempe. *J. Vet.* 11, 190–195.
- Suhartatik, N., Cahyanto, M.N., Rahardjo, S., Miyashita, M., Rahayu, E.S., 2014. Isolation and identification of lactic acid bacteria producing  $\beta$  glucosidase from Indonesian fermented foods. *Int. Food Res. J.* 21, 973–978.
- Sulchan, M., Rukmi, M.I., 2007. Effect of tempe gembus on cholesterol profile in hyperlipidemic rats. *Med. J. Indones.* 16, 205–11. <https://doi.org/10.13181/mji.v16i4.281>
- Takagi, T., Naito, Y., Kashiwagi, S., Uchiyama, K., Mizushima, K., Kamada, K., Ishikawa, T., Inoue, R., Okuda, K., Tsujimoto, Y., Ohnogi, H., Itoh, Y., 2020. Changes in the Gut Microbiota are Associated with Hypertension, Hyperlipidemia, and Type 2 Diabetes Mellitus in Japanese Subjects. *Nutrients* 12. <https://doi.org/10.3390/nu12102996>
- Taskinen, M.-R., 2003. Diabetic dyslipidaemia: from basic research to clinical practice. *Diabetologia* 46, 733–749. <https://doi.org/10.1007/s00125-003-1111-y>
- Thomson, M., Al-Qattan, K.K., JS, D., Ali, M., 2016. Anti-diabetic and anti-oxidant potential of aged garlic extract (AGE) in streptozotocin-induced diabetic rats. *BMC Complement. Altern. Med.* 16. <https://doi.org/10.1186/s12906-016-0992-5>
- Titiek, F.D., Umar, S., Nur Cahyanto, M., Takuya, S., Endang, S.R., Kosuke, N., 2013. Effect of indigenous lactic acid bacteria fermentation on enrichment of isoflavone and antioxidant properties of kerandang (*Canavalia virosa*) extract. *Int. Food Res. J.* 20, 2945–2950.

- Tong, A.-J., Hu, R.-K., Wu, L.-X., Lv, X.-C., Li, X., Zhao, L.-N., Liu, B., 2020. Ganoderma polysaccharide and chitosan synergistically ameliorate lipid metabolic disorders and modulate gut microbiota composition in high fat diet-fed golden hamsters. *J. Food Biochem.* 44, e13109. <https://doi.org/10.1111/jfbc.13109>
- Tong, X., Xu, J., Lian, F., Yu, X., Zhao, Y., Xu, L., Zhang, M., Zhao, X., Shen, J., Wu, S., Pang, X., Tian, J., Zhang, C., Zhou, Q., Wang, L., Pang, B., Chen, F., Peng, Z., Wang, J., Zhen, Z., Fang, C., Li, M., Chen, L., Zhao, L., 2018. Structural Alteration of Gut Microbiota during the Amelioration of Human Type 2 Diabetes with Hyperlipidemia by Metformin and a Traditional Chinese Herbal Formula: a Multicenter, Randomized, Open Label Clinical Trial. *mBio* 9. <https://doi.org/10.1128/mBio.02392-17>
- Ueno, H., Yamaguchi, H., Kangawa, K., Nakazato, M., 2005. Ghrelin: a gastric peptide that regulates food intake and energy homeostasis. *Regul. Pept.* 126, 11–19. <https://doi.org/10.1016/j.regpep.2004.08.007>
- Utari, D.M., Rimbawan, R., Riyadi, H., Muhilal, M., Purwastyastuti, P., 2011. Potensi Asam Amino pada Tempe untuk Memperbaiki Profil Lipid dan Diabetes Mellitus. *Kesmas J. Kesehat. Masy. Nas. Natl. Public Health J.* 5, 166–170. <https://doi.org/10.21109/kesmas.v5i4.137>
- Valentovic, M.A., Alejandro, N., Betts Carpenter, A., Brown, P.I., Ramos, K., 2006. Streptozotocin (STZ) diabetes enhances benzo(α)pyrene induced renal injury in Sprague Dawley rats. *Toxicol. Lett.* 164, 214–220. <https://doi.org/10.1016/j.toxlet.2005.12.009>
- van Belle, T.L., Coppieters, K.T., von Herrath, M.G., 2011. Type 1 diabetes: etiology, immunology, and therapeutic strategies. *Physiol. Rev.* 91, 79–118. <https://doi.org/10.1152/physrev.00003.2010>
- Van Linthout, S., Spillmann, F., Schultheiss, H.-P., Tschöpe, C., 2010. High-density lipoprotein at the interface of type 2 diabetes mellitus and cardiovascular disorders. *Curr. Pharm. Des.* 16, 1504–1516. <https://doi.org/10.2174/138161210791051031>
- Vázquez, L., Flórez, A.B., Guadamuro, L., Mayo, B., 2017. Effect of Soy Isoflavones on Growth of Representative Bacterial Species from the Human Gut. *Nutrients* 9. <https://doi.org/10.3390/nu9070727>
- Vergès, B., 2005. Diabetic dyslipidaemia: insights for optimizing patient management. *Curr. Med. Res. Opin.* 21 Suppl 1, S29-40. <https://doi.org/10.1185/030079905X36468>
- Viguiouk, E., Stewart, S.E., Jayalath, V.H., Ng, A.P., Mirrahimi, A., de Souza, R.J., Hanley, A.J., Bazinet, R.P., Blanco Mejia, S., Leiter, L.A., Josse, R.G., Kendall, C.W.C., Jenkins, D.J.A., Sievenpiper, J.L., 2015. Effect of Replacing Animal Protein with Plant Protein on Glycemic Control in Diabetes: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Nutrients* 7, 9804–9824. <https://doi.org/10.3390/nu7125509>
- Wan, X., Li, T., Liu, D., Chen, Y., Liu, Y., Liu, B., Zhang, H., Zhao, C., 2018. Effect of Marine Microalga *Chlorella pyrenoidosa* Ethanol Extract on Lipid Metabolism and Gut Microbiota Composition in High-Fat Diet-Fed Rats. *Mar. Drugs* 16. <https://doi.org/10.3390/md16120498>
- Wardani, E., Wahyudi, P., Dewi, K.R., Setiawan, R., 2015. EFEK ANTIHIPERGLIKEMIK DAN ANTIHIPERKOLESTEROL EKSTRAK TEMPE KACANG KOMAK (*Lablab purpureus* (L.) Sweet) PADA

- HAMSTER DIABETIK DIET TINGGI KOLESTEROL. *Pharm. J. Farm. Indones. Pharm. J. Indones.* 12, 164–175. <https://doi.org/10.30595/pji.v12i2.328>
- Widowati, W., 2008. Potensi Antioksidan Sebagai Antidiabetes. *Maranatha J. Med. Health* 7, 149640.
- Wilson, G.L., Hartig, P.C., Patton, N.J., LeDoux, S.P., 1988. Mechanisms of nitrosourea-induced beta-cell damage. Activation of poly (ADP-ribose) synthetase and cellular distribution. *Diabetes* 37, 213–216. <https://doi.org/10.2337/diab.37.2.213>
- Winarsi, H., Sasongko, N.D., Purwanto, A., Nuraeni, I., 2013. Ekstrak Daun Kapulaga Menurunkan Indeks Atherogenik dan Kadar Gula Darah Tikus Diabetes Induksi Alloxan. *agriTECH* 33, 273–280. <https://doi.org/10.22146/agritech.9548>
- Wresdiyati, T., Astawan, M., Hastanti, L.Y., 2006. Profil Imunohistokimia Superoksida Dismutase (SOD) pada Jaringan Hati Tikus dengan Kondisi Hiperkolesterolemia. <https://doi.org/10.4308/hjb.13.3.85>
- Wresdiyati, T., Hartanta, A.B., Astawan, M., 2011. Tepung Rumput Laut (*Eucheuma Cottonii*) Menaikkan Level Superoksida Dismutase (Sod) Ginjal Tikus Hiperkolesterolemia. *J. Vet.* 126–135.
- Wu, Y., Ding, Y., Tanaka, Y., Zhang, W., 2014. Risk Factors Contributing to Type 2 Diabetes and Recent Advances in the Treatment and Prevention. *Int. J. Med. Sci.* 11, 1185–1200. <https://doi.org/10.7150/ijms.10001>
- Yeap, S.K., Mohd Ali, N., Mohd Yusof, H., Alitheen, N.B., Beh, B.K., Ho, W.Y., Koh, S.P., Long, K., 2012. Antihyperglycemic Effects of Fermented and Nonfermented Mung Bean Extracts on Alloxan-Induced-Diabetic Mice. *J. Biomed. Biotechnol.* 2012, e285430. <https://doi.org/10.1155/2012/285430>
- Yoon, G.-A., Park, S., 2014. Antioxidant action of soy isoflavones on oxidative stress and antioxidant enzyme activities in exercised rats. *Nutr. Res. Pract.* 8, 618–624. <https://doi.org/10.4162/nrp.2014.8.6.618>
- Yu, Y., Raka, F., Adeli, K., 2019. The Role of the Gut Microbiota in Lipid and Lipoprotein Metabolism. *J. Clin. Med.* 8. <https://doi.org/10.3390/jcm8122227>
- Yuksekdag, Z., Acar, B.C., Aslim, B., Tukenmez, U., 2017.  $\beta$ -Glucosidase activity and bioconversion of isoflavone glycosides to aglycones by potential probiotic bacteria. *Int. J. Food Prop.* 20, S2878–S2886. <https://doi.org/10.1080/10942912.2017.1382506>
- Zaheer, K., Akhtar, M.H., 2017. An updated review of dietary isoflavones: Nutrition, processing, bioavailability and impacts on human health. *Crit. Rev. Food Sci. Nutr.* 57, 1280–1293. <https://doi.org/10.1080/10408398.2014.989958>