



DAFTAR PUSTAKA

- Agirrezabal-Telleria, I., Requies, J., Güemez, M.B., and Arias, P.L., 2012, Pore size tuning of functionalized SBA-15 catalysts for the selective production of furfural from xylose, *Appl. Catal. B Environ.*, 115–116, 169–178.
- Ao, L., Zhao, W., Guan, Y. shuang, Wang, D. kai, Liu, K. shuai, Guo, T. tian, Fan, X., and Wei, X. yong, 2019, Efficient synthesis of C 15 fuel precursor by heterogeneously catalyzed aldol-condensation of furfural with cyclopentanone, *RSC Adv.*, 9, 3661–3668.
- Azadi, P., Carrasquillo-Flores, R., Pagán-Torres, Y.J., Gürbüz, E.I., Farnood, R., and Dumesic, J.A., 2012, Catalytic conversion of biomass using solvents derived from lignin, *Green Chem.*, 14, 1573–1576.
- Bozell, J.J. and Petersen, G.R., 2010, Technology development for the production of biobased products from biorefinery carbohydrates—the US Department of Energy’s “top 10” revisited, *Green Chem.*, 12, 539–55.
- Chang, S.H., 2018, Bio-oil derived from palm empty fruit bunches: Fast pyrolysis, liquefaction and future prospects, *Biomass and Bioenergy*, 119, 263–276.
- Chaturvedi, S., Dave, P.N., and Shah, N.K., 2012, Applications of nano-catalyst in new era, *J. Saudi Chem. Soc.*, 16, 307–325.
- Cota, I., Ramírez, E., Medina, F., Sueiras, J.E., Layrac, G., and Tichit, D., 2010a, Highly basic catalysts obtained by intercalation of La-containing anionic complexes in layered double hydroxides, *Appl. Catal. A Gen.*, 382, 272–276.
- Cota, I., Ramírez, E., Medina, F., Sueiras, J.E., Layrac, G., and Tichit, D., 2010b, New synthesis route of hydrocalumite-type materials and their application as basic catalysts for aldol condensation, *Appl. Clay Sci.*, 50, 498–502.
- Cueto, J., Faba, L., Díaz, E., and Ordóñez, S., 2017, Cyclopentanone as an Alternative Linking Reactant for Heterogeneously Catalyzed Furfural Aldol Condensation, *ChemCatChem*, 9, 1765–1770.
- Cueto, J., Faba, L., Díaz, E., and Ordóñez, S., 2020, Optimization of the process conditions for minimizing the deactivation in the furfural-cyclopentanone aldol condensation in a continuous reactor, *Appl. Catal. B Environ.*, 263, 118341.
- Deng, Q., Han, P., Xu, J., Zou, J.J., Wang, L., and Zhang, X., 2015, Highly controllable and selective hydroxyalkylation/alkylation of 2-methylfuran with cyclohexanone for synthesis of high-density biofuel, *Chem. Eng. Sci.*, 138, 239–243.
- Deng, Q., Xu, J., Han, P., Pan, L., Wang, L., Zhang, X., and Zou, J.J., 2016, Efficient synthesis of high-density aviation biofuel via solvent-free aldol condensation of cyclic ketones and furanic aldehydes, *Fuel Process. Technol.*,



148, 361–366.

- Desai, D.S. and Yadav, G.D., 2019, Green Synthesis of Furfural Acetone by Solvent-Free Aldol Condensation of Furfural with Acetone over La₂O₃-MgO Mixed Oxide Catalyst, *Ind. Eng. Chem. Res.*, 58, 16096–16105.
- Faba, L., Díaz, E., and Ordóñez, S., 2012, Aqueous-phase furfural-acetone aldol condensation over basic mixed oxides, *Appl. Catal. B Environ.*, 113–114, 201–211.
- Fleming, P., Farrell, R.A., Holmes, J.D., and Morris, M.A., 2010, The rapid formation of La(OH)₃ from La₂O₃ powders on exposure to water vapor, *J. Am. Ceram. Soc.*, 93, 1187–1194.
- Gangwar, B.P., Maiti, S.C., and Sharma, S., 2017, Modifying the hygroscopic property of La₂O₃ by Pr, Sm and Nd doping, *J. Solid State Chem.*, 256, 109–115.
- Guo, J., Xu, G., Han, Z., Zhang, Y., Fu, Y., and Guo, Q., 2014, Selective conversion of furfural to cyclopentanone with Cu₂N catalysts, *ACS Sustain. Chem. Eng.*, 2, 2259–2266.
- Gürbüz, E.I., Wettstein, S.G., and Dumesic, J.A., 2012, Conversion of hemicellulose to furfural and levulinic acid using biphasic reactors with alkylphenol solvents, *ChemSusChem*, 5, 383–387.
- Guzman, J. and Corma, A., 2005, Nanocrystalline and mesostructured Y₂O₃ as supports for gold catalysts, *Chem. Commun.*, 743–745.
- Hasni, M., Prado, G., Rouchaud, J., Grange, P., Devillers, M., and Delsarte, S., 2006, Liquid phase aldol condensation of cyclopentanone with valeraldehyde catalysed by oxynitrides possessing tuneable acid-base properties, *J. Mol. Catal. A Chem.*, 247, 116–123.
- Hastiawan, I., Firmansyah, F., Juliandri, J., Eddy, D.R., and Noviyanti, A.R., 2016, Pemisahan Lanthanum Dari Limbah Hasil Pengolahan Timah Dengan Menggunakan Metode Pengendapan Bertingkat, *Chim. Nat. Acta*, 4, 93.
- Hora, L., Kelbichová, V., Kikhtyanin, O., Bortnovskiy, O., and Kubička, D., 2014, Aldol condensation of furfural and acetone over MgAl layered double hydroxides and mixed oxides, *Catal. Today*, 223, 138–147.
- Hronec, M., Fulajtarová, K., and Liptaj, T., 2012, Effect of catalyst and solvent on the furan ring rearrangement to cyclopentanone, *Appl. Catal. A Gen.*, 437–438, 104–111.
- Hronec, M., Fulajtárová, K., Liptaj, T., Prónayová, N., and Soták, T., 2015, Bio-derived fuel additives from furfural and cyclopentanone, *Fuel Process. Technol.*, 138, 564–569.
- Hronec, M., Fulajtárová, K., Liptaj, T., Štolcová, M., Prónayová, N., and Soták, T., 2014, Cyclopentanone: A raw material for production of C15 and C17 fuel



precursors, *Biomass and Bioenergy*, 63, 291–299.

Hronec, M., Fulajtárova, K., and Mičušík, M., 2013, Influence of furanic polymers on selectivity of furfural rearrangement to cyclopentanone, *Appl. Catal. A Gen.*, 468, 426–431.

Hronec, M., Fulajtárová, K., Vávra, I., Soták, T., Dobročka, E., and Mičušík, M., 2016, Carbon supported Pd-Cu catalysts for highly selective rearrangement of furfural to cyclopentanone, *Appl. Catal. B Environ.*, 181, 210–219.

Jeyanthi, R., 2018, Synthesis , Structural and Optical Characterization of Uncalcined Lanthanum Oxide Nanoparticles by Co - Precipitation Method, 6, 389–395.

Kabir, H., Nandyala, S.H., Rahman, M.M., Kabir, M.A., and Stamboulis, A., 2018, Influence of calcination on the sol-gel synthesis of lanthanum oxide nanoparticles, *Appl. Phys. A Mater. Sci. Process.*, 124, 0.

Kang, J.G., Kim, Y. Il, Won Cho, D., and Sohn, Y., 2015, Synthesis and physicochemical properties of La(OH)₃ and La₂O₃ nanostructures, *Mater. Sci. Semicond. Process.*, 40, 737–743.

Kantam, M.L., Kumar, K.B.S., Balasubramanyam, V., Venkanna, G.T., and Figueras, F., 2010, One-pot Wittig reaction for the synthesis of α,β-unsaturated esters using highly basic magnesium/lanthanum mixed oxide, *J. Mol. Catal. A Chem.*, 321, 10–14.

Kikhyanin, O., Kadlec, D., Velvarská, R., and Kubička, D., 2018, Using Mg-Al Mixed Oxide and Reconstructed Hydrotalcite as Basic Catalysts for Aldol Condensation of Furfural and Cyclohexanone, *ChemCatChem*, 10, 1464–1475.

Kikhyanin, O., Kelbichová, V., Vitvarová, D., Kubů, M., and Kubička, D., 2014, Aldol condensation of furfural and acetone on zeolites, *Catal. Today*, 227, 154–162.

Krishna, P.G.K.A., Smitha, S., and Nisha, J.T., 2020, Effect of temperature on structural and optical properties of green synthesized lanthanum oxide nanoparticles, *AIP Conf. Proc.*, 2244, .

Li, G., Li, N., Wang, Xinkui, Sheng, X., Li, S., Wang, A., Cong, Y., Wang, Xiaodong, and Zhang, T., 2014, Synthesis of diesel or jet fuel range cycloalkanes with 2-methylfuran and cyclopentanone from lignocellulose, *Energy and Fuels*, 28, 5112–5118.

Liu, Qiang, Zhang, X., Zhang, Q., Liu, Qiying, Wang, C., and Ma, L., 2020, Synthesis of Jet Fuel Range Cycloalkanes with Cyclopentanone and Furfural, *Energy and Fuels*, 34, 7149–7159.

Manoilova, O. V., Podkolzin, S.G., Tope, B., Lercher, J., Stangland, E.E., Goupil, J.M., and Weckhuysen, B.M., 2004, Surface acidity and basicity of La₂O₃,



LaOCl, and LaCl 3 characterized by IR spectroscopy, TPD, and DFT calculations, *J. Phys. Chem. B*, 108, 15770–15781.

Mariscal, R., Maireles-Torres, P., Ojeda, M., Sádaba, I., and López Granados, M., 2016, Furfural: A renewable and versatile platform molecule for the synthesis of chemicals and fuels, *Energy Environ. Sci.*, 9, 1144–1189.

Méndez, M., Carvajal, J.J., Marsal, L.F., Salagre, P., Aguiló, M., Díaz, F., Formentín, P., Pallarès, J., and Cesteros, Y., 2013, Effect of the La(OH)₃ preparation method on the surface and rehydroxylation properties of resulting La₂O₃ nanoparticles, *J. Nanoparticle Res.*, 15, .

O'Neill, R.E., Vanoye, L., De Bellefon, C., and Aiouache, F., 2014, Aldol-condensation of furfural by activated dolomite catalyst, *Appl. Catal. B Environ.*, 144, 46–56.

Pino, N., Buitrago-Sierra, R., and López, D., 2020, Conversion of Biomass-Derived Furanics to Fuel-Range Hydrocarbons: Use of Palm Oil Empty Fruit Bunches, *Waste and Biomass Valorization*, 11, 565–577.

Radwan, N.R.E., 2006, Influence of La₂O₃ and ZrO₂ as promoters on surface and catalytic properties of CuO/MgO system prepared by sol-gel method, *Appl. Catal. A Gen.*, 299, 103–121.

Rosynek, M.P. and Fox, J.S., 1977, Characterization of catalytic lanthanum oxide for double bond isomerization of n-butenes, *J. Catal.*, 49, 285–293.

Russbueldt, B.M.E. and Hoelderich, W.F., 2010, New rare earth oxide catalysts for the transesterification of triglycerides with methanol resulting in biodiesel and pure glycerol, *J. Catal.*, 271, 290–304.

Sádaba, I., Ojeda, M., Mariscal, R., Richards, R., and Granados, M.L., 2011, Mg-Zr mixed oxides for aqueous aldol condensation of furfural with acetone: Effect of preparation method and activation temperature, *Catal. Today*, 167, 77–83.

Salavati-Niasari, M., Hosseinzadeh, G., and Davar, F., 2011, Synthesis of lanthanum hydroxide and lanthanum oxide nanoparticles by sonochemical method, *J. Alloys Compd.*, 509, 4098–4103.

Sato, S., Takahashi, R., Kobune, M., and Gotoh, H., 2009, Basic properties of rare earth oxides, *Appl. Catal. A Gen.*, 356, 57–63.

Shen, W., Tompsett, G.A., Hammond, K.D., Xing, R., Dogan, F., Grey, C.P., Conner, W.C., Auerbach, S.M., and Huber, G.W., 2011, Liquid phase aldol condensation reactions with MgO-ZrO₂ and shape-selective nitrogen-substituted NaY, *Appl. Catal. A Gen.*, 392, 57–68.

Sheng, X., Li, N., Li, G., Wang, W., Yang, J., Cong, Y., Wang, A., Wang, X., and Zhang, T., 2015, Synthesis of high density aviation fuel with cyclopentanol derived from lignocellulose, *Sci. Rep.*, 5, .



- Tekale, S.U., Pagore, V.P., Kauthale, S.S., and Pawar, R.P., 2014, La₂O₃/TFE: An efficient system for room temperature synthesis of Hantzsch polyhydroquinolines, *Chinese Chem. Lett.*, 25, 1149–1152.
- Wang, L., Chen, Z., Wang, X.Y., and Du, C.H., 2015, Nanoscale lanthanum oxide catalysts for self-condensation of acetone: Preparation via self-assembly on anodic aluminum oxide, structure, and properties, *Chem. Pap.*, 70, 137–143.
- Wang, L., Ma, Y., Wang, Y., Liu, S., and Deng, Y., 2011, Efficient synthesis of glycerol carbonate from glycerol and urea with lanthanum oxide as a solid base catalyst, *Catal. Commun.*, 12, 1458–1462.
- Wang, W., Ji, X., Ge, H., Li, Z., Tian, G., Shao, X., and Zhang, Q., 2017, Synthesis of C15 and C10 fuel precursors with cyclopentanone and furfural derived from hemicellulose, *RSC Adv.*, 7, 16901–16907.
- Wang, Wei, Li, N., Li, G., Li, S., Wang, Wentao, Wang, A., Cong, Y., Wang, X., and Zhang, T., 2017, Synthesis of renewable high-density fuel with cyclopentanone derived from hemicellulose, *ACS Sustain. Chem. Eng.*, 5, 1812–1817.
- Xu, J., Li, N., Yang, X., Li, G., Wang, A., Cong, Y., Wang, X., and Zhang, T., 2017, Synthesis of Diesel and Jet Fuel Range Alkanes with Furfural and Angelica Lactone, *ACS Catal.*, 7, 5880–5886.
- Yang, J., Li, N., Li, G., Wang, W., Wang, A., Wang, X., Cong, Y., and Zhang, T., 2014, Synthesis of renewable high-density fuels using cyclopentanone derived from lignocellulose, *Chem. Commun.*, 50, 2572–2574.
- Yousaf, A. Bin, Imran, M., Farooq, M., and Kasak, P., 2018, Interfacial Phenomenon and Nanostructural Enhancements in Palladium Loaded Lanthanum Hydroxide Nanorods for Heterogeneous Catalytic Applications, *Sci. Rep.*, 8, 1–10.
- Yu, H., Jiang, K., Kang, S.G., Men, Y., and Shin, E.W., 2020, Hexagonal and Monoclinic Phases of La₂O₃CO₃ Nanoparticles and Their Phase-Related CO₂ Behavior, 13–16.
- Zhang, Y., Bi, P., Wang, J., Jiang, P., Wu, X., Xue, H., Liu, J., Zhou, X., and Li, Q., 2015, Production of jet and diesel biofuels from renewable lignocellulosic biomass, *Appl. Energy*, 150, 128–137.