

## DAFTAR PUSTAKA

- Ahmadi, A., Z. Moghadamtousi, A. Sazaly, and Z. Keivan. 2015. Antiviral potential of algae polysaccharides isolated from marine sources: a review. *BioMed Research International*. 2015: 1-10.
- Akhter, N., W. Bin, A. M. Memon, and M. Mohsin. 2015. Probiotics and prebiotics associated with aquaculture: a review. *Fish & Shellfish Immunology*. 45(2): 733-741.
- Alencar, P., O. Cavalcante, G. C. Lima, F.C.N. Barros, L.E.C. Costa, C.V.P.E. Ribeiro, W.M. Sousa, V.G. Sombra, C.M.W.S. Abreu, E.S. Abreu, E.O.B. Pontes, A.C. Oliveira, R.C.M. de Paula, and A.L.P. Freitas. 2019. A novel antioxidant sulfated polysaccharide from the algae *Gracilaria caudata*: in vitro and in vivo activities. *Food Hydrocolloids*. 90: 28-34.
- Bajury, D. M., M.H. Rawi, I.H. Sazali, A. Abdullah, and S.R. Sarbini. 2017. Prebiotic evaluation of red seaweed (*Kappaphycus alvarezii*) using in vitro colon model. *International Journal of Food Sciences And Nutrition*. 68(7): 821-828.
- Barros, F.C.N., D.C. da Silva, V.G. Sombra, J.S. Maciel, J.P.A. Feitosa, A.L.P. Freitas, and R.C.M. de Paula. 2013. Structural characterization of polysaccharide obtained from red seaweed *Gracilaria caudata* (j agardh). *Carbohydrate Polymers*. 92: 598-603.
- Bedoux, G., E.C. Fuentes, R. Boulho, C. Marty, N. Bourgougnon, Y.F. Pelegrin, and D. Robledo. 2017. Antiviral and cytotoxic activities of polysaccharides extracted from four tropical seaweed species. *Natural Product Communications*. 12(6): 807-811.
- Cantelli, L., P. Goncalves, C. Guertler, M. Kayser, M.R. Pilotto, M.A. Barracco, and L.M. Perazzolo. Dietary supplementation with sulfated polysaccharides from *Gracilaria birdiae* promotes a delayed immunostimulation in marine shrimp challenged by the white spot syndrome virus. 2019. *Aquaculture International*. 27(2): 349-367.
- Chagas, D., G.C. Lima, L.E. Costa, W.M. Sousa, V.G. Sombra, D.F. de Araujo, F. Diego. 2020. Sulfated polysaccharide from the red algae *Gelidiella acerosa*: anticoagulant, antiplatelet and antithrombotic effects. *International Journal of Biological Macromolecules*. 159(2020): 415-421.
- Chai, Y., P.B. Beauregard, V. Hera, R. Losick, and K. Roberto., 2012. Galactose metabolism plays a crucial role in biofilm formation by *Bacillus subtilis*. *American Society of Microbiology*. 3(4): 12-55.

- Chen, K., J.J. Rios, A.P. Galvez, and M. Roca. Comprehensive chlorophyll composition in the main edible seaweeds. *Food chemistry*. 228 (2017): 625-633.
- Da Silva, C., F. Diego, G.C. Lima, V. I. N. dos Santos, L. E. C. Costa, W.M. de Sousa, V.G. Sombra, and R.C.M. de Paula. 2020. Sulfated polysaccharide from the red algae *Gelidiella acerosa*: anticoagulant, antiplatelet and antithrombotic effects. *International Journal of Biological Macromolecules*. 149(15): 415-421.
- Ebrahimi, G.H., H. Ouraji, M.K. Khalesi, M. Sudagar, A. Barari, and M.Z. Dangesaraki. 2011. Effects of a prebiotic, immunogen, on feed utilization, body composition, immunity and resistance to *Aeromonas hydrophila* infection in the common carp *Cyprinus carpio* (linnaeus) fingerlings. *Journal of Animal Physiology and Animal Nutrition*. 96: 591-599.
- Fernando, I. P., K.K. Sanjeewa, A. Sanjeewa, K.W. Samarakoon, W.W. Lee, H. Kim, E. Kim, U.K.D.S.S. Gunasekara, D.T.U. Abeyunga, C.N.E.D. de Silva, H. Lee, and Y. Jeon. 2017. FTIR characterization and antioxidant activity of water soluble crude polysaccharides of sri lankan marine algae. *Algae*. 32(1): 75-86.
- Gabriel, D., T. Schils, M. I. Parente, S.G. Draisma, A. I. Neto, and S. Fredericq. 2011. Taxonomic studies in the schizymeniaceae (Nemastomatales, Rhodophyta): on the identity of *Schizymenia* sp. in the azores and the generic placement of *Nemastoma confusum*. *Phycologia*. 50(2): 109-121.
- Galant, A.L., R.C. Kaufman, and J.D. Wilson. 2015. Glucose: detection and analysis. *Food Chemistry*. 188: 149-160.
- Ganguly, S., K.C. Dora, S. Sarkar, and S. Chowdhury. 2013. Supplementation of prebiotics in fish feed: a review. *Reviews Fish Biology and Fish*. 23: 195-199.
- Gomez, E. and R. Chowdhury. 2011. FTIR-ATR spectroscopy as a tool for polysaccharide identification in edible brown and red seaweeds. *Food Hydrocolloids*. 25: 1514-1520.
- Guiry M.D. and G.M. Guiry. 2020. *AlgaeBase*. World-wide electronic publication. national university of ireland. Galway. <http://www.algaebase.org>. Diakses Pada 30 Oktober 2020.
- Gurpilhares, D.B., L.P. Cinelli, N.K. Simas., A. Pessoa, and L.D. Sette. 2019. Marine prebiotics: polysaccharides and oligosaccharides obtained by using microbial enzymes. *Food Chemistry*. 280: 175-186.

- Hebert, P. D., A. Cywinska, S.L. Ball, and J.R. deWaard. 2003. Biological identifications through DNA barcodes. *Proceedings of Royal Society B*. 270: 313-322.
- Holden, H.M., I. Rayment, and J. B. Thoden. 2003. Structure and function of enzymes of the leloir pathway for galactose metabolism. *Journal of Biological Chemistry*. 278(45): 43885-43888.
- Hoseinifar, S.H., M. Khalili, H.K. Rostami, and M.A. Esteban. Dietary galactooligosaccharide affects intestinal microbiota, stress resistance, and performance of Caspian roach (*Rutilus rutilus*) fry. *Fish & Shellfish Immunology*. 35(5): 1416-1420.
- Ibrahem, M.D., M. Fathi, S. Meslhy, and A.M.A. El-Aty. 2010. Effect of dietary supplementation of inulin and vitamin c on the growth hematology, innate immunity and resistance of nile tilapia (*Oreochromis niloticus*). *Fish and Shellfish Immunology*. 29: 241-246.
- Imjongjairak, S., R. Khanok, L. Natta, T. Chakrit, P. Patthra, and W. Rattiya. 2016. Biochemical characteristics and antioxidant activity of crude and purified sulfated polysaccharides from *Gracilaria fisheri*. *Bioscience, Biotechnology, and Biochemistry*. 80(3): 524-532.
- Kasanah, N., Setyadi, Triyanto, dan T.I. Trialfianty. 2018. Rumput Laut Indonesia: keanekaragaman rumput laut di Gunung Kidul Yogyakarta. UGM Press. Yogyakarta.
- Khan, B. M., H.M. Qiu, X.F. Wang, Z.Y. Liu., J.Y. Zhang., Y.J. Guo., W.Z. Chen., Y. Liu, and K.L. Cheong. 2019. Physicochemical characterization of *Gracilaria chouae* sulfated polysaccharides and their antioxidant potential. *International Journal of Biological Macromolecules*. 134: 255-261.
- Kumari, A. 2018. Glycolysis. In: Kumari, A. Sweet Biochemistry. Academic Press, India. p: 1-5.
- Le Gall, L., and G.W. Saunders. 2010. DNA barcoding is a powerful tool to uncover algal diversity: a case study of the Phylloporaceae (Gigartinales, Rhodophyta) in the Canadian flora. *Journal of Phycology*. 46: 374-389.
- Liu, T., X. Tang, X. Jia, X. Wu, M. Huang, J. Zeng, and W. Chen. The complete plastid genome and phylogenetic analysis of *Gracilaria edulis*. *Mitochondrial DNA*. 4(2): 2598-2599.
- Mahusook, S.S., F.A.A. Rajathi, H. Maharifa, and R. Sharmila. Comparative study of agarophytes-gracilaria edulis and gelidiella acerosa as biostimulant and application of agar for water-holding in soil and plant growth promotion. *Agricultural Science Digest-A Research Journal*. 41(1): 21-27.

- Maier, R. M. and I.L. Pepper. 2015. Bacterial growth. *Journal of Environmental Microbiology: Review of Basic Microbiological Concepts*. 37-56.
- Matsuhiro, B. 1996. Vibrational spectroscopy of seaweed galactans. *Hydrobiologia*. 326(327): 481-489.
- Mueller, R., J.T. Wright, and C.J.S. Bolch 2017. Historical demography and colonisation pathways of the widespread intertidal seaweed (Phaeophyceae) in southeastern australia. *Journal of Phycology*. 54(1): 56-65.
- O'Sullivan, L., B. Murphy, P. McLoughlin, P. Duggan, P.G. Lawlor, H. Huges, and G.E. Gardiner. 2010. Prebiotics from marine macroalgae for human and animal health applications. *Marine Drugs*. 8(7): 2038-2064.
- Pelley, J. W. 2012. Gluconeogenesis and Glycogen Metabolism. In: Pelley, John W. (Second Edition) Elsevier's Integrated Review Biochemistry. Elsevier Saunder, Texas. p: 67-73.
- Pereira, L., M. A. Ana, T.C. Alan, V. Fred, and J.A. Paulo. 2009. Identification of selected seaweed polysaccharides (Phycocolloids) by vibrational spectroscopy (FTIR-ATR and FT-Raman). *Food Hydrocolloids*. 23: 1903-1909.
- Pereira, L., S.F. Gheda, and P.J. Ribeiro. 2013. Analysis by vibrational spectroscopy of seaweed polysaccharides with potential use in food, pharmaceutical, and cosmetic industries. *International Journal of Carbohydrate Chemistry*. 2013.
- Phillips, N., C.M. Smith, and C.W. Morden. 2001. An effective dna extraction protocol for brown algae. *Phycology Research*. 49: 97-102.
- Porse, H., and Rudolph, B. 2017. The seaweed hydrocolloid industry: 2016 updates, requirements, and outlook. *Journal of Applied Phycology*. 29(5): 2187-2200.
- Queiroz, I. N., J.A.G. Rodrigues, A.L. Gomes, M.L. Holand, M.G. Pereira, and N.M.B. Benevides. 2014. Inhibition of coagulation proteases and thrombosis and sub-chronic toxicological study of a sulfated polysaccharidic fraction from the red alga *Gelidiella acerosa*. *Acta scientiarum. Biological Sciences*. 36(4): 393-401.
- Ramnani, P., R. Chitarrari, K. Tuohy, J. Grant, S. Hotchkiss, K. Philp, R. Campbell, C. Gill, and I. Rowland. 2012. In vitro fermentation and prebiotic potential of novel low molecular weight polysaccharides derived from agar and alginate seaweeds. *Anaerobe*. 18(2012): 1-6.

- Rhein-Knudsen, N., M.T. Ale, F. Ajalloucian, L. Yu, and A.S. Meyer. 2017. Rheological properties of agar and carrageenan from Ghanaian red seaweeds. *Food Hydrocolloids*. 63: 50-58.
- Ringo, E., R.E. Olsen, T.O. Gifstad, R. A. Dalmo, H. Amlund, G. I. Hemre, and A. M. Bake. 2010. Prebiotic in aquaculture: a review. *Aquaculture nutrition*. 16: 117-136.
- Ross, K. L. , C.N. Davis, J.L. Fridovich, and Keil. 2004. Differential roles of the leloir pathway enzymes and metabolites in defining galactose sensitivity in yeast. *Molecular Genetics and Metabolism*. 83: 103-116.
- Rudtanatip, T., S. Asuvapongpatana, B. Withyachumnarnkul, and K. Wongprasert. 2014. Sulfated galactans isolated from the red seaweed *Gracilaria fisheri* target the envelope proteins of *white spot syndrome virus* (WSSV) and protect against viral infection in shrimp haemocytes. *Journal of General Virology*. 95(5): 1126-1134.
- Sakthivel, R., and K.K.P. Devi. Evaluation of physicochemical properties, proximate and nutritional composition of *Gracilaria edulis* collected from Palk Bay. *Food chemistry*. 174 (2015): 68-74.
- Saunders, G. W. 2005. Applying DNA barcoding to red macroalgae: a preliminary appraisal holds promise for future applications. *Philosophical transactions of the royal society b: Biological sciences*. 360(1462): 1879-1888.
- Saunders, G.W. and B. McDonald. 2010. DNA barcoding reveals multiple overlooked Australian species of the red algal order Rhodiales (Florideophyceae), with resurrection of *Halopeltis* J. Agardh and description of *Pseudohalopeltis* gen. nov. *Botany*. 88: 639-667.
- Sellick, C.A., R.N. Campbell, and R.J. Reece. 2008. Galactose metabolism in yeast—structure and regulation of the leloir pathway enzymes and the genes encoding them. *International Review of Cell and Molecular Biology*. 269: 111-150.
- Shahabuddin, A. M., M.N.D. Khan, K. Mikami, T. Araki, and T. Yoshimatsu. 2017. Dietary supplementation of red alga *Pyropia spheroplasts* on growth, feed utilization and body composition of sea cucumber, *Apostichopus japonicus* (Selenka). *Aquaculture Research*. 48(10): 5363-5372.
- Sharma, N., N. Tyagi, and S.S. Kumar. 2017. *Gelidiella acerosa* : A Precise. *International Research Journal of Pharmacy*. 8(4): 20-23.

- Soares R., W. Wasielesky, S. Peixoto and F. D’Incao. 2005. Food consumption and gastric emptying of *Farfantepenaeus paulensis*. *Aquaculture*. 250: 283-290.
- Souza, B.W.S., M.A. Cerqueira, A.I. Bourbon, A.C. Pinheiro, J.T. Martins, J.A. Teixeira, M.A. Coimbra, and A.A. Vicente. 2012. Chemical characterization and antioxidant activity of sulfated polysaccharide from the red seaweed *Gracilaria birdiae*. *Food Hydrocolloids*. 27: 287-292.
- Vasquez J.A., A. Vega, B. Matsuihiro and C. Faundez. 1998. Biomass, reproductive phenology and chemical characterization of soluble polysaccharides from *Rhodymenia howeana* dawson, (rhodymeniaceae, rhodymeniales) in northern chile. *Botanica Marina*. 41: 235-242.
- Watzlawick, H., K.M. Heravi, and J. Altenbuchner. Role of the ganSPQAB operon in degradation of galactan by *Bacillus subtilis*. *Journal of bacteriology*. 198(20): 2887-2896.
- Wikanta, T., H.I. Januar, dan M. Nursid. 2017. Uji aktivitas antioksidan, toksisitas, dan sitotoksitas ekstrak alga merah rhodymenia palmata. *Jurnal Penelitian Perikanan Indonesia*. 11(4): 41-49.
- Williams, C.A. 2003. Galactose. In: Balero, B. (Second Edition) *Encyclopedia of Food Sciences and Nutrition*. Academic Press, Meryland. p: 2843–2846.
- Wongprasert, K., T. Rudtanatip, and J. Praiboon. 2014. Immunostimulatory activity of sulfated galactans isolated from the red seaweed *Gracilaria fisheri* and development of resistance against *white spot syndrome virus* (WSSV) in shrimp. *Fish & Shellfish Immunology*. 36(1):52-60.
- Ye, J.D., K. Wang, F.D. Li, and Y.Z. Sun. 2011. Single or combined effects of fructo- and mannan oligosaccharide supplements and *Bacillus clausii* on the growth, feed utilization, body composition, digestive enzyme activity, innate immune response and lipid metabolism of japanese flounder *Paralichthys olivaceus*. *Aquaculture Nutrition*. 17: 902-911.
- Yufera, M. and M.J. Darias. 2007. Changes in the gastrointestinal pH from larvae to adult in senegal sole (*Solea senegalensis*). *Aquaculture*. 267: 94-99.
- Zaporozhets, T. S., N.N. Besednova, S.P. Kryzhanovsky, and V.G. Melnikov. 2014. The prebiotic potential of polysaccharides and extracts of seaweeds. *Russian Journal of Marine Biology*. 40(1): 1-9.
- Zhou, Q., J.A. Buentello, W.H. Neil, and D.M. Gatlin. 2010. Effects of dietary prebiotics on growth performance, immune response and intestinal morphology of red drum (*Sciaenops ocellatus*). *Aquaculture Research*. 309: 253-257.