

DAFTAR PUSTAKA

- Abou-Saleh, H., Ouhtit, A., Halade, G. V., Rahman, M. M., 2019, Bone benefits of fish oil supplementation depend on its EPA and DHA content, *Nutrients*, 11(11): 2701.
- Adeyemi, W. J., Olayaki, L. A., Abdussalam, T. A., Fabiyi, T. O., Raji, T. L., Adetunji, A. A. R., 2020, Co-administration of omega-3 fatty acids and metformin showed more desirable effects than the single therapy on indices of bone mineralisation but not gluco-regulatory and antioxidant markers in diabetic rats, *Biomed. Pharmacother*, 121, 109631.
- Adha, M. A. R., Wibowo, D. dan Rasyid, N. I., 2019, Gambaran Tingkat Keparahan Maloklusi Menggunakan Handicapping Malocclusion Assessment Record (Hmar) Pada Siswa SDN 10 Gambut, *J. Dentin Kedokt Gigi*, 3(1) : 1–9.
- Akiyama, M., Nakahama, K. I. and Morita, I., 2013, Impact of docosahexaenoic acid on gene expression during osteoclastogenesis in vitro -A comprehensive analysis, *Nutrients*, 5(8) : 3151–3162.
- Allam-Ndoul, B, Guenard F, Barbier O, Vohl MC., 2017, Effects of Different Concentration of Omega -3 Fatty Acid on Stimulated THO-1 Macrophage, *Genes Nutr*, 1(2): 1-8.
- Amin, M. N., Permatasari, N., 2016, Aspek Biologis Pergerakan Gigi secara Ortodonti, *Stomatognatic, Fakultas Kedokt Gigi, Universitas Jember*, 13(1): 22–27.
- Anez-Bustillos, L., Cowan, E., Cubria, M. B., Villa-Camacho, J. C., Mohamadi, A., Dao, D. T., Puder, M., 2019, Effects of dietary omega-3 fatty acids on bones of healthy mice, *Clin. Nutr*, 38(5): 2145-2154.
- Anggraini, D., Anggani, H. S., 2016, Efek pemakaian bisphosphonate pada pergerakan gigi ortodonti, 2(1): 47-52.
- Asiry, M. A., 2018, Biological aspects of orthodontic tooth movement: A review of literature, *Saudi J. Biol. Sci*, 25(6) : 1027–1032.
- Azuma, M. M., Cardoso, C. D. B. M., da Silva, C. C., de Oliveira, P. H. C., Jacinto, R. D. C., Andrada, A. C., & Cintra, L. T. A., 2020, The use of omega-3 fatty acids in the treatment of oral diseases. *Oral Dis*: 1-11.
- Bhattacharya, A., Rahman, M., Sun, D., Fernandes, G., 2007, Effect of fish oil on bone mineral density in aging C57BL/6 female mice, *J. Nutr. Biochem*, 18(6): 372-379.
- Calder, P. C., 2016, Docosahexaenoic acid, *Ann Nutr. Metab*, 69(1) : 8–21.
- De Maria, G., 2006, Omega 3/6, *Agro Food Ind Hi-Tech*, 17(1): 29–31.
- Dolci, G., Portela, L., Onofre de Souza, D., dan Medeiros Fossati, A., 2017,

- Atorvastatin-induced osteoclast inhibition reduces orthodontic relapse, *Am. J. of Orthod. Dentofac. Orthop*, 151(3):528-538.
- Goenharto, S., Rusdiana, E., dan Khairiyah, I.N., 2017, Perbandingan Peranti Retensi Ortodonti Lepas dan Cekat, *Jour.Voc.HS.*, 1(2):82-87.
- Griell, Amy E., Penny, M, K, E., Hilpert, K, F., Zhao, G., West, S, G., Corwin, R, L., 2007, An increase in dietary n-3 fatty acids decreases a marker of bone resorption in humans, *Nutr. J.*, 1: 4-11.
- Hamazaki, K., Itomura, M., Sawazaki, S., Hamazaki, T., 2006, Fish oil reduces tooth loss mainly through its anti-inflammatory effects?, *Med. Hypotheses*, 67(4): 868-870.
- Huang, L., Yin, X., Chen, J., Liu, R., Xiao, X., Hu, Z., Zou, S., 2021, Lithium chloride promotes osteogenesis and suppresses apoptosis during orthodontic tooth movement in osteoporotic model via regulating autophagy. *bioactmat.*, 6(10):3074-3084.
- Indahyani, D. E., Santoso, A.S., Utoro, T., 2007, Pengaruh Induksi Lipopolisakarida (LPS) terhadap Osteopontin Tulang Alveolaris Tikus pada Masa Erupsi Gigi?, *J. Dent. Indonesia*, 14(1): 2-7.
- Iskandar, P., Ismaniati, N. A., 2010, Peran prostaglandin pada pergerakan gigi ortodontik, *J. Dentomaxillofacial Sci*, 9(2): 92.
- Iswari, H., 2012, Relaps dan pencegahannya dalam ortodonti, *J. kedokt. gigi*, 29(319): 53-58.
- Kajarabille, N., Díaz-Castro, J., Hijano, S., López-Frías, M., López-Aliaga, I., Ochoa, J. J., 2013, A new insight to bone turnover, Role of 3 polyunsaturated fatty acids. *Sci. World J.*
- Karunia, D., Sripudayani, P, Mubarika, S., Widyarini, S., 2019, Effects of Docosahexaenoic Acid (DHA) Microalgae on Orthodontic Tooth Movement in the New Zealand White Rabbit, *J. Inter. Med. Research*, 12(4): 1287 – 1292.
- Kim, H. J., Ohk, B., Yoon, H. J., Kang, W. Y., Seong, S. J., Kim, S. Y., Yoon, Y. R., 2017, Docosahexaenoic acid signaling attenuates the proliferation and differentiation of bone marrow-derived osteoclast precursors and promotes apoptosis in mature osteoclasts, *Cell. signal*, 29: 226-232.
- Kolahi, S., Ghorbanhaghjo, A., Alizadeh, S., Rashtchizadeh, N., Argani, H., Khabazzi, A. R., Bahreini, E., 2010, Fish oil supplementation decreases serum soluble receptor activator of nuclear factor-kappa B ligand/osteoprotegerin ratio in female patients with rheumatoid arthritis, *Clin. Biochem*, 43(6): 576-580.
- Kruger, M. C., Coetzee, M., Haag, M., Weiler, H., 2010, Long-chain polyunsaturated fatty acids: selected mechanisms of action on bone, *Prog.*

Lipid res, 49(4): 438-449.

- Kushwaha, P., Wolfgang, M. J., Riddle, R. C., 2018, Fatty acid metabolism by the osteoblas, *Bone*, 115: 8-14.
- Laguhi, V. A., Anindita, P. S. and Gunawan, P. N., 2014, Gambaran Maloklusi Dengan Menggunakan Hmar Pada Pasien Di Rumah Sakit Gigi Dan Mulut Universitas Sam Ratulangi Manado, *e-GIGI*, 2(2): 1-7.
- Linares, A.I., Yanez, R.M., Reina, E.S., Lagares, D.T. & Moles, M.A.G. 2010. Influence of Biophosphonates in Orthodontic Therapy. *J. Dentistry*, 38:603–611.
- Loef, M., Schoones, J. W., Kloppenburg, M., Ioan-Facsinay, A., 2019, Fatty acids and osteoarthritis: different types, different effects, *Jt Bone Spine*, 86(4): 451-458.
- Lukas, R., Gigliotti, J. C., Smith, B. J., Altman, S., Tou, J. C., 2011, Consumption of different sources of omega-3 polyunsaturated fatty acids by growing female rats affects long bone mass and microarchitecture, *Bone*, 49(3): 455-462.
- Magalhães, I. B., Luciano, J.P., Marques, L.S., Gameiro, G.H., 2010, The influence of malocclusion on masticatory performance: A systematic review', *Angle Orthodontist*, 80(5): 981–987.
- Martin-Bautista, E., Muñoz-Torres, M., Fonolla, J., Quesada, M., Poyatos, A., Lopez-Huertas, E., 2010, Improvement of bone formation biomarkers after 1-year consumption with milk fortified with eicosapentaenoic acid, docosahexaenoic acid, oleic acid, and selected vitamins. *Nut resa*, 30(5): 320-326.
- Montalvany-Antonucci, C. C., Zicker, M. C., Oliveira, M. C., Macari, S., Madeira, M. F. M., Andrade Jr, I., Silva, T. A., 2018, Diet versus jaw bones: Lessons from experimental models and potential clinical implications, *Nutrition*, 45: 59-67.
- Ogrenim, G., Cesur, M. G., Onal, T., Kara, M., Sirin, F. B., Yalcin G. D., 2019, Influence of omega-3 fatty acid on orthodontic tooth movement in rats: A biochemical, histological, immunohistochemical and gene expression study, *Orthod. Craniofacial Res*, 22(1): 24–31.
- Poulsen, R. C., Wolber, F. M., Moughan, P. J., Kruger, M. C., 2008. Long chain polyunsaturated fatty acids alter membrane-bound RANK-L expression and osteoprotegerin secretion by MC3T3-E1 osteoblas-like cells, *Prostaglandins & other lipid mediators*, 85(1-2): 42-48.
- Prameswari, N., Brahmanta, A., Mulawarmanti, D., 2018 Bone-immune interaction in osteogenesis relapse orthodontic after Nanopowder *Stichopus hermanii* application, *J. Int. Den. Med. Res*, 11(1): 323–329.

- Prameswari, N., Brahmanta, A., 2020, Percepatan pergerakan gigi dan pencegahan relaps pada perawatan ortodontik, Surabaya: Airlangga University Press, Hal: 1-69.
- Proffit, W.R., Fields, H. W., Sarver, D.M., 2014, Contemporary Orthodontics. Edisi 5, Amsterdam, Elsevier, hal. 9-11.
- Pridana, S., Nasution, I. D., 2013, Bentuk Residual Ridge dan Hubungannya dengan Retensi Gigi Tiruan Penuh, *Cakradonya Dent J*, 84(1): 487–492.
- Rahardjo, Pambudi., 2012. Ortodonti Dasar Edisi kedua. Surabaya: Airlangga University Press, Hal: 156-157.
- Rucci, N., 2008, Molecular Biology of Bone Remodeling, *Clin Cases Min Bone Metab.*, 5(1):49-56.
- Sandana, I. K. I., Velisia, J., Yuniar, A., Brahmanta, A., Prameswari, N., 2017, Potensi gel *Stichopus hermannii* dan Hyperbaric Oxygen Therapy untuk mempercepat perawatan ortodonti Potential of *Stichopus hermannii* gel and Hyperbaric Oxygen Therapy in accelerating orthodontic treatment, *J. Kedokt. Gigi Univ Padjadjaran*, 29(3): 196 – 204.
- Schubert, A., Jäger, F., Maltha, J. C., Bartzela, T. N., 2020, Age effect on orthodontic tooth movement rate and the composition of gingival crevicular fluid, *J. Orofac. orthop/Fortschritte der Kieferorthopädie*, 81(2): 113-125.
- Sihombing, I., Wangko, S., Kalangi, S. J. R., 2013, Peran Estrogen Pada Remodeling Tulang, *J. Biomedik (Jbm)*, 4(3): 18 – 28.
- Sulandjari, H., 2008. Buku Ajar Orthodonti 1. Yogyakarta: Fakultas Kedokteran Gigi UGM. Hal: 15.
- Utari, T. R., 2007, Pergerakan Gigi dan Remodeling Tulang Maksila Regio Anterior di Akhir Perawatan Ortodontik Teknik Begg Maloklusi Angle Klas I dengan Insisivus Maksila Protusif: Penelitian Deskriptif Observasional, *Mutiara Medika: Jurnal Kedokteran dan Kesehatan*, 7(2): 57-60.
- Weiss, L. A., Barrett-Connor, E., Von Mühlen, D., 2005, Ratio of n-6 to n-3 fatty acids and bone mineral density in older adults: The Rancho Bernardo study, *Am. J. Clin. Nutr.*, 81(4): 934–938.
- Wijaya, S., Prameswari, N.T, M. L., 2015, Pengaruh Pemberian Gel Teripang Emas Terhadap Remodeling Tulang Pergerakan Gigi Ortodonti (The Effect of *Stichopus hermannii* Gel on The Number of Osteoclast in the Pressure Area Bone Remodeling Orthodontic Tooth Movement), *Journal Hang Tuah*, 9(5) : 2–6.
- Zhao N., Lin, J., Kanzaki, H., Ni, J., Chen, Z., Liang, W. & Liu, Y. 2012. Local Osteoprotegerin Gene Transfer Inhibits Relapse of Orthodontic Tooth

Movement. *Am. J. Orthod. Dent. Orthoped*, 141(1): 30-40