

## VI. DAFTAR PUSTAKA

- Alifuddin, M., Y. Hadiroseyani, I. Ohoiulun, 2003. Parasit pada ikan hias air tawar (ikan cupang, gapi dan rainbow). *Jurnal Akuakultur Indonesia*. 2(2): 93-100.
- Andriyanto, S., E. Tahapari, I. Insan, 2012. Pendederan ikan patin di kolam *outdoor* untuk menghasilkan benih siap tebar di Waduk Malahayu, Brebes, Jawa Tengah. *Media Akuakultur*. 7(1):20-25.
- Anisah, N., Rokhmani, E. Riwidiharso, 2016. Intensitas dan variasi morfometrik *Trichodina* sp. pada benih ikan gurami. *Biosfera*. 33(3): 134-141.
- Anshary, H., 2008. Tingkat infeksi parasit pada ikan mas koi (*Cyprinus carpio*) pada beberapa lokasi budidaya ikan hias di Makassar dan Gowa. *Jurnal Sains & Teknologi*. 8: 139-147.
- Arbie, M., Syamsuddin, Mulis, 2014. Prevalensi dan intensitas *Trichodina* sp. pada kulit dan insang ikan mas di Balai Pengembangan Budidaya Ikan Air Tawar Gorontalo. *Jurnal Ilmiah Perikanan dan Kelautan*. 2(3): 115-119.
- Basson, L., J. Van As, 2006. Trichodinidae and Other Ciliophorans (Phylum Ciliophora). In: P. T. K. Woo, ed. *Fish Diseases and Disorders*. Wallingford: CABI. 154–182
- Baticados, M. C. L., J. O. Paclibare, 1992. The use of chemotherapeutic agents in aquaculture in the Philippines. *Proceedings of the First Symposium on Diseases in Asian Aquaculture, Bali, Indonesia*. 26-29.
- Boyd, E.C. 2004. Farm-level issues in aquaculture certification: Tilapia. Report Commissioned by WWF-US in 2004. 5(12): 1-29
- Bradbury, P. C., 1995. Ciliates of Fish. In: J. P. Kreier, ed. *Parasitic Protozoa*. Cambridge: Academic Press. 81-138.
- Canonico, G. C., A. Arthington, J. K. McCrary, M. L. Thieme , 2005. The effects of introduced tilapias on native biodiversity. *Aquatic Conservation Marine and Freshwater*. 15: 463–483.
- Collymore, C., J. R. White, C. Lieggi, 2013. *Trichodina xenopodus*, a ciliated protozoan, in a laboratory-maintained *Xenopus laevis*. *Comparative Medicine*. 63(4): 310-312.
- Colorni, A., A. Diamant, 2005. Hyperparasitism of trichodinid ciliates on monogenean gill flukes of two marine fish. *Dis Aquat Org*. Volume 65: 177-180.
- Djunaedi, Ali, R. Hartati, R. Pribadi, S. Redjeki, R. W. Astuti, B. Septiarani, 2016. Pertumbuhan ikan nila larasati (*Oreochromis niloticus*) di tambak dengan pemberian ransum pakan dan padat penebaran yang berbeda. *Jurnal Kelautan Tropis*. 19(2):131-142.

- Dobberstein, R. C., H. W. Palm, 2000. Trichodinid ciliates (peritrichia: trichodinidae) from the Bay of Kiel, with description of *Trichodina claviformis* sp. n.. *Folia Parasitologica*. 47: 81-90.
- Fautama, F. N., I. Zulfahmi, Muliari, A. A. Anas, 2019. Prevalence and intensity of ectoparasites on *Clarias gariepinus* from Aquaculture Pond in Aceh Besar District, Indonesia. *Jurnal Biodjati*. 4(1): 58-67.
- Galli, P., G. Crosa, L. Mariniello, M. Ortis, S. D'Amelio, (2001). Water quality as a determinant of the composition of fish parasite communities. *Hydrobiologia*. 452: 173-179.
- Göltenboth, F., G. Langenberger, P. Widmann, 2006. Tropical Lowland Evergreen Rainforest. In: f. Göltenboth, K. H. Timotius, P. P. Milan, J. Margraf, eds. *Ecology of Insular Southeast Asia*. Amsterdam: Elsevier. 297-383.
- Hadiroseyani, Y. , P. Hariyadi, S. Nuryati, 2006. Inventarisasi parasit lele dumbo *Clarias* sp. di Daerah Bogor. *Jurnal Akuakultur Indonesia*. 5(2): 167-177.
- Hasan, V. , F. S. Pratama, W. A. M. Malonga, A. B. Cahyanurani, 2019. First record of the mozambique tilapia, *Oreochromis mossambicus* Peters, 1852 (Perciformes, Cichlidae), on Kangean Island, Indonesia. *Neotropical Biology and Conservation*. 14(2): 207-211.
- Hoffman, G. L. 1967. *Parasites of North American Freshwater Fishes*. University of California Press. Berkeley.
- Ihwan, M. Z, M. Syahnon, I. M. Fakhruddin, H. Marina, M. A. Ambak, 2016. New report on trichodiniasis (protozoa: ciliophora: peritrichida) in Jade Perch; *Scortum barcoo* from Peninsular Malaysia. *Journal of Fisheries and Aquatic Science*. 11(6): 437-443.
- Indahsari, M., Kismiyati, M. F. Ulkhaq, 2019. Prevalence and intensity of ectoparasites of tilapia (*Oreochromis niloticus*) in ponds with low, medium and high stocking density. *IOP Conf. Series: Earth and Environmental Science*. 236: 1-6.
- Kennedy, C. R., 1975. *Ecological Animal Parasitology*. Wiley. California.
- Kissinger, B. C., N. Gantner, W. G. Anderson, Darren M. Gillis, Norman M. Halden, Lois A. Harwood, J. D. Reist, 2016. Brackish-water residency and semi-anadromy in Arctic Lake trout (*Salvelinus namaycush*) inferred from otolith microchemistry. *Journal of Great Lakes Research*. 42(2): 1-9.
- Lackmann, Alec R., Andrews, Allen H., Butler, Malcolm G., Ewelina, Bielak-Lackmann, Clark, Mark E., 2019. Bigmouth buffalo *Ictiobus cyprinellus* sets freshwater teleost record as improved age analysis reveals centenarian longevity. *Communications Biology*. 2(197): 1-14.
- Laird, M., 1952. *The Protozoa of New Zealand Intertidal Zone Fishes*. Department of Zoology, Victoria University Collage. Wellington.
- Lom, J., 1995. Protozoan and Metazoan Infections. In: P. T. K. Woo, ed. *Fish Diseases and Disorders*. CAB International. Wallingford.

- Lom, J., I. Dyková, 1992. Protozoan Parasites of Fishes. Elsevier Science Publishers. Amsterdam
- Lucky, Z., 1977. Methods for The Diagnosis of Fish Diseases. Edited by Glenn L. Hofman. Amerind Publishing Co. Pvt. Ltd. California.
- Mahasri, G., S. Subekti, B. B. Angghara, F. P. Pratama, 2020. Prevalence and intensity of protozoan ectoparasite infestation on nursery of humpback grouper (*Cromileptes altivelis*) in Hatchery and Floating Net Cage. 2nd International Conference on Fisheries and Marine Science. 1-7.
- Mamani, M., C. Hamel, P. A. Van Damme. 2004. Ectoparasites (Crustacea: Branchiura) of *Pseudoplatystoma fasciatum* (surubi) and *P. tigrinum* (chuncuina) in Bolivian White-Water Floodplains. *Ecologfa en Bolivia*. 39 (2): 9-20.
- Marcotegui, P. S., M. M. Montes, J. Barneche, W. Ferrari, S. Martorelli, 2018. Geometric morphometric on a new species of trichodinidae. A tool to discriminate trichodinid species combined with traditional morphology and molecular analysis. *IJP: Parasites and Wildlife*. 7: 228-236.
- Martins, M. L. , N. C. Marchiori, G. Nunes, M. P. Rodrigues, (2010) First record of *Trichodina heterodentata* (ciliophora: trichodinidae) from channel catfish, *Ictalurus punctatus* cultivated in Brazil. *Brazilian Journal of Biology*. 70: 637–644.
- Mas'ud, F., 2011. Prevalensi dan derajat infeksi *Dactylogyrus* sp. pada insang benih Bandeng (*Chanos chanos*) di Tambak Tradisional, Kecamatan Glagah, Kabupaten Lamongan. *Jurnal Ilmiah Perikanan dan Kelautan*. 3(1): 27-39.
- Meredith, T. A. , J. N. Ulrich, 2013. Chapter 122 - Infectious Endophthalmitis. eds. *Retina*. 5th ed. W. B. Saunders. London
- Prasetya, N., S. Subekti, Kismiyati, 2013. Prevalensi ektoparasit yang menyerang benih ikan koi (*Cyprinus carpio*) di Bursa Ikan Hias Surabaya. *Jurnal Ilmiah Perikanan dan Kelautan*. 5(1): 113-116.
- Pujiastuti, N., N. Setiati, 2015. Identifikasi dan prevalensi ektoparasit pada ikan konsumsi di Balai Benih Ikan Siwarak. *Unnes Journal of Life Science*. 4(1): 9-15.
- Riwidiharso, E., B. Alfarisi, Rokhmani, 2019. Morfologi dan intensitas *Trichodina* sp. pada benih ikan nilam (*Osteochilus hasselti*) milik Balai Benih Ikan Kutasari Purbalingga, Jawa Tengah. *Pros Sem Nas Masy Biodiv Indon*. 5(2): 316-323.
- Rizkiawan, A., 2012. Analisa karakter reproduksi ikan nila pandu (*Oreochromis niloticus*) pada generasi 4 (F4) dan generasi 5 (F5). *Journal of Aquaculture Management and Technology*. 1(1): 48-62.
- Roberts, H. E., B. Palmeiro, E. S. Weber, 2009. Bacterial and parasitic diseases of pet fish. *Vet Clin North Am Exot Anim Pract*. 12: 609-638.
- Rodríguez-Santiago, M. A., L. García-Magaña, M. I. Grano-Maldonado, E. N. Silva-Martínez, J. Guerra-Santos, R. Gelabert, 2019. First record of *Trichodina*

- centrostrigeata* Basson, Van As & Paperna, 1983 (Ciliophora: Trichodinidae) from *Oreochromis niloticus* (Linnaeus, 1758) cultured in southeastern Mexico. *Latin American Journal of Aquatic Research*. 47(2): 367-370.
- Rokhmani, E. Riwidharso, Darsono, P. Utami, 2019. Variasi morfologi, prevalensi dan intensitas *Trichodina* sp. pada ikan hasil tangkapan di Sungai Kranji Purwokerto, Jawa Tengah. *Pros. Sem. Nas. Masy. Biodiv. Indon.* 5(2): 312-315.
- Rokhmani, E. A. Setyowati, D. J. Wahyono, 2018. Molecular detection of protozoa *Trichodina* sp. in gourami (*Osphromenus Gourame* Lac.) larvae with the infecting 18S rRNA gene marking in Exs. Residence of Banyumas, Central Java. *Biosaintifika*. 10(2): 320-325.
- Rokhmani, P. Utami, 2016. Intensitas protozoa *Trichodina* sp. tawes, nilem, mujaher dan gurame yang dipelihara secara polikultur. *Isu-Isu Kontemporer Sains, Lingkungan, dan Inovasi Pembelajarannya*. 504-509.
- Safratilofa, N. Rizki, 2019. Identifikasi ekstoparasit pada ikan patin (*Pangasodon hypophthalmus*. Sauvage 1878) di Danau Sipin Kota Jambi. *Jurnal Akuakultur Sungai dan Danau*. 4(2): 46-49.
- Schäperclaus, W., 1991. *Fish Diseases*. 2nd ed. U.S. Department of the Interior and the National Science Foundation. Washington D. C.
- Sigit, M., A. Y. R. Candra, A. R. Hidayat, R. Sasmita, 2019. Derajat infestasi *Trichodina* sp. pada lele dumbo (*Clarias Gariepinus*) di empat kolam pembudidayaan di Kabupaten Sumenep. *Jurnal Vitek Bidang Kedokteran Hewan*. 9: 10-17.
- Smith, S. A., M. H. Schwarz, 2019. Dealing with trichodina and trichodina-like species. commercial fish & shellfish technology fact sheet. 1-3.
- Stein, G. A., 1982. Parasitic infusoria (peritrichida, trichodinidae) of some fish of the kursho bay. *Parasitology*. 16(2): 24-28.
- Sullivan T. J., J. E. Neigel, 2017. Misidentification of megalopae as a potential source of error in studies of population genetics and ecology of the blue crab *Callinectes sapidus*. *Marine Ecology Progress Series* 565:95–111.
- Suryati, N. K., Samuel, 2018. Habitat and biological characteristic of Tilapia (*Oreochromis niloticus*) in Batur Lake. *Berkala Perikanan Terubuk*. 46(3): 1-9.
- Tambets, M., E. Kärgerberg, E. B. Thorstad, O. T. Sandlund, F. Økland, M. Thalfeldt, 2018. Effects of a dispersal barrier on freshwater migration of the vimba bream (*Vimba vimba*). *Boreal Environment Research*. 23: 340-353.
- Tang, F. H., Y. J. Zhao, A. Warren, (2013). Phylogenetic analyses of trichodinids (ciliophora, oligohymenophora) inferred from 18S rRNA gene sequence data. *Current microbiology*. 66(3): 306-313.
- Valladão, G., L. Alves, F. Pilarski, 2016. Trichodiniasis in Nile tilapia hatcheries: diagnosis, parasite:host-stage. *Aquaculture*. 451: 444-450.

- Vasconcelos, F. R., R. F. Menezes, J. L. Attayde, 2018. Effects of the Nile tilapia (*Oreochromis niloticus* L.) on the plankton community of a tropical reservoir during and after an algal bloom. *Hydrobiologia*. 817: 393–401.
- Wang, S., Y. Zhao, Y. Du, F. Tang, 2018. Morphological redescription and molecular identification of *Trichodina reticulata* Hirschmann & Partsch, 1955 (Ciliophora, Mobilida, Trichodinidae) with the supplemental new data of SSU rDNA and ITS-5.8S rDNA. *Journal of Eukaryotic Microbiology*. 66: 447-459.
- Williams, E. H., W. L. Bunkley, 1996. Parasites off shore big game fishes of Puerto Rico and the Western Atlantic. Department of Natural Environmental Resources and University of Puerto Rico. Puerto Rico.
- Xie, Shouqi, Zheng, Keke, J. Chen, Z. Zhang, Zhu, Xiaoming, Yang, Yongbiao, 2011. Effect of water temperature on energy budget of Nile tilapia, *Oreochromis niloticus*. *Aquaculture Nutrition*. 17: 683-690.
- Xu, D.-H., C. A. Shoemaker, D. Zhang, 2015. Treatment of *Trichodina* sp. reduced load of *Flavobacterium columnare*. *Aquaculture Reports*. 2: 126-131.
- Yulianti, I. E., I. W. Restu, A. H. W. Sari, 2019. Prevalensi dan intensitas ektoparasit ikan bawal air tawar (*Colossoma macropomum*) pada Usaha Perikanan Rakyat (UPR) di Desa Sepanjang, Kecamatan Glenmore, Banyuwangi. *Current Trends in Aquatic Science*. 2(1): 85-92.