

DAFTAR PUSTAKA

- Adam, H., & Herwandhani, P. (2020). Identification of potential gene associated with berberine in overcoming tamoxifen resistance by functional network analysis. *Journal of Applied Pharmaceutical Science*. <https://doi.org/10.7324/JAPS.2020.10702>
- Ali, S., Rasool, M., Chaoudhry, H., N Pushparaj, P., Jha, P., Hafiz, A., Mahfooz, M., Abdus Sami, G., Azhar Kamal, M., Bashir, S., Ali, A., & Sarwar Jamal, M. (2016). Molecular Mechanisms and Mode of Tamoxifen Resistance in Breast Cancer. *Bioinformation*, 12(3), 135–139. <https://doi.org/10.6026/97320630012135>
- Allouche, Y., Warleta, F., Campos, M., Sánchez-Quesada, C., Uceda, M., Beltrán, G., & Gaforio, J. J. (2011). Antioxidant, Antiproliferative, and Proapoptotic Capacities of Pentacyclic Triterpenes Found in the Skin of Olives on MCF-7 Human Breast Cancer Cells and Their Effects on DNA Damage. *Journal of Agricultural and Food Chemistry*, 59(1), 121–130. <https://doi.org/10.1021/jf102319y>
- Ashburner, M., Ball, C. A., Blake, J. A., Botstein, D., Butler, H., Cherry, J. M., Davis, A. P., Dolinski, K., Dwight, S. S., Eppig, J. T., Harris, M. A., Hill, D. P., Issel-Tarver, L., Kasarskis, A., Lewis, S., Matese, J. C., Richardson, J. E., Ringwald, M., Rubin, G. M., & Sherlock, G. (2000). Gene Ontology: Tool for the unification of biology. *Nature Genetics*, 25(1), 25–29. <https://doi.org/10.1038/75556>
- Ayeleso, T., Matumba, M., & Emmanuel Mukwevho. (2017). Oleanolic Acid and Its Derivatives: Biological Activities and Therapeutic Potential in Chronic Diseases. *Molecules*, 22(11), 1915. <https://doi.org/10.3390/molecules22111915>
- Bilotta, M., Tradigo, G., & Veltri, P. (2019). Bioinformatics Data Models, Representation and Storage. Dalam S. Ranganathan, M. Gribskov, K. Nakai, & C. Schönbach (Ed.), *Encyclopedia of Bioinformatics and Computational Biology* (hlm. 110–116). Academic Press. <https://doi.org/10.1016/B978-0-12-809633-8.20410-X>
- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R. L., Torre, L. A., & Jemal, A. (2018). Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: A Cancer Journal for Clinicians*, 68(6), 394–424. <https://doi.org/10.3322/caac.21492>
- Burdall, S. E., Hanby, A. M., Lansdown, M. R., & Speirs, V. (2003). Breast cancer cell lines: Friend or foe? *Breast Cancer Research*, 5(2), 89. <https://doi.org/10.1186/bcr577>
- C, T., Yh, L., Jh, X., F, W., Jn, Z., Js, Y., Yy, X., & T, X. (2009). Downregulation of survivin and activation of caspase-3 through the PI3K/Akt pathway in ursolic acid-induced HepG2 cell apoptosis. *Anti-Cancer Drugs*, 20(4), 249–258. <https://doi.org/10.1097/cad.0b013e328327d476>
- Camarillo, I. G., Xiao, F., Madhivanan, S., Salameh, T., Nichols, M., Reece, L. M., Leary, J. F., Otto, K., Natarajan, A., Ramesh, A., & Sundararajan, R. (2014). 4 - Low and high voltage electrochemotherapy for breast cancer: An in vitro

- model study. Dalam R. Sundararajan (Ed.), *Electroporation-Based Therapies for Cancer* (hlm. 55–102). Woodhead Publishing. <https://doi.org/10.1533/9781908818294.55>
- Cerami, E., Gao, J., Dogrusoz, U., Gross, B. E., Sumer, S. O., Aksoy, B. A., Jacobsen, A., Byrne, C. J., Heuer, M. L., Larsson, E., Antipin, Y., Reva, B., Goldberg, A. P., Sander, C., & Schultz, N. (2012). The cBio Cancer Genomics Portal: An Open Platform for Exploring Multidimensional Cancer Genomics Data. *Cancer Discovery*, 2(5), 401–404. <https://doi.org/10.1158/2159-8290.CD-12-0095>
- Chang, M. (2012). Tamoxifen Resistance in Breast Cancer. *Biomolecules & Therapeutics*, 20(3), 256–267. <https://doi.org/10.4062/biomolther.2012.20.3.256>
- Chen, C., Zhao, S., Karnad, A., & Freeman, J. W. (2018). The biology and role of CD44 in cancer progression: Therapeutic implications. *Journal of Hematology & Oncology*, 11(1), 64. <https://doi.org/10.1186/s13045-018-0605-5>
- Chen, Li, Yang, L., Yao, L., Kuang, X.-Y., Zuo, W.-J., Li, S., Qiao, F., Liu, Y.-R., Cao, Z.-G., Zhou, S.-L., Zhou, X.-Y., Yang, W.-T., Shi, J.-X., Huang, W., Hu, X., & Shao, Z.-M. (2018). Characterization of PIK3CA and PIK3R1 somatic mutations in Chinese breast cancer patients. *Nature Communications*, 9(1), 1–17. <https://doi.org/10.1038/s41467-018-03867-9>
- Chen, Liang, & Wong, G. (2019). Transcriptome Informatics. Dalam S. Ranganathan, M. Gribskov, K. Nakai, & C. Schönbach (Ed.), *Encyclopedia of Bioinformatics and Computational Biology* (hlm. 324–340). Academic Press. <https://doi.org/10.1016/B978-0-12-809633-8.20204-5>
- Chin, C.-H., Chen, S.-H., Wu, H.-H., Ho, C.-W., Ko, M.-T., & Lin, C.-Y. (2014). cytoHubba: Identifying hub objects and sub-networks from complex interactome. *BMC Systems Biology*, 8(4), S11. <https://doi.org/10.1186/1752-0509-8-S4-S11>
- Choudhuri, S. (2014). Chapter 4—The Beginning of Bioinformatics**The opinions expressed in this chapter are the author’s own and they do not necessarily reflect the opinions of the FDA, the DHHS, or the Federal Government. Dalam S. Choudhuri (Ed.), *Bioinformatics for Beginners* (hlm. 73–76). Academic Press. <https://doi.org/10.1016/B978-0-12-410471-6.00004-9>
- Cidado, J., & Park, B. H. (2012). Targeting the PI3K/Akt/mTOR Pathway for Breast Cancer Therapy. *Journal of Mammary Gland Biology and Neoplasia*, 17(3), 205–216. <https://doi.org/10.1007/s10911-012-9264-2>
- Cizkova, M., Vacher, S., Meseure, D., Trassard, M., Susini, A., Mlcuchova, D., Callens, C., Rouleau, E., Spyrtos, F., Lidereau, R., & Bièche, I. (2013). PIK3R1 underexpression is an independent prognostic marker in breast cancer. *BMC Cancer*, 13(1), 545. <https://doi.org/10.1186/1471-2407-13-545>
- Clough, E., & Barrett, T. (2016). The Gene Expression Omnibus database. *Methods in molecular biology (Clifton, N.J.)*, 1418, 93–110. https://doi.org/10.1007/978-1-4939-3578-9_5

- Cooper, G. M. (2019). *The cell: A molecular approach* (Eighth edition). Sinauer Associates, an imprint of Oxford University Press.
- Dai, X., Cheng, H., Bai, Z., & Li, J. (2017). Breast Cancer Cell Line Classification and Its Relevance with Breast Tumor Subtyping. *Journal of Cancer*, 8(16), 3131–3141. <https://doi.org/10.7150/jca.18457>
- Davis, S., & Meltzer, P. S. (2007). GEOquery: A bridge between the Gene Expression Omnibus (GEO) and BioConductor. *Bioinformatics*, 23(14), 1846–1847. <https://doi.org/10.1093/bioinformatics/btm254>
- deGraffenried, L. A., Chandrasekar, B., Friedrichs, W. E., Donzis, E., Silva, J., Hidalgo, M., Freeman, J. W., & Weiss, G. R. (2004). NF- κ B inhibition markedly enhances sensitivity of resistant breast cancer tumor cells to tamoxifen. *Annals of Oncology*, 15(6), 885–890. <https://doi.org/10.1093/annonc/mdh232>
- Demchenko, Y., Turkmen, F., de Laat, C., Hsu, C.-H., Blanchet, C., & Loomis, C. (2017). Chapter 2—Cloud Computing Infrastructure for Data Intensive Applications. Dalam H.-H. Hsu, C.-Y. Chang, & C.-H. Hsu (Ed.), *Big Data Analytics for Sensor-Network Collected Intelligence* (hlm. 21–62). Academic Press. <https://doi.org/10.1016/B978-0-12-809393-1.00002-7>
- Early Breast Cancer Trialists' Collaborative Group (EBCTCG). (2005). Effects of chemotherapy and hormonal therapy for early breast cancer on recurrence and 15-year survival: An overview of the randomised trials. *The Lancet*, 365(9472), 1687–1717. [https://doi.org/10.1016/S0140-6736\(05\)66544-0](https://doi.org/10.1016/S0140-6736(05)66544-0)
- Elias, D., Vever, H., Länkhölm, A.-V., Gjerstorff, M. F., Yde, C. W., Lykkesfeldt, A. E., & Ditzel, H. J. (2015). Gene expression profiling identifies FYN as an important molecule in tamoxifen resistance and a predictor of early recurrence in patients treated with endocrine therapy. *Oncogene*, 34(15), 1919–1927. <https://doi.org/10.1038/onc.2014.138>
- Ellis, H., & Ma, C. X. (2019). PI3K Inhibitors in Breast Cancer Therapy. *Current Oncology Reports*, 21(12), 110. <https://doi.org/10.1007/s11912-019-0846-7>
- Fragomeni, S. M., Sciallis, A., & Jeruss, J. S. (2018). Molecular subtypes and local-regional control of breast cancer. *Surgical oncology clinics of North America*, 27(1), 95–120. <https://doi.org/10.1016/j.soc.2017.08.005>
- Fuentes, N., & Silveyra, P. (2019). Estrogen receptor signaling mechanisms. *Advances in protein chemistry and structural biology*, 116, 135–170. <https://doi.org/10.1016/bs.apcsb.2019.01.001>
- Gao, J., Aksoy, B. A., Dogrusoz, U., Dresdner, G., Gross, B., Sumer, S. O., Sun, Y., Jacobsen, A., Sinha, R., Larsson, E., Cerami, E., Sander, C., & Schultz, N. (2013). Integrative Analysis of Complex Cancer Genomics and Clinical Profiles Using the cBioPortal. *Science Signaling*, 6(269), p11–p11. <https://doi.org/10.1126/scisignal.2004088>
- Gentleman, R. C., Carey, V. J., Bates, D. M., Bolstad, B., Dettling, M., Dudoit, S., Ellis, B., Gautier, L., Ge, Y., Gentry, J., Hornik, K., Hothorn, T., Huber, W., Iacus, S., Irizarry, R., Leisch, F., Li, C., Maechler, M., Rossini, A. J., ... Zhang, J. (2004). Bioconductor: Open software development for

- computational biology and bioinformatics. *Genome Biology*, 5(10), R80. <https://doi.org/10.1186/gb-2004-5-10-r80>
- Grimes, T., Potter, S. S., & Datta, S. (2019). Integrating gene regulatory pathways into differential network analysis of gene expression data. *Scientific Reports*, 9(1), 5479. <https://doi.org/10.1038/s41598-019-41918-3>
- Gu, G., Barone, I., Gelsomino, L., Giordano, C., Bonofiglio, D., Statti, G., Menichini, F., Catalano, S., & Andò, S. (2012). Oldenlandia diffusa extracts exert antiproliferative and apoptotic effects on human breast cancer cells through ER α /Sp1-mediated p53 activation. *Journal of Cellular Physiology*, 227(10), 3363–3372. <https://doi.org/10.1002/jcp.24035>
- Guala, D., Ogris, C., Müller, N., & Sonnhammer, E. L. L. (2020). Genome-wide functional association networks: Background, data & state-of-the-art resources. *Briefings in Bioinformatics*, 21(4), 1224–1237. <https://doi.org/10.1093/bib/bbz064>
- Gui, B., Hua, F., Chen, J., Xu, Z., Sun, H., & Qian, Y. (2014). Protective Effects of Pretreatment with Oleanolic Acid in Rats in the Acute Phase of Hepatic Ischemia-Reperfusion Injury: Role of the PI3K/Akt Pathway. *Mediators of Inflammation*, 2014. <https://doi.org/10.1155/2014/451826>
- Han, R., Rai, A., Nakamura, M., Suzuki, H., Takahashi, H., Yamazaki, M., & Saito, K. (2016). Chapter Two—De Novo Deep Transcriptome Analysis of Medicinal Plants for Gene Discovery in Biosynthesis of Plant Natural Products. Dalam S. E. O'Connor (Ed.), *Methods in Enzymology* (Vol. 576, hlm. 19–45). Academic Press. <https://doi.org/10.1016/bs.mie.2016.03.001>
- Harbeck, N., Penault-Llorca, F., Cortes, J., Gnant, M., Houssami, N., Poortmans, P., Ruddy, K., Tsang, J., & Cardoso, F. (2019). Breast cancer. *Nature Reviews Disease Primers*, 5(1), 1–31. <https://doi.org/10.1038/s41572-019-0111-2>
- Haupt, S., Vijayakumaran, R., Miranda, P. J., Burgess, A., Lim, E., & Haupt, Y. (2017). The role of MDM2 and MDM4 in breast cancer development and prevention. *Journal of Molecular Cell Biology*, 9(1), 53–61. <https://doi.org/10.1093/jmcb/mjx007>
- Henderson, B. E., & Feigelson, H. S. (2000). Hormonal carcinogenesis. *Carcinogenesis*, 21(3), 427–433. <https://doi.org/10.1093/carcin/21.3.427>
- Holliday, D. L., & Speirs, V. (2011). Choosing the right cell line for breast cancer research. *Breast Cancer Research*, 13(4), 215. <https://doi.org/10.1186/bcr2889>
- Hosford, S. R., & Miller, T. W. (2014). Clinical potential of novel therapeutic targets in breast cancer: CDK4/6, Src, JAK/STAT, PARP, HDAC, and PI3K/AKT/mTOR pathways. *Pharmacogenomics and Personalized Medicine*, 7, 203–215. <https://doi.org/10.2147/PGPM.S52762>
- Hou, H., Sun, D., & Zhang, X. (2019). The role of MDM2 amplification and overexpression in therapeutic resistance of malignant tumors. *Cancer Cell International*, 19(1), 216. <https://doi.org/10.1186/s12935-019-0937-4>
- Huang, D. W., Sherman, B. T., & Lempicki, R. A. (2009a). Systematic and integrative analysis of large gene lists using DAVID bioinformatics

- resources. *Nature Protocols*, 4(1), 44–57. <https://doi.org/10.1038/nprot.2008.211>
- Huang, D. W., Sherman, B. T., & Lempicki, R. A. (2009b). Bioinformatics enrichment tools: Paths toward the comprehensive functional analysis of large gene lists. *Nucleic Acids Research*, 37(1), 1–13. <https://doi.org/10.1093/nar/gkn923>
- Jyantie, G., Yunus, A., Pujiasmanto, B., & Widiyastuti, Y. (2017). Pertumbuhan dan Kandungan Asam Oleanolat Rumput Mutiara (*Hedyotis Corymbosa*) pada Berbagai Dosis Pupuk Kandang Sapi dan Pupuk Organik Cair. *Agrotechnology Research Journal*, 1(2), 13–18.
- Jiang, Q., Yang, X., Du, P., Zhang, H., & Zhang, T. (2016). Dual strategies to improve oral bioavailability of oleanolic acid: Enhancing water-solubility, permeability and inhibiting cytochrome P450 isozymes. *European Journal of Pharmaceutics and Biopharmaceutics*, 99, 65–72. <https://doi.org/10.1016/j.ejpb.2015.11.013>
- Kanehisa, M., Furumichi, M., Tanabe, M., Sato, Y., & Morishima, K. (2017). KEGG: New perspectives on genomes, pathways, diseases and drugs. *Nucleic Acids Research*, 45(D1), D353–D361. <https://doi.org/10.1093/nar/gkw1092>
- Katoh, M. (2009). FGFR2 Abnormalities Underlie a Spectrum of Bone, Skin, and Cancer Pathologies. *Journal of Investigative Dermatology*, 129(8), 1861–1867. <https://doi.org/10.1038/jid.2009.97>
- Kim, Y.-K., Yoon, S. K., & Ryu, S. Y. (2000). Cytotoxic Triterpenes from Stem Bark of *Physocarpus intermedius*. *Planta Medica*, 66(5), 485–486. <https://doi.org/10.1055/s-2000-8585>
- Koboldt, D. C., Fulton, R. S., McLellan, M. D., Schmidt, H., Kalicki-Veizer, J., McMichael, J. F., Fulton, L. L., Dooling, D. J., Ding, L., Mardis, E. R., Wilson, R. K., Ally, A., Balasundaram, M., Butterfield, Y. S. N., Carlsen, R., Carter, C., Chu, A., Chuah, E., Chun, H.-J. E., ... MD Anderson Cancer Center. (2012). Comprehensive molecular portraits of human breast tumours. *Nature*, 490(7418), 61–70. <https://doi.org/10.1038/nature11412>
- Larson, R. S., & Oprea, T. (Ed.). (2019). *Bioinformatics and Drug Discovery* (3 ed.). Humana Press. <https://doi.org/10.1007/978-1-4939-9089-4>
- Lefebvre, C., Bachelot, T., Filleron, T., Pedrero, M., Campone, M., Soria, J.-C., Massard, C., Lévy, C., Arnedos, M., Lacroix-Triki, M., Garrabey, J., Boursin, Y., Deloger, M., Fu, Y., Commo, F., Scott, V., Lacroix, L., Dieci, M. V., Kamal, M., ... André, F. (2016). Mutational Profile of Metastatic Breast Cancers: A Retrospective Analysis. *PLOS Medicine*, 13(12), e1002201. <https://doi.org/10.1371/journal.pmed.1002201>
- Li, X., Song, Y., Zhang, P., Zhu, H., Chen, L., Xiao, Y., & Xing, Y. (2016). Oleanolic acid inhibits cell survival and proliferation of prostate cancer cells in vitro and in vivo through the PI3K/Akt pathway. *Tumor Biology*, 37(6), 7599–7613. <https://doi.org/10.1007/s13277-015-4655-9>
- Lv, C., Wu, X., Wang, X., Su, J., Zeng, H., Zhao, J., Lin, S., Liu, R., Li, H., Li, X., & Zhang, W. (2017). The gene expression profiles in response to 102 traditional Chinese medicine (TCM) components: A general template for

- research on TCMS. *Scientific Reports*, 7(1), 352. <https://doi.org/10.1038/s41598-017-00535-8>
- Lykkesfeldt, A. E., Madsen, M. W., & Briand, P. (1994). Altered expression of estrogen-regulated genes in a tamoxifen-resistant and ICI 164,384 and ICI 182,780 sensitive human breast cancer cell line, MCF-7/TAMR-1. *Cancer Research*, 54(6), 1587–1595.
- Marko-Varga, G. (Ed.). (2014). *Genomics and Proteomics for Clinical Discovery and Development* (Vol. 6). Springer Netherlands. <https://doi.org/10.1007/978-94-017-9202-8>
- Masuda, H., Zhang, D., Bartholomeusz, C., Doihara, H., Hortobagyi, G. N., & Ueno, N. T. (2012). Role of Epidermal Growth Factor Receptor in Breast Cancer. *Breast cancer research and treatment*, 136(2). <https://doi.org/10.1007/s10549-012-2289-9>
- McMillin, G. A., Wadelius, M., & Pratt, V. M. (2018). 11—Pharmacogenetics. Dalam N. Rifai, A. R. Horvath, & C. T. Wittwer (Ed.), *Principles and Applications of Molecular Diagnostics* (hlm. 295–327). Elsevier. <https://doi.org/10.1016/B978-0-12-816061-9.00011-4>
- Oliveros, J. C. (2007, 2015). *Venny. An interactive tool for comparing lists with Venn's diagrams*. Venny. <https://bioinfogp.cnb.csic.es/tools/venny/index.html>
- Osborne, C. K., Shou, J., Massarweh, S., & Schiff, R. (2005). Crosstalk between Estrogen Receptor and Growth Factor Receptor Pathways as a Cause for Endocrine Therapy Resistance in Breast Cancer. *Clinical Cancer Research*, 11(2), 865s–870s.
- Pan, J. Z. (2018). Chapter Thirteen—Genomics and Proteomic Techniques. Dalam R. G. Eckenhoff & I. J. Dmochowski (Ed.), *Methods in Enzymology* (Vol. 603, hlm. 221–235). Academic Press. <https://doi.org/10.1016/bs.mie.2018.02.008>
- Panigoro, S., S Hernowo, B., Purwanto, H., Handojo, J. Haryono, S., Arif, W., Ramadhan, Kardina, Aisah Boediardja, S., Harryanto Reksodiputro, A., Gondhowiardjo, S., Soediro, R., Kodrat, H., Tjahjadi, H., Fauziah, D., Chandra, S., Kurnia, A., Dien, A. W., Purwanto, D. J., ... Pratiwi, K. B. H. (2018). *Panduan Penatalaksanaan Kanker Payudara*. Kementerian Kesehatan Republik Indonesia. <http://kanker.kemkes.go.id/guidelines/PPKPayudara.pdf>
- Paplomata, E., & O'Regan, R. (2014). The PI3K/AKT/mTOR pathway in breast cancer: Targets, trials and biomarkers. *Therapeutic Advances in Medical Oncology*, 6(4), 154–166. <https://doi.org/10.1177/1758834014530023>
- Perou, C. M., Sørlie, T., Eisen, M. B., van de Rijn, M., Jeffrey, S. S., Rees, C. A., Pollack, J. R., Ross, D. T., Johnsen, H., Akslen, L. A., Fluge, Ø., Pergamenschikov, A., Williams, C., Zhu, S. X., Lønning, P. E., Børresen-Dale, A.-L., Brown, P. O., & Botstein, D. (2000). Molecular portraits of human breast tumours. *Nature*, 406(6797), 747–752. <https://doi.org/10.1038/35021093>
- Pollier, J., & Goossens, A. (2012). Oleanolic acid. *Phytochemistry*, 77, 10–15. <https://doi.org/10.1016/j.phytochem.2011.12.022>

- Qazi, S., Tanveer, K., ElBahnasy, K., & Raza, K. (2019). Chapter 10 - From Telediagnosis to Teletreatment: The Role of Computational Biology and Bioinformatics in Tele-Based Healthcare. Dalam H. D. Jude & V. E. Balas (Ed.), *Telemedicine Technologies* (hlm. 153–169). Academic Press. <https://doi.org/10.1016/B978-0-12-816948-3.00010-6>
- Romano, J. D., & Tatonetti, N. P. (2019). Informatics and Computational Methods in Natural Product Drug Discovery: A Review and Perspectives. *Frontiers in Genetics*, *10*. <https://doi.org/10.3389/fgene.2019.00368>
- Saji, S., Okumura, N., Eguchi, H., Nakashima, S., Suzuki, A., Toi, M., Nozawa, Y., Saji, S., & Hayashi, S. (2001). MDM2 Enhances the Function of Estrogen Receptor α in Human Breast Cancer Cells. *Biochemical and Biophysical Research Communications*, *281*(1), 259–265. <https://doi.org/10.1006/bbrc.2001.4339>
- Sas, L., Lardon, F., Vermeulen, P. B., Hauspy, J., Van Dam, P., Pauwels, P., Dirix, L. Y., & Van Laere, S. J. (2012). The interaction between ER and NF κ B in resistance to endocrine therapy. *Breast Cancer Research : BCR*, *14*(4), 212. <https://doi.org/10.1186/bcr3196>
- Shan, J., Xuan, Y., Ruan, S., & Sun, M. (2011). Proliferation-inhibiting and apoptosis-inducing effects of ursolic acid and oleanolic acid on multi-drug resistance cancer cells in vitro. *Chinese Journal of Integrative Medicine*, *17*(8), 607–611. <https://doi.org/10.1007/s11655-011-0815-y>
- Shanmugam, M. K., Dai, X., Kumar, A. P., Tan, B. K. H., Sethi, G., & Bishayee, A. (2014). Oleanolic acid and its synthetic derivatives for the prevention and therapy of cancer: Preclinical and clinical evidence. *Cancer Letters*, *346*(2), 206–216. <https://doi.org/10.1016/j.canlet.2014.01.016>
- Shannon, P., Markiel, A., Ozier, O., Baliga, N. S., Wang, J. T., Ramage, D., Amin, N., Schwikowski, B., & Ideker, T. (2003). Cytoscape: A Software Environment for Integrated Models of Biomolecular Interaction Networks. *Genome Research*, *13*(11), 2498–2504. <https://doi.org/10.1101/gr.1239303>
- Sirait, N. (2014). Potensi rumput mutiara (*Hedyotis corymbosa*) sebagai antikanker. *Warta Penelitian dan Pengembangan Tanaman Industri*, *20*(3), 11–13.
- Smith, T. M., Tharakan, A., & Martin, R. K. (2020). Targeting ADAM10 in Cancer and Autoimmunity. *Frontiers in Immunology*, *11*. <https://doi.org/10.3389/fimmu.2020.00499>
- Smyth, G. K. (2004). Linear models and empirical bayes methods for assessing differential expression in microarray experiments. *Statistical Applications in Genetics and Molecular Biology*, *3*, Article3. <https://doi.org/10.2202/1544-6115.1027>
- Sukamdi, D. P., Asyhar, A., Febriansah, R., Ashari, R. A., Jenie, R. I., & Meiyanto, E. (2010). Peningkatan Ekspresi p53 oleh Ekstrak Etanolik Rumput Mutiara (*Hedyotis corymbosa*) pada Sel Hepar Tikus Sprague Dawley Terinduksi 7,12-dimetilbenz[a]antrasena. <http://publikasiilmiah.ums.ac.id/handle/11617/3397>
- Szklarczyk, D., Gable, A. L., Lyon, D., Junge, A., Wyder, S., Huerta-Cepas, J., Simonovic, M., Doncheva, N. T., Morris, J. H., Bork, P., Jensen, L. J., & Mering, C. von. (2019). STRING v11: Protein–protein association networks

- with increased coverage, supporting functional discovery in genome-wide experimental datasets. *Nucleic Acids Research*, 47(D1), D607–D613. <https://doi.org/10.1093/nar/gky1131>
- Taniguchi, S., Imayoshi, Y., Kobayashi, E., Takamatsu, Y., Ito, H., Hatano, T., Sakagami, H., Tokuda, H., Nishino, H., Sugita, D., Shimura, S., & Yoshida, T. (2002). Production of bioactive triterpenes by *Eriobotrya japonica* calli. *Phytochemistry*, 59(3), 315–323. [https://doi.org/10.1016/s0031-9422\(01\)00455-1](https://doi.org/10.1016/s0031-9422(01)00455-1)
- Thorpe, L. M., Spangle, J. M., Ohlson, C. E., Cheng, H., Roberts, T. M., Cantley, L. C., & Zhao, J. J. (2017). PI3K-p110 α mediates the oncogenic activity induced by loss of the novel tumor suppressor PI3K-p85 α . *Proceedings of the National Academy of Sciences*, 114(27), 7095–7100. <https://doi.org/10.1073/pnas.1704706114>
- Thrane, S., Lykkesfeldt, A. E., Larsen, M. S., Sorensen, B. S., & Yde, C. W. (2013). Estrogen receptor α is the major driving factor for growth in tamoxifen-resistant breast cancer and supported by HER/ERK signaling. *Breast Cancer Research and Treatment*, 139(1), 71–80. <https://doi.org/10.1007/s10549-013-2485-2>
- Turturro, S. B., Najor, M. S., Yung, T., Portt, L., Malarkey, C. S., Abukhdeir, A. M., & Cobleigh, M. A. (2019). Somatic loss of PIK3R1 may sensitize breast cancer to inhibitors of the MAPK pathway. *Breast Cancer Research and Treatment*, 177(2), 325–333. <https://doi.org/10.1007/s10549-019-05320-x>
- Viedma-Rodríguez, R., Baiza-Gutman, L., Salamanca-Gómez, F., Diaz-Zaragoza, M., Martínez-Hernández, G., Esparza-Garrido, R. R., Velázquez-Flores, M. A., & Arenas-Aranda, D. (2014). Mechanisms associated with resistance to tamoxifen in estrogen receptor-positive breast cancer (Review). *Oncology Reports*, 32(1), 3–15. <https://doi.org/10.3892/or.2014.3190>
- Vogel, V. G. (2018). 16—Primary Prevention of Breast Cancer. Dalam K. I. Bland, E. M. Copeland, V. S. Klimberg, & W. J. Gradishar (Ed.), *The Breast (Fifth Edition)* (hlm. 219-236.e3). Elsevier. <https://doi.org/10.1016/B978-0-323-35955-9.00016-7>
- Wang, Q., Gun, M., & Hong, X. (2019). Induced Tamoxifen Resistance is Mediated by Increased Methylation of E-Cadherin in Estrogen Receptor-Expressing Breast Cancer Cells. *Scientific Reports*, 9(1), 14140. <https://doi.org/10.1038/s41598-019-50749-1>
- Weichert, W., Boehm, M., Gekeler, V., Bahra, M., Langrehr, J., Neuhaus, P., Denkert, C., Imre, G., Weller, C., Hofmann, H.-P., Niesporek, S., Jacob, J., Dietel, M., Scheiderei, C., & Kristiansen, G. (2007). High expression of RelA/p65 is associated with activation of nuclear factor- κ B-dependent signaling in pancreatic cancer and marks a patient population with poor prognosis. *British Journal of Cancer*, 97(4), 523–530. <https://doi.org/10.1038/sj.bjc.6603878>
- Wisinski, K. B., Tevaarwerk, A. J., & O'Regan, R. M. (2018). 70—Endocrine Therapy for Breast Cancer. Dalam K. I. Bland, E. M. Copeland, V. S. Klimberg, & W. J. Gradishar (Ed.), *The Breast (Fifth Edition)* (hlm. 907-923.e6). Elsevier. <https://doi.org/10.1016/B978-0-323-35955-9.00070-2>

- Wu, J., Yang, C., Guo, C., Li, X., Yang, N., Zhao, L., Hang, H., Liu, S., Chu, P., Sun, Z., Sun, B., Lin, Y., Peng, J., Han, G., Wang, S., & Tang, Z. (2016). SZC015, a synthetic oleanolic acid derivative, induces both apoptosis and autophagy in MCF-7 breast cancer cells. *Chemico-Biological Interactions*, *244*, 94–104. <https://doi.org/10.1016/j.cbi.2015.11.013>
- Yang, J., Li, X., Yang, H., & Long, C. (2021). Oleanolic Acid Improves the Symptom of Renal Ischemia Reperfusion Injury via the PI3K/AKT Pathway. *Urologia Internationalis*, *105*(3–4), 215–220. <https://doi.org/10.1159/000506778>
- Yde, C. W., Emdal, K. B., Guerra, B., & Lykkesfeldt, A. E. (2012). NFκB signaling is important for growth of antiestrogen resistant breast cancer cells. *Breast Cancer Research and Treatment*, *135*(1), 67–78. <https://doi.org/10.1007/s10549-012-2053-1>
- Zhang, S.-Y., & Liu, S.-L. (2013). Bioinformatics. Dalam S. Maloy & K. Hughes (Ed.), *Brenner's Encyclopedia of Genetics (Second Edition)* (hlm. 338–340). Academic Press. <https://doi.org/10.1016/B978-0-12-374984-0.00155-8>