

## DAFTAR PUSTAKA

- Báez, J. C., Camiñas, J. A., Hernández, P., Vasconcellos, M., García-Barcelona, S., & Macías, D. (2020). North Atlantic Oscillation affects dolphinfish catch and bycatch in the Western Mediterranean Sea. *Regional Studies in Marine Science*, 36, 101303. <https://doi.org/10.1016/j.rsma.2020.101303>
- Cahya, C. N., Setyohadi, D., & Surinati, D. (2016). Pengaruh Parameter Oseanografi terhadap Distribusi Ikan. *Oseana*, 41(4), 1–14.
- Calich, H., Estevez, M., & Hammerschlag, N. (2018). Overlap between highly suitable habitats and longline gear management areas reveals vulnerable and protected regions for highly migratory sharks. *Marine Ecology Progress Series*, 602, 183–195. <https://doi.org/10.3354/meps12671>
- Camhi, M. D., Valenti, S. V., Fordham, S. V., Fowler, S. L., & Gibson, C. (2009). The Conservation Status of Pelagic Sharks and Rays: Report of the IUCN Shark Specialist Pelagic Shark Red List workshop. In *IUCN Species Survival Commission Shark Specialist Group*. Retrieved from [http://stage.pewenvironment.com/uploadedFiles/PEG/Newsroom/Press\\_Release/The\\_Conservation\\_Status\\_of\\_Pelagic\\_Sharks\\_and\\_Rays\\_Hand\\_out\\_Report\\_of\\_the\\_IUCN\\_Shark\\_Specialist\\_Group\\_Pelagic\\_Shark\\_Red\\_List\\_Workshop.pdf](http://stage.pewenvironment.com/uploadedFiles/PEG/Newsroom/Press_Release/The_Conservation_Status_of_Pelagic_Sharks_and_Rays_Hand_out_Report_of_the_IUCN_Shark_Specialist_Group_Pelagic_Shark_Red_List_Workshop.pdf)
- Cdc.ca. *Sharks in the Sanctuaries*. diakses pada 14 April 2021. diakses dari [www.cdc.gov.com](http://www.cdc.gov.com)
- Chassot, E., Bonhommeau, S., Reygondeau, G., Nieto, K., Polovina, J. J., Huret, M., ... Demarcq, H. (2011). Satellite remote sensing for an ecosystem approach to fisheries management. *ICES Journal of Marine Science*, 68(4), 651–666. <https://doi.org/10.1093/icesjms/fsq195>
- Chodriyah, U., Sentosa, A. A., & Barat, N. T. (2019). PARAMETER POPULASI HIU MACAN ( *Galeocerdo cuvier* Peron & Lesuer , 1822 ) DI PERAIRAN SELATAN NUSA TENGGARA BARAT POPULATION PARAMETERS TIGER SHARK ( *Galeocerdo cuvier* Peron & Lesuer , 1822 ) IN THE SOUTH OF WEST.

*Penelitian Perikanan Indonesia*, 24, 253–261.

- Clarke, C., Lea, J. S. E., & Ormond, R. F. G. (2011). Reef-use and residency patterns of a baited population of silky sharks, *Carcharhinus falciformis*, in the Red Sea. *Marine and Freshwater Research*, 62(6), 668–675. <https://doi.org/10.1071/MF10171>
- Cyr, A. & Nebel, S. (2013) Satellite and Data Logger Telemetry of Marine Vertebrates. *Nature Education Knowledge* 4(2):4
- DKKJI. (2013). *Informasi Kawasan Konservasi Perairan Indonesia*.
- Dodds, W. K., & Whiles, M. R. (2010). Freshwater Ecology: Concepts and Environmental Applications of Limnology. *Freshwater Ecology*, 791–794. <https://doi.org/10.1016/b978-0-12-813255-5.00026-0>
- Drahansky, M., Paridah, M. ., Moradbak, A., Mohamed, A. ., Owolabi, F. abdulwahab taiwo, Asniza, M., & Abdul Khalid, S. H. . (2016). We are IntechOpen , the world ' s leading publisher of Open Access books Built by scientists , for scientists TOP 1 % . *Intech, i(tourism)*, 13. <https://doi.org/http://dx.doi.org/10.5772/57353>
- Emery, W. J., Castro, S., Wick, G. A., Schluessel, P., & Donlon, C. (2001). Estimating sea surface temperature from infrared satellite and in situ temperature data. *Bulletin of the American Meteorological Society*, 82(12), 2773–2785. [https://doi.org/10.1175/1520-0477\(2001\)082<2773:ESSTFI>2.3.CO;2](https://doi.org/10.1175/1520-0477(2001)082<2773:ESSTFI>2.3.CO;2)
- Fahmi, F. (2018). Mengenal Jenis Hiu Apendiks Ii Cites. *Oseana*, 43(4), 1–17. <https://doi.org/10.14203/oseana.2018.vol.43no.4.7>
- Faizal, A., Nessa, N., Jompa, J., Ambo-rape, R., & Metode, B. (2010). *Development of sig-based multicriteria method for zoning of marine conservation area*.
- Hammerschlag, N., Gallagher, A. J., & Lazarre, D. M. (2011). A review of shark satellite tagging studies. *Journal of Experimental Marine Biology and Ecology*, 398(1–2), 1–8. <https://doi.org/10.1016/j.jembe.2010.12.012>
- Hu, C., Lee, Z., & Franz, B. (2012). Chlorophyll a algorithms for oligotrophic oceans: A novel approach based on three-band reflectance difference. *Journal of Geophysical Research: Oceans*, 117(1), 1–25. <https://doi.org/10.1029/2011JC007395>

- Jamshidi, S., & Bin Abu Bakar, N. (2011). A study on distribution of chlorophyll-a in the coastal waters of Anzali Port, south Caspian Sea. *Ocean Science Discussions*, 8(1), 435–451. <https://doi.org/10.5194/osd-8-435-2011>
- Kohin, S., Arauz, R., Holts, D., & Vetter, R. (2006). Behavior and habitat preferences of silky sharks (*Carcharhinus falciformis*) and a big eye thresher shark (*Alopias superciliosus*) tagged in the Eastern Tropical Pacific. *Ier Seminario-Taller Del Estado Del Conocimiento de La Condrictiofauna de Costa Rica*, 3.
- Lillesand dan Kiefer. 1990. Pengideraan Jauh dan Interpretasi Citra. (Alih Bahasa oleh Dulbahri). Yogyakarta: Gadjah Mada University Press.
- Nababan, B., Zulkarnaen, D., & Gaol, J. L. (2009). VARIABILITY OF CHLOROPHYLL-a CONCENTRATION OF THE NORTHERN SUMBAWA WATERS BASED ON Sea WiFS SATELLITE DATA. *Jurnal Ilmu Dan Teknologi Kelautan Tropis*, 1(2).
- Nurlaili. (2018). PERMASALAHAN SOSIAL BUDAYA DALAM IMPLEMENTASI PERATURAN TENTANG PERLINDUNGAN SPESIES HIU DI TANJUNG LUAR , LOMBOK TIMUR , NUSA TENGGARA. *Prosiding Simposium Nasional Hiu-Pari Indonesia Ke-2 Tahun 2018*, 205–214.
- Ncdc.noaa.gov.*Sea Surface Temperature - Pathfinder*. diakses pada 14 april 2021 dari <https://www.ncdc.noaa.gov/cdr/oceanic/sea-surface-temperature-pathfinder>
- Oceancolor.nasa.gsfc.gov.*Modis-Aqua*.diakses pada tanggal 14 April 2021.diakses dari <https://oceancolor.gsfc.nasa.gov/data/aqua/>
- Orcregister.com.*Explaining the Boom on White Shark*. diakses pada 14 april 2021 dari <https://www.ncdc.noaa.gov/cdr/oceanic/sea-surface-temperature-pathfinder>
- Perras, M. & Nebel, S. (2012) Satellite Telemetry and its Impact on the Study of Animal Migration. *Nature Education Knowledge* 3(12):4
- Priede, I. G., & Miller, P. I. (2009). A basking shark (*Cetorhinus maximus*) tracked by satellite together with simultaneous remote sensing II: New analysis reveals orientation to a thermal front. *Fisheries Research*, 95(2–3), 370–372. <https://doi.org/10.1016/j.fishres.2008.09.038>
- Rajeesh, R., & Dwarakish, G. S. (2015). Satellite Oceanography– A review. *Aquatic*

- Procedia*, 4(Icwrcoe), 165–172. <https://doi.org/10.1016/j.aqpro.2015.02.023>
- Sadili, D., Dharmadi, Fahmi, Sarmintohadi, Ramli, I., & Sudarsono. (2015). *National Plan of Action. Conservation and management of sharks and rays 2016-2020. AC22 Doc.1*. Retrieved from <http://www.cites.org/eng/com/ac/22/E22-17-4.pdf>
- Santoso, D. (2019). Sebaran Suhu Permukaan Laut (Spl) Secara Spasial Dan Temporal Di Perairan Selat Alas Provinsi Nusa Tenggara Barat. *Jurnal Biologi Tropis*, 19(1). <https://doi.org/10.29303/jbt.v19i1.1043>
- Satrioajie, W. N. (2012). Teknologi Citrasatelit Modis Untuk Pengukuran Suhu Permukaan Laut. *Oseana*, XXXVII(3), 1–9.
- Sentosa, A.A., & Hediando, D. A. (2017). Jenis dan Sebaran Ukuran Hiu yang Didaratkan di Tanjung Luar, Lombok Timur, Nusa Tenggara Barat. *Prosiding Pertemuan Ilmiah Nasional Tahunan (PIT) XIII ISOI 2016, Surabaya, 1 - 2 Desember 2016*, (December 2017), 902–914.
- Sentosa, Agus Arifin, & Dharmadi. (2017). Hasil Tangkapan dan Kelimpahan Relatif Beberapa Jenis Hiu yang Didaratkan di Tanjung Luar , Lombok Catch and Relative Abundance of Some Sharks Landing in Tanjung. *Widyariset*, 3(2).
- Sidik, A., Agussalim, A., & Ridho, Mohammad, R. (2015). Taman Nasional Sembilang Value Accuracy of Chlorophyll-a Concentration and Sea Surface Temperature Using Remote Sensing Data At Alanggantang Island Water Sembilang National Park. *Maspari*, 7(2), 25–32.
- Sharkresearch.rsmas.miami.edu.com.*GPS for Shark*. diakses pada 14 April 2021 dari <https://sharkresearch.rsmas.miami.edu/research/projects/gps-for-sharks/>
- Snape, R. T. E., Bradshaw, P. J., Broderick, A. C., Fuller, W. J., Stokes, K. L., & Godley, B. J. (2018). Off-the-shelf GPS technology to inform marine protected areas for marine turtles. *Biological Conservation*, 227(September), 301–309. <https://doi.org/10.1016/j.biocon.2018.09.029>
- Suryawati, S. H., & Triyanti, R. (2015). Tantangan Implementasi Blue Economy di Lombok Timur: Tinjauan dari Segi Pemanfaatan dan Perlindungan Ikan Hiu dan Pari. *Simposium Hiu Dan Pari Di Indonesia 2015*, 151–158.
- Syaifullah, M. Dj. (2018). Suhu Permukaan Laut Perairan Indonesia dan Hubungannya

- dengan Pemanasan Global. *Jurnal Segara*, 11(2), 37–47.  
<https://doi.org/10.15578/segara.v11i2.7356>
- Tin, H. C., Lomas, M. W., & Ishizaka, J. (2016). Satellite-derived estimates of primary production during the Sargasso Sea winter/spring bloom: Integration of in-situ time-series data and ocean color remote sensing observations. *Regional Studies in Marine Science*, 3, 131–143. <https://doi.org/10.1016/j.rsma.2015.07.002>
- Triadi, Rahmad, Zanuari, M., & Yusuf, M. (2015). Pola Distribusi Kandungan Klorofil-a Dan Suhu Permukaan Laut Di Perairan Lombok Barat, Nusa Tenggara Barat. *Journal of Oceanography*, 4(1), 233–241.
- Triadi, Rahmat, Zainuri, M., & Yusuf, M. (2015). Pola distribusi kandungan klorofil-a dan suhu permukaan laut di perairan lombok barat, nusa tenggara barat. 4, 233–241.
- Undang-undang no 27 tahun 2007 tentang Pengelolaan Wilayah Pesisir dan Pulau-Pulau Kecil
- Visbeck, M. H., Hurrell, J. W., Polvani, L., & Cullen, H. M. (2001). The North Atlantic oscillation: Past, present, and future. *Proceedings of the National Academy of Sciences of the United States of America*, 98(23), 12876–12877.  
<https://doi.org/10.1073/pnas.231391598>