

DAFTAR PUSTAKA

- Abdulmalik, H., Tadiwos, Y., and Legese, N., 2019, Assessment of drug-related problems among type 2 diabetic patients on follow up at Hiwot Fana Specialized University Hospital, Harar, Eastern Ethiopia, *BMC Research Notes*, 12: 771-776.
- Abunahlah, N., Elawaisi, A., Velibeyoglu, F.M., Sancar, M., 2018, Drug related problems identified by clinical pharmacist at the internal medicine ward in Turkey, *International Journal of Clinical Pharmacy*, 40: 360-367.
- Adibe, M.O., Ukwe, A.V., and Aguwa, C.N., 2013, The impact of pharmaceutical care intervention on the quality of life of Nigerian patients receiving treatment type 2 diabetes, *Value in Health Regional Issues*, 2: 240-247.
- Adusumilli, P.K. and Adepu, R., 2014, Drug related problems: an overview of various classification system, *Asian Journal of Pharmaceutical and Clinical Research*, 7(4): 7-10.
- American Pharmacist Association, 2008, Medication therapy management in pharmacy practice: core elements of an MTM service model (version 2.0), *Journal of American Pharmacist Association*, 48(3): 341-353.
- Andriyani, R., Karsana, R., dan Saytaweni, I., 2019, Pengaruh pemberian asuhan kefarmasian terhadap kejadian permasalahan terkait obat pasien geriatri rawat inap di RSUP Sanglah Denpasar, *Pharmaceutical Journal of Indonesia*, 4(2): 79-83.
- Astuti, S.Y., Ihsan, M., dan Rahmawati, F., 2020, Hubungan antara *drug-related problems* dan lama rawat inap pada pasien dengan diabetes tipe 2, *Jurnal Manajemen dan Pelayanan Farmasi*, 10(2): 77-90.
- Ayele, Y., Melaku, K., Dechasa, M., Ayalew, M.B., Horsa, B.A., 2018, Assessment of drug related problems among type 2 diabetes in Hiwot Fana Specialized University Hospital, Harar, Eastern Ethiopia, *BMC Research Notes*, 11: 728-732.
- Ayu, G. dan Syaripuddin, M., 2019, Peranan apoteker dalam pelayanan kefarmasian pada pasien hipertensi, *Jurnal Kedokteran dan Kesehatan*, 15(1): 10-21.
- Badan Penyelenggara Jaminan Sosial Kesehatan, 2020, *BPJS Kesehatan Kuatkan Kegiatan Promotif dan Preventif di FKTP*, <https://bpjs-kesehatan.go.id/bpjs/post/read/2020/1470/BPJS-Kesehatan-Strengthens-Promotive-and-Preventive-Activities-at-FKTP>, diakses pada 17 Oktober 2020.
- Balaji, R., Duraisamy, R., and Kumar, M.P.S., 2019, Complication of diabetes mellitus: a review, *Drug Intervention Today*, 12(1): 98-103.
- Bina Farmasi Komunitas dan Klinik, 2005, *Pharmaceutical Care untuk Diabetes Mellitus*, Departemen Kesehatan Republik Indonesia, Jakarta.
- Brandt, N.J. and Cooke, C.E., 2017, Centers for medicare and medicaid services support dor medication therapy management (enhanced medication therapy management), *Clinics in Geriatric Medicine*, 3(2): 153-164.
- Burns, Anne, 2008, Medication therapy management in pharmacy practice: core elements of an MTM service model (version 2.0), *Journal of American*

- Pharmacist Association*, 48(3): 341-353.
- Butt, M., Ali, A.M., Bakry, M.M., Mustafa, N., 2016, Impact of a pharmacist led diabetes mellitus intervention on HbA1c, medication adherence and quality of life: a randomized controlled study, *Saudi Pharmaceutical Journal*, 20: 40-48.
- Cani, C.G., Lopes, L.S.G., Queiroz, M., Nery, M., 2015, Improvement in medication adherence and self-management of diabetes with a clinical pharmacy program: a randomized controlled trial in patients with type 2 diabetes undergoing insulin therapy at a teaching hospital, *CLINICS*, 70(2) 102-106.
- Chan, C., Siu, S., Wong, C.K.W., Lee, V.W.Y., 2012, A pharmacist care program: positive impact on cardiac risk in patients with type 2 diabetes, *Journal of Cardiovascular Pharmacology and Therapeutics*, 17(1): 57-64.
- Choudhary, K., Mali, M., Bhavsar, K., Pawar, S., Diwan, A., Barsode, S., 2019, Effect of pharmaceutical care services provided by clinical pharmacists on type-2 diabetes patients, *Journal of Pharmacy Practice and Community Medicine*, 5(1): 22-26.
- Chung, W.W., Chua, S.S., Lai, P.S.M., Chan, S.P., 2014, Effect of pharmaceutical care model on medication adherence and glycemic control of people with type 2 diabetes, *Patient Preference and Adherence*, 8: 1185-1194.
- Cipolle, R.J., Strand, L.M., and Morley, P.C., 2012, *Pharmaceutical Care Practice: The Patient-Centered Approach to Medication Management*, 3rd Edition, The McGraw-Hill Education, New York.
- Cohen, L.B., Taveira, T.H., Khatana, S.A.M., Dooley, A.G., Pirraglia, P.A., Wu, W., 2011, Pharmacist-led shared medical appointments for multiple cardiovascular risk reduction in patients with type 2 diabetes, *The Diabetes EDUCATOR*, 37(6): 801-812.
- Demoz, G.T., Berha, A.B., Woldu, M.A., Yifter, H., Shibeshi, W., Engidawork, E., 2019, Drug therapy problems, medication adherence and treatment satisfaction among diabetic patients on follow-up care at tukut Anbessa Specialized Hospital, Addis Ababa, Ethiopia, *PLoS ONE*, 14(10): 1-17.
- Dhandapani, C., 2014, Role of clinical pharmacist in the management of type 2 diabetes mellitus and its outcomes, *International Journal of Pharmacy Teaching and Practices*, 5(3): 977-983.
- Dipiro, J.T., Talbert, R.L., Yee, G.C., Matzke, G.R., Wells, B.G., Posey, L.M., 2008, *Pharmacotherapy: A Pathophysiologic Approach*, 7th Edition, McGraw-Hill Companies, USA.
- Ebid, A.I., Mobarez, M.A., Ramadan, R.A., Mahmoud, M.A., 2020, Impact of a clinical intervention program on the follow-up of type 2 diabetic patients, *Hospital Pharmacy*, 1-7.
- European Directorate for the Quality of Medicines & HealthCare (EDQM), 2012, *Pharmaceutical Care: Policies and Practices for a Safer, More Responsible and Cost-effective Health System*, Council of Europe, France.
- Farsaei, S., Sabzghabae, A.M., Zargarzadeh, A.H., Amini, M., 2011, Effect of pharmacist-led patient education on glycemic control of type 2 diabetics:

- randomized controlled trial, *Journal of Research in Medical Sciences*, 16(1): 43-49.
- Febriyanti, Alifia Putri, 2019, Investigation of drug-related problems in type 2 diabetes mellitus patients with macrovascular complications: a cross-sectional study, *Jurnal Kesehatan*, doi: 10/24252/kesehatan.v0i0.11626.
- Hartuti, S., Nasution, A., and Syafril, S., 2019, The effect of drug-related problems on blood glucose level in the treatment of patients with type 2 diabetes mellitus, *Journal of Medical Science*, 7(11): 1795-1802.
- Hassali, M.A., Nazir, S.U.R., and Masood, I., 2015, *Literatur review: pharmacists' interventions to improve control and management in type 2 diabetes mellitus*, *Alternative Therapies*, 21(1): 28-35.
- Helminadora, R., Reza, M., and Sukawaty, Y., 2018, Drug related Problems (DRPs) pada penderita diabetes mellitus dengan komplikasi gagal ginjal di rumah sakit umum daerah "X" di Samarinda periode Oktober-Desember 2016, *Jurnal Ilmiah Manuntung*, 4(2): 169-174.
- Hening, W.N., Sartika, R.A.D., and Sauruasari. R., 2019, Effect of hospital pharmacist counseling on clinical outcomes of type 2 diabetes mellitus outpatients, *Journal of Research in Pharmacy Practice*, 8(3): 155-161.
- Huri, H.Z. and Ling, L.C., 2013, Drug-related problems in type 2 diabetes mellitus patients with dyslipidemia, *BMC Public Health*, 13: 1192-1205.
- Huri, H.Z. and Wee, H.F., 2013, Drug-related problems in type 2 diabetes patients with hypertension: a cross-sectional retrospective study, *BMC Endocrine Disorders*, 13(2): 1-12.
- Inamdar, S.Z. and Kulkarni, R.S., 2016, Drug related problems in elderly patients with type 2 diabetes mellitus, *Journal of Diabetology*, 1-12.
- International Diabetes Federation, 2019, *IDF Diabetes Atlas 9th Edition*, <https://diabetesatlas.org/en/>, diakses pada 10 Oktober 2020.
- International Diabetes Federation, 2020, *What is Diabetes*, <https://www.idf.org/aboutdiabetes/what-is-diabetes.html>, diakses pada 10 Oktober 2020.
- Jarab, A.S., Alqudah, S.G., Mukattash, T.L., Shattat, G., Al-Qirim, T., 2012, Randomized controlled trial of clinical pharmacy management of patients with type 2 diabetes in an outpatient diabetes clinic in Jordan, *Journal of Managed Care Pharmacy*, 18(7): 516-526.
- Julaeha, Fudjiati, E., and Yanti, A.R., 2020, Assessment of drug therapy problems among type 2 diabetes patients with hypertension comorbidity in Indonesia, *Borneo Journal of Pharmacy*, 3(3): 146-154.
- Kafale, B., Tegegne, G.T., Kafale, Y., Molla, M., Ewunetei, A., Degu, A., 2020, Magnitude and determinants of drug therapy problems among type 2 diabetes mellitus patients with hypertension in Ethiopia, *SAGE Open Medicines*, 1-8.
- Kementerian Kesehatan Republik Indonesia, 2016, *Peraturan Menteri Kesehatan Republik Indonesia Nomor 72 Tahun 2016 Tentang Standar Pelayanan Kefarmasian di Rumah Sakit*, Kementerian Kesehatan Republik Indonesia, Jakarta.
- Kementerian Kesehatan Republik Indonesia, 2018, *Infodatin Diabetes*, Pusat Data dan Informasi Kementerian Kesehatan RI, Jakarta.

- Korcegez, E.I., Sancar, M., and Demirkan, K., 2017, Effect of pharmacist-led program on improving outcomes in patients with type 2 diabetes mellitus from Northern Cyprus: a randomized controlled trial, *Journal of Managed Care and Specialty Pharmacy*, 23(5): 573-582.
- Koyra, H.C., Tuka, S.B., and Tufa, E.G., 2017, Epidemiology and predictors of drug therapy problems among type 2 diabetic patients at Wolaita Soddo University Teaching Hospital, Southern Ethiopia, *American Journal of Pharmacological Sciences*, 5(2):40-48.
- Kumar, S., Abhinand, C.R., Patel, H.A., Antin, S.S., 2018, Assesment of drug related problems in type 2 diabetes patients with hypertension: a prospective study, *Manipal Journal of Pharmaceutical Sciences*, 4(2): 14-18.
- Lira, C.P., Lolo, W.A., and Wewengkang, D.S., 2017, Potensi drug related problems (DRP) penggunaan obat antidiabetes pada pasien diabetes melitus tipe 2 di instalasi rawat inap rumah sakit Kalooran GMIM Amurang, *PHARMACON Jurnal Ilmiah Farmasi*, 6(4): 241-248.
- Lutfiyati, H., Probadi, P., and Santoso, S.B., 2019, Kesiapan apoteker dalam memberikan layanan medication therapy management, *CERATA Jurnal Ilmu Farmasi*, 10(1): 34-38.
- Mahwi, T.O. and Obied, K.A., 2012, Role of the pharmaceutical care in the management of patients with type 2 diabetes mellitus, *International Journal of Pharmaceutical Sciences and Research*, 4(4): 1363-1369.
- Malathy, R., Narmadha, M.P., Ramesh, S., Alvin, J.M., Dinesh, B.N., 2011, Effect of a diabetes counseling programme on knowledge, attitude and practice among diabetic patients in Erode Distric of South India, *Journal of Young Pharmacist*, 3(1): 65-72.
- Malina, R., Yasin, N.M., and Wiedyaningsih, C., 2020, The effect of based services medication therapy management on treatment adherence and quality of life of diabetes mellitus patients, *Jurnal Managemen dan Pelayanan Farmasi*, 10(3): 204-219.
- Masturoh, I. dan Temesvari, N.A., 2018, *Metodologi Penelitian Kesehatan*, Kementerian Kesehatan Republik Indonesia, Jakarta.
- McGivney, M.S., Meyer, S.M., Duncan-Hewitt, W., Hall, D.L., Goode, J.R., Smith, R.B., 2007, Medication therapy management: its relationship to patient counseling, disease management, and pharmaceutical care, *Journal of American Pharmacist Association*, 47(5): 620-628.
- Mechessa, D.F and Kebede, B., 2020, Drug-related problems and their predictors among patients with diabetes attending the ambulatory clinic of gebre tsadik shawo general hospital, Southwest Ethiopia, *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 13: 3349-3357.
- Mourão, A.O.M., Ferreira, W.R., Martins, M., Reis, A.M.M., Carrillo, M.R.G., Guimarães, A.G., Ev, L.S., 2013, Pharmaceutical care program for type 2 diabetes patients in Brazil: a randomized controlled trial, *International Journal of Clinical Pharmacy*, 35: 79-86.
- Nasution, S., 2012, *Metode Research (Penelitian Ilmiah)*, Bumi Aksara, Yogyakarta.
- Nazilah, K., Rachmawati, E., and Subagijo, P.B., 2017, Identifikasi drug related

- problems (DRPs) pada terapi diabetes melitus tipe 2 di instalasi rawat inap RSD dr. Soebandi Jember periode tahun 2015, *E-Jurnal Pustaka Kesehatan*, 5(3): 413-419.
- Ogbonna, B.O., Ezenduka, C.C., Opara, C.A., Ahara, L.G., 2014, Drug therapy problems in patients with type-2 diabetes in a tertiary hospital in Nigeria, *International Journal of Innovative Research and Development*, 3(1): 494-502.
- Pharmaceutical Care Network Europe, 2017, *Classification for Drug Related Problems (v8.01)*, Pharmaceutical Care Network Europe Foundation, Europe.
- Pharmaceutical Care Network Europe, 2019, *Pharmaceutical Care Network Europe v9.00 versi Indonesia*, Pharmaceutical Care Network Europe Foundation, Europe.
- Perkumpulan Endokrinologi Indonesia, 2019, *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia*, PB PERKENI.
- Pinto, S.L., Bechtol, R.A., and Partha, G., 2012, Evaluation of outcomes of a medication therapy program for patients with diabetes, *Journal of the American Pharmacist Association*, 52(4): 519-523.
- Rahmawati, I.N. dan Wahyuningsih, S.S., 2016, Faktor pelayanan kefarmasian dalam peningkatan kepuasan pasien di pelayanan kesehatan, *Indonesian Journal on Medical Service*, 3(1): 88-96.
- Shao, H., Chen, G., Zhu, C., Chen, Y., Liu, Y., He, Y., Jin, H., 2017, Effect of pharmaceutical care on clinical outcomes of outpatients with type 2 diabetes mellitus, *Patient Preference and Adherence*, 11: 897-903.
- Shareef, J., Fernandes, J., and Samaga, L.N., 2015, Clinical pharmacist interventions in drug therapy in patients with diabetes mellitus and hypertension in a University Teaching Hospital, *International Journal of Pharmaceutical Sciences and Research*, 6(10): 4424-4432.
- Shrivastava, S., Shrivastava, P., and Ramasamy, J., 2013, Role of self-care in management of diabetes mellitus, *Journal of Diabetes and Metabolic Disorders*, 12(1): 14-18.
- Siaw, M.Y.L., Ko, Y., Malone, D.C., Tsou, K.Y.K., Lew, Y.J., Foo, D., Tan, E., Chan, S.C., Chia, A., Sinaran, S.S., Goh, K.C., Lee, J.Y.C., 2017, Impact of pharmacist-involved collaborative care on the clinical, humanist and cost outcomes of high-risk patients with type 2 diabetes (IMPACT): a randomized controlled trial, *Journal of Clinical Pharmacy and Therapeutics*, 42: 475-482.
- Sriram, S., Damodharan, S., Arjun, A.S., Latha, M.A., Raghuran, N., 2016, Impact of pharmaceutical care activities on diabetic patients at a private corporate hospital, *International Journal of Medical Research and Health Science*, 5(5): 66-74.
- Sujarweni, V.W., 2015, *Statistik untuk Kesehatan*, Penerbit Gava Media, Yogyakarta.
- Tabrej, M. and Patil, P.H., 2018, Use of the pharmaceutical care program in the management of patients with type 2 diabetes mellitus in Dhule Civil Hospital, *Journal of Drug Delivery and Therapeutics*, 8(5): 223-227.
- Tourkmani, A.M., Hassali, M.A., Alharbi, T.J., Alkhashan, H.I., Bakhiet, A.H., ALwahtani, H.B., Alrasheedy, A.A., Alawwad, A.D., Mishriky, A.M.,

- Aljadhey, H., 2016, Impact of ramadan focused education program on hypoglycemic risk and metabolic control for patients with type 2 diabetes, *Patients Preference and Adherence*, 10: 1707-1717.
- Trinovitasari, N., Yasin, N.M., dan Wiedyaningsih, C., 2020, Pengaruh medication therapy management terhadap tingkat pengetahuan dan kualitas hidup pasien diabetes melitus di puskesmas Kota Yogyakarta, *Jurnal Farmasi Indonesia*, 17(2): 65-78.
- WHO, 2019, *Classification of Diabetes Mellitus*, World Health Organization, ISBN 978-92-4-151570-2.
- Wishah, R.A., Al-Khawaldeh, O.A., and Albsoul, A.M., 2015, Impact of pharmaceutical care interventions on glycemic control and other health-related clinical outcomes in patients with type 2 diabetes: randomized controlled trial, *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 9: 271-276.
- Yimama, M., Jarso, H., and Desse, T.A., 2018, Determinants of drug-related problems among ambulatory type 2 diabetes patients with hypertension comorbidity in Southwest Ethiopia: a prospective cross-sectional study, *BMC Research Notes*, 11: 679-684.
- Yuniar, C.T., Sukandar, E.Y., dan Lisni, I., 2012, Identifikasi drug therapy problems (DTPs) pada pasien diabetes melitus tipe 2 rawat jalan di salah satu RS swasta di Bandung, *Acta Pharmaceutical Indonesia*, 37(2): 59-63.
- Zazuli, Z., Rohaya, A., and Adnyana, I.K., 2020, Drug-related problems in type 2 diabetic patients with hypertension in Cimahi, West Java, Indonesia: a prospective study, *International Journal of Green Pharmacy*, 11(2): 290-296.