

DAFTAR PUSTAKA

- Abdelmoaty, M.A., Ibrahim, M.A., Ahmed, N.S., and Abdelaziz, M.A., 2010, Confirmatory studies on the antioxidant and antidiabetic effect of quercetin in rats, *Indian J. Clin. Biochem.*, 25(2), 188-192.
- Agarwal, P., and Gupta, R., 2016, Alpha amylase inhibition can treat diabetes mellitus, *J. Med. and Health Sci.*, 5(4), 2319-2327.
- Bemvenuti, R.H., 2012, Extraction of gamma oryzanol from rice bran, *Ciênc. Agrotec.*, 36(6), 665-673.
- Bendre, R.S., Rajput, J.D., Bagul, S.D., and Karandikar, P.S., 2016, Natural products chemistry & research outlooks on medicinal properties of eugenol and its synthetic derivatives, *Nat. Prod. Chem. Res.*, 4(3), 1-6.
- Bhandari, M.R., Anurakkun, N.J., Hong, G., and Kawabata, J., 2008, Amylase inhibitory activities of nepalese menal herb pakhanbhed (*Bergenia ciliate*, Haw.), *Food Chem.*, 106(1), 247-252.
- Bösenberg, L.H. 2008, The mechanism of action of oral antidiabetic drugs: A review of recent literature, *Jemdsa.*, 13(3), 80-88.
- Bucci, R., 2003, Comparison of three spectrophotometric methods for the determination of gamma oryzanol in rice bran oil, *Anal. Bioanal. Chem. Res.*, 375(8), 1254-1259.
- Bule, M., Abdurahman, A., Nikfar, S., Abdollahi, M., and Amini, M., 2019, Antidiabetic effect of quercetin: A systematic review and meta-analysis of animal studies, *Food Chem. Toxicol.*, 125, 494-502.
- Brzozowski, A.M., Lawson, D.M., Turkenburg, J.P., Bisgaard-Frantzen, H., Svendsen, A., Borchert, T.V., Dauter, Z., Wilson, K.S., and Davies, G.J., 2000, Structural analysis of chimeric alpha-amylase bacteria. High-resolution analysis of native complexes and ligands, *Biochemistry*, 39(31), 9099-107.
- Elberry, A.A., Harraz, F.M., Ghareib, S.A., Gabr, S.A., Nagy, A.A., and Sattar, E.A., 2015, Methanolic extract of *Marrubium vulgare* ameliorates hyperglycemia and dyslipidemia in streptozotocin-induced diabetic rats, *Int. J. Diabetes Mellit.*, 3(1), 37-44.
- Gerstein, H.C., Miller, M.E., Byington, R.P. and Goff, D.C., 2008, Effects of intensive glucose lowering in type 2 diabetes, *N. Eng. J. Med.*, 24(358), 2545-2559.

- Imran, S., Taha, M., Selvaraj, M., Ismail, N.H., Chigurupati, S., and Mohammad, J.I., 2017, Synthesis and biological evaluation of indole derivatives as α -amylase inhibitor, *Bioorg. Chem.*, 73, 121-127.
- Indrianingsih, A.W., Tachibana, S., Dewi, R.T., and Itoh, K., 2015, Antioxidant and α -glucosidase inhibitor activities of natural compounds isolated from *Quercus gilva* Blume Leaves, *Asian Pac. J. Trop. Biomed.*, 5(9), 748–755.
- Islam, M.S., Yoshida, H., Matsuki, N., Ono, K., Nagasaka, R., Ushio, H., Guo, Y., Hiramatsu, T., Hosoya, H., Murata, T., and Hori, M., 2009, Antioxidant free radical scavenging, and NF-kB-inhibitory activities of phytosteryl ferulates: structure-activity studies, *J. Pharmacol. Sci.*, 111(4), 328-337.
- Jadhav, R., and Puchchakayala, G., 2012, Hypoglycemic and antidiabetic activity of flavonoids: boswellic acid, ellagic acid, quercetin, rutin on streptozotocinnicotinamide induced type 2 diabetic rats, *Int. J. Pharm. Pharm. Sci.*, 4(2), 2-7.
- Kfoury, M., Sahraoui, A.L., Bourdon, N., Laruelle, F., Fontaine, J., Auezova, L., Greige-Gerges, H., and Fourmentin, S., 2016, Solubility, photostability and antifungal activity of phenylpropanoids encapsulated in cyclodextrins, *Food Chem.*, 196, 518-525.
- Kim, H.W., Kim, J.B., Cho, S., Cho, I.K., Li, Q.X., Jiang, H., Lee, S., Lee, Y., and Hwang, K., 2014, Characterization and quantification of γ -oryzanol in grains of 16 Korean rice varieties, *Int. J. Food Sci. Nut.*, 66(2), 166-174.
- Kusunoki, Y., Katsuno, T., Myojin, M., Miyakoshi, K., and Ikawa, T., 2013, Effect of additional administration of acarbose on blood glucose fluctuations and postprandial hyperglycemia in patients with type 2 diabetes mellitus under treatment with alogliptin, *Endocr. J.*, 60(4), 431-439.
- Liang, R., Yuan, H., Xi, G., and Zhou, Q., 2009, Synthesis of wheat Straw-GPoly (acrylic acid) superabsorbent composites and release of urea from it, *Carbohydr. Polym.*, 2(77), 181-187.
- Mancia, S.R., Garcia, M.C.L., and Chavveri, J.P., 2015, Experimental evidence for curcumin and its analogs for management of diabetes mellitus and its associated complications, *Eur. J. Pharm.*, 756, 30-37.
- Marchese, A., Barbieri, R., Coppo, E., Orhan, I.E., Daglia, M., Nabavi, S.F., Izadi, M., Abdollahi, M., Nabavi, S.M., and Ajami, M., 2017, Antimicrobial activity of eugenol and essential oils containing eugenol: A mechanistic viewpoint, *Crit. Rev. Microbiol.*, 43(6), 668-689.

- Marshall, J.J., and Lauda, C.M., 1975, Purification and properties of phaseolamin, an inhibitor of alpha-amylase, from the kidney bean, *Phaseolus vulgaris*, *J. Biol. Chem.*, 250(20), 8030-8037.
- Matthaei, S., Bierwirth, R., Fritsche, A., Gallwitz, B., Haring, H.U., Joost, H.G., Kellerer, M., Kloos, C., Kunt, T., Nauck, M., Schernthaner, G., Siegel, E. and Thienel, F., 2009, Medical antihyperglycaemic treatment of type 2 diabetes mellitus, *Exp. Clin. Endocrinol. Diabetes*, 117(9), 522-557.
- Mnafigui, K., Kaanich, F., Derbali, A., Hamden, K., Derbali, F., Slama, S., Allouche, N., and Elfeki, A., 2013, Inhibition of key enzymes related to diabetes and hypertension by eugenol *in vitro* and in alloxan-induced diabetic rats, *Arch. Physiol. Biochem.*, 119(5), 1-9.
- Nampoothiri, S.V., Prathapan, A., Cherian, L.O., Raghu, K.G., Venugovalan, V.V., and Sundaresan, A., 2011, *In vitro* antioxidant and inhibitory potential of *Terminalia bellerica* and *Emblica officinalis* fruits against LDL oxidation and enzymes linked to type 2 diabetes, *Food Chem. Toxicol.*, 49(1), 125-131.
- Oboh, G., Akinbola, I.A., Ademosun, A.O., Sanni, D.M., Odubango, O.V., Olasehinde, T.A., and Oyeleye, S., 2015, Essential oil from clove bud (*Eugenia aromatica* Kuntze) inhibit key enzymes relevant to the management of type-2 diabetes and Some pro-oxidant induced lipid peroxidation in rats pancreas *in vitro*, *J. Oleo. Sci.*, 64(7), 775-782.
- Okutan, L., Kongstad, K.T., Jager, A.K., and Staerk, D., 2014, High-Resolution α -amylase assay combined with High-Performance Liquid Chromatography Solid-Phase Extraction-Nuclear Magnetic Resonance Spectroscopy for expedited identification of α -amylase inhibitors: Proof of concept and α -amylase inhibitor in cinnamon, *J. Agric. Food. Chem.*, 62(47), 11465-71.
- Olokoba, A.B., Obateru, O.A., and Olokoba, L.B., 2012, Type 2 diabetes mellitus: A review of current trends, *Oman. Med. J.*, 27(4), 269-273.
- Pari, L., and Saravanan, G., 2008, Hypoglycaemic and antihyperglycaemic effect of *Syzygium cumini* bark in streptozotocin-induced diabetic rats, *J. Toxicol. Pharmacol.*, 3(1), 1-10.
- Patel, D.K., Kumar, R., Laloo, D., and Hemalatha, S., 2012, Diabetes mellitus: An overview on its pharmacological aspects and reported medicinal plants having antidiabetic activity, *Asian Pac. J. Trop. Biomed.*, 2(5), 411- 420.

- Prabhakar, P.K., Prasad, R., Ali, S., and Doble, M., 2013, Synergistic interaction of ferulic acid with commercial hypoglycemic drugs in streptozotocin induced diabetic rats, *Phytomedicine*, 20(6), 488-494.
- Putra, G.S., Yuniarta, T.A., Syahrani, A., and Rudyanto, M., 2016, Synthesis, molecular docking study and brine shrimp lethality test of benzoxazine and aminomethyl derivatives from eugenol, *Int. J. Pharm. Res. Rev.*, 5(4), 1-11.
- Rivera-Mancia, S., Trujillo, J., and Chaverri, J.P., 2018, Utility of curcumin for the treatment of diabetes mellitus: Evidence from preclinical and clinical studies, *J. Nutr. Inter. Met.*, 14, 29-41.
- Rodsuwan, U., Pithanthanakul, U., Thisayakorn, K., Uttapap, D., Boonpisuttinant, K., Vatanyoopaisarn, S., Thumthanaruk, B., and Rungsardthong, V., 2021, Preparation and characterization of gamma oryzanol loaded zein nanoparticles and its improved stability, *Food Sci. Nutr.*, (9)2, 616-624.
- Sharma, U.K., Sharma, A.K., Gupta, A., Kumar, R., Pandey, A., and Pandey, A.K., 2017, Pharmacological activities of cinnamaldehyde and eugenol: antioxidant, cytotoxic, and anti-leishmanial studies, *Cell. Mol. Bio.*, 63(6), 73-78.
- Shaw, J. E., Sicree, R.A., and Zimmet, P.Z., 2010, Global estimates of the prevalence of diabetes for 2010 and 2030, *Diabetes Clin. Prac.*, 87(1), 4-14.
- Srisaipet, A., and Nuddagul, M., 2014, Influence of temperature on gamma-oryzanol of edible rice bran oil during heating, *J. Chem. Eng. Appl.*, 5(4). 303-306.
- Sriwahyuni, L., Rosahdi, T.D., and Supriadin, A., 2015, Isolasi dan karakterisasi amilase dari biji durian (*Durio Sp.*), *al Kimiya*, 2(10), 18-23.
- Sukandar, E. Y., 2009. *ISO farmakoterapi*, PT. ISFI Penerbitan, Jakarta.
- Sun, L., Warren, F.J., and Gidley, M.J., 2019, Natural products for glycaemic control: Polyphenols as inhibitors of alpha-amylase, *Trends Food Sci. Tech.*, 91, 262-273.
- Surya, S., Salam, A.D., Tomy, D.V., Carla, B., Kumar, R.A., and Sunil, C., 2014, Diabetes mellitus and medical plants-a review, *Asian Pac. J. Trop. Dis.*, 4(5), 337-347.
- Tadera, K., Minami, Y., Takamatsu, K., and Matsuoka, T., 2006, Inhibition of α -glucosidase and α -amylase by flavonoids, *J. Nutr. Sci. Vitaminol*, 52(2), 149-153.

- Triono, S., 2005, Mempelajari kompleks amilosa-iodium dan amilosa asetat dari umbi talas menggunakan spektrometer, *Tesis*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Xiao, Z., Storms, R., and Tsang, A., 2006, A quantitative starch-iodine method for measuring alpha-amylase and glucoamylase activities, *Anal. Biochem.*, 351(1), 146-148.
- Xu, Z., Hua, N., Godber, J.S., 2001, Antioxidant activity of tocopherols, tocotrienols, and γ -oryzanol components from rice bran against cholesterol oxidation accelerated by 2,2'-azobis(2-methylpropionamidine) dihydrochloride, *J. Agric. Food Chem.*, 49(4), 2081-81.
- Yuxue Z., Jinhu T., Wenhan Y., Shiguo C., Donghong L., Haitian F., Huiling Z., and Xingqian Y., 2020, Inhibition mechanism of ferulic acid against α -amylase and α -glucosidase, *Food Chem.*, 317, 126346.
- Zhang, Y., Wang, Y., Zhu, X., Cao, P., Wei, S., and Lu, Y., 2017, Antibacterial and antibiofilm activities of eugenol from essential oil of *Syzygium aromaticum* (L.) Merr. & L.M. Perry (clove) leaf against periodontal pathogen *Porphyromonas gingivalis*, *Microb. Pathog.*, 113, 396-402.