

DAFTAR PUSTAKA

- Adyitia, A., Untari, E., & Wahdaningsih, S., 2014, Efek Ekstrak Etanol Daun Premna cordifolia terhadap Malondialdehid Tikus yang Dipapar Asap Rokok, *Pharmaceutical Sciences And Research (PSR)*, 1(2), 104-115.
- Afianti, H.P., dan Murrukmiyadi, M., 2015, Pengaruh Variasi Kadar Gelling Agent HPMC Terhadap Sifat Fisik dan Aktivitas Antibakteri Sediaan Gel Ekstrak Etanolik Daun Kemangi, *Majalah Farmaseutik*, Vol. 11, No. 2.
- Aiyalu, R., Govindarjan, A., & Ramasamy, A., 2016, Formulation and evaluation of topical herbal gel for the treatment of arthritis in animal model, *Brazilian Journal of Pharmaceutical Sciences*, 52(3), 493-507.
- Anggraeni, Y., Hendradi, E., Purwanti, T., 2012, Karakteristik Sediaan dan Pelepasan Natrium Diklofenak dalam Sistem Niosom dengan Basis Gel Carbomer 940, *PharmaScientia*, 1 (1):2.
- Ani, P.N., & Abel, H.C., 2018, Nutrient, Phytochemical, and Antinutrient Composition Of Citrus maxima Fruit Juice and Peel Extract, *Food Science and nutrition*, 6(3), 653-658.
- Astawan, M., 2008, *Khasiat warna – warni makanan*, Gramedia Pustaka Utama, Jakarta.
- Badan Pengawas Obat dan Makanan, 2016, *Penertiban Kosmetika Impor Ilegal dan Kosmetika Mengandung Bahan Berbahaya*, Jakarta (ID) : BPOM.
- Batheja, P., Sheihet, L., Kohn, J., Singer, A. J., & Michniak-Kohn, B., 2011, Topical drug delivery by a polymeric nanosphere gel: Formulation optimization and in vitro and in vivo skin distribution studies. *Journal of controlled release : official journal of the Controlled Release Society*, 149(2), 159–167.
- British Pharmacopoeia, 2009, *British Pharmacopoeia*, Volume I & II. London : Medicines and Healthcare Products Regulatory Agency (MHRA), Page 4788.
- Castro-Vazquez, L., Alañón, M. E., Rodríguez-Robledo, V., Pérez-Coello, M. S., Hermosín-Gutierrez, I., Díaz-Maroto, M. C., Jordán, J., Galindo, M. F., & Arroyo-Jiménez, M., 2016, Bioactive Flavonoids, Antioxidant Behaviour, and Cytoprotective Effects of Dried Grapefruit Peels (*Citrus paradisi Macf.*). *Oxidative medicine and cellular longevity*, Vol. 2016: 1-12.
- Chang, S.Q., and Azrina, A., 2017, Antioxidant content and activity in different parts of pomelo [*Citrus grandis* (L.) Osbeck] by-products. *Acta Hort.* 1152, 27-34.
- Cheigh, C.I., Chung, E.Y., Chung, M.S., 2012, Enhanced extraction of flavanones hesperidin and narirutin from Citrus unshiu peel using subcritical water, *Journal of Food engineering*, 110 (3): 472-477.
- Chinapongtitiwat, V., Jongaroontaprangsee, S., Chiewchan, N., Devahastin, S., 2013, Important flavonoids and limonin in selected Thai citrus residues, *Journal of Functional Foods*, Vol 5 (3): 1151-1158.

- Chirayath, R. B., A. A. V., Jayakumar, R., Biswas, R., & Vijayachandran, L. S., 2019, Development of Mangifera indica leaf extract incorporated carbopol hydrogel and its antibacterial efficacy against Staphylococcus aureus, *Colloids and surfaces. B, Biointerfaces*, 178: 377–384.
- Dantas, M. G., Reis, S. A., Damasceno, C. M., Rolim, L. A., Rolim-Neto, P. J., Carvalho, F. O., Quintans-Junior, L. J., & Almeida, J. R., 2016, Development and Evaluation of Stability of a Gel Formulation Containing the Monoterpene Borneol, *The Scientific World Journal*, Vol 2016: 4.
- Departemen Kesehatan RI, 2014, *Farmakope Indonesia*, Edisi Kelima, Kementrian Kesehatan Republik Indonesia, Jakarta.
- Dianingati, R.S., A. Novarina, A. K. Hana, L. Muntafi'ah, dan E. Lukitaningsih, 2015, The combination of high calcium milk with Citrus maxima peels ethanolic extract increased bone density of ovariectomized rats, *Indonesia Journal of Cancer Chemoprevention*, 6 (2) : 42-48.
- Di Meo, S., & Venditti, P., 2020, Evolution of the Knowledge of Free Radicals and Other Oxidants, *Oxidative medicine and cellular longevity*, Article ID 9829176, 32 pages.
- Draganoiu, E., Rajabi-Siahboomi, A., & Tiwari, S., 2009, Carbomer, dalam Rowe, R.C., Shesky, P.J., & Quinn, M.E. (Eds.), *Handbook of Pharmaceutical Excipient, 6th Ed*, 110–114, Pharmaceutical Press. Inc, London.
- EL-Badry, Mahmoud., Fetih, Gihan., and Shakeel, Faiyaz., 2014, Comparative topical delivery of antifungal drug croconazole using liposome and micro-emulsion-based gel formulations, *Drug delivery* 21(1): 34–43.
- Fissy, S., Sari, R., & Pratiwi, L., 2014, Effectiveness of Anti Acne Gel Containing Ginger Ethanol Extract (*Zingiber officinale Rosc.Var. Rubrum*) against Propionibacterium acnes dan Staphylococcus epidermidis, *Jurnal Ilmu Kefarmasian Indonesia*, 12 (2), 193-201.
- Fujiastuti, T., & Sugihartini, N., 2015, Sifat Fisik dan Daya Iritasi Gel Ekstrak Etanol Herba Pegagan (*Centella asiatica L.*) dengan Variasi Jenis Gelling Agent, *Pharmacy*, 12 (1), 11-20.
- Gaikwad, L.V., D.Yadav, V., Dhavale, P., Choudhari, B., & Jadhav, S., 2012, Effect of Carbopol 934 and 940 on Fluconazole Release from Topical Gel Formulation: A Factorial Approach, *Current Pharma Research*, 2 (2): 487-493.
- Gómez-Mejía, E., Rosales-Conrado, N., León-González, M. E., & Madrid, Y., 2019, Citrus peels waste as a source of value-added compounds: Extraction and quantification of bioactive polyphenols, *Food chemistry*, 295, 289–299.
- Guleri, T.K., 2013, formulation and evaluation of topical gel of aceclofenac, *Journal of Drug Delivery and Therapeutics*, 3: 51-53.
- Guimarães, R., Barros, L., Barreira, J. C., Sousa, M. J., Carvalho, A. M., & Ferreira, I. C., 2010, Targeting excessive free radicals with peels and juices of citrus fruits: grapefruit, lemon, lime and orange, *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association*, 48(1), 99–106.

- Gupta, A., Mishra A.K., Singh A.K., Gupta, V., Bansal P., 2010, Formulation and evaluation of topical gel of diclofenac sodium using different polymers, *Drug Invention Today*, 2: 250-253.
- Hua, Z., Yi-fei, Y., Zhi-qin, Z., 2018, Phenolic and flavonoid contents of mandarin (*Citrus reticulata* Blanco) fruit tissues and their antioxidant capacity as evaluated by DPPH and ABTS methods, *Journal of Integrative Agriculture*, Vol. 17, Issue 1: 256-263.
- Huang, R., Zhang, Y., Shen, S., Zhi, Z., Cheng, H., Chen, S., & Ye, X., 2020, Antioxidant and pancreatic lipase inhibitory effects of flavonoids from different citrus peel extracts: An in vitro study, *Food chemistry*, 326, 126785.
- Husni E, Ismed F, Afriyandi D., 2020, Standardization Study of Simplicia and Extract of Calamondin (*Citrus microcarpa* Bunge) Peel, Quantification of Hesperidin and Antibacterial Assay. *Pharmacognosy Journal*, 12(4): 777-783.
- Inoue, T., Tsubaki, S., Ogawa, K., Onishi, K., & Azuma, J., 2010, Isolation of hesperidin from peels of thinned Citrus unshiu fruits by microwave-assisted extraction, *Food Chemistry*, 123, 542-547.
- Jahan, N., Naveed, S., Zeshan, M., & Tahir, M. A., 2016, How to Conduct a Systematic Review: A Narrative Literature Review, *Cureus*, 8(11).
- Kamal, N. S., Alayoubi, A., Elfakhri, K. H., Ibrahim, S., Seggel, M., Ashraf, M., & Zidan, A., 2020, Effects of formulation variables on the in vitro performance of testosterone transdermal gel, *International journal of pharmaceutics*, 590, 119951.
- Khairunnisa, N., 2018, Formulasi Gel dan Krim Penangkap Radikal 2,2-difenil-1-pikrilhidrazil dari Kombinasi Ekstrak Buah Strawberry, Ekstrak Kulit Buah Jeruk Bali, dan Ekstrak Buah Langsung serta uji stabilitasnya, *Skripsi*, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Khan, A. W., Kotta, S., Ansari, S. H., Sharma, R. K., Kumar, A., & Ali, J., 2013, Formulation development, optimization and evaluation of aloe vera gel for wound healing, *Pharmacognosy magazine*, 9 (Suppl 1), S6-S10.
- Ko, H.C., Jang, M.G., Oh, J.M., Par, J.Y., Kim, J.E., Kim, J.W., Baek, S., Han, S.H., Kim, S.J., 2020, Changes in chemical composition and antioxidant activity of dried Citrus unshiu peel after roasting, *LWT – Food Science and Technology*, Vol. 131.
- Kupina, S., Fields, C., Roman, M.C., & Brunelle, S.L., 2018, Determination of Total Phenolic Content Using the Folin-C Assay: Single-Laboratory Validation, First Action 2017.13, *Journal of AOAC International*, 101 (5), 1466-1472.
- Mahyuni, S., 2016, Determinasi Kadar Total Polifenol Terlarut, Hesperetin Dan Quersertin Pada Daun, Kulit Dan Isi Buah Citrus aurantifolia (Christm & Panzer) Swingle, *Fitofarmaka: Jurnal Ilmiah Farmasi*, Vol. 6, No. 1.
- Martin, A., J. Swarbrick., dan A. Cammarata., 1993, *Farmasi Fisik: Dasar-dasar Farmasi Fisik dalam Ilmu Farmasetik*, Edisi Ketiga, Penerjemah: Yoshita, Jakarta: UI-Press, Hal. 1176-1182.

- Maulina, L., & Sugihartini, N., 2015, Formulasi gel ekstrak etanol kulit buah manggis (*Garcinia mangostana L.*) dengan variasi gelling agent sebagai sediaan luka bakar, *Pharmaciana*, 5(1): 43-52.
- Miguel-Chávez, R., 2017, Phenolic Antioxidant Capacity: A Review of the State of the Art, *Intech Open Science*, Chapter 4.
- Milat, A. J., Bauman, A. E., & Redman, S., 2015, A narrative review of research impact assessment models and methods, *Health research policy and systems*, 13:18.
- Mokodompit, N.A, Edy, J.H, dan Wiyono, W., 2013, Penentuan Nilai Sun Protective Factor (SPF) Secara In Vitro Krim Tabir Surya Ekstrak Etanol Kulit Alpukat, *Jurnal Ilmiah Farmasi-UNSTRAT Vol. 2*, No.03, ISSN 2302-2493.
- Naibaho, O.H., Paulina V.Y., Yamlean, dan Weny Wiyono., 2013, Pengaruh Basis Salep Terhadap Formulasi Sediaan Salep Ekstrak Daun Kemangi (*Ocimum Sanctum L.*) Pada Kulit Punggung Kelinci Yang Dibuat Infeksi *Staphylococcus Aureus*, *Jurnal Ilmiah Farmasi, UNSRAT*, Vol. 2, No. 02, ISSN 2302-2493.
- Nandeesh, R., Vijayakumar, S., Munnolli, A., Alreddy, A., Veerapur, V. P., Chandramohan, V., & Manjunatha, E., 2018, Bioactive phenolic fraction of Citrus maxima abate lipopolysaccharide-induced sickness behaviour and anorexia in mice: In-silico molecular docking and dynamic studies of biomarkers against NF-κB, *Biomedicine and Pharmacotherapy*, 108: 1535–1545.
- Nogata, Y., K. Sakamoto., H. Shiratsuchi., T. Ishii., M. Yano., and H. Ohta., 2006, Flavonoid composition of fruit tissues of citrus species, *Biosci, Biotechnol, Biochem*, 70(1):178-192.
- Nurahmanto, D., Mahrifah, I.R., Azis, R.F.N.I., dan Rosyidi, V.A., 2017, Formulasi Sediaan Gel Dispersi Padat Ibuprofen: Studi Gelling Agent dan Senyawa Peningkat Penetrasi, *Jurnal Ilmiah Manuntung*, 3: 96-105.
- Nursiah, H., Faradiba, Baharuddin, G. A., 2011, Formulasi gel sari buah belimbing wuluh (*Averrhoa bilimbi L.*), Universitas Hasanuddin dan Universitas Muslim Indonesia Makassar, *Majalah Farmasi dan Farmakologi*, 15 (1) 5-9.
- Panche, A. N., Diwan, A. D., & Chandra, S. R., 2016, Flavonoids: an overview. *Journal of nutritional science*, 5 (e47), 1-15.
- Pangkahila, Wimpie., 2007, *Anti-Aging Medicine: Memperlambat Penuaan Meningkatkan Kualitas Hidup*, Jakarta : Kompas Media Nusantara.
- Panjaitan, E.N., Saragih, A., dan Purba, D., 2013, Formulasi Gel dari Ekstrak Rimpang Jahe Merah (*Zingiber Officinale Roscoe*), *Journal of Pharmaceutic and Pharmacology*, 1 (1): 9-20.
- Patel, M.H., Panchal, M.M., Shah, M., & Vadalia, D.K., 2012, Formulation and Evaluation of Transdermal Gel of Sildenafil Citrate, *International Journal of Pharmaceutical Research & Allied Science*, Vol 1, No. 3 , 103-118.
- Pękal, A., & Pyrżyńska, K., 2014, Evaluation of Aluminium Complexation Reaction for Flavonoid Content Assay, *Food Analytical Methods*, 7, 1776-1782.

- Pichaiyongvongdee, S., Rattanapun, B., and Haruenkit, R., 2014, Total Polyphenol Content and Antioxidant Properties in Different Tissues of Seven Pomelo (*Citrus grandis* (L.) Osbeck) Cultivars, *Kasetsart J. (Nat. Sci.)* 48 : 989 – 996.
- Pisal, P. B., Patil, S. S., & Pokharkar, V. B., 2013, Rheological investigation and its correlation with permeability coefficient of drug loaded carbopol gel: influence of absorption enhancers, *Drug development and industrial pharmacy*, 39(4), 593–599.
- Pounikar, Y., Jain, P., Khurana, N., Omray, L., Patil, S., & Gajbhiye, A., 2012, Formulation And Characterization Of Aloe Vera Cosmetic Herbal Hydrogel, *International Journal of Pharmacy and Pharmaceutical Sciences*, Vol. 4 (4): 85-86.
- Qisti, B.W.K., Dwi, N., dan Viddy, A.R., 2018, Optimasi Propilen Glikol dan Etanol Sebagai Peningkat Penetrasi Ibuprofen Dalam Sediaan Gel Dengan Metode *Simplex Lattice Design*, *e-Jurnal Pustaka Kesehatan*, Vol. 6, No. 1.
- Rafsanjani, M.K. dan Putri, W.D.R., 2015, Karakteristik Ekstrak Kulit Jeruk Bali Menggunakan Metode Ultrasonic Bath (Kajian Perbedaan Pelarut Dari Lama Ekstraksi), *Jurnal Pangan dan Agroindustri*, ISSN 1473-1480 3(4).
- Rahman, N.F., Shamsudin, R., Ismail, A., Shah, N.N., & Varith, J., 2018, Effects of drying methods on total phenolic contents and antioxidant capacity of the pomelo (*Citrus grandis* (L.) Osbeck) peels. *Innovative Food Science and Emerging Technologies*, 50, 217-225.
- Robins, 2007, *Buku Ajar Patologi*, Vol. I, Edisi 7, Jakarta : Penerbit Buku Kedokteran, EGC.
- Rogers, TL., 2009, Hypromellose, dalam Rowe, R.C., Shesky, P.J., & Quinn, M.E. (Eds.), *Handbook of Pharmaceutical Excipient*, 6th Ed, 326 – 329, Pharmaceutical Press. Inc, London.
- Rosahdi, T.D., Kusmiyati M., Wijayanti FR., 2013, Uji Aktivitas Daya Antioksidan Buah Rambutan Rapih dengan metode DPPH, *Jurnal ISTEK*, Vol.7, No. 1.
- Ru, Q., Cai, R., He, J., 2013, Comparison of Different Extraction Methods for Antioxidant Property of Flavonoids from Pomelo Peel, *Advanced Materials Research*, Vol. 652-654: 443-448.
- Saputra, Komang.A., Ni Made P, dan I Wayan S., 2017, Kandungan Kimia Minyak Atsiri Kulit Buah Jeruk Bali (*Citrus Maxima*) serta uji Aktifitas Antibakteri terhadap *Staphylococcus aureus* dan *Escherichia coli*, *Jurnal Kimia*, 11 (1): 58-62.
- Sari, R., Nurbaeti, S., & Pratiwi, L., 2017, Optimasi Kombinasi Karbopol 940 dan HPMC Terhadap Sifat Fisik Gel Ekstrak dan Fraksi Metanol Daun Kesum (*Polygonum minus* Huds.) dengan metode *Simplex Lattice Design*, *Pharmaceutical Sciences And Research (PSR)*, 3(2), 72-79.
- Selmi, S., Rtibi, K., Grami, D., Sebai, H., & Marzouki, L., 2017, Protective effects of orange (*Citrus sinensis* L.) peel aqueous extract and hesperidin on oxidative stress and peptic ulcer induced by alcohol in rat, *Lipids in health and disease*, 16(1), 152.

- Shawky, E., 2012, Development and Validation of an HPTLC Method for the Simultaneous Determination of Diosmin and Hesperidin in Different Citrus Fruit Extracts and Pharmaceutical Formulations, *JPC – Journal of Planar Chromatography – Modern TLC*, 25, 138 – 144.
- Shukr, Marwa., & Metwally, Ghada., 2013, for Antibacterial Activity against Methicillin-Resistant Staphylococcus Aureus, *Tropical Journal of Pharmaceutical Research (Trop J Pharm Res)*, 12 (6): 877-884.
- Silva, J.B., Cook, M., & Bruschi, M., 2020, Thermoresponsive systems composed of poloxamer 407 and HPMC or NaCMC: mechanical, rheological and sol-gel transition analysis, *Carbohydrate polymers*, 240, 116268.
- Singh, M.P., Nagori, B.P., Shaw, N., Tiwari, M., & Jhanwar, B., 2013, Formulation Development & Evaluation of Topical Gel Formulations Using Different Gelling Agents and Its Comparison with Marketed Gel Formulation, *International Journal of Pharmaceutical Erudition*, 3(3), 1-10.
- Sir Elkhatim, K. A., Elagib, R., & Hassan, A. B., 2018, Content of phenolic compounds and vitamin C and antioxidant activity in wasted parts of Sudanese citrus fruits. *Food science & nutrition*, 6(5), 1214–1219.
- Suryanita, S., Aliyah, A., Djabir, Y.Y., Wahyudin, E., Rahman, L., & Yulianty, R., 2019, Identifikasi Senyawa Kimia dan Uji Aktivitas Antioksidan Ekstrak Etanol Kulit Jeruk Bali (*Citrus maxima merr.*), *Majalah Farmasi dan Farmakologi*, 23(1), 16-20.
- Swastika, Alissya N.S.P., Mufrod, dan Purwanto, 2013, Antioxidant Activity of Cream Dosage Form of Tomato Extract (*Solanum lycopersicum L.*), *Traditional Medicine Journal*, 18(3), p 132-140.
- Taurina, W., & Andrie, M., 2013, Formulation Of Lengkuas Rhizome (*Alpinia galanga L.*) Extract's Gel As Antifungal With Hidroxy Propyl Methyl Cellulosae (HPMC) And Carbopol base, *Majalah Obat Tradisional*, 18(3), 157-161.
- Verma, A., Singh, S., Kaur, R., Jain, U.K., 2013, Formulation And Evaluation Of Clobetasol Propionate Gel, *Asian Journal of Pharmaceutical and Clinical Research*, 6(9), 15-18.
- Wang, Y., Qian, J., Cao, J., Wang, D., Liu, C., Yang, R., Li, X., & Sun, C., 2017, Antioxidant Capacity, Anticancer Ability and Flavonoids Composition of 35 Citrus (*Citrus reticulata Blanco*) Varieties, *Molecules (Basel, Switzerland)*, 22(7), 1114.
- Werdhasari, A., 2014, Peran Anti Oksidan Bagi Kesehatan, Pusat Biomedis dan Teknologi Dasar Kesehatan Balitbangkes Kemenkes RI, *Jurnal Biotek Medisiana Indonesia*, Vol. 3, No. 2, 59-68.
- Widayanti, A., Pratiwi, R., & Wijayanti, K., 2021, Formulation and Inhibitor Test of Peel-Off Mask Thyrosinase Extract 96% Ethanol Extract Lime Peel (*Citrus aurantiifolia*), *Jurnal Ilmu Kefarmasian Indonesia*, 19(1), 80-86.
- Wijayakusuma, H. M., 2008, *Ramuan Lengkap Herbal Sembuhkan Penyakit*, Pustaka Bunda, Jakarta.

- Wijayanto, B.A., Kurniawan, D.W., dan Sobri, I., 2013, Formulation and Effectiveness of Antiseptic Hand Gel Preparations Containing Galanga Essential Oils (*Alpinia galanga* (L.) Willd), *Jurnal Ilmu Kefarmasian Indonesia*, Vol. 11, No. 2: 102-107, ISSN 2614-6495.
- Xi, W., Fang, B., Zhao, Q., Jiao, B., & Zhou, Z., 2014, Flavonoid composition and antioxidant activities of Chinese local pummelo (*Citrus grandis* Osbeck.) varieties. *Food Chemistry*, (161): 230-238.
- Xu, M., Ran, L., Chen, N., Fan, X., Ren, D., & Yi, L., 2019., Polarity-Dependent extraction of flavonoids from citrus peel waste using a tailor-made deep eutectic solvent, *Food Science and Nutrition*, 6(1), 653-658.
- Ye, X.Q., Chen, J.C., Liu, D.H., Jiang, P., Shi, J. Xue, S., Wu, D., Xu, J.G., Kakuda, Y., 2011, Identification of bioactive composition and antioxidant activity in young mandarin fruits , *Food Chemistry* , 124(4):1561-1566.
- Yumas, M., 2016, Formulasi Sediaan Krim Wajah Berbahan Aktif Ekstrak Metanol Biji Kakao Non Fermentasi (*Theobroma Cacao* L) Kombinasi Madu Lebah, *Jurnal Industri Hasil Perkebunan*, **11** (2), 75-87.
- Zarina, Z., & Tan, S.Y., 2013, Determination of flavonoids in *Citrus grandis* (Pomelo) peels and their inhibition activity on lipid peroxidation in fish tissue, *International food research journal*, 20, 313-317
- Zhang, L., Wang, Y., Yu, L. Liu H., Simon G., Zhang N., Chen L., 2015, Rheological and gel properties of hydroxypropyl methylcellulose and hydroxypropyl starch blends. *Colloid Polym Sci*, (293): 229–237.