

## DAFTAR PUSTAKA

- Adham, M., Kurniawan, A. N., Muhtadi, A. I., Roezin, A., Hermani, B., Gondhowiardjo, S., ... & Middeldorp, J. M. (2012). Nasopharyngeal carcinoma in Indonesia: epidemiology, incidence, signs, and symptoms at presentation. *Chinese journal of cancer*, 31(4), 185.
- Afandi, D. (2017). Kaidah dasar bioetika dalam pengambilan keputusan klinis yang etis. *Majalah Kedokteran Andalas*, 40(2), 111-121.
- Aisyah, Siti. (2019). *Hubungan Indeks Massa Tubuh (IMT) dengan Fatigue pada Pasien Kemoterapi di Rumah Sakit Tingkat III Baladhika Husada Jember*. Skripsi. Ilmu Keperawatan, Fakultas Keperawatan, Universitas Jember.
- American Cancer Society. (2016). *Sign and Symtoms of Cancer*. Diakses pada 14 Agustus 2020, di <https://www.cancer.org/cancer/cancer-basics/signs-and-symptoms-of-cancer.html>
- Anandavadivelan, P., Wikman, A., Johar, A., & Lagergren, P. (2018). Impact of weight loss and eating difficulties on health-related quality of life up to 10 years after oesophagectomy for cancer. *Journal of British Surgery*, 105(4), 410-418.
- Andriani, Merryana. (2014). *Pengantar Gizi Masyarakat*. Jakarta: Kencana Prenada Media Grup.
- Arifah, S. (2020). Faktor Kejadian Anemia pada Pasien Kanker yang Mendapat Radioterapi dan atau Kemoterapi. *Jurnal Kesehatan*, 11(1), 29-36.
- Arribas, L., Hurtós, L., Sendrós, M. J., Peiró, I., Salleras, N., Fort, E., & Sánchez-Migallón, J. M. (2017). NUTRISCORE: A new nutritional screening tool for oncological outpatients. *Nutrition*, 33, 297-303.

- Asil, E., Surucuoglu, M. S., Cakiroglu, F. P., Ucar, A., Ozcelik, A. O., Yilmaz, M. V., & Akan, L. S. (2014). Factors that affect body mass index of adults. *Pakistan Journal of Nutrition*, 13(5), 255.
- Banipal, R. P. S., Singh, H., & Singh, B. (2017). Assessment of cancer-related fatigue among cancer patients receiving various therapies: A cross-sectional
- Baudino, T.A. (2015). Targeted cancer therapy: the next generation of cancer treatment. *Current drug discovery technologies*, 12(1), 3-20.
- Benítez Brito, N., Suárez Llanos, J. P., Fuentes Ferrer, M., Oliva García, J. G., Delgado Brito, I., Pereyra-García Castro, F., ... & Palacio Abizanda, E. (2016). Relationship between mid-upper arm circumference and body mass index in inpatients. *PLoS One*, 11(8), 1-10.
- Berger, A. M., Abernethy, A. P., Atkinson, A., Barsevick, A. M., Breitbart, W. S., Cella, D., ... & Jacobsen, P. B. (2010). NCCN clinical practice guidelines cancer-related fatigue. *Journal of the National Comprehensive Cancer Network: JNCCN*, 8(8), 904-931.
- Bischel, L. E., Ritchie, C., Kober, K. M., Paul, S. M., Cooper, B. A., Chen, L. M., ... & Miaskowski, C. (2016). Age differences in fatigue, decrements in energy, and sleep disturbance in oncology patients receiving chemotherapy. *European Journal of Oncology Nursing*, 23, 115-123.
- Caesandri, S. D. P., & Adiningsih, S. (2015). Peranan dukungan pendamping dan kebiasaan makan pasien kanker selama menjalani terapi. *Media Gizi Indonesia*, 10(2), 157-165.
- Catania, G., Bell, C., Ottonelli, S., Marchetti, M., Bryce, J., Grossi, A., & Costantini, M. (2013). Cancer-related fatigue in Italian cancer patients: validation of the

Italian version of the Brief Fatigue Inventory (BFI). *Supportive Care in Cancer*, 21(2), 413-419.

Chang, E. T., Liu, Z., Hildesheim, A., Liu, Q., Cai, Y., Zhang, Z., ... & Ye, W. (2017).

Active and passive smoking and risk of nasopharyngeal carcinoma: a population-based case-control study in southern China. *American journal of epidemiology*, 185(12), 1272-1280.

Chow, K. K., Hara, W., Lim, M., & Li, G. (2015). Combining immunotherapy with radiation for the treatment of glioblastoma. *Journal of neuro-oncology*, 123(3), 459-464.

Citak, E., Tulek, Z., & Uzel, O. (2019). Nutritional status in patients with head and neck cancer undergoing radiotherapy: a longitudinal study. *Supportive Care in Cancer*, 27(1), 239-247.

Dahlia, D., Karim, D., & Damanik, S. R. H. (2019). Gambaran Fatigue Pada Pasien Kanker Post Kemoterapi. *Jurnal Ners Indonesia*, 10(1), 80-93.

Dawolo, A. P., Utama, D. S., & Kasim, B. I. (2019). Profil Klinis Karsinoma Nasofaring di Departemen THTKL RSUP Dr. Mohammad Hoesin Palembang Tahun 2014-2015. *Majalah Kedokteran Sriwijaya*, 49(1), 1-9.

Departemen Kesehatan Republik Indonesia. (2018). *Riset Kesehatan Dasar (RISKESDAS) 2018*. Diakses pada 23 Juni 2020, di <http://www.depkes.go.id/resources/download/general/Hasil%20Riskesdas%202013.pdf>

Departemen Kesehatan Republik Indonesia. (2019). *Tabel Batas Ambang Indeks Massa Tubuh (IMT)*. Diakses pada 2 Juni 2021, di <http://www.p2ptm.kemkes.go.id/infographic-p2ptm/obesitas/tabel-batas-ambang-indeks-massa-tubuh-imt>

- Di Marco, M., Rubbi, I., Baldi, A., Di Lorenzo, R., Magnani, D., Cremonini, V., ... & Ferri, P. (2018). Evaluation of fatigue in patients with pancreatic cancer receiving chemotherapy treatment: a cross-sectional observational study. *Acta Bio Medica: Atenei Parmensis*, 89(Suppl 4), 18.
- Edgar, D. S., Mukhlis, I., & Eka, C. (2019). Tatalaksana Radioterapi pada Karsinoma Nasofaring. *MEDULA, medicalprofession journal of lampung university*, 8(2), 23-26.
- Effendy, C., Vissers, K., Osse, B. H., Tejawinata, S., Vernooij-Dassen, M., & Engels, Y. (2015). Comparison of problems and unmet needs of patients with advanced cancer in a European country and an Asian coun *Pain practice*, 15(5), 433-440.
- Fata, U. H. (2015). Hubungan Ansietas dan Depresi dengan Fatigue pada Pasien Kanker yang Menjalani Kemoterapi. *Jurnal Ners dan Kebidanan (Journal of Ners and Midwifery)*, 2(1), 095-102.
- Gebremariam, G. T., Anshabo, A. T., Tigeneh, W., & Engidawork, E. (2018). Validation of the amharic version of the brief fatigue inventory for assessment of cancer-related fatigue in ethiopian cancer patients. *Journal of pain and symptom management*, 56(2), 264-272.
- Gibson, R. S. (2005). *Principles of nutritional assessment*. USA: Oxford University Press.
- Global Burden Cancer (GLOBOCAN). (2018). *Internal Agency For Research On Cancer. Nasopharyngeal Cancer Statistics*. Diakses pada 6 Januari 2021, di <http://Gco.larc.Fr>.
- Habsari, A., Pradigdo, S. F., & Aruben, R. (2017). Hubungan beberapa faktor gizi dan kemoterapi dengan status gizi penderita kanker (studi kasus di instalasi

- rawat jalan poli onkologi rsud dr. soehadi prijonegoro kabupaten sragen tahun 2017). *Jurnal Kesehatan Masyarakat (e-Journal)*, 5(4), 593-599.
- Hadi, S., & Iskandar, M. (2012). Hubungan anemia dan transfusi darah terhadap respons kemoradiasi pada karsinoma serviks uteri stadium IIB-IIIB. *Medica Hospitalia: Journal of Clinical Medicine*, 1(1).
- Handayani, R. S., & Udani, G. (2017). Kualitas tidur dan distress pada pasien kanker yang menjalani kemoterapi. *Jurnal Ilmiah Keperawatan Sai Betik*, 12(1), 66-72.
- Hendrik dan Prabowo, I. (2018). *Kanker (Carcinoma) Nasofaring*. Surakarta: UNS Press.
- Hermansyah, M. L., Dhamiyati, W., & Chorida, L. (2017). Modalitas Imejing pada Karsinoma Nasofaring. *Jurnal Radiologi Indonesia*, 2(2), 117-122.
- Hidayati, D. (2017). *Bahan Tambahan Pangan*. Yogyakarta: Kanisius.
- Hong B, Zu Y. (2013). Detecting circulating tumor cells: current challenges and new trends. *Theranostics*, 3(6):377–94.
- Huang, X., Zhang, Q., Kang, X., Song, Y., & Zhao, W. (2010). Factors associated with cancer-related fatigue in breast cancer patients undergoing endocrine therapy in an urban setting: a cross-sectional study. *BMC cancer*, 10(1), 453.
- Huang, J. F., Sun, R. J., Jiang, W. J., Wu, P., Zhang, L., Xu, M. Q., ... & Zhang, F. Z. (2019). Systematic nutrition management for locally advanced nasopharyngeal carcinoma patients undergoing radiotherapy. *OncoTargets and therapy*, 12(1), 8379-8385.
- Jayalie, V. F., Paramitha, M. S., Jessica, J., Liu, C. A., Ramadianto, A. S., Trimartani, T., & Adham, M. (2017). Profile of Nasopharyngeal Carcinoma in

- Dr. Cipto Mangunkusumo National Hospital, 2010. *eJournal Kedokteran Indonesia*, 156-62.
- Jogja Cancer Registry. (2020). *Laporan RKBR Januari 2020*. Diakses pada 6 Januari 2021, di <https://canreg.fk.ugm.ac.id/>.
- Kartawiguna, E. (2001). Faktor-faktor yang berperan pada karsinogenesis. *Jurnal Kedokteran Trisakti*, 20(1), 16-26.
- Kasim, M., Pebriyani, U., & Aprillya, E. (2020). Konsumsi Ikan Asin dan Daging Asap dengan Kejadian Karsinoma Nasofaring. *Jurnal Ilmiah Kesehatan Sandi Husada*, 11(1), 62-71.
- Kementerian Kesehatan (Kemenkes) RI. (2015). *Panduan Penanganan Kanker Nasofaring*. Jakarta: Komite Nasional Penanggulangan Kanker (KNPK).
- Kilgour RD, Vigano A, Trutschnigg B, Lucar E, Borod M, Morais JA. (2013). Handgrip strength predicts survival and is associated with markers of clinical and functional outcomes in advanced cancer patients. *Supportive Care in Cancer*, 21(12):3261-70.
- King, A. D., Vlantis, A. C., Bhatia, K. S., Zee, B. C., Woo, J. K., Tse, G. M., ... & Ahuja, A. T. (2011). Primary nasopharyngeal carcinoma: diagnostic accuracy of MR imaging versus that of endoscopy and endoscopic biopsy. *Radiology*, 258(2), 531-537.
- Kumar V., Abbas A. K., Aster J. C. (2015). *Robbins And Cotran Pathologic Basis Of Disease* (9th Ed). Elsevier: Canada.
- Kurniasari, F. N., Surono, A., & Pangastuti, R. (2015). Status gizi sebagai prediktor kualitas hidup pasien kanker kepala dan leher. *Indonesian Journal of Human Nutrition*, 2(1), 60-67.

Kurniasari, F. N., Harti, L. B., Ariestiningsih, A. D., Wardhani, S. O., & Nugroho, S.

(2018). *Buku Ajar: Gizi dan Kanker*. Malang: Universitas Brawijaya Press.

Kusuma, L. T., Antono, D., & Muyassaroh, M. (2021). Hubungan Lama Waktu

Pasca Kemoradiasi dengan Derajat Disfagia Orofaringeal pada Karsinoma

Nasofaring. *Medica Hospitalia: Journal of Clinical Medicine*, 8(1), 7-14.

Kuswandi, A., Kuswandi, N. H., Kasim, M., & Wulandari, M. (2020). Karakteristik

Histopatologi dan Stadium Klinis Kanker Nasofaring. *Jurnal Ilmiah Kesehatan*

*Sandi Husada*, 11(1), 243-251.

Lemeshow, S. Hosmer, D.W., Klar, J & Lwanga, S.K. (1997). *Besar Sampel dalam*

*Penelitian Kesehatan*. Yogyakarta: UGM Press.

Leppong, H., Mutmainnah, M., & Bahrin, U. (2018). Pengaruh (Efek) Kemoterapi

terhadap Kerja (Aktivitas) Enzim Transaminase di Penderita Kanker

Payudara. *Indonesian Journal of Clinical Pathology and Medical*

*Laboratory*, 17(2), 107-109.

Limpawattana, P., Wirasorn, K., Sookprasert, A., Sawanyawisuth, K., Titapun, A.,

Luvira, V., ... & Chindaprasirt, J. (2019). Frailty syndrome in biliary tract cancer

patients: Prevalence and associated factors. *Asian Pacific journal of cancer*

*prevention: APJCP*, 20(5), 1497.

Lin, C. C., Chang, A. P., Chen, M. L., Cleeland, C. S., Mendoza, T. R., & Wang, X.

S. (2006). Validation of the Taiwanese version of the Brief Fatigue

Inventory. *Journal of pain and symptom management*, 32(1), 52-59.

Mahdavi, R., Faramarzi, E., Mohammad-Zadeh, M., Ghaeammaghani, J., &

Jabbari, M. V. (2007). Consequences of radiotherapy on nutritional status,

dietary intake, serum zinc and copper levels in patients with gastrointestinal

tract and head and neck cancer. *Saudi medical journal*, 28(3), 435.

- Mahdavifar, N., Towhidi, F., Makhsosi, B. R., Pakzad, R., Moini, A., Ahmadi, A., ... & Salehiniya, H. (2016). Incidence and mortality of nasopharynx cancer and its relationship with human development index in the world in 2012. *World journal of oncology*, 7(5-6), 109.
- Marischa, S., Anggraini, D. I. & Putri, G. T. (2017). Malnutrisi pada Pasien Kanker. *Medula*, 7(4), 107– 111
- Mitchell, S. A., Hoffman, A. J., Clark, J. C., DeGennaro, R. M., Poirier, P., Robinson, C. B., & Weisbrod, B. L. (2014). Putting evidence into practice: an update of evidence-based interventions for cancer-related fatigue during and following treatment. *Clinical journal of oncology nursing*, 18(2), 38-58.
- Mollaoglu, M. (2009). Fatigue in people undergoing hemodialysis. *Dialysis & Transplantation*, 38(6), 216-220.
- Mulyasari, I., & Purbowati, P. (2018). Lingkar lengan atas dan panjang ulna sebagai parameter antropometri untuk memperkirakan berat badan dan tinggi badan orang dewasa. *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 7(1), 30-36.
- Mustian, K. M., Morrow, G. R., Carroll, J. K., Figueroa-Moseley, C. D., Jean-Pierre, P., & Williams, G. C. (2007). Integrative nonpharmacologic behavioral interventions for the management of cancer-related fatigue. *Oncologist*, 12(1), 52.
- National Cancer Institute. (2017). *Cancer Pain (PDQ)–Health Professional Version*. Diakses pada 6 September 2020, di <https://www.cancer.gov/about-cancer/treatment/side-effects/pain/pain-hp-pdq>



- Nourissat, A., Vasson, M. P., Merrouche, Y., Bouteloup, C., Goutte, M., Mille, D., ... & Chauvin, F. (2008). Relationship between nutritional status and quality of life in patients with cancer. *European Journal of Cancer*, 44(9), 1238-1242.
- Nursalam, S. (2015). *Metodologi Penelitian Keperawatan: Pendekatan Praktis*. Jakarta: Salemba Medika.
- Obead, K.A, Yaser, S., Khattab, M., Al-Badainah, F., Saqer, L., & Al-dosouqi, N. (2014). Chemotherapy-induced Fatigue among Jordanian Cancer Patients: What are the Contributing Factors?. *Middle East Journal of Cancer*, 5(2), 75-82.
- Pan, X. B., Huang, S. T., Chen, K. H., Jiang, Y. M., Ma, J. L., Qu, S., ... & Zhu, X. D. (2017). Concurrent chemoradiotherapy degrades the quality of life of patients with stage II nasopharyngeal carcinoma as compared to radiotherapy. *Oncotarget*, 8(8), 14029-14038.
- Paramita, N., Nurdwinuringtyas, N., Nuhonni, S. A., Atmakusuma, T. D., Ismail, R. I., Mendoza, T. R., & Cleeland, C. S. (2016). Validity and reliability of the Indonesian version of the brief fatigue inventory in cancer patients. *Journal of pain and symptom management*, 52(5), 744-751.
- Poort, H., Kaal, S. E., Knoop, H., Jansen, R., Prins, J. B., Manten-Horst, E., ... & van der Graaf, W. T. (2017). Prevalence and impact of severe fatigue in adolescent and young adult cancer patients in comparison with population-based controls. *Supportive Care in Cancer*, 25(9), 2911-2918.
- Prevost V, Joubert C, Heutte N, Babin E. (2014). Assessment of nutritional status and quality of life in patients treated for head and neck cancer. *European annals of otorhinolaryngology, head and neck diseases*, 131(2):113-20.

Registrasi Kanker Berbasis Rumah Sakit Dr. Sardjito. (2020). *Registrasi Kanker Berbasis Rumah Sakit Januari 2020*. Diakses pada 4 Januari 2021, di <https://canreg.fk.ugm.ac.id/>.

RSUP Dr. Sardjito Yogyakarta. (2018). *Rencana Kinerja Tahunan (RKT) Tahun 2019*. Diakses pada 4 Juni 2021, di <https://sardjito.co.id/sardjitowp/wp-content/uploads/2020/04/RKT-RSUP-Dr.-Sardjito-Tahun-2019.pdf>

Round, C. E., Williams, M. V., Mee, T., Kirkby, N. F., Cooper, T., Hoskin, P., & Jena, R. (2013). Radiotherapy demand and activity in England 2006–2020. *Clinical Oncology*, 25(9), 522-530.

Ryan, J. L., Carroll, J. K., Ryan, E. P., Mustian, K. M., Fiscella, K., & Morrow, G. R. (2007). Mechanisms of cancer-related fatigue. *Oncologist*, 12(1), 22-34.

Saranath, D., & Khanna, A. (2014). Current Status of Cancer Burden: Global and Indian Scenario. *Biomedical Research Journal*, 1(1), 1–5.

Sattar, A., Baig, S., Rehman, N. U., & Bashir, M. B. (2013). Factors affecting BMI. *The Professional Medical Journal*, 20(06), 956-964.

Setyawan, A., & Djakaria, H. M. (2014). Efek dasar radiasi pada jaringan. *Radioterapi & Onkologi Indonesia*, 5(1), 25-33.

Seyidova-Khoshknabi, D., Davis, M. P., & Walsh, D. (2011). A systematic review of cancer-related fatigue measurement questionnaires. *American Journal of Hospice and Palliative Medicine*, 28(2), 119-129.

Sheehan, K. J., O'Connell, M. D., Cunningham, C., Crosby, L., & Kenny, R. A. (2013). The relationship between increased body mass index and frailty on falls in community dwelling older adults. *BMC geriatrics*, 13(1), 1-7.

- Silva, M., Gomes, S., Peixoto, A., Torres-ramalho, P., Cardoso, H., Azevedo, R.,...Macedo, G. (2015). Nutrition in Chronic Liver Disease. *GE Journal Português de Gastrenterologia*, 22(6), 268-276.
- Sinaga, P. E., Jamnasi, J., & Pasaribu, S. M. (2019). Faktor-Faktor yang Memengaruhi Penurunan Body Mass Index Sebelum dan Sesudah Radioterapi pada Pasien Kanker Kepala Leher. *Radioterapi & Onkologi Indonesia*, 10(2), 36-42.
- Sofiani, E. G., & Rahmawaty, S. (2018). Tingkat pengetahuan gizi, asupan energi-protein dan status gizi pasien kanker nasofaring yang mendapatkan kemoterapi. *Darussalam Nutrition Journal*, 2(2), 14-20.
- Sulistini, R., Yetti, K., & Hariyati, R. T. S. (2012). Faktor faktor yang mempengaruhi Fatigue Pada Pasien yang menjalani Hemodialisis. *Jurnal Keperawatan Indonesia*, 15(2), 75-82.
- Sultana, T., Karim, M. N., Ahmed, T., & Hossain, M. I. (2015). Assessment of under nutrition of Bangladeshi adults using anthropometry: can body mass index be replaced by mid-upper-arm-circumference?. *PloS one*, 10(4), e0121456.
- Supariasa, I. D. N., Bakri, B., & Fajar, I. (2002). *Penilaian Status Gizi*. Jakarta: EGC.
- Suparti, S., & Nurjanah, S. (2018). Hubungan Depresi dengan Fatigue pada Pasien Hemodialisis. *E-journal Unisa Yogya*, 2(01), 110-120.
- Susetyowati, P. I., & Istutiningrum, D. (2016). Association of malnutrition with quality of life, mortality and readmission post hospitalization in patients with non-communicable disease. *Pak J Nutr*, 15(8), 1-6.

- Susetyowati, S., Pangastuti, R., Dwidanarti, S. R., & Wulandari, H. (2018). Asupan makan, status gizi, dan kualitas hidup pasien kanker payudara di RSUP DR Sardjito Yogyakarta. *Jurnal Gizi Klinik Indonesia*, 14(4), 146-153.
- Susworo, R. (2007). *Radioterapi. Dasar-Dasar Radioterapi. Tata Laksana Radioterapi Penyakit Kanker*. Jakarta: Universitas Indonesia.
- Suta, P. D. D. (2019). PROFIL PENDERITA KANKER NASOFARING DI RUMAH SAKIT UMUM PUSAT SANGLAH DENPASAR PERIODE JANUARI–DESEMBER TAHUN 2014. *E-Jurnal Medika Udayana*, 8(2), 56-71.
- Suwendar, Achmad F, Tri MA, Herri SS. (2017). Evaluasi kualitas hidup dengan kuesioner EQ-5D pada pasien kanker serviks rawat inap sebelum dan setelah kemoterapi. *Jurnal Farmasi Klinik Indonesia*, 6(1):1-10
- Tsao, S. W., Yip, Y. L., Tsang, C. M., Pang, P. S., Lau, V. M. Y., Zhang, G., & Lo, K. W. (2014). Etiological factors of nasopharyngeal carcinoma. *Oral oncology*, 50(5), 330-338.
- Wang, Q., Ye, T., Chen, H. L., Zhang, X. G., & Zhang, L. Z. (2016). Correlation between intensity modulated radiotherapy and bone marrow suppression in breast cancer. *Eur Rev Med Pharmacol Sci*, 20(1), 75-81.
- Wang, B., Thapa, S., Zhou, T., Liu, H., Li, L., Peng, G., & Yu, S. (2020). Cancer-related fatigue and biochemical parameters among cancer patients with different stages of sarcopenia. *Supportive Care in Cancer*, 28(2), 581-588.
- Warganegara, E., & Nur, N. N. (2016). Faktor risiko perilaku penyakit tidak menular. *Jurnal Majority*, 5(2), 88-94.
- Wei, J. N., & Li, S. X. (2018). The relationship between nutritional risks and cancer-related fatigue in patients with colorectal cancer fast-track surgery. *Cancer nursing*, 41(6), 41-47.

Weis, J. (2011). Cancer-related fatigue: prevalence, assessment and treatment strategies. *Expert review of pharmacoeconomics & outcomes research*, 11(4), 441-446.

Wicaksana, A. G. O. S. (2019). Karakteristik Pasien Kanker Nasofaring di Poli THT-KL RSUP Sanglah pada Tahun 2015. *E-Jurnal Medika Udayana*, 8(2), 33-42.

Wilkes, G. M. (2000). *Gizi pada kanker dan HIV*. Jakarta: Penerbit Buku Kedokteran ECG.

World Health Organization (WHO). (2018). *Cancer*. Diakses pada 23 Juni 2020, di <http://www.who.int/news-room/fact-sheets/detail/cancer>

Yurtsever, S. (2007). The Experience Of Fatigue In Turkish Patients Receiving Chemotherapy. *Oncology Nursing Forum*, 34(3), 721–728.

Zou, W., Han, Y., Zhang, Y., Hu, C., Feng, Y., Zhang, H., & Wang, J. (2019). Neoadjuvant chemotherapy plus surgery versus concurrent chemoradiotherapy in stage IB2-IIIB cervical cancer: A systematic review and meta-analysis. *PloS one*, 14(11), 1-13.