

DAFTAR PUSTAKA

- Aisyah, Riandini, Mahmudah N., Risanti, E.D. 2019. *Biologi Molekular*. Surakarta : Muhammadiyah University Press.
- Alberts, B., Johnson, A., Lewis, J., Raff, M., Roberts, K., & Walter, P. (2014). *Molecular Biology of The Cell* (Sixth Edit). Retrieved from papers2://publication/uuid/0BF210E2-70B3-4CC9-A859-111EF841687B
- Amanda, K., Sari, R., & Apridamayanti, P. (2019). Optimalisasi Suhu Annealing Proses PCR Amplifikasi Gen *shv* Bakteri *Escherichia coli* Pasien Ulkus Diabetik. *Jurnal Mahasiswa Farmasi Fakultas Kedokteran UNTAN*, 4(1), 1–6.
- Astriani, P. L., Ratnayani, K., & Yowani, S. C. (2014). Optimasi Suhu Annealing dan Amplifikasi 0,3 Kb Gen *rpoB* di Hulu Dari RRDR pada Isolat P16 *Mycobacterium tuberculosis Multidrug Resistant* Di Bali dengan Metode *Polymerase Chain Reaction*. *Cakra Kimia*, 2(2), 9–13.
- Borém, A., & Fritsche-Neto, R. (2014). Transgenic Plants. In *Biotechnology and Plant Breeding: Applications and Approaches for Developing Improved Cultivars* (First Edit). <https://doi.org/10.1016/B978-0-12-418672-9.00008-8>
- D’Haeseleer, P. (2006). What are DNA Sequence Motifs? *Nature Biotechnology*, 24(4), 423–425. <https://doi.org/10.1038/nbt0406-423>
- D’Mello, S. A. N., Finlay, G. J., Baguley, B. C., & Askarian-Amiri, M. E. (2016). Signaling Pathways in Melanogenesis. *International Journal of Molecular Sciences*, 17(1144), 1–18. <https://doi.org/10.3390/ijms17071144>
- Feranisa, A. (2016). Komparasi Antara Polymerase Chain Reaction (PCR) dan Loopmediated Isothermal Amplification (Lamp) dalam Diagnosis Molekuler. *ODONTO: Dental Journal*, 3(2), 145–151. <https://doi.org/10.30659/odj.3.2.145-151>
- Gawad, J., Chavan, B., Bawane, P., Mhaske, A., & Tauro, S. (2015). Overview of Cell Signaling and Cell Communication. *Journal of Pharmaceutical Biology*, 5(2), 104–107.
- Genetic Home Referance. (2020). *Cells and DNA*. United States of America: Lister Hill National Center for Biomedical Communications.
- Gerstein, M. B., Bruce, C., Rozowsky, J. S., Zheng, D., Du, J., Korbel, J. O., ... Snyder, M. (2007). What is A Gene, Post-ENCODE? History and Updated Definition. *Genome Research*, 17(6), 669–681. <https://doi.org/10.1101/gr.6339607>
- Hanapi, U. K., Desa, M. N. M., Ismail, A., & Mustafa, S. (2015). A Higher Sensitivity and Efficiency of Common Primer Multiplex PCR Assay in Identification of Meat Origin using NADH Dehydrogenase Subunit 4 Gene. *Journal of Food Science and Technology*, 52(7), 4166–4175. <https://doi.org/10.1007/s13197-014-1459-7>

- Handoyo, D., & Rudiretna, A. (2001). Prinsip Umum dan Pelaksanaan *Polymerase Chain Reaction* (PCR). *Unitas*, 9(1), 17–29.
- Horrel, E. M. W., Boulanger, M. C., & D’Orazio, J. A. (2016). Melanocortin 1 receptor: Structure, Function, and Regulation. *Frontiers in Genetics*, 7(MAY), 1–16. <https://doi.org/10.3389/fgene.2016.00095>
- Hashim, F. A., Mabrouk, M. S., & Atabany, W. A.-. (2019). Review of Different Sequence Motif Finding Algorithms. *Avicenna Journal of Medical Biotechnology*, 11(2), 130–148.
- Jensen, A. S. M., Sparre-Ulrich, A. H., Davis-Poynter, N., & Rosenkilde, M. M. (2012). Structural Diversity in Conserved Regions like the DRY-motif Among Viral 7TM Receptors - A Consequence of Evolutionary Pressure? *Advances in Virology*, 2012, 1–15. <https://doi.org/10.1155/2012/231813>
- Joko, T., Kusumandari, N., & Hartono, S. (2011). Optimasi Metode PCR untuk Deteksi *Pectobacterium carotovorum*, Penyebab Penyakit Busuk Lunak Anggrek. *Jurnal Perlindungan Tanaman Indonesia*, 17(2), 54–59. <https://doi.org/10.22146/jpti.9813>
- Kulwikowska, P., Talarczyk, K., & Pawłowski, R. (2013). A Study of Single Nucleotide Polymorphism in The MC1R Gene. *Problems of Forensics Sciences*, 96, 702–715.
- Lazi, H., Efendi, R., & Purwandari, E. P. (2017). Deteksi Warna Kulit Menggnakan Model Warna *Cielab Neutral Netwok* untuk Identifikasi Ras Manusia. *Jurnal Rekursif*, 5(2), 121–133.
- Liu, F., Wen, B., & Kayser, M. (2013). Colorful DNA Polymorphisms in Humans. *Seminars in Cell and Developmental Biology*, 24(2013), 562–575. <https://doi.org/10.1016/j.semcdb.2013.03.013>
- Maitriani, L. K. B., Wirajana, I. N., & Yowani, S. C. (2015). Desain Primer untuk Amplifikasi Fragmen Gen *inhA* Isolat 134 *Multidrug Resistance Tuberculosis* (MDR-TB) dengan Metode *Polymerase Chain Reaction*. *Cakra Kimia (Indonesia E-Journal of Applied Chemistry)*, 3(2), 89–96.
- Makova, K., & Norton, H. (2005). Worldwide Polymorphism at The MC1R Locus and Normal Pigmentation Variation in Humans. *Peptides*, 26, 1901–1908. <https://doi.org/10.1016/j.peptides.2004.12.032>
- Mamoto, N. F. E., Kalangi, S. J. R., & Karundeng, R. (2009). Peran Melanokortin pada Melanosit. *Jurnal Biomedik*, 1(1), 1–11.
- Mawarnursavira, K., Sari, R., & Apridamayanti, P. (2019). Optimasi Melting Temperature Primer Degenerate pada Suhu 60°C Gen ERM (T) (Erythromycin Ribosome Methylase) yang Resistensi terhadap Bakteri *Streptococcus pyogenes*. *Jurnal Mahasiswa Farmasi Fakultas Kedokteran UNTAN*, 4(1), 1–12. https://doi.org/10.2473/shigentosoelai1953.83.947_421
- Mohamed, S. A. E. H., Elloumi, M., & D.Thomson, J. (2016). Motif Discovery in Protein Sequence. *Intech*, 3–18. <https://doi.org/http://dx.doi.org/10.5772/>

65441

- Motorina, A. V., Palkina, N. V., Komina, A. V., Ruksha, T. G., Artyukhov, I. P., & Kozlov, V. V. (2018). Genetic Analysis of Melanocortin 1 Receptor Red Hair Color Variants in a Russian Population of Eastern Siberia. *European Journal of Cancer Prevention*, 27(2), 192–196. <https://doi.org/10.1097/CEJ.0000000000000317>
- Neal, M.J. 2006. *At a Glance Farmakologi Medis*. Edisi Kelima. Diterjemahkan oleh dr. Juwalita Surapsari. Jakarta : Penerbit Erlangga
- Nuryady, M. M., Husamah, H., Miharja, F. J., Hindun, I., & Patmawati, P. (2020). Desain dan Optimasi Primer Gen Pengkode MRPA Trypanosoma evansi dan Penerapan pada Pembelajaran Biologi Molekuler. *Jurnal Penelitian Dan Pengkajian Ilmu Pendidikan: E-Saintika*, 4(2), 223–233. <https://doi.org/10.36312/e-saintika.v4i2.217>
- Nusantari, E. (2013). Jenis miskonsepsi genetika yang ditemukan pada buku ajar di Sekolah Menengah Atas. *Jurnal Pendidikan Sains*, 1(1), 52–64.
- Oktiyani, N., Fahriyan, F., & Muhlisin, A. (2017). Akurasi Hitung Jumlah Eritrosit Metode Manual dan Metode Otomatis. *Medical Laboratory Technology Journal*, 3(2), 37. <https://doi.org/10.31964/mltj.v3i2.166>
- Pavan, W. J., & Sturm, R. A. (2019). The Genetics of Human Skin and Hair Pigmentation. *Annual Review of Genomics and Human Genetics*, 20, 41–72. <https://doi.org/10.1146/annurev-genom-083118-015230>
- Popp, J. & Bauer, M.. (2015). *Modern Techniques for Pathogen Detection*. 10.1002/9783527687978.
- Pradnyaniti, D. ., Wirajana, I. ., & Yowani, S. . (2013). Desain Primer secara *in silico* untuk Amplifikasi Fragmen Gen rpoB Mycobacterium tuberculosis dengan Polymerase Chain Reaction (PCR). *Universitas Udayana*, 2(3), 124–130.
- Pratama, G., Wangko, S., & Jemima N. Jacobs. (2010). Reseptor Melanokortin 1 (MC1R) : Asal Usul dan Struktur Protein. *Jurnal Biomedik*, 2(1), 13–19.
- Pratiwi, A., Sari, R., & Apridamayanti, P. (2019). Optimasi Suhu Desain Primer Gen Blaz Resistensi pada Bakteri *Staphylococcus aureus* Secara *In Silico*. *Jurnal Mahasiswa Farmasi Fakultas Kedokteran UNTAN*, 4(1), 3–12.
- Rahmadhan, D., Sari, R., & Apridamayanti, P. (2019). Pengaruh Suhu *Annealing* terhadap Amplifikasi Gen tem Menggunakan Primer dengan %GC Rendah. *Jurnal Mahasiswa Farmasi Fakultas Kedokteran UNTAN*, 4(1). Retrieved from <https://jurnal.untan.ac.id/index.php/jmfarmasi/article/view/41442>
- Raimondi, S., Sera, F., Gandini, S., Iodice, S., Caini, S., Maisonneuve, P., & Fargnoli, M. C. (2008). MC1R Variants, Melanoma and Red Hair Color Phenotype: A Meta-Analysis. *International Journal of Cancer*, 122(12), 2753–2760. <https://doi.org/10.1002/ijc.23396>

- Rees, J. L. (2000). The Melanocortin 1 Receptor (MC1R): More Than Just Red Hair. *Pigment Cell Res*, 13, 135–140.
- Regan, K. (2014). “*Red Hair in Popular Culture and The Relationship With Anxiety and Depression*.” Ungergraduate Thesis. University College Cork : Irlandia.
- Riupassa, P.A.(2009). Perancangan Primer Oligonukleotida untuk Polimerisasi in Vitro Gen Sukrosa Sintase. *Biosfera*. 26(3), 131-137.
- Roider, E. M., & Fisher, D. E. (2017). Red hair, light skin, and UV- Independent risk for melanoma development in humans. *JAMA Dermatol*, 152(7), 751–753. <https://doi.org/10.1016/j.physbeh.2017.03.040>
- Sasmito, D. E. K., Kurniawan, R., & Muhimmah, I. (2014). Karakteristik Primer pada Polymerase Chain Reaction(PCR) untuk Sekuensing DNA: Mini Review. *Seminar Informatika Medis 2014*, 5, 93–102. Retrieved from <http://snimed.fit.uui.ac.id/>
- Shahzad, M., Sires Campos, J., Tariq, N., Herraiz Serrano, C., Yousaf, R., Jiménez-Cervantes, Ahmed, Z. M. (2015). Identification and Functional Characterization of Natural Human Melanocortin 1 receptor Mutant Alleles in Pakistani Population. *Pigment Cell and Melanoma Research*, 28(6), 730–735. <https://doi.org/10.1111/pcmr.12400>
- Siewierska-Górska, A., Sitek, A., Żądzińska, E., Bartosz, G., & Strapagiel, D. (2017). Association f Five SNPs with Human Hair Colour in The Polish Population. *HOMO- -Journal of Comparative Human Biology*, 68(2), 134–144. <https://doi.org/10.1016/j.jchb.2017.02.002>
- Sinaga, R., Wangko, S., & Kaseke, M. M. (2013). Peran Melanosit pada Proses Uban. *Jurnal Biomedik (Jbm)*, 4(3), 4–11. <https://doi.org/10.35790/jbm.4.3.2012.1201>
- Suryaningsih, B. E. (2019). Melasma dalam Sudut Pandang Genetik. *Media Dermato Venereologica Indonesiana*, 46(3), 116–166. <https://doi.org/10.33820/mdvi.v46i3.75>
- Suryaningsih, B. E., & Soebono, H. (2016). Biologi Melanosit. *Tinjauan Pustaka, MDVI*, 43(2), 78–82.
- The GeneCards Human Gene Database. (2020). Melanocortin 1 receptor (alpha melano- cyte stimulating hormone receptor). GeneCards® Weizmann Institute of Sci- ence, 1996-2020. Version 4.14.0.Build 10 [home- page on the internet]. [Dikunjungi 2020 Apr 16]. Diunduh melalui URL: <https://www.genecards.org/cgi-bin/carddisp.pl?gene=MC1R&keywords=MC1R>.
- Urry, L. A., Cain, M. L., Wasserman, S. A., Minorsky, P. V., Reece, J. B., & Campbell, N. A. (2016). *Campbell Biology* (Eleventh E). United States of America: Pearson Higher Education.
- Wardani,A.K., S.D.Wijayanti, E. Widyastuti. (2017). *Pengantar Bioteknologi*. Malang : UB PRESS
- Yamaguchi, K., Watanabe, C., Kawaguchi, A., Sato, T., Naka, I., Shindo, M., ...

- Kimura, R. (2012). Association of melanocortin 1 receptor gene (MC1R) polymorphisms with skin reflectance and freckles in Japanese. *Journal of Human Genetics*, 57(11), 700–708. <https://doi.org/10.1038/jhg.2012.96>
- Yuenleni. (2019). Langkah-Langkah Optimasi PCR. *Indonesian Journal of Laboratory*, 1(3), 51–56. <https://doi.org/10.22146/ijl.v1i3.48723>
- Yustinadewi, P. D., Yustiantara, P. S., & Narayani, I. (2018). Teknik Perancangan Primer untuk Sekuen Gen MDR-1 Varian 1199 pada Sampel Buffy Coat Pasien Anak dengan LLA. *Metamorfosa: Journal of Biological Sciences*, 5(1), 105–111. <https://doi.org/10.24843/metamorfosa.2018.v05.i01.p16>
- Yusuf, Z. K. (2010). Polymerase Chain Reaction (PCR). *Saintek*, 5(6), 1–6. <https://doi.org/10.1016/B978-0-12-801238-3.08997-2>
- Zorina-Lichtenwalter, K., Lichtenwalter, R. N., Zaykin, D. V., Parisien, M., Gravel, S., Bortsov, A., & Diatchenko, L. (2019). A study in scarlet: MC1R as the main predictor of red hair and exemplar of the flip-flop effect. *Human Molecular Genetics*, 28(12), 2093–2106. <https://doi.org/10.1093/hmg/ddz018>