

DAFTAR PUSTAKA

- Apridamayanti P, Pratiwi R, Purwestri YA, Tunjung WAS & Rumiya. 2017. Anthocyanin, nutrient contents, and antioxidant activity of black rice bran of *Oryza sativa* L. 'Cempo Ireng' from Sleman, Yogyakarta, Indonesia. *Indonesian Journal of Biotechnology*. 22(1):49-54.
- Backer R, Naldoo S, & van den Berg N. 2019. The NONEXPRESSOR OF PATHOGENESIS-RELATED GENES 1 (NPR1) and Related Family: Mechanistic Insights in Plant Disease Resistance. *Frontiers in Plant Science*. 10(102):1-21.
- Boba A, Kulma A, Kostyn K, Starzycki M, Starzycka E, & Szopa J. 2011. The influence of carotenoid biosynthesis modification on the *Fusarium culmorum* and *Fusarium oxysporum* resistance in flax. *Physiological and Molecular Plant Pathology*. 76:39-47.
- Chanu CS, Yenagi NB, & Math KK. 2016. Nutritional and functional evaluation of black rice genotypes. *J. Farm Sci*. 29(1):61-64.
- Chang T & Bardenas EA. 1965. *The Morphology and Varietal Characteristics of The Rice Plant*. IRRI. Philippines, pp.5-7.
- Chatterjee J, Dionora J, Elmido-Mabilangan A, Wanchana A, Thakur V, Bandyopadhyay A, Brar DS, & Quick WP. 2016. The Evolutionary Basis of Naturally Diverse Rice Leaves Anatomy. *PLoS ONE*. 11(10): 1-25.
- Chen LQ, Hou BH, Lalonde S, Takanaga H, Hartung ML, Qu XQ, Guo WJ, Kim JG, Underwood W, Chaudhuri B, et al. 2010. Sugar transporters for intercellular exchange and nutrition of pathogens. *Nature*. 468(7323):527-532.
- Dempsey DA. & Klessig DF. 2017. How does the multifaceted plant hormone salicylic acid combat disease in plants and are similar mechanisms utilized in humans?. *BMC Biology*. 15(23):1-11.
- Durrant WE & Dong X. 2004. Systemic Acquired Resistance. *Annu. Rev. Phytopathol*. 42:185-209.

- Glazebrook J. 2005. Contrasting Mechanisms of Defense Against Biotrophic and Necrotrophic Pathogens. *Annu. Rev. Phytopathol.* 43:205–226.
- Gnanamanickam SS. 2009. *Biological Control of Rice Diseases*. Springer. USA, pp.27-28.
- Havaux M. 2013. Carotenoid oxidation products as stress signals in plants. *The Plant Journal*. 79:597–606.
- Hock EK, Azlan A, Sou TT, & See ML. 2017. Anthocyanidins and anthocyanins: colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *Food & Nutrition Research*. 61:1-21.
- Hou M, Xu W, Bai H, Liu Y, Li L, Liu L, Liu B, & Liu G. 2012. Characteristic expression of rice pathogenesis-related proteins in rice leaves during interactions with *Xanthomonas oryzae* pv. *oryzae*. *Plant Cell Rep.* 31:895–904.
- ITIS. 2019. *Oryza sativa* L. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=41976#null. Accessed on November 5, 2019.
- Jiang G, Yin D, Shi Y, Zhou Z, Li C, Liu P, Jia Y, Wang Y, Liu Z, Yu M, et al. 2020. *OsNPR3.3*-dependent salicylic acid signaling is involved in recessive gene *xa5*-mediated immunity to rice bacterial blight. *Scientific Reports*. 10:1-14.
- Jini D & Joseph B. 2017. Physiological Mechanism of Salicylic Acid for Alleviation of Salt Stress in Rice. *Rice Science*. 24(2): 97–108.
- Junior LAZ, Fontes LF, Dias-Pereira J, Carvalho-Zanao MP, & Pereira N. 2019. Manganese toxicity in rice plants mitigated by silicon effects on leaf tissues. *Semina: Ciências Agrárias*. 40(6):2523-2534.
- Ke Y, Kang Y, Wu M, Liu H, Hui S, Zhang Q, Li X, Xiao J, & Wang S. 2019. Jasmonic Acid-Involved *OsEDS1* Signaling in Rice-Bacteria Interactions. *Rice*. 12(25):1-12.
- Kim GR, Jung ES, Lee S, Lim SH, Ha SH, Lee CH. 2014. Combined Mass Spectrometry-Based Metabolite Profiling of Different Pigmented Rice (*Oryza sativa* L.) Seeds and Correlation with Antioxidant Activities. *Molecules*. 19:15673-15686.

Kim H, Du XX, Kim S, Kim P, Wijesinghe RE, Yun B, Kim K, Jeon M, & Kim J.

2019. Non-Invasive Morphological Characterization of Rice Leaf Bulliform and Aerenchyma Cellular Regions Using Low Coherence Interferometry. *Appl. Sci.* 9:1-13.

Kristamtini & Purwaningsih H. 2009. Potensi Pengembangan Beras Merah sebagai Plasma Nutfah Yogyakarta. *Jurnal Litbang Pertanian.* 28(3):88-95.

Kristamtini, Taryono, Basunanda P, Murti RH, Supriyanta, Widyayanti S & Sutarno. 2012. Morphological of Genetic Relationships Among Black Rice Landraces from Yogyakarta And Surrounding Areas. *Journal of Agricultural and Biological Science.* 7(12):982-989.

Kumar A, Gul MZ, Zeeshan A, Bimolata W, Qureshi IA, & Ghazi IA. 2013. Differential antioxidative responses of three different rice genotypes during bacterial blight infection. *Australian Journal of Crop Sciences.* 7(12):1893-1900.

Kumar A, Kumar R, Sengupta D, Das SN, Pandey MK, Bohra A, Sharma NK, Sinha P, Sk H, & Ghazi IA. 2020. Deployment of Genetic and Genomic Tools Toward Gaining a Better Understanding of Rice-*Xanthomonas oryzae* pv. *oryzae* Interactions for Development of Durable Bacterial Blight Resistant Rice. *Frontiers in Plant Science.* 11:1-23.

Kurniasih NS, Susandarini R, Susanto FA, Nuringtyas TR, Jenkins G, & Purwestri YA. 2019. Characterization of Indonesian pigmented rice (*Oryza sativa*) based on morphology and Single Nucleotide Polymorphisms. *Biodiversitas.* 20(4):1208-1214.

Kushwaha UKS. 2016. Black Rice Anthocyanin Content Increases with Increase in Altitude of its Plantation. *Advances in Plants & Agriculture Research.* 5(1):170-173.

Lee A, Cho K, Jang S, Rakwal R, Iwahashi H, Agrawal GK, Shim J, & Han O. 2004. Inverse correlation between jasmonic acid and salicylic acid during early wound response in rice. *Biochemical and Biophysical Research Communications.* 318:734-738.

Liu D. 2014. *Manual of Security Sensitive Microbes and Toxins*. CRC Press. USA, p. 832.

Livak KJ & Schmittgen TD. 2001. Analysis of Relative Gene Expression Data Using RealTime Quantitative PCR and the $2^{-\Delta\Delta C_T}$ Method. *Methods*. 25(4):402-408.

Luna E, Bruce TJA, Roberts MR, Flors V, & Ton J. 2012. Next-generation systemic acquired resistance. *Plant Physiol*. 158:844-853.

NCBI. 2020a. PubChem Database. Salicylic acid, CID=338, <https://pubchem.ncbi.nlm.nih.gov/compound/Salicylic-acid> (accessed on Jan. 18, 2020).

Online Plant Clinic. 2017. Disease: Bacterial Leaf Blight, <http://www.cpsskerala.in/OPC/pages/riceDiseasebacleafblight.jsp#PO> (accessed on Jan. 18, 2020).

Pokotylo I, Kravets V, & Ruelland E. 2019. Salicylic Acid Binding Proteins (SABPs): The Hidden Forefront of Salicylic Acid Signalling. *Int. J. Mol. Sci*. 20:1-20.

Pratiwi R & Purwestri YA. 2017. Black rice as a functional food in Indonesia. *Functional Foods in Health and Disease*. 7(3):182-194.

Rahayu S, Srihadi E, Mahardika H, Subroto A, Chalid DA, Cholid S, & Rumantir VW. 2015. *Studi Identifikasi Ketahanan Pangan dan Preferensi Konsumen Terhadap Konsumsi Bahan Pangan Pokok Beras (Padi)*. Bappenas. Jakarta, p.54.

Rychlik W, Spencer WJ, & Rhoads RE. 1990. Optimization of the annealing temperature for DNA amplification in vitro. *Nucleic Acids Research*. 18(21):6409-6412.

Seyfferth C & Tsuda K. 2014. Salicylic acid signal transduction: the initiation of biosynthesis, perception and transcriptional reprogramming. *Front Plant Sci*. 5:697. doi:10.3389/fpls.2014.00697

Shankara K, Patil MB, Pramesh D, Gururaj S, & Chikkannaswamy. 2016. Isolation and Characterization of Bacterial Leaf Blight of Rice (*Xanthomonas oryzae* pv. *oryzae*) Isolates from Southern India. *Advances in Life Sciences*. 5(14):5625-5633.

- Shanti ML, Shenoy VV, Devi GL, Kumar VM, Premalatha P, Kumar GN, Shashidhar HE, Zehr UB, & Freeman WH. 2010. Marker-assisted breeding for resistance to bacterial leaf blight in popular cultivar and parental lines of hybrid rice. *Journal of Plant Pathology*. 92(2):495-501.
- Shi L, Li P, Wang W, Gao M, Wu Z, Song X, & Hu D. 2015. Antibacterial Activity and Mechanism of Action of Sulfone Derivatives Containing 1,3,4-Oxadiazole Moieties on Rice Bacterial Leaf Blight. *Molecules*. 20:11660-11675.
- Shimono M, Koga H, Akagi A, Hayashi N, Goto S, Sawada M, Kurihara T, Matsushita A, Sugano S, Jiang C, et al. 2012. Rice *WRKY45* plays important roles in fungal and bacterial disease resistance. *Mol. Plant Pathol.* 13(1):83–94.
- Smith CW & Diilday RH. 2003. *Rice: Origin, History, Technology, and Production*. John Wiley & Sons, p. 105.
- Solekha R. 2016. Analisis Proteomik Padi Hitam (*Oryza sativa* L.) Setekah Infeksi *Xanthomonas oryzae* pv. *oryzae*. Tesis. Pp. 12-14, 36-37.
- Spoel SH & Dong X. 2012. How do plants achieve immunity? Defence without specialized immune cells. *Immunity*. 12:89-100.
- Sticher L, Mauch-Mani B, & Mettraux JP. 1997. Systemic Acquired Resistance. *Annu. Rev. Phytopathol.* 35:235–70.
- Sudir BN & Kadir TS. 2012. Epidemiologi, Patotipe, dan Strategi Pengendalian Penyakit Hawar Daun Bakteri pada Tanaman Padi. *Iptek Tanaman Pangan*. 7(2):79-87.
- Sugano S, Jiang CJ, Miyazawa SI, Masumoto C, Yazawa K, Hayashi N, Shimono M, Nakayama A, Miyao M, & Takatsuji H. 2010. Role of *OsNPR1* in rice defense program as revealed by genomewide expression analysis. *Plant Mol Biol.* 74:549–562.
- Sun T, Yuan H, Cao H, Yazdani M, Tadmor Y & Li L. 2018. Carotenoid Metabolism in Plants: The Role of Plastids. *Molecular Plant*. 11:58–74.
- Sutrisno. 2018. Analisis Ekspresi Famili Gen Ketahanan Penyakit Hawar Daun Bakteri pada Padi (*Oryza sativa* L.) Hitam Fase Reproduksi. Tesis, pp. 45-54.

Purwestri YA. 2018. Screening of resistant Indonesian black rice cultivars against bacterial leaf blight. *Euphytica*. 214(199):1-12.

Tabassum MA, Zhu G, Hafeez A, Wahid MA, Shaban M, & Li Y. 2016. Influence of leaf vein density and thickness on hydraulic conductance and photosynthesis in rice (*Oryza sativa* L.) during water stress. *Scientific Report*. 6:1-9.

Takatsuji H. 2014. Development of disease-resistant rice using regulatory components of induced disease resistance. *Strategies for disease-resistant rice*. 5(630):1-12.

Tao Z, Liu H, Qiu D, Zhou Y, Li X, Xu C, & Wang S. 2009. A pair of allelic *WRKY* genes play opposite roles in rice-bacteria interactions. *Plant Physiol*. 151:936–948.

Thanh TL, Thumanu K, Wongkaew S, Boonkerd N, Teaumroong N, Phansak P, & Buensanteai N. 2017. Salicylic acid-induced accumulation of biochemical components associated with resistance against *Xanthomonas oryzae* pv. *oryzae* in rice. *Journal of Plant Interactions*. 12(1):108-120.

Thirlifeindulan. 2017. Black Rice. <http://thirlifeindulan.com/?p=5421> (accessed on Jan. 20, 2020).

Tripathy BC & Pattanayak GK. 2012. 'Chlorophyll Biosynthesis in Higher Plants', in Eaton-Rye JJ, Tripathy BC & Sharkey TD (ed.) *Photosynthesis: Plastid Biology, Energy Conversion and Carbon Assimilation*. Springer, pp. 64-67.

Tsutsumi K, Taniguchi Y, Kawasaki M, Taniguchi M, & Miyake H. 2006. Expression of Photosynthesis-Related Genes during the Leaf Development of a C3 Plant Rice as Visualized by In Situ Hybridization. *Plant Production Science*. 9(3):232-241.

Turabelidze A, Guo S, & di Pietro LA. 2010. Importance of Housekeeping gene selection for accurate RTqPCR in a wound healing model. *Wound Repair Regen*. 18(5): 460–466.

Urry LA, Cain ML, Wasserman SA, Minorsky PV, & Orr RB. 2021. *Biology*. 12th ed. Pearson Education. USA, pp.189, 424.

Vergara BS. 1992. *A Farmer's Primer on Growing Rice*. IRRI. Philippines, pp.30-32.

- Vicente MR & Plasencia J. 2011. Review paper: Salicylic acid beyond defence: its role in plant growth and development. *Journal of Experimental Botany*. 62(10):3321-3338.
- Voitsekhovskaja OV & Tyutereva EV. 2015. Chlorophyll b in angiosperms: Functions in photosynthesis, signaling and ontogenetic regulation. *Journal of Plant Physiology*. 189:51-64.
- von Wettstein D, Gough S, & Kannangara CG. 1995. Chlorophyll Biosynthesis. *The Plant Cell*. (7):1039-1057.
- Wu Q, Hou MM, Li LY, Liu LJ, Hou YX, & Liu GZ. 2011. Induction of Pathogenesis-Related Proteins in Rice Bacterial Blight Resistant Gene Xa21-mediated Interactions with *Xanthomonas oryzae* pv. *oryzae*. *Journal of Plant Pathology*. 93(2):455-459.
- Xu J, Audenaert K, Hofte M, & de Vleeschauwer D. 2013. Absciscic Acid Promotes Susceptibility to the Rice Leaf Blight Pathogen *Xanthomonas oryzae* pv *oryzae* by Suppressing Salicylic Acid-Mediated Defenses. *PLOS ONE*. 8(6):1-10.
- Xu X, Chen Z, Shi Y, Wang H, He Y, Shi L, Chen T, Wu J, & Zhang X. 2018. Functional inactivation of *OsGCNT* induces enhanced disease resistance to *Xanthomonas oryzae* pv. *oryzae* in rice. *BMC Plant Biology*. 18:1-15
- Yen H. 2017. Rice bacterial blight. <https://www.britannica.com/science/rice-bacterial-blight>. Accessed on November 5, 2019.
- Yu CL, Yan SP, Wang CC, Hua HT, Sun WN, Yan CQ, Chen JP, & Yang L. 2008. Pathogenesis-related proteins in somatic hybrid rice induced by bacterial blight. *Phytochemistry*. 69:1989–1996.
- Zhang H & Wang S. 2013. Rice versus *Xanthomonas oryzae* pv. *oryzae*: a unique pathosystem. *Current Opinion in Plant Biology*. 16:188–195.
- Zhou J, Peng Z, Long J, Sosso D, Liu B, Eom J, Huang S, Liu S, Cruz CV, Frommer WB, White FF, & Yang B. 2015. Gene targeting by the TAL effector PthXo2 reveals cryptic resistance gene for bacterial blight of rice. *The Plant Journal*. 82:632–643.