



DAFTAR PUSTAKA

- Adawiyah, S.R. and Endarko, 2017, Structural and Morphological Characterization of TiO_2 - SnO_2 Thin Film Prepared by Combining Doctor-Blade and Sol-Gel Techniques, *Mat. Sci. Eng.*, 188, 1-6.
- Ahmadi, N., Nemati, A., and Solati-Hashjin, M., 2014, Synthesis and Characterization Co-doped TiO_2 Thin Films on Glass-ceramic, *Mater. Sci. Semicond. Process*, 26, 41-48.
- Al-Hamdi, A.M., Sillanpaa, M., and Dutta, J., 2016, Intermediate Formation during Photodegradation of Phenol Using Lanthanum Doped Tin Dioxide Nanoparticle, *Res Chem Intermed*, 42, 3055-3069.
- Al-Zaban, M.I., Mahmoud, M.A., and AlHarbi, M.A., 2021, Catalytic Degradation of Methylene Blue Using Silver Nanoparticles Synthesized by Honey, *Saudi J. Biol. Sci.*, 28, 2007-2013.
- AlSalka, Y., Granone, L.I., Ramadan, W., Hakki, A., Bahnemann, D.W., and Dillert, R., 2019, Iron-based Photocatalytic and Photoelectrocatalytic Nanostructure: Facts, Perspectives, and Expectation, *Appl. Catal. B.*, 244, 1065-1095.
- Altomare, A., Corriero, N., Cuocci, C., Falcicchio, A., Moliterni, A. and Rizzi, R., 2015, 'QUALX2.0: A Qualitative Phase Analysis Software Using The Freely Available Database POW_COD'. *J. Appl. Crystallogr.*, 48, 598-603.
- Azam, M.U., Tahir, M., Umer, M., Jaffar, M.M., and Nawawi, M.G.M., 2019, Engineering Approach to Enhance Photocatalytic Water Splitting for Dynamic H₂ Production Using La₂O₃/TiO₂ Nanocatalyst in a Monolith Photoreactor, *Appl. Surf. Sci.*, 1089-1101.
- Aziztyana, A.P., Wardhani, S., Prananto, Y.P., Purwonugroho, D., and Darjito, 2019, Optimisation of Methyl Orange Photodegradation Using TiO₂-Zeolite Photocatalyst and H₂O₂ in Acid Condition, *Mat. Sci. Eng.*, 546, 1-9.
- Bahari, A., Anasari, A., and Rahman, Z., 2011, Low Temperature Synthesis of La₂O₃ and CrO₂ by Sol-Gel Process, *J. Eng. Technol. Res.*, 3(7), 203-208.
- Batzias, F.A. and Sidiras, D.K., 2007, Simulation of dye adsorption by beech sawdust as affected by pH, *J. Hazard. Mater.*, 141(3), 668-679.
- Cabrera, A.F., Torres, C.E.R., Marchetti, S.G., and Stewart, S.J., 2020, Degradation of Methylene Blue Dye Under Dark and Visible Light Conditions Inpresence of Hybrid Composites of Nanostructured MgFe₂O₄ Ferrites and Oxygenated Organic Compounds, *J. Environ. Chem. Eng.*, 8(5), 104274-104284.
- Calisir, M.D., Gungor, M., Demir, A., Kilic, A., and Khan, M.M., 2020, Nitrogen-Doped TiO₂ Fibers for Visible-Light-Induced Photocatalytic Activities, *Ceram. Int.*, 46, 16743-16753.



- Choudhury, B., Bayan, S., Choudhury, A., and Chakraborty, P., 2016, Narrowing of Band Gap and Effective Charge Carrier Separation in Oxygen Deficient TiO₂ Nanotubes with Improved Visible Light Photocatalytic Activity, *J. Colloid. Interf. Sci.*, 465, 1-10
- Christina P., Mu'nisatun S., Saptaaji, R., dan Marjanto, D., 2007, Studi Pendahuluan Mengenai Degradasi Zat Warna Azo (Metil Orange) dalam Pelarut Air Menggunakan Mesin Berkas Elektron, *J. Forum Nukl.*, 1(1), 31-44.
- Daneshvar, N., Ashassi-Sorkhabi, H., and Tizpar, A., 2003, Decolorization of Orange II by Electrocoagulation Method, *Sep. Purif. Technol.*, 31, 153-162.
- Dehaghi, F. R., and Behpour, M., 2020, Visible and Solar Photodegradation of Textile Wastewater by Multiple Doped TiO₂/Zn Nanostructured Thin Films in Fixed Bed Photoreactor Mode, *Inorg. Chem. Commun.*, 107946(117), 1-7.
- Din, M.I., Khalid, R., Najeeb,J., and Hussain,Z., 2021, Fundamentals and Photocatalysis of Methylene Blue Dye Using Various Nanocatalytic Assemblies – A Critical Review, *J. Clean. Prod.*, 126567(298), 1-18.
- Gnanaprakasam, A., Sivakumar, V.M., and Thirumurungan, M., 2015, Influencing Parameters in the Photocatalytic Degradation of Organic Effluent Via Nanometal Oxide Catalyst: A Review, *Indian J. Mater. Sci.*, 2015, 1-17.
- Habibi, M.H., Telebian, N., and Choi.D.W., 2006, Characterization and Photocatalytic Activity of Nanostrctured Indium Tin Oxide Thin-Film Electrode for Azodye Degradation, *Thin Solid Films*, 515, 1461-1469.
- Hamdaoui, O., and Chiha, M., 2007, Removal of Methylene Blue from Aqueous Solutions by Wheat Bran, *Acta Chim. Slov.*, 54, 407-418.
- Hashmi, G., Basher, M.K., Hoq, M., and Rahman, M.H., 2018, Band Gap Measurement of P-Type Monocrystalline Silicon Wafer, *Bangladesh J. Sci. Ind. Res.*, 53(3), 179-184.
- He, J., Du, Y., Bai, Y., An, J., Cai, X., Chen, Y., Wang, P., Yang, X., and Feng, Q., 2019, Facile Formation of Anatase/Rutile TiO₂ Nanocomposites with Enhanced Photocatalytic Activity, *Molecules*, 24, 2996.
- Holm, A., Hamandi, M., Sinemet, F., Jouget, B., Dappozze, F., and Guillard, C., 2019, Impact of Rutile and Anatase Phase on The Photocatalytic Decomposition of Lactic Acid, *Appl. Catal. B Environ.*, 253, 96-104.
- Huixian, S., Tianyong, Z., and Hongliang, W., 2011, Preparation and Photocatalytic Activity of La³⁺ and Eu³⁺ Co-Doped TiO₂ Nanoparticles: Photo-assisted Degradation of Methylene Blue, *J. Rare Earths*, 29(8), 746-752.
- Jorfi, S., Mirali, S., Mostoufi, A., and Ahmadi, M., 2018, Visible Light Photocatalytic Degradation of Azo Dye and Real Textile Wastewater Using



Mn, Mo, La/TiO₂/AC Nanocomposite, *Chem. Biochem. Eng.Q.*, 32(2), 215-227.

Julkapli, N.M., Bagheri, S., and Hamid, S.B.A., 2014, Recent advances in heterogeneous photocatalytic decolorization of synthetic dyes, *Sci. World J.*, 2014, 1-26.

Khairy, M., and Zakaria, W., 2014, Effect of Metal-Doping of TiO₂ Nanoparticle on Their Photocatalytic Activities Toward Removal of Organic Dyes, *Egypt. J. Pet.*, 23, 419-426.

Khalil M., Anggraeni, E.S., Ivandini, T.A., and Budianto, E., 2019, Exposing TiO₂ (001) Crystal Facet in Nano Au-TiO₂ Heterostructures for Enhanced Photodegradation of Methylene Blue, *Appl. Surf. Sci.*, 487, 1376-1384.

Kumar, A. and Pandey, G., 2017, A Review on the Factors Affecting the Photocatalytic Degradation of Hazardous Materials, *Mater. Sci. Eng. Int. J.*, 1(3) 106-114.

Labiebah, G., Gunawan, Djunaidi,M.C., Haris, A., and Widodo,D.S., 2019, Removal of Methylene Blue Using Used Paper Powder, *J. Kim. Sains dan Apl.*, 22(1), 23-28.

Li, C., Hu, R., Qin, L., Ding, R., Li, X., and Wu, H., 2013, Enhanced Photocatalytic Activity of ZnO/La₂O₃ Composite Modified by Potassium for Phenol Degradation, *Mater. Lett.*, 113, 190-194.

Li, H. and Feng, B., 2016, Visible-Light-Driven Composite La₂O₃/TiO₂ Nanotube Arrays: Synthesis and Improved Photocatalytic Activity, *Mater. Sci. Semicond.Process.*, 43, 55–59.

Li, J., Suyoulema, Wang, W., and Sarina, 2009, A Study of Photodegradation of Sulforhodamine B on Au-TiO₂/bentonite under UV and Visible Light Irradiation, *Solid State Sci.*, 11, 2037-2043.

Li, J., Xu, X., Liu, X., Yu, C., Yan, D., Sun, Z., and Pan, L., 2016, Sn Doped TiO₂ Nanotubes with Oxygen Vacancy for Highly Efficient Visible Light Photocatalysis, *J. Alloys Compd.*, 679, 454-462.

Lin, J. and Yu, J.C., 1998, An Investigation on Photocatalytic Activities of Mixed TiO₂-Rare Earth Oxides for the Oxidation of Acetone in Air, *J. Photochem. Photobiol. A.Chem.*, 116, 63-67.

Liu, Y., Xie, C., Li, J., Zou, T., and Zeng, D., 2012, New Insights into the Relationship Between Photocatalytic Activity and Photocurrent of TiO₂/WO₃ Nanocomposite, *Appl. Catal. A Gen.*, 433-434, 81-87.

Ma, C.M., Hong, G.B., and Lee,S.C., 2020, Facile Synthesis of Tin Dioxide Nanoparticles for Photocatalytic Degradation of Congo Red Dye in Aqueous Solution, *Catalysts*, 792(10), 1-17.



- Martinez-Huitle, C.A. and Brillas, E., 2009, Decontamination of Wastewater Containing Synthetic Organic Dyes by Electrochemical Method: A General Review, *Appl Catal. B.*, 87, 105-145.
- Meksi, M., Berhault, G., Guillard, C., and Kochkar, H., 2015, Design of TiO₂ Nanorods and Nanotubes Doped with Lanthanum and Comparative Kinetic Study in The Photodegradation of Formic Acid, *Catal. Commun.*, 61, 107-111.
- Mendez, M., Carvajal, J.J., Marsal, L.F., Salagre, P., Aguilo, M., Diaz, F., Formentin, P., Pallares, J., and Cesteros, Y., 2013, Effect of the La(OH)₃ Preparation Method on The Surface and Rehydroxylation Properties of Resulting La₂O₃ Nanoparticles, *J. Nanopart Res.*, 1479(15), 1-16.
- Modirshahla, N., Hassani, A., Behnajady, M.A., and Rahbarfam, R., 2011, Effect of Operational Parameters on Decolorization of Acid Yellow 23 from Wastewater by UV Irradiation using ZnO and ZnO/SnO₂ photocatalysts, *Desalination*, 271, 187-192.
- Mohamed, R.M. and Aazam, E.S., 2014, Effect of Sn Loading On The Photocatalytic Aniline Synthesis Activity of TiO₂ Nanospheres, *J. Alloys Compd.*, 595, 8-13.
- Nesic, J., Manojlovic, D.D., Andelkovic, I., Dojcinovic, B.P., Vulic, P.J., Krstic, J., and Roglic, G.M., 2013, Preparation, Characterization, and Photocatalytic Activity of Lanthanum and Vanadium Co-doped Mesoporous TiO₂ for Azo-dye Degradation, *J. Mol. Catal. A Chem.*, 378, 67-75.
- Ozer, A., and Dursun, G., 2007, Removal of Methylene Blue from Aqueous Solution by Dehydrated Wheat Bran Carbon, *J. Hazard. Mater.*, 146, 262-269.
- Pang, Y.L. and Abdullah, A.Z., 2012, Effect of Low Fe³⁺ Doping on Characteristics, Sonocatalytic Activity and Reusability of TiO₂ Nanotubes Catalysts for Removal of Rhodamine B from Water, *J. Hazard. Mater.*, 235-236, 326-335.
- Peng, S., Huang, and Li, Y., 2013, Rare Earth Doped TiO₂-CdS and TiO₂-CdS Composites with Improvement of Photocatalytic Hydrogen Evolution Under Visible Light Irradiation, *Mater.Sci.Semicond.Process*, 16, 62-69.
- Ranjit, K.T., Willner, I., Bossman, S.H., and Braun, A.M., 2001, Lanthanida Oxide-Doped Titanium Dioxide Photocatalysts: Novel Photocatalysts for the Enhanced Degradation of p-Chloropenoxyacetic Acid, *Environ. Sci. Technol.*, 35, 1544-1549.
- Saralate, R.G., Saralate, G.D., Chang, J.S., and Govindwar, S.P., 2011, Bacterial decolorization of azo dyes : A review, *J. Taiwan Inst. Chem. Eng.*, 42, 138-157.



- Sawangprom, A., Duangsa, K., and Tangtrakarn, A., 2018, Effect of Calcination Temperature on The Conductivity of Sm and Cu co-doped Ceria, *J. Phys. Conf. Ser.*, 1144, 1-7.
- Stengl, V., Grygar, T.M., Henych, J., and Kormunda, M., 2012, Hydrogen peroxide route Sn-doped titania photocatalysts, *Chem. Cent. J.*, 113(6), 1-17.
- Tan, Y.N., Wong, C.L., and Mohamed, A.R., 2011, An Overview on the Photocatalytic Activity of Nano-Doped-TiO₂ in the Degradation of Organic Pollutants, *Int. Sch. Res. Not.*, 1-19.
- Tangale, N.P., Niphadkar, P.S., Samuel,V., Deshpande, S.S., Joshi, P.N., and Awate, S.V., 2016, Synthesis of Sn-Containing Anatase (TiO₂) by Sol-Gel Method and Their Performance in Catalytic Water Splitting Under Visible Light as A Function of Tin Content, *Mater. Lett.*, 50-54.
- Thu, T.N.T.T., Thi, N.N., Quang, V.T., Hong, K.N., Minh, T.N., and Hoai, N.L.T., 2015, Synthesis, Characterisation, and Effect of pH on Degradation of Dyes of Copper-Doped TiO₂, *J. Exp. Nanosci.*, 11(3), 226-238.
- Tripathi, A.K., Mathpal, M.C., Kumar, P., Singh, M.K., Soler, M.A.G., and Agarwal, A., 2015, Structural, Optical, and Photoconductivity of Sn and Mn doped TiO₂ nanoparticles, *J. Alloys Compd.*, 622, 37-47.
- Tuli, F.J., Hossain, A., Kibria, A.K.M.F., Tareq, A.R.M., Mamun, S.M.M.A., and Ullah A.K.M.A., 2020, Removal of Methylene Blue from Water by Low-Cost Activated Carbon Prepared from Tea Waste : A Study of Adsorption Isotherm and Kinetics, *Environ. Nanotechnology, Monit. Manag.*, 100354(14), 1-8.
- Vezentsev A.I., Thuy, D.M., Peristaya, L.F.G., and Glukhareva, N.A., 2018, Adsorption of Methylene Blue on the Composite Sorbent Based on Bentonite-Like Clay and Hydroxyapatite, *Indones. J. Chem.*, 18(4), 733-741.
- Wan, X., Ma, R., Tie, S., and Lan, S., 2014, Effects of Calcination Temperatures and Additives on the Photodegradation of Methylene Blue by Tin Dioxide Nanocrystals, *Mater. Sci. Semicond. Process.*, 27, 748-757.
- Wang, E., He, T., Zhao, L., Chen, Y., and Cao, Y., 2011, Improved Visible Light Photocatalytic Activity of Titania Doped with Tin and Nitrogen, *J. Mater. Chem.*, 21, 144-150.
- Wang, Q., Xu, S., and Shen, F., 2011, Preparation and Characterization of TiO₂ Photocatalysts Co-Doped With Iron (III) and Lanthanum for The Degradation Of Organic Pollutans, *Appl. Surf. Sci.*, 257, 7671-7677.
- Wang, X., Han, S., Zhang, Q., Zhang, N., dan Zhao, D., 2018, Photocatalytic oxidation degradation mechanism study of methylene blue dye waste water with GR/iTO₂, *MATEC Web Conf.*, 03006(238), 1-5.
- Wardhani, S., Bahari, A., and Khunur, M.M., 2016, Aktivitas Fotokatalitik Beads TiO₂-N/Zeolit-Kitosan pada Fotodegradasi Metilen Biru (Kajian



UNIVERSITAS
GADJAH MADA

FOTODEGRADASI METILEN BIRU MENGGUNAKAN FOTOKATALIS TITANIUM DIOKSIDA TERDOPING TIMAH DAN LANTHANUM PADA PAPARAN SINAR TAMPAK

FAIZATIN LIYAN SYIBYAN, Taufik Abdillah Natsir M.Sc., Ph.D. ; Dr. rer. nat. Adhitasari Suratman S.Si., M.Si.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Pengembangan, Sumber Sinar, dan Lama Penyinaran), *J. Environ. Eng. Sustain. Technol.*, 3(2) 78-84.

Wu, H.H., Deng, L.X., Wang, S.R., Zhu, B.L., Huang, W.P., Wu, S.H., and Zhang, S.M., 2010, The Preparation and Characterization of La Doped TiO₂ Nanotubes and Their Photocatalytic Activity, *J. Dispers. Sci. Technol.*, 31, 1311-1316.

Xin, Y. and Liu, H., 2011, Study on Mechanism of Photocatalytic Performance of La-doped TiO₂/Ti Photoelectrodes by Theoretical and Experimental Methods, *J. Solid State Chem.*, 184, 3240-3246.

Xiufeng, Z., Juan, L., Lianghai, L., and Zuoshan, W., 2011, Preparation of Crystalline Sn-Doped and Its Application Visible-Light Photocatalysis, *J. Nanomater.*, 2011, 1-6.

Xu, H., Li, H., Sun, G., Xia, J., Wu, C., Ye, Z., and Zhang, Q., 2010, Photocatalytic activity of La₂O₃-modified silver vanadates catalyst for Rhodamine B dye degradation under visible light irradiation, *Chem. Eng. J.*, 160, 33–41.

Yao, J. dan Wang, C., 2010, Decolorization of Methylene Blue with TiO₂ Sol via UV Irradiation Photocatalytic Degradation, *Int. J. Photoenergy*, 2010, 1-6.

Zhu, X., Pei, L., Zhu, R., Jiao, Y., Tang, R., and Feng, W., 2018, Preparation and Characterization of Sn/La Co-Doped TiO₂ Nanomaterials and Their Phase Transformation and Photocatalytic Activity, *Sci. Rep.*, 8(1), 1-14.

Zhuang, H., Gu, Q., Long, J., Lin, H., Lin, H., and Wang, X., 2014, Visible Light-Driven Decomposition Of Gaseous Benzene On Robust Sn²⁺-doped Anatase TiO₂ Nanoparticles, *RSC Adv.*, 4(65), 34315-34324.