

- Badan Standardisasi Nasional. (2011). SNI 2973: 2011 Biskuit. Jakarta: Badan Standardisasi Nasional.
- Backes, J., Anzalone, D., Hilleman, D., & Catini, J. (2016). *The clinical relevance of omega 3 fatty acids in the management of hypertriglyceridemia. Lipids in Health and Disease*, 15(1), 118.
- Bargut, T. C. L., Frantz, E. D., Mandarim-de-Lacerda, C. A., & Aguilã, M. B. (2014). *Effects of a diet rich in n-3 polyunsaturated fatty acids on hepatic lipogenesis and beta-oxidation in mice. Lipids*, 49(5), 431-444.
- Berawi, K. N., & Agverianti, T. (2017). Efek Aktivitas Fisik pada Proses Pembentukan Radikal Bebas sebagai Faktor Risiko Aterosklerosis. *Jurnal Majority*, 6(2), 86-91.
- Berawi, K. N., Wahyudo, R., & Pratama, A. A. (2019). Potensi Terapi *Moringa oleifera* (Kelor) pada Penyakit Degeneratif. *Jurnal Kedokteran Universitas Lampung*, 3(1), 210-214.
- Bitrus, N. E., Kingsley, U. I., & Chukwuma, O. O. (2018). *The Role of Crude Metanol Leaf Extract of Moringa Oleifera in Protection Against Hyperlipidaemia and Cardiomyopathy in Albino Rat Fed A High Cholesterol Diet and Carbimazole. Studies*, 2, (5).
- Bowen, K. J., Sullivan, V. K., Kris-Etherton, P. M., & Petersen, K. S. (2018). *Nutrition and cardiovascular disease—an update. Current atherosclerosis reports*, 20(2), 8.
- Candido, T. L. N., Alfenas, R. D. C. G., & Bressan, J. (2018). *Dysbiosis and metabolic endotoxemia induced by high-fat diet. Nutricion hospitalaria*, 35(6): 1432-1440.
- Caicedo-Lopez, L. H., Luzardo-Ocampo, I., Cuellar-Nuñez, M. L., Campos-Vega, R., Mendoza, S., & Loarca-Pina, G. (2019). *Effect of the in vitro gastrointestinal digestion on free-phenolic compounds and mono/oligosaccharides from Moringa oleifera leaves: Bioaccessibility, intestinal permeability and antioxidant capacity. Food Research International*, 120, 631-642.
- Chen, C., Yu, X., & Shao, S. (2015). *Effects of omega 3 fatty acid supplementation on glucose control and lipid levels in type 2 diabetes: a meta-analysis. PloS one*, 10(10).
- Dashty, M. (2014). *A quick look at biochemistry: lipid metabolism. Journal Diabetes Metab*, 2, 1-17.

- Dewi, F. K. (2016). Pembuatan cookies dengan penambahan tepung daun kelor (*Moringa oleifera*) pada berbagai suhu pemanggangan (*Doctoral dissertation, Unpas*).
- Fairudz, A. & Nisa, K. (2015). Pengaruh serat pangan terhadap kadar kolesterol penderita overweight. *Jurnal Majority*, 4(8), 121-126.
- Firmansyah, H., Roosita, K., Kusharto, C. M., & Handharyani, E. (2017). Pemberian minyak ikan lele (*Clarias gariepinus*) terhadap bobot badan dan perubahan histopatologi hati, ginjal, dan otak tikus galur Sprague Dawley yang diberi pakan hiperkolesterolemia. *Jurnal Gizi dan Pangan*, 12(2), 85-92.
- Francula-Zaninovic, S., & Nola, I. A. (2018). *Management of measurable variable cardiovascular disease'risk factors. Current cardiology reviews*, 14(3), 153-163.
- Gani, N., Momuat, L. I., & Pitoi, M. M. (2013). Profil lipida plasma tikus wistar yang hiperkolesterolemia pada pemberian gedi merah (*Abelmoschus manihot* L.). *Jurnal MIPA*, 2(1), 44-49.
- García-Cervera, E., Figueroa-Valverde, L., Gómez, E. P., Rosas-Nexticapa, M., Lenin, H. H., Virginia, M. A., ... & Regina, C. C. (2018). *Biological activity exerted by omega 3 fatty acids on body mass index, glucose, total cholesterol and blood pressure in obese children. Integr. Obesity Diabetes*, 3(6): 1-4.
- Gopalakrishnan, L., Doriya, K., & Kumar, D. S. (2016). *Moringa oleifera: A review on nutritive importance and its medicinal application. Food science and human wellness*, 5(2), 49-56.
- Hu, F. B., Manson, J. E., & Willett, W. C. (2001). *Types of dietary fat and risk of coronary heart disease: a critical review. Journal of the American college of Nutrition*, 20(1), 5-19.
- Hutomo M., Burhanudin, A., Djamali, S., & Martosejowo. (1987). *Sumberdaya Ikan Teri di Indonesia*. Jakarta : Pusat Penelitian dan Pengembangan Oseanologi-Lembaga Ilmu Pengetahuan Indonesia.
- Ihedioha, J. I., Noel-Uneke, O. A., & Ihedioha, T. E. (2013). Reference values for the serum lipid profile of albino rats (*Rattus norvegicus*) of varied ages and sexes. *Comparative Clinical Pathology*, 22(1), 93-99.
- Indriyani, D. F., Hidayah, F., & Damayanti, D. S. (2019). Efek ekstrak Air Daun (*Annona muricata* L.) terhadap Kadar Kolesterol Total dan Trigliserida Serumentikus Wistar yang Diinduksi Diet Tinggi Lemak dan Tinggi Fruktosa. *Jurnal Bio Komplementer Medicine*, 6(3).

- Isnain, W., & Muin, N. (2017). Ragam manfaat tanaman kelor (*Moringa oleifera* Lamk.) bagi masyarakat. *Buletin Eboni*, 14(1), 63-75.
- Jia, X., Bajaj, M., dan Chan, L. (2020). *Book Chapter Hyperlipidemia dalam Conn's Current Therapy*. Elsevier Health Science, 314-322.
- Juanda, D. & Cahyono, I. B. (2000). *Ubi Jalar, Budi Daya dan Analisis Usaha Tani*. Yogyakarta: Kanisius.
- Kemkes RI. (2014). *Pedoman Gizi Seimbang*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kemkes RI. (2018a). *Indonesia dalam Risiko Penyakit Kardiovaskular*. Diakses dari: <http://www.p2ptm.kemkes.go.id/artikel-sehat/indonesia-dalam-risiko-penyakit-kardiovaskular> pada 27 Mei 2020.
- Kemkes RI. (2018b). *Riset Kesehatan Dasar Republik Indonesia*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kemkes RI. (2019a). *Hari Jantung Sedunia (HJS) Tahun 2019 : Jantung Sehat, SDM Unggul*. Diakses dari: <http://p2ptm.kemkes.go.id/kegiatan-p2ptm/pusat/hari-jantung-sedunia-hjs-tahun-2019-jantung-sehat-sdm-unggul> pada 27 Mei 2020.
- Kemkes RI. (2019b). *Angka Kecukupan Gizi*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kesuma, C. P., Adi, A. C., & Muniroh, L. (2015). Pengaruh substitusi rumput laut (*Eucheuma cottonii*) dan jamur tiram (*Pleurotus ostreatus*) terhadap daya terima dan kandungan serat pada biskuit. *Media Gizi Indonesia*, 10(2), 146-150.
- Khairani, A. F., Islami, U., Syamsunarno, M. R. A., & Lantika, U. A. (2020). *Synbiotic Purple Sweet Potato Yogurt Ameliorate Lipid Metabolism in High Fat Diet Mice Model*. *Biomedical and Pharmacology Journal*, 13(1), 175-184.
- Klotzsch, S. G., & McNamara, J. R. (1990). *Triglyceride measurements: a review of methods and interferences*. *Clinical chemistry*, 36(9), 1605-1613.
- Kuipers, E. N., Dam, A. D. V., Held, N. M., Mol, I. M., Houtkooper, R. H., Rensen, P. C., & Boon, M. R. (2018). *Quercetin lowers plasma triglycerides accompanied by white adipose tissue browning in diet-induced obese mice*. *International journal of molecular sciences*, 19(6), 1786.
- Kusnandar, F., Adawiyah, D. R., & Fitria, M. (2010). Pendugaan Umur Simpan Produk Biskuit dengan Metode Akselerasi Berdasarkan Pendekatan Kadar Air Kritis. *Jurnal Teknologi dan Industri Pangan*, 21(2), 117-117.

- Kuspradini, H., Rosiarto, A. M., Putri, A. S., & Kusuma, I. W. (2016). *Antioxidant and toxicity properties of anthocyanin extracted from red flower of four tropical shrubs. Nusantara Bioscience*, 8(2).
- Kusuma, A. M., Asarina, Y., Rahmawati, Y. I., & Susanti. (2016). Efek Ekstrak Bawang Dayak (*Eleutherine palmifolia* (L.) Merr) dan Ubi Ungu (*Ipomoea batatas* L) terhadap Penurunan Kadar Kolesterol dan Trigliserida Darah pada Tikus Jantan. *Jurnal Kefarmasian Indonesia*, 108-116.
- Kutkiene, S., Petrulioniene, Z., Laucevicius, A., Serpytis, P., Kasiulevicius, V., Staigyte, J., ... & Matuzeviciene, G. (2018). *Cardiovascular risk assessment of dyslipidemic middle-aged adults without overt cardiovascular disease over the period of 2009–2016 in Lithuania. Lipids in health and disease*, 17(1), 233.
- Le, N. A., & Wilson, P. W. (2009). *Cholesterol: Concentration, Ratio, and Particle Number. Clinical Lipidology* (pp. 111-118). WB Saunders.
- Lestari, B. M., & Wangko, S. (2012). Peran Sel Kupffer pada Steatohepatitis Alkohol. *Jurnal Biomedik*, 4(2): 79-87.
- Li, L. H., Dutkiewicz, E. P., Huang, Y. C., Zhou, H. B., & Hsu, C. C. (2019a). *Analytical methods for cholesterol quantification. Journal of food and drug analysis*, 27(2), 375-386.
- Li, A., Xiao, R., He, S., An, X., He, Y., Wang, C., ... & He, J. (2019b). *Research advances of purple sweet potato anthocyanins: extraction, identification, stability, bioactivity, application, and biotransformation. Molecules*, 24(21), 3816.
- Listianasari, Y., Dirgahayu, P., Wasita, B., & Nuhriawangsa, A. M. P. (2017). Efektifitas pemberian jus labu siam (*Sechium edule*) terhadap profil lipid tikus (*Rattus novergicus*) model hiperlipidemia. *Nutrition and Food Research*, 40(1), 35-43.
- Magitasari, H. D., Hidayaturrahmah, H., Santoso, H. B., & Sari, D. K. (2019, May). Gambaran histologi pankreas tikus putih (*Rattus norvegicus*) hiperglikemia setelah pemberian biskuit ikan patin (*Pangasius hypophthalmus*). *Prosiding Seminar Nasional Lingkungan Lahan Basah*, 4 (1), 211-216.
- Mahmud, M. K., Hermana, N., Marudut, S., Zulfianto, N. A., Muhayatun, Jahari, A. B., ... & Permaesih, D. (2017). *Tabel Komposisi Pangan Indonesia*. Jakarta: Direktorat Jenderal Kesehatan Masyarakat. Direktorat Gizi Masyarakat. Kementerian Kesehatan Republik Indonesia.

- Maki, K. C., Guyton, J. R., Orringer, C. E., Hamilton-Craig, I., Alexander, D. D., & Davidson, M. H. (2016). *Triglyceride-lowering therapies reduce cardiovascular disease event risk in subjects with hypertriglyceridemia. Journal of clinical lipidology*, 10(4), 905-914.
- Mann, J., & Truswell, A. S. (Eds.). (2017). *Essentials of human nutrition*. Oxford University Press.
- Marques, C., Meireles, M., Norberto, S., Leite, J., Freitas, J., Pestana, D., ... & Calhau, C. (2016). *High-fat diet-induced obesity Rat model: a comparison between Wistar and Sprague-Dawley Rat. Adipocyte*, 5(1), 11-21.
- Marumata, C. V., Woda, R. R., & Artawan, I. M. (2019). Pengaruh Pemberian Jus Daun Kelor (*Moringa oleifera Lam*) terhadap Kadar Kolesterol Total Orang Dewasa Hiperkolesterolemia di Wilayah Kerja Puskesmas Oebobo Kota Kupang. *Cendana Medical Journal (CMJ)*, 7(2), 325-334.
- Mbikay, M. (2012). *Therapeutic potential of Moringa oleifera leaves in chronic hyperglycemia and dyslipidemia: a review. Frontiers in pharmacology*, 3, 24.
- Monika, A. P., & Lestariana, W. (2014). Pengaruh Pemberian Kombinasi Kuersetin Dan Glibenklamid Terhadap Kadar Kolesterol LDL Pada Tikus Diabetes Melitus Tipe 2. *Jurnal Kedokteran dan Kesehatan Indonesia*, 6(1), 28-37.
- Muflikhatur, S. & Murwani, H. (2014). Perbedaan Pengaruh Antara Ekstrak dan Rebusan Daun Salam (*Eugenia polyantha*) dalam Pencegahan Peningkatan Kadar Kolesterol Total pada Tikus *Sprague Dawley*. *Journal of Nutrition College*, 3(1), 142-149.
- Murtiningsih & Suyanti. (2011). *Membuat Tepung Umbi dan Variasi Olahannya*. Jakarta: Agromedia Pustaka.
- Nagpal, R., Newman, T. M., Wang, S., Jain, S., Lovato, J. F., & Yadav, H. (2018). *Obesity-linked gut microbiome dysbiosis associated with derangements in gut permeability and intestinal cellular homeostasis independent of diet. Journal of diabetes research*.
- Nakajima, K., Tokita, Y., & Tanaka, A. (2018). *Triglyceride is Significantly Increased in Remnant Lipoproteins After Food Intake and its Association with Lipoprotein Lipase in the Plasma. Obesity and Diabetes 2* (1), 6-10.
- Nakamura, M., Iso, H., Kitamura, A., Imano, H., Noda, H., Kiyama, M., ... & Vesper, H. W. (2016). *Comparison between the triglycerides standardization of routine methods used in Japan and the chromatropic acid reference measurement*

- procedure used by the CDC Lipid Standardization Programme. Annals of clinical biochemistry, 53(6), 632-639.*
- Niroumand, S., Khajedaluae, M., Khadem-Rezaiyan, M., Abrishami, M., Juya, M., Khodae, G., & Dadgarmoghaddam, M. (2015). *Atherogenic Index of Plasma (AIP): A marker of cardiovascular disease. Medical journal of the Islamic Republic of Iran, 29, 240.*
- Nissa, C., & IJ, Madjid. (2016). Potensi glukomanan pada tepung porang sebagai agen anti-obesitas pada tikus dengan induksi diet tinggi lemak. *Jurnal Gizi Klinik Indonesia, 13(1), 1-6.*
- Nofianti, T., Windiarti, D., & Prasetyo, Y. (2015). Uji Aktivitas Ekstrak Etanol Krop Kubis Putih (*Brassica oleracea L. Var. Capitata*) terhadap Kadar Kolesterol Total dan Trigliserida Serum Darah Tikus Putih Jantan Galur Wistar. *Jurnal Kesehatan Bakti Tunas Husada, 14(1), 74-83.*
- Novidiyanto, N., Farmawati, A., & Lestari, L. A. (2016). Pengaruh pemberian kecambah kacang hijau (*Phaseolus radiatus (L.)*) terhadap kadar malondealdehyd (MDA) plasma dan jaringan hati tikus *Sprague Dawley* yang diberi pakan lemak tinggi. *Jurnal Gizi Klinik Indonesia, 13(2), 82-89.*
- Nurrahman, N., Murwani, R., & Yazid, N. Pengaruh Penggunaan Tawas Pada Pakan Terhadap Toksisitas Dan Kadar Aluminium Organ Tikus in Vivo. *Jurnal Pangan dan Gizi, 3(5), 116328.*
- Oguntibeju, O. O., Aboua, G. Y., & Omodanisi, E. I. (2020). Effects of *Moringa oleifera* on oxidative stress, apoptotic and inflammatory biomarkers in streptozotocin-induced diabetic animal model. *South African Journal of Botany 129, 354–365.*
- Papachristodoulou, D. (2019). *Book Chapter Energy Metabolism dalam Medical Sciences 3rd Edition.* Elsevier Health Science, 57-102.
- Pizzini, A., Lunger, L., Demetz, E., Hilbe, R., Weiss, G., Ebenbichler, C., & Tancevski, I. (2017). *The role of omega-3 fatty acids in reverse cholesterol transport: a review. Nutrients, 9(10), 1099.*
- Putri, R. I., & Ardiaria, M. (2016). Pengaruh Pemberian Kombinasi Minyak Rami Dengan Minyak Wijen terhadap Kadar SGPT *Sprague Dawley* Dislipidemia. *Journal of Nutrition College, 5(4), 504-512.*
- Putri, C. A., Yuliet, Y., & Khaerati, K. (2018). Efektivitas Ekstrak Daun Kersen (*Muntingia calabura L.*) terhadap Penurunan Kadar Kolesterol Total Tikus Putih

- Jantan (*Rattus norvegicus L.*) yang Diinduksi Pakan Tinggi Lemak. *Biocelebes*, 12(1).
- Rahmi, Y., Widya, N., Anugerah, P. N., & Tanuwijaya, L. K. (2018). Tepung ikan teri nasi (*Stoleporus commersini Lac.*) sebagai sumber kalsium dan protein pada corn flakes alternatif sarapan anak usia sekolah. *Nutrire Diaita*, 10(1), 34-44.
- Ramírez-Vélez, R., Saavedra, J. M., Lobelo, F., Celis-Morales, C. A., del Pozo-Cruz, B., & García-Hermoso, A. (2018). Ideal cardiovascular health and incident cardiovascular disease among adults: a systematic review and meta-analysis. *Mayo Clinic Proceedings*, 93 (11), pp. 1589-1599).
- Razmpoosh, E., Javadi, A., Ejtahed, H. S., Mirmiran, P., Javadi, M., & Yousefinejad, A. (2019). *The effect of probiotic supplementation on glycemic control and lipid profile in patients with type 2 diabetes: A randomized placebo controlled trial*. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 13(1), 175-182.
- Réblová, Z. (2012). *Effect of temperature on the antioxidant activity of phenolic acids*. *Czech Journal of Food Sciences*, 30(2), 171-175.
- Ridker, P. M., Libby, P., & Buring, J. E. (2019). *Risk markers and the primary prevention of cardiovascular disease*. *Braunwald's Heart Disease: A Textbook of Cardiovascular Medicine*. 11th ed. Philadelphia, PA: Elsevier, 876-909.
- Robinson, J. G. (2017). *Primary Prevention of Atherosclerotic Cardiovascular Disease*. *Chronic Coronary Artery Disease: A Companion to Braunwald's Heart Disease*. Philadelphia, PA: Elsevier, 433.
- Rodwell, V.W., Bender, D.A., Botham, K.M., Kennelly, P.J., & Weil, P.A. (2017). *Biokimia Harper*. Jakarta: Penerbit Buku Kedokteran ECG.
- Sahebkar, A. (2017). *Effects of quercetin supplementation on lipid profile: A systematic review and meta-analysis of randomized controlled trials*. *Food science and nutrition*, 57(4), 666-676.
- Sari, I. P., Pontoh, J., & Sangi, M. S. (2018). Komposisi kimia asam-asam lemak pada daging ikan teri (*Stophelorus sp.*). *Chemistry Progress*, 11(2).
- Sarwar, N., Danesh, J., Eiriksdottir, G., Sigurdsson, G., Wareham, N., Bingham, S., ... & Gudnason, V. (2006). *Triglycerides and the risk of coronary heart disease: 10,158 incident cases among 262,525 participants in 29 Western prospective studies*. *Circulation*, 115(4), 450-458.

- Savitri, N., & Puruhita, N. (2014). Pengaruh Pemberian Ikan Teri (*Engraulis Encrasicolus*) Terhadap Kadar *C-reactive Protein (CRP)* Tikus *Sprague Dawley* Usia Satu Bulan. *Journal of Nutrition College*, 3(4), 966-971.
- Scheidt-Nave, C., Du, Y., Knopf, H., Schienkiewitz, A., Ziese, T., Nowossadeck, E., ... & Busch, M. (2013). *Prevalence of dyslipidemia among adults in Germany. Bundesgesundheitsbl*, 56 : 661–667.
- Semenkovich, C. F. & Goldberg, I. J. (2011). *Disorders of lipid metabolism*. In Goldman's Cecil Medicine: *Twenty Fourth Edition* (pp. 1346-1353). Elsevier.
- Setyowati, W. T., & Nisa, F. C. (2014). Formulasi Biskuit Tinggi Serat (Kajian Proporsi Bekatul Jagung: Tepung Terigu Dan Penambahan Baking Powder). *Jurnal Pangan dan Agroindustri*, 2(3), 224-231.
- Shah, K., & Shah, P. (2018). *Effect of anthocyanin supplementations on lipid profile and inflammatory markers: a systematic review and meta-analysis of randomized controlled trials. Cholesterol*.
- Shen, T., Xing, G., Zhu, J., Zhang, S., Cai, Y., Li, D., ... & Shi, R. (2017). *Effects of 12-week supplementation of marine Omega 3 PUFA-based formulation Omega3Q10 in older adults with prehypertension and/or elevated blood cholesterol. Lipids in health and disease*, 16(1), 253.
- Simbolan, J. M., Simbolan, M., & Katharina, N. (2007). *Cegah malnutrisi dengan kelor*. Yogyakarta: Kanisius.
- Siswanto dkk. (2014). *Survei Konsumsi Makanan Individu dalam Studi Diet Total 2014*. Jakarta: Lembaga Penerbitan Badan Penelitian dan Pengembangan Kesehatan.
- Sosiawati, E. (2019). Aspek Teknik dan Kelayakan Usaha Pengeringan Ikan Teri (*Stolephorus Sp*) di Desa Ambesia Selatan Kecamatan Tomini Kabupaten Parigi Moutong Sulawesi. *Jurnal Pengolahan Pangan*, 4(2), 39-44.
- Steenis, C. G.G. J. (2003). *Flora*. Jakarta: Pradnya Paramita.
- Suanarunsawat, T., Boonnak, T., Ayutthaya, W. N., & Thirawarapan, S. (2010). *Anti-hyperlipidemic and cardioprotective effects of Ocimum sanctum L. fixed oil in rats fed a high fat diet. Journal of Basic and Clinical Physiology and Pharmacology*, 21(4), 387-400.
- Sule, O. J. & Arhoghro, E. M. (2016). *Hypocholesterolemic and hypoglycaemic effects of ethanolic extract Of Leaf of Moringa oleifera Lam. in high fat diet fed Wistar rats. Journal of Medical and Biological Science Research*, 2(6), 109-113.

- Suprpti, I. M. L. (2003). *Teknologi Pengolahan Pangan: Tepung Ubi Jalar*. Yogyakarta: Kanisius.
- Susanto, E., & Fahmi, A. S. (2012). Senyawa Fungsional dari Ikan: Aplikasinya dalam Pangan. *Jurnal Aplikasi Teknologi Pangan*, 1(4).
- Tada, H., Nohara, A., & Kawashiri, M. A. (2018). *Serum Triglycerides and Atherosclerotic Cardiovascular Disease: Insights from Clinical and Genetic Studies*. *Nutrients*, 10(11), 1789.
- Tholstrup, T., Hellgren, L. I., Petersen, M., Basu, S., Straarup, E. M., Schnohr, P., & Sandström, B. (2004). *A solid dietary fat containing fish oil redistributes lipoprotein subclasses without increasing oxidative stress in men*. *The Journal of nutrition*, 134(5), 1051-1057.
- Tóth, Š., Šajty, M., Pekárová, T., Mughees, A., Štefanič, P., Katz, M., ... & Pella, D. (2017). *Addition of omega 3 fatty acid and coenzyme Q10 to statin therapy in patients with combined dyslipidemia*. *Journal of Basic and Clinical Physiology and Pharmacology*, 28(4), 327-336.
- Tsalissavrina, I., Wahono, D., & Handayani, D. (2006). Pengaruh Pemberian Diet Tinggi Karbohidrat Dibandingkan Diet Tinggi Lemak terhadap Kadar Trigliserida dan HDL Darah pada Rattus novergicus Galur Wistar. *Jurnal Kedokteran Brawijaya*, 22(2), 80-89.
- Verawati, Aria, M., & Ningsih, I. J. (2017). Pengaruh Fraksi Etil Asetat Daun Piladang (*Solenostemon scutellarioides* (L) Codd) terhadap Kadar Kolesterol Total Tikus Putih Jantan. *Jurnal Katalisator*, 2(1), 1-8.
- Wahyu, S., Arsal, A. S. F., & Maharani, I. C. (2019). Efektivitas Ekstrak Daun Kelor (*Moringa Oleifera*) terhadap Penurunan Kadar Kolesterol Total pada Tikus Putih (*Rattus Novergicus*). *Green Medical Journal*, 1(1), 97-110.
- WHO. (2017). *Cardiovascular diseases (CVDs)*. Diakses dari: [https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-\(cvds\)](https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-(cvds)) pada 27 Mei 2020.
- WHO. (2018). *Technical package for cardiovascular disease management in primary health care: healthy-lifestyle counselling* (No. WHO/NMH/NVI/18.1). World Health Organization.
- Wijayanti, F., & Ramadhian, M. R. (2016). Efek rambut jagung (*Zea mays*) terhadap penurunan kadar kolesterol dalam darah. *Jurnal Majority*, 5(3), 91-95.

- Wresdiyati, T., Hartanta, A. B., & Astawan, M. (2011). Tepung rumput laut (*Eucheuma cottonii*) menaikkan level superoksida dismutase (SoD) ginjal tikus hiperkolesterolemia. *Jurnal Veteriner*, 12(2), 126-135.
- Xie, J., Wang, Y., Jiang, W. W., Luo, X. F., Dai, T. Y., Peng, L., ... & Hao, R. S. (2018). *Moringa oleifera* leaf petroleum ether extract inhibits lipogenesis by activating the AMPK signaling pathway. *Frontiers in pharmacology*, 9, 1447.
- Yokoyama, M., Origasa, H., Matsuzaki, M., Matsuzawa, Y., Saito, Y., Ishikawa, Y., ... & Kita, T. (2007). *Effects of eicosapentaenoic acid on major coronary events in hypercholesterolaemic patients (JELIS): a randomised open-label, blinded endpoint analysis. The lancet*, 369(9567), 1090-1098.
- Yuliana, A. R., & Ardiaria, M. (2016). Efek Pemberian Seduhan Kulit Buah Naga Merah (*Hylocereus polyrhizus*) terhadap Kadar Trigliserida Tikus *Sprague Dawley* Dislipidemia. *Journal of Nutrition College*, 5(4), 428-437.
- Zahara, F., Syafri, M., & Yerizel, E. (2013). Gambaran profil lipid pada pasien sindrom koroner akut di rumah sakit khusus jantung sumatera barat tahun 2011-2012. *Jurnal Kesehatan Andalas*, 3(2).
- Zhang, X., Yang, Y., Wu, Z., & Weng, P. (2016). *The modulatory effect of anthocyanins from purple sweet potato on human intestinal microbiota in vitro. Journal of Agricultural and Food Chemistry*, 64(12), 2582-2590.
- Zhang, Y., Niu, F., Sun, J., Xu, F., & Yue, R. (2015). *Purple sweet potato (Ipomoea batatas L.) color alleviates high-fat-diet-induced obesity in SD rat by mediating leptin's effect and attenuating oxidative stress. Food science and biotechnology*, 24(4), 1523-1532.
- Zibaenezhad, M. J., Ghavipisheh, M., Attar, A., & Aslani, A. (2017). *Comparison of the effect of omega-3 supplements and fresh fish on lipid profile: a randomized, open-labeled trial. Nutrition & diabetes*, 7(12), 1-8.