

DAFTAR PUSTAKA

- Ahsan, H., Ahad, A., Iqbal, J., & Siddiqui, W. A. (2014). Pharmacological potential of tocotrienols: A review. In *Nutrition and Metabolism* (Vol. 11, Nomor 1, hal. 1–22). BioMed Central Ltd.
- Alang, N., & Kelly, C. R. (2015). Weight gain after fecal microbiota transplantation. *Open Forum Infectious Diseases*, 2(1).
- Alauddin, M., Islam, J., Shirakawa, H., Koseki, T., Ardiansyah, & Komai, M. (2017). Rice Bran as a Functional Food: An Overview of the Conversion of Rice Bran into a Superfood/Functional Food. In *Superfood and Functional Food - An Overview of Their Processing and Utilization*. InTech.
- Allard-Ratrack, M., Khambhati, J., Topel, M., Sandesara, P., Sperling, L., Quyyumi, A. (2018). Elevated HDL-C is associated with adverse cardiovascular outcomes. *ESC Congress 2018*.
- American Diabetes Association. (2014). Diagnosis and classification of diabetes mellitus. *Diabetes Care*, 37(SUPPL.1), 81–90.
- Arifin, W. N., & Zahiruddin, W. M. (2017). Sample size calculation in animal studies using resource equation approach. *Malaysian Journal of Medical Sciences*, 24(5), 101–105.
- Bhaskaragoud, G., Rajath, S., Mahendra, V. P., Kumar, G. S., Gopala Krishna, A. G., & Kumar, G. S. (2016). Hypolipidemic mechanism of oryzanol components- ferulic acid and phytosterols. *Biochemical and Biophysical Research Communications*, 476(2), 82–89.
- Biagioli, M., & Carino, A. (2019). Signaling from Intestine to the Host: How Bile Acids Regulate Intestinal and Liver Immunity. *Handbook of Experimental Pharmacology*, 256, 95–108.
- Briand, F., Brousseau, E., Quinsat, M., Burcelin, R., & Sulpice, T. (2018). Obeticholic acid raises LDL-cholesterol and reduces HDL-cholesterol in the Diet-Induced NASH (DIN) hamster model. *European Journal of Pharmacology*, 818, 449–456.
- Bumrungpert, A., Chongsuwat, R., Phosat, C., & Butacnum, A. (2019). Rice Bran Oil Containing Gamma-Oryzanol Improves Lipid Profiles and Antioxidant Status in Hyperlipidemic Subjects: A Randomized Double-Blind Controlled Trial. *Journal of Alternative and Complementary Medicine*, 25(3), 353–358.
- Capozzi, V., Alexandri, M., Certik, M., Verni, M., Rizzello, C. G., & Coda, R. (2019). Fermentation Biotechnology Applied to Cereal Industry By-Products: Nutritional and Functional Insights. *Frontiers in Nutrition* | www.frontiersin.org, 1, 42.
- Carreras, E. T., & Polk, D. M. (2017). Dyslipidemia: Current therapies and guidelines for treatment. *US Cardiology Review*, 11(1), 10–15.
- Castellanos-Jankiewicz, A., del Bosque-Plata, L., & Tejero, M. E. (2014). Combined Effect of Plant Sterols and Dietary Fiber for the Treatment of Hypercholesterolemia. In *Plant Foods for Human Nutrition* (Vol. 69, Nomor 2, hal. 93–100). Kluwer Academic Publishers.
- Castro-Barquero, S., Tresserra-Rimbau, A., Vitelli-Storelli, F., Doménech, M., Salas-Salvadó, J., Martín-Sánchez, V., Rubín-García, M., Buil-Cosiales, P., Corella, D., Fitó, M., Romaguera, D., Vioque, J., Alonso-Gómez, Á. M., Wärnberg, J., Martínez, J. A., Serra-Majem, L., Tinahones, F. J., Lapetra, J., Pintó, X., ... Estruch, R. (2020). Dietary polyphenol intake is associated with HDL-cholesterol and a better profile of other components of the metabolic

- syndrome: A PREDIMED-plus sub-study. *Nutrients*, 12(3).
- Cheng, H. H., Ma, C. Y., Chou, T. W., Chen, Y. Y., & Lai, M. H. (2010). Gamma-oryzanol ameliorates insulin resistance and hyperlipidemia in rats with streptozotocin/nicotinamide-induced type 2 diabetes. *International Journal for Vitamin and Nutrition Research*, 80(1), 45–53.
- Chiang, J. Y. L. (2013). Bile acid metabolism and signaling. *Comprehensive Physiology*, 3(3), 1191–1212.
- Daou, C., & Zhang, H. (2014). Functional and physiological properties of total, soluble, and insoluble dietary fibres derived from defatted rice bran. *Journal of Food Science and Technology*, 51(12), 3878–3885.
- den Besten, G., van Eunen, K., Groen, A. K., Venema, K., Reijngoud, D.-J., & Bakker, B. M. (2013). The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. *Journal of lipid research*, 54(9), 2325–2340.
- Duan, Y., Zhang, F., Yuan, W., Wei, Y., Wei, M., Zhou, Y., Yang, Y., Chang, Y., & Wu, X. (2019). Hepatic cholesterol accumulation ascribed to the activation of ileum Fxr-Fgf15 pathway inhibiting hepatic Cyp7a1 in high-fat diet-induced obesity rats. *Life Sciences*, 232(March), 116638.
- Faizah, F., Kusnandar, F., & Nurjanah, S. (2020). SENYAWA FENOLIK, ORYZANOL, DAN AKTIVITAS ANTIOKSIDAN BEKATUL YANG DIFERMENTASI DENGAN *Rhizopus oryzae*. *Jurnal Teknologi dan Industri Pangan*, 31(1), 86–94.
- Farràs, M., Fernández-Castillejo, S., Rubió, L., Arranz, S., Catalán, Ú., Subirana, I., Romero, M. P., Castañer, O., Pedret, A., Blanchart, G., Muñoz-Aguayo, D., Schröder, H., Covas, M. I., de la Torre, R., Motilva, M. J., Solà, R., & Fitó, M. (2018). Phenol-enriched olive oils improve HDL antioxidant content in hypercholesterolemic subjects. A randomized, double-blind, cross-over, controlled trial. *Journal of Nutritional Biochemistry*, 51, 99–104.
- Favari, E., Chroni, A., Tietge, U. J. F., Zanotti, I., Escolà-Gil, J. C., & Bernini, F. (2015). Cholesterol efflux and reverse cholesterol transport. *Handbook of Experimental Pharmacology*, 224, 181–206.
- Feingold, K. R., & Grunfeld, C. (2000). Introduction to Lipids and Lipoproteins. In *Endotext*.
- Ferrell, J. M., & Chiang, J. Y. L. (2019). Understanding bile acid signaling in diabetes: From pathophysiology to therapeutic targets. In *Diabetes and Metabolism Journal* (Vol. 43, Nomor 3, hal. 257–272). Korean Diabetes Association.
- Fiorucci, S., Biagioli, M., Zampella, A., & Distrutti, E. (2018). Bile acids activated receptors regulate innate immunity. In *Frontiers in Immunology* (Vol. 9, Nomor AUG, hal. 1). Frontiers Media S.A.
- Gardner, J. A. (1932). Cholesterol Metabolism. *The Journal of Laryngology & Otology*, 47(6), 395–405.
- Gavin, P. G., & Hamilton-Williams, E. E. (2019). The gut microbiota in type 1 diabetes: Friend or foe? *Current Opinion in Endocrinology, Diabetes and Obesity*, 26(4), 207–212.
- Goldenberg, R., & Punthakee, Z. (2013). Definition, Classification and Diagnosis of Diabetes, Prediabetes and Metabolic Syndrome. *Canadian Journal of Diabetes*, 37(SUPPL.1), 8–11.
- Gonzalez, F. J., Jiang, C., Bisson, W. H., & Patterson, A. D. (2015). Inhibition of farnesoid X receptor signaling shows beneficial effects in human obesity.

- Journal of Hepatology*, 62(6), 1234–1236.
- Gurung, M., Li, Z., You, H., Rodrigues, R., Jump, D. B., Morgun, A., & Shulzhenko, N. (2020). Role of gut microbiota in type 2 diabetes pathophysiology. In *EBioMedicine* (Vol. 51, hal. 102590). Elsevier B.V.
- Haeusler, R. A., Astiarraga, B., Camastra, S., Accili, D., & Ferrannini, E. (2013). Human insulin resistance is associated with increased plasma levels of 12α-hydroxylated bile acids. *Diabetes*, 62(12), 4184–4191.
- Hashimoto, Y., Hamaguchi, M., Kaji, A., Sakai, R., Osaka, T., Inoue, R., Kashiwagi, S., Mizushima, K., Uchiyama, K., Takagi, T., Naito, Y., & Fukui, M. (2020). Intake of sucrose affects gut dysbiosis in patients with type 2 diabetes. *Journal of Diabetes Investigation*, 11(6), 1623–1634.
- Hill, J. O., Wyatt, H. R., & Peters, J. C. (2013). The importance of energy balance. *European Endocrinology*, 9(2), 111–115.
- Howard, B. V. (1999). Insulin resistance and lipid metabolism. *American Journal of Cardiology*, 84(1 A), 28–32.
- Ihedioha, J. I., Noel-Uneke, O. A., & Ihedioha, T. E. (2013). Reference values for the serum lipid profile of albino rats (*Rattus norvegicus*) of varied ages and sexes. *Comparative Clinical Pathology*, 22(1), 93–99.
- Ivanova, E. A., Myasoedova, V. A., Melnichenko, A. A., Grechko, A. V., & Orekhov, A. N. (2017). Small Dense Low-Density Lipoprotein as Biomarker for Atherosclerotic Diseases. *Oxidative Medicine and Cellular Longevity*, 2017.
- Jolfaie, N. R., Rouhani, M. H., Surkan, P. J., Siassi, F., & Azadbakht, L. (2016). Rice Bran Oil Decreases Total and LDL Cholesterol in Humans: A Systematic Review and Meta-Analysis of Randomized Controlled Clinical Trials. *Hormone and Metabolic Research*, 48(7), 417–426.
- Jomard, A., & Osto, E. (2020). High Density Lipoproteins: Metabolism, Function, and Therapeutic Potential. *Frontiers in Cardiovascular Medicine*, 7(March), 1–12.
- Kementerian Pertanian. (2014). *Statistik Ketahanan Pangan Tahun 2013*.
- Kosmas, C. E., Martinez, I., Surlas, A., Bouza, K. V., Campos, F. N., Torres, V., Montan, P. D., & Guzman, E. (2018). High-density lipoprotein (HDL) functionality and its relevance to atherosclerotic cardiovascular disease. In *Drugs in Context* (Vol. 7). Bioexcel Publishing LTD.
- Kuno, T., Hirayama-Kurogi, M., Ito, S., & Ohtsuki, S. (2018). Reduction in hepatic secondary bile acids caused by short-term antibiotic-induced dysbiosis decreases mouse serum glucose and triglyceride levels. *Scientific Reports*, 8(1), 1–7.
- Lassenius, M. I., Pietiläinen, K. H., Kaartinen, K., Pussinen, P. J., Syrjänen, J., Forsblom, C., Pörsti, I., Rissanen, A., Kaprio, J., Mustonen, J., Groop, P. H., & Lehto, M. (2011). Bacterial endotoxin activity in human serum is associated with dyslipidemia, insulin resistance, obesity, and chronic inflammation. *Diabetes Care*, 34(8), 1809–1815.
- Lattimer, J. M., & Haub, M. D. (2010). Effects of dietary fiber and its components on metabolic health. *Nutrients*, 2(12), 1266–1289.
- Li, T., & Chiang, J. Y. L. (2014). Bile acid signaling in metabolic disease and drug therapy. *Pharmacological Reviews*, 66(4), 948–983.
- Li, W.-Z., Stirling, K., Yang, J.-J., & Zhang, L. (2020). Gut microbiota and diabetes: From correlation to causality and mechanism. *World Journal of Diabetes*, 11(7), 293–308.

- Määttä, A. M., Salminen, A., Pietiäinen, M., Leskelä, J., Palviainen, T., Sattler, W., Sinisalo, J., Salomaa, V., Kaprio, J., & Pussinen, P. J. (2021). Endotoxemia is associated with an adverse metabolic profile. *Innate Immunity*, 27(1), 3–14.
- März, W., Kleber, M. E., Scharnagl, H., Speer, T., Zewinger, S., Ritsch, A., Parhofer, K. G., von Eckardstein, A., Landmesser, U., & Laufs, U. (2017). HDL cholesterol: reappraisal of its clinical relevance. In *Clinical Research in Cardiology* (Vol. 106, Nomor 9, hal. 663–675). Dr. Dietrich Steinkopff Verlag GmbH and Co. KG.
- Miyake, J. H., Duong-Polk, X. T., Taylor, J. M., Du, E. Z., Castellani, L. W., Lusic, A. J., & Davis, R. A. (2002). Transgenic expression of cholesterol-7- α -hydroxylase prevents atherosclerosis in C57BL/6J mice. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 22(1), 121–126.
- Nurrahma, B. A., Suryajayanti, M. F., Dewi, A. L., Khairia, Z., Kusuma, R. J., & Suyoto, P. S. T. (2018). Fermented rice bran extract improves dyslipidemia in rodents. *Nutrition and Food Science*, 48(2), 375–383.
- Ormazabal, V., Nair, S., Elfeky, O., Aguayo, C., Salomon, C., & Zuñiga, F. A. (2018). Association between insulin resistance and the development of cardiovascular disease. In *Cardiovascular Diabetology* (Vol. 17, Nomor 1). BioMed Central Ltd.
- Pirahanchi, Y., & Huecker, M. R. (2019). Biochemistry, LDL Cholesterol. In *StatPearls*.
- Prawitt, J., Caron, S., & Staels, B. (2011). Bile acid metabolism and the pathogenesis of type 2 diabetes. In *Current Diabetes Reports* (Vol. 11, Nomor 3, hal. 160–166). InSerm.
- Qi, Y., Jiang, C., Cheng, J., Krausz, K. W., Li, T., Ferrell, J. M., Gonzalez, F. J., & Chiang, J. Y. L. (2015). Bile acid signaling in lipid metabolism: Metabolomic and lipidomic analysis of lipid and bile acid markers linked to anti-obesity and anti-diabetes in mice. *Biochimica et Biophysica Acta - Molecular and Cell Biology of Lipids*, 1851(1), 19–29.
- Rathna Priya, T. S., Eliazar Nelson, A. R. L., Ravichandran, K., & Antony, U. (2019). Nutritional and functional properties of coloured rice varieties of South India: A review. *Journal of Ethnic Foods*, 6(1), 1–11.
- Reiner, Ž., Catapano, A. L., De Backer, G., Graham, I., Taskinen, M. R., Wiklund, O., Agewall, S., Alegria, E., Chapman, M. J., Durrington, P., Erdine, S., Halcox, J., Hobbs, R., Kjekshus, J., Filardi, P. P., Riccardi, G., Storey, R. F., & Wood, D. (2011). ESC/EAS Guidelines for the management of dyslipidaemias. *European Heart Journal*, 32(14), 1769–1818.
- Ridaura, V. K., Faith, J. J., Rey, F. E., Cheng, J., Duncan, A. E., Kau, A. L., Griffin, N. W., Lombard, V., Henrissat, B., Bain, J. R., Muehlbauer, M. J., Ilkayeva, O., Semenkovich, C. F., Funai, K., Hayashi, D. K., Lyle, B. J., Martini, M. C., Ursell, L. K., Clemente, J. C., ... Gordon, J. I. (2013). Gut Microbiota from Twins Discordant for Obesity Modulate Metabolism in Mice. *Science*, 341(6150), 1241214–1241214.
- Ridker, P. M. (2014). LDL cholesterol: Controversies and future therapeutic directions. In *The Lancet* (Vol. 384, Nomor 9943, hal. 607–617). Elsevier B.V.
- Röhrl, C., & Stangl, H. (2018). Cholesterol metabolism—physiological regulation and pathophysiological deregulation by the endoplasmic reticulum. *Wiener Medizinische Wochenschrift*, 168(11–12), 280–285.

- Salar, A., Faghih, S., & Pishdad, G. R. (2016). Rice bran oil and canola oil improve blood lipids compared to sunflower oil in women with type 2 diabetes: A randomized, single-blind, controlled trial. *Journal of Clinical Lipidology*, 10(2), 299–305.
- Salazar, J., Angarita, L., Morillo, V., Navarro, C., Martínez, M. S., Chacín, M., Torres, W., Rajotia, A., Rojas, M., Cano, C., Añez, R., Rojas, J., & Bermudez, V. (2020). Microbiota and diabetes mellitus: Role of lipid mediators. In *Nutrients* (Vol. 12, Nomor 10, hal. 1–22). MDPI AG.
- Sapna, I., & Jayadeep, A. (2021). Influence of enzyme concentrations in enzymatic bioprocessing of red rice bran: A detailed study on nutraceutical compositions, antioxidant and human LDL oxidation inhibition properties. *Food Chemistry*, 351(September 2020), 129272.
- Schmitt, J., Kong, B., Stieger, B., Tschopp, O., Schultze, S. M., Rau, M., Weber, A., Müllhaupt, B., Guo, G. L., & Geier, A. (2015). Protective effects of farnesoid X receptor (FXR) on hepatic lipid accumulation are mediated by hepatic FXR and independent of intestinal FGF15 signal. *Liver International*, 35(4), 1133–1144.
- Schoeler, M., & Caesar, R. (2019). Dietary lipids, gut microbiota and lipid metabolism. In *Reviews in Endocrine and Metabolic Disorders* (Vol. 20, Nomor 4, hal. 461–472). Springer.
- Schofield, J. D., Liu, Y., Rao-Balakrishna, P., Malik, R. A., & Soran, H. (2016). Diabetes Dyslipidemia. In *Diabetes Therapy* (Vol. 7, Nomor 2, hal. 203–219). Springer Healthcare.
- Shakib, M. C. R., Gabriel, S., & Gabriel, G. (2014). Rice bran oil compared to atorvastatin for treatment of dyslipidemia in patients with type 2 diabetes. *Open Access Macedonian Journal of Medical Sciences*, 2(1), 95–102.
- Shakib, M., Gabriel, S., & Gabriel, G. (2014). *Rice Bran Oil Compared to Atorvastatin for Treatment of Dyslipidemia in Patients with Type 2 Diabetes*. 7(1), 95–102.
- Singh, K., & Rohatgi, A. (2018). Examining the paradox of high high-density lipoprotein and elevated cardiovascular risk. In *Journal of Thoracic Disease* (Vol. 10, Nomor 1, hal. 109–112). AME Publishing Company.
- Sircana, A., Framarin, L., Leone, N., Berrutti, M., Castellino, F., Parente, R., De Michieli, F., Paschetta, E., & Musso, G. (2018). Altered Gut Microbiota in Type 2 Diabetes: Just a Coincidence? In *Current Diabetes Reports* (Vol. 18, Nomor 10, hal. 1–11). Current Medicine Group LLC 1.
- Sohail, M., Rakha, A., Butt, M. S., Iqbal, M. J., & Rashid, S. (2017a). Rice bran nutraceuticals: A comprehensive review. *Critical Reviews in Food Science and Nutrition*, 57(17), 3771–3780.
- Sohail, M., Rakha, A., Butt, M. S., Iqbal, M. J., & Rashid, S. (2017b). Rice bran nutraceuticals: A comprehensive review. *Critical Reviews in Food Science and Nutrition*, 57(17), 3771–3780.
- Subramaniyaim, R., & Vimala, R. (2012). Solid State and Submerged Fermentation for the Production of Bioactive Substances: a Comparative Study. *International Journal of Science and Nature*, 3(3), 480–486.
- Threapleton, D. E., Greenwood, D. C., Evans, C. E. L., Cleghorn, C. L., Nykjaer, C., Woodhead, C., Cade, J. E., Gale, C. P., & Burley, V. J. (2013). Dietary fibre intake and risk of cardiovascular disease: Systematic review and meta-analysis. In *BMJ (Online)* (Vol. 347). BMJ Publishing Group.
- Tuarita, M. Z., & Sadek, N. F. (IPB/Fakultas T. P. (2017). Pengembangan Bekatul

- sebagai Pangan Fungsional: Peluang, Hambatan, dan Tantangan Rice Bran Development as Functional Foods: The Opportunities, Obstacles, and Challenges. *Jurnal Pangan*, 26(22).
- Vallianou, N. G., Stratigou, T., & Tsagarakis, S. (2018). Microbiome and diabetes: Where are we now? In *Diabetes Research and Clinical Practice* (Vol. 146, hal. 111–118). Elsevier Ireland Ltd.
- Vergès, B. (2015). Pathophysiology of diabetic dyslipidaemia: where are we? In *Diabetologia* (Vol. 58, Nomor 5, hal. 886–899). Springer Verlag.
- Vong, W. C., Hua, X. Y., & Liu, S. Q. (2018). Solid-state fermentation with *Rhizopus oligosporus* and *Yarrowia lipolytica* improved nutritional and flavour properties of okara. *LWT - Food Science and Technology*, 90(June 2017), 316–322.
- Wadhera, R. K., Steen, D. L., Khan, I., Giugliano, R. P., & Foody, J. M. (2016). A review of low-density lipoprotein cholesterol, treatment strategies, and its impact on cardiovascular disease morbidity and mortality. *Journal of Clinical Lipidology*, 10, 472–489.
- Wilkins, J. T., Ning, H., Stone, N. J., Criqui, M. H., Zhao, L., Greenland, P., & Lloyd-Jones, D. M. (2014). Coronary heart disease risks associated with high levels of HDL cholesterol. *Journal of the American Heart Association*, 3(2).
- Wilson, T. A., Nicolosi, R. J., Woolfrey, B., & Kritchevsky, D. (2007). Rice bran oil and oryzanol reduce plasma lipid and lipoprotein cholesterol concentrations and aortic cholesterol ester accumulation to a greater extent than ferulic acid in hypercholesterolemic hamsters. *Journal of Nutritional Biochemistry*, 18(2), 105–112.
- Xu, G., Li, H., Pan, L. X., Shang, Q., Honda, A., Ananthanarayanan, M., Erickson, S. K., Shneider, B. L., Shefer, S., Bollineni, J., Forman, B. M., Matsuzaki, Y., Suchy, F. J., Tint, G. S., & Salen, G. (2003). FXR-mediated down-regulation of CYP7A1 dominates LXR α in long-term cholesterol-fed NZW rabbits. *Journal of Lipid Research*, 44(10), 1956–1962.
- Yancey, P. G., Bortnick, A. E., Kellner-Weibel, G., de la Llera-Moya, M., Phillips, M. C., & Rothblat, G. H. (2003). Importance of different pathways of cellular cholesterol efflux. *Arteriosclerosis, thrombosis, and vascular biology*, 23(5), 712–719.
- Yang, S. C., Huang, W. C., Ng, X. E., Lee, M. C., Hsu, Y. J., Huang, C. C., Wu, H. H., Yeh, C. L., Shirakawa, H., Budijanto, S., Tung, T. H., & Tung, Y. T. (2019). Rice bran reduces weight gain and modulates lipid metabolism in rats with high-energy-diet-induced obesity. *Nutrients*, 11(9).
- Zhao, Y., Liu, J., Hao, W., Zhu, H., Liang, N., He, Z., Ma, K. Y., & Chen, Z. Y. (2017). Structure-Specific Effects of Short-Chain Fatty Acids on Plasma Cholesterol Concentration in Male Syrian Hamsters. *Journal of Agricultural and Food Chemistry*, 65(50), 10984–10992.
- Zhou, L., Li, C., Gao, L., & Wang, A. (2015). High-density lipoprotein synthesis and metabolism (Review). In *Molecular Medicine Reports* (Vol. 12, Nomor 3, hal. 4015–4021). Spandidos Publications.
- Zubaidah, E., Nurcholis, M., Wulan, S. N., & Kusuma, A. (2012). Comparative Study on Synbiotic Effect of Fermented Rice Bran by Probiotic Lactic Acid Bacteria *Lactobacillus casei* and Newly Isolated *Lactobacillus plantarum* B2 in Wistar Rats. *APCBEE Procedia*, 2, 170–177.