

DAFTAR PUSTAKA

- Ahmad, R., 2009, Studies on adsorption of crystal violet dye from aqueous solution onto coniferous pinus bark powder (CPBP), *J. Hazard. Mater.*, 171, 767–773.
- Ayed, L., Chaieb, K., Cheref, A., and Bakhrouf, A., 2008, Biodegradation of triphenylmethane dye Malachite Green by *Sphingomonas paucimobilis*, *World J. Microbiol. Biotechnol.*, 25, 705-711.
- Bansal, R.C. and Goyal, M., 2005, Activated carbon adsorption, CRC press.
- Bello, O.S., Olusegun, O.A., and Njoku, V.O., 2013, Fly ash: an alternative to powdered activated carbon for the removal of eosin dye from aqueous solutions, *Bull. Chem. Soc. Ethiop.*, 27, 191–204.
- Bertolini, T.C.R., Izidoro, J.C., Magdalena, C.P., and Fungaro, D.A., 2013, adsorption of crystal violet dye from aqueous solution onto zeolites from coal fly and bottom ashes, *Orbital Electron. J. Chem.*, 5, 179–191.
- Bonetto, L.R., Ferrarini, F., De Marco, C., Crespo, J.S., Guégan, R., and Giovanela, M., 2015, Removal of methyl violet 2B dye from aqueous solution using a magnetic composite as an adsorbent, *J. Water Process Eng.*, 6, 11–20.
- Brunauer, S., Emmett, P.H., and Teller, E., 1938, adsorption of gases in multimolecular layers, *J. Am. Chem. Soc.*, 60, 309–319.
- Castellan, G.W., 1982, Physical Chemistry, 3rd Ed., General Graphic Services, New York.
- Dada, A.O., Olalekan, A.P., Olatunya, A.M., and Dada, O., 2012, Langmuir, Freundlich, Temkin and Dubinin–Radushkevich isotherms studies of equilibrium sorption of Zn^{2+} unto phosphoric acid modified rice husk, *IOSR J. Appl. Chem.*, 3, 38–45.
- Demirbas, A., Pehlivan, E., Gode, F., Altun, T., and Arslan, G., 2005, Adsorption of Cu(II), Zn(II), Ni(II), Pb(II), and Cd(II) from aqueous solution on Amberlite IR-120 synthetic resin, *J. Colloid Interface Sci.*, 282, 20–25.
- Donbebe, W., Horsfall Jnr, M., and Spiff, A., 2006, Sorption kinetics of Pb^{2+} and Cu^{2+} ions from aqueous solution by Nipah palm (*Nypa fruticans* Wurmb) shoot biomass, *African. J. Biotechnol.*, 4(9)923-927,.
- Ferreira, B.C.S., Teodoro, F.S., Mageste, A.B., Gil, L.F., de Freitas, R.P., and Gurgel, L.V.A., 2015, Application of a new carboxylate-functionalized sugarcane bagasse for adsorptive removal of crystal violet from aqueous solution: Kinetic, equilibrium and thermodynamic studies, *Ind. Crops Prod.*, 65, 521–534.
- Güzel, F., Saygılı, H., Saygılı, G.A., and Koyuncu, F., 2014, Decolorisation of aqueous crystal violet solution by a new nanoporous carbon: Equilibrium and kinetic approach, *J. Ind. Eng. Chem.*, 20, 3375–3386.

- Irawati, H., Aprilita, N.H., dan Sugiharto, E., 2018, Adsorpsi Zat Warna Kristal Violet Menggunakan Limbah Kulit Singkong (*Manihot esculenta*), *BIMIPA*, 25, 17–31.
- Ismail, N.M., Bono, A., Valintinus, A.C.R., Nilus, S., and Chng, L.M., 2010, Optimization of reaction conditions for preparing carboxymethyl cellulose, *Journal of Applied Sciences*, 10, 2530–2536.
- Ituen, E., Akaranta, O., and James, A., 2017, Evaluation of performance of corrosion inhibitors using adsorption isotherm models: an overview, *Chem. Sci. Int. J.*, 18, 1–34.
- Jalil, A.A., Triwahyono, S., Yaakob, M.R., Azmi, Z.Z.A., Sapawe, N., Kamarudin, N.H.N., Setiabudi, H.D., Jaafar, N.F., Sidik, S.M., and Adam, S.H., 2012, Utilization of bivalve shell-treated *Zea mays* L.(maize) husk leaf as a low-cost biosorbent for enhanced adsorption of malachite green, *Bioresour. Technol.*, 120, 218–224.
- Jiang, F., Dinh, D.M., and Hsieh, Y.-L., 2017, adsorption and desorption of cationic malachite green dye on cellulose nanofibril aerogels, *Carbohydr. Polym.*, 173, 286–294.
- Kajjumba, G.W., Emik, S., Öngen, A., Özcan, H.K., and Aydın, S., 2018, Modelling of adsorption kinetic processes—errors, theory and application, *Adv. sorption Process Appl.*, 10, 187–206.
- Kirk, K.E. and Other, D.F., 1978, *Encyclopedia of Chemical Technology Volume IX 3rd Edition*, John Wiley and Sons Inc., New York.
- Klaewkla, R., Arend, M., and Hoelderich, W.F., 2011, *A review of mass transfer controlling the reaction rate in heterogeneous catalytic systems*, INTECH Open Access Publisher London, London.
- Larasati, T.R.D., Mulyana, N., Sudrajat, D., Hermanto, S., Haryati, S.R., dan Adhari, D.A., 2019, Efektifitas Kapang *Trichoderma viride* dalam Menghidrolisis Substrat Jerami Padi dan Batang Rumput Gajah dengan Variasi Perlakuan NaOH dan Sinar Gamma, *Jurnal Ilmiah Aplikasi Isotop dan Radiasi*, 17, 107–116.
- Lavanya, D., Kulkarni, P.K., Dixit, M., Raavi, P.K., and Krishna, L.N.V., 2011, Sources of cellulose and their applications—A review, *Int. J. Drug Formul. Res.*, 2, 19–38.
- Li, X., Wang, K., and Peng, Y., 2018, Exploring the interaction of silver nanoparticles with pepsin and its adsorption isotherms and kinetics, *Chem. Biol. Interact.*, 286, 52–59.
- Mall, I.D., Srivastava, V.C., Agarwal, N.K., and Mishra, I.M., 2005, Removal of congo red from aqueous solution by bagasse fly ash and activated carbon: kinetic study and equilibrium isotherm analyses, *Chemosphere*, 61, 492–501.
- Maneechakr, P. and Karnjanakom, S., 2017, Adsorption behaviour of Fe (II) and Cr (VI) on activated carbon: Surface chemistry, isotherm, kinetic and

- thermodynamic studies, *J. Chem. Thermodyn.*, 106, 104–112.
- Mani, S. and Bharagava, R.N., 2016, Exposure to crystal violet, its toxic, genotoxic and carcinogenic effects on environment and its degradation and detoxification for environmental safety, *Rev. Environ. Contam. Toxicol.*, 237, 71–104.
- Masoumi, A., Hemmati, K., and Ghaemy, M., 2016, Low-cost nanoparticles sorbent from modified rice husk and a copolymer for efficient removal of Pb (II) and crystal violet from water, *Chemosphere*, 146, 253–262.
- Mimura, A.M.S., Vieira, T.V. de A., Martelli, P.B., and Gorgulho, H. de F., 2010, Utilization of rice husk to remove Cu^{2+} , Al^{3+} , Ni^{2+} and Zn^{2+} from wastewater, *Quim. Nova*, 33, 1279–1284.
- Mona, S., Kaushik, A., and Kaushik, C.P., 2011, Waste biomass of *Nostoc linckia* as adsorbent of crystal violet dye: Optimization based on statistical model, *International Biodeterioration and Biodegradation*, 65, 513–521.
- Muhammad, U. L., Zango, Z. U., & Kadir, H. A. (2019). Crystal violet removal from aqueous solution using corn stalk biosorbent, *Science World Journal*, 14(1), 133-138.
- Noroozi, B. and Sorial, G.A., 2013, Applicable models for multi-component adsorption of dyes: A review, *J. Environ. Sci.*, 25, 419–429.
- Okoro, I.A. and Okoro, S.O., 2011, Agricultural by products as green chemistry absorbents for the removal and recovery of metal ions from waste-water environments, *Cont. J. Water, Air Soil Pollut.*, 2, 15–22.
- Oladipo, A.A. and Gazi, M., 2014, Enhanced removal of crystal violet by low cost alginate/acid activated bentonite composite beads: optimization and modelling using non-linear regression technique, *J. Water Process Eng.*, 2, 43–52.
- Othman, N.H., Alias, N.H., Shahrudin, M.Z., Bakar, N.F.A., Him, N.R.N., and Lau, W.J., 2018, Adsorption kinetics of methylene blue dyes onto magnetic graphene oxide, *J. Environ. Chem. Eng.*, 6, 2803–2811.
- Peng, L., Qin, P., Lei, M., Zeng, Q., Song, H., Yang, J., Shao, J., Liao, B., and Gu, J., 2012, Modifying Fe_3O_4 nanoparticles with humic acid for removal of Rhodamine B in water, *J. Hazard. Mater.*, 209, 193–198.
- Puri, C. and Sumana, G., 2018, Highly effective adsorption of crystal violet dye from contaminated water using graphene oxide intercalated montmorillonite nanocomposite, *Appl. Clay Sci.*, 166, 102–112.
- Safrianti, I., Wahyuni, N., dan Zaharah, T.A., 2012, Adsorpsi timbal (II) oleh selulosa limbah jerami padi teraktivasi asam nitrat: pengaruh pH dan waktu kontak, *J. Kim. Khatulistiwa*, 1(1), 1-7.
- Sarma, G.K., Gupta, S. Sen, and Bhattacharyya, K.G., 2016, RETRACTED: Adsorption of Crystal violet on raw and acid-treated montmorillonite, K10, in aqueous suspension, *J. Environ. Manage.*, 171, 1–10.
- Schwantes, D., Gonçalves, A.C., Coelho, G.F., Campagnolo, M.A., Dragunski,

- D.C., Tarley, C.R.T., Miola, A.J., and Leismann, E.A.V., 2016, Chemical modifications of cassava peel as adsorbent material for metals ions from wastewater, *J. Chem.*, 2016, 1-15.
- Schwantes, D., Gonçalves Jr, A.C., Casarin, J., Pinheiro, A., Pinheiro, I.G., and Coelho, G.F., 2015, Removal of Cr (III) from contaminated water using industrial waste of the cassava as natural adsorbents, *African J. Agric. Res.*, 10, 4241–4251.
- Shah, M.P., Patel, K.A., Nair, S.S., and Darji, A.M., 2013, Microbiological removal of crystal violet dye by *Bacillus subtilis* ETL-2211, *OA Biotechnol*, 2, 199-211.
- Sips, R., 1948, On the structure of a catalyst surface, *J. Chem. Phys.*, 16, 490–495.
- Suteu, D., Malutan, T., and Bilba, D., 2011, Agricultural waste corn cob as a sorbent for removing reactive dye orange 16: equilibrium and kinetic study, *Cellul. Chem. Technol.*, 45, 413-420.
- Tanasale, M.F., Killay, A., and Laratmase, M.S., 2012, Kitosan dari limbah kulit kepiting rajungan (*Portunus sanguinolentus* L.) sebagai adsorben zat warna biru metilena, *J. Natur Indones.*, 14, 165–171.
- Temkin, M.J. and Pyzhev, V., 1940, Recent modifications to Langmuir isotherms, *Acta Physico-Chimica Sin.*, 12, 217–222.
- Worch, E., 2011, *Adsorption technology in water treatment*, de Gruyter, Berlin.
- Xiao, B., Sun, X., and Sun, R., 2001, Chemical, structural, and thermal characterizations of alkali-soluble lignins and hemicelluloses, and cellulose from maize stems, rye straw, and rice straw, *Polym. Degrad. Stab.*, 74, 307–319.
- Yadav, S., Srivastava, V., Banerjee, S., Weng, C.-H., and Sharma, Y.C., 2013, Adsorption characteristics of modified sand for the removal of hexavalent chromium ions from aqueous solutions: Kinetic, thermodynamic and equilibrium studies, *Catena*, 100, 120–127.
- Zheng, L., Dang, Z., Yi, X., and Zhang, H., 2010, Equilibrium and kinetic studies of adsorption of Cd (II) from aqueous solution using modified corn stalk, *J. Hazard. Mater.*, 176, 650–656.
- Zhou, Y., Jin, Q., Hu, X., Zhang, Q., and Ma, T., 2012, Heavy metal ions and organic dyes removal from water by cellulose modified with maleic anhydride, *J. Mater. Sci.*, 47, 5019–5029.
- Zhou, Y., Zhang, M., Wang, X., Huang, Q., Min, Y., Ma, T., and Niu, J., 2014, Removal of crystal violet by a novel cellulose-based adsorbent: comparison with native cellulose, *Ind. Eng. Chem. Res.*, 53, 5498–5506.