

DAFTAR PUSTAKA

- Adaramola, B., & Onigbinde, A. (2016). Effect of Extraction Solvent on the Phenolic Content, Flavonoid Content and Antioxidant Capacity Of Clove Bud Organic /Analytical Chemistry View project Food Chemistry View project Effect of Extraction Solvent on the Phenolic Content, Flavonoid Content an. *IOSR Journal of Pharmacy and Biological Sciences*, 11(3), 33–38. <https://doi.org/10.9790/3008-1103013338>
- Afif, KH (n.d.). *Peningkatan Kadar Kurkumin Ekstrak Etanol Temulawak dengan Metode Cair-Cair [skripsi]*. Bogor: Departemen Kimia, Fakultas MIPA, Institut Pertanian Bogor. Institut Pertanian Bogor.
- Andarina, R., & Djauhari, T. (2017). Antioksidan dalam Dermatologi. *Jurnal Kedokteran Dan Kesehatan*, 4(1), 39–48.
- Anggraito, Y. Ulung., R. Susana., R.S. Iswari., A. Yuniastuti., Lisdiana., Nugrahaningsih WN., N. A. Habibah., S. H. B. (2018). No Title. In *Metabolit sekunder. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Negeri Semarang*.
- Arnao, M. B. (2000). Some methodological problems in the determination of antioxidant activity using chromogen radicals: A practical case. *Trends in Food Science and Technology*, 11(11), 419–421. [https://doi.org/10.1016/S0924-2244\(01\)00027-9](https://doi.org/10.1016/S0924-2244(01)00027-9)
- Ashraf, M. A., Iqbal, M., Rasheed, R., Hussain, I., Riaz, M., Arif, M. S. (2018). Environmental Stress and Secondary Metabolites in Plants: An Overview. In *Plant Metabolites and Regulation under Environmental Stress* (Issue June 2019). <https://doi.org/10.1016/B978-0-12-812689-9.00008>.
- Ausina, P., Branco, J. R., Demaria, T. M., Esteves, A. M., Leandro, J. G. B., Ochioni, A. C., Mendonça, A. P. M., Palhano, F. L., Oliveira, M. F., Abou- Kheir, W., Sola-Penna, M., & Zancan, P. (2020). Acetylsalicylic acid and salicylic acid present anticancer properties against melanoma by promoting nitric oxide-dependent endoplasmic reticulum stress and apoptosis. *Scientific Reports*, 10(1), 1–15. <https://doi.org/10.1038/s41598-020-76824-6>
- Austen, N., Walker, H. J., Lake, J. A., Phoenix, G. K., & Cameron, D. D. (2019). The Regulation of Plant Secondary Metabolism in Response to Abiotic Stress: Interactions Between Heat Shock and Elevated CO₂. *Frontiers in Plant Science*, 10(November), 1–12. <https://doi.org/10.3389/fpls.2019.01463>
- Berk, Z. (2018). Extraction. *Food Process Engineering and Technology*. Berk, Z. (2018). *Extraction. Food Process Engineering and Technology*, 289–310. Doi:10.1016/B978-0-12-812018-7.00011-7, Chapter 12, 289–310. <https://doi.org/10.1016/c2016-0-03186-8>
- Bizzarri, M., Dinicola, S., Bevilacqua, A., Cucina, A. (2016). Broad Spectrum Anticancer Activity of Myo-Inositol and Inositol Hexakisphosphate. *International Journal of Endocrinology*. 2016. <https://doi.org/10.1155/2016/56168078>.

- Cai, L. (2014). Thin layer chromatography. *Current Protocols in Essential Laboratory Techniques*, 2014(February 2014), 6.3.1-6.3.18.
<https://doi.org/10.1002/9780470089941.et0603s08>
- Castillo, A. M., Bernal, A., Patiny, L., & Wist, J. (2014). A new method for the comparison of ¹H NMR predictors based on tree-similarity of spectra. *Journal of Cheminformatics*, 6(1), 1–6. <https://doi.org/10.1186/1758-2946-6-9>
- Castilla P, Davalos A, Teruel JL. (2008). Comparative effects of dietary supplementation with red grape juice and vitamin E on production of superoxide by circulating neutrophil NADPH oxidase in hemodialysis patients. *American Journal of Clinical Nutrition*. (87):1053-1561
- Chanishvili, S., Badridze, G., Rapava, L., & Janukashvili, N. (2007). Effect of altitude on the contents of antioxidants in leaves of some herbaceous plants. *Russian Journal of Ecology*, 38(5), 367–373.
<https://doi.org/10.1134/S1067413607050128>
- Contreras, C. M., Rodríguez-Landa, J. F., Gutiérrez-García, A. G., Mendoza-López, M. R., García-Ríos, R. I., & Cueto-Escobedo, J. (2011). Anxiolytic-like effects of human amniotic fluid and its fatty acids in wistar rats. *Behavioural Pharmacology*, 22(7), 655–662.
<https://doi.org/10.1097/FBP.0b013e32834aff3d>
- Cragg GM, Newman DJ. (2013). Natural products: a continuing source of novel drug leads. *Biochim Biophys Acta Gen Sub j*.1830(6):3670–95. 6.
- Das, K., Tiwari, R. K. S., & Shrivastava, D. K. (2010). Techniques for evaluation of medicinal plant products as antimicrobial agent: Current methods and future trends. *Journal of Medicinal Plants Research*, 4(2), 104–111.
<https://doi.org/10.5897/JMPR09.030>
- Darusman L. K., Batubara I., Djauhari E., Indariani S., Ridwan T., Wahyuni W. T., Rahminiwati M., Sa'idah S., Febriany S., Murni A., Wulansari L., Nengsih N. K., Wismandanu O., & Maulidya. 2016. *Domestika Buah Merah*. Bogor. IPB Press. P. 44.
- De Laurentiis, G., Paris, D., Melck, D., Maniscalco, M., Marsico, S., Corso, G., Motta, A., & Sofia, M. (2008). Metabonomic analysis of exhaled breath condensate in adults by nuclear magnetic resonance spectroscopy. *European Respiratory Journal*, 32(5), 1175–1183.
<https://doi.org/10.1183/09031936.00072408>
- Do, Q. D., Angkawijaya, A. E., Tran-Nguyen, P. L., Huynh, L. H., Soetaredjo, F. E., Ismadji, S., & Ju, Y. H. (2014). Effect of extraction solvent on total phenol content, total flavonoid content, and antioxidant activity of *Limnophila aromatica*. *Journal of Food and Drug Analysis*, 22(3), 296–302.
<https://doi.org/10.1016/j.jfda.2013.11.001>
- Finkel T. 2011. Signal transduction by reactive oxygen species. *J.Cell.Biol.* 194(1) : 7-15.
- Ertugrul, B., Iplik, E. S., & Cakmakoglu, B. (2021). In Vitro Inhibitory Effect of Succinic Acid on T-Cell Acute Lymphoblastic Leukemia Cell Lines. *Archives of Medical Research*, 52 (3) 270–276.
<https://doi.org/10.1016/j.arcmed.2020.10.022>

- Edreva, A., V. Velikova, T. Tsonev, S. Dagnon, A. Gurel, I. Aktas and E. Gesheva. (2008). Stress-Protective Role of Secondary Metabolites : Diversity of Fuction and Mechanisms. *General and Applied Plant Physiology*. 34(1-2) : 67-78.
- Guo. L. Wei, J. Sun, C.-L. Hou, and L. Fan. (2011). Antioxidant activities of extract and fractions from Tuber indicum cooke & masses. *Food Chemistry*. vol. 127, no. 4, pp. 1634–1640.
- Gopalasatheeskumar. (2018). Significant Role Of Soxhlet Extraction Process In Phytochemical Research K. Mintage. *Journal Of Pharmaceutical & Medica Sciences*. Vol 7, Suppl 1.
- Großkinsky, D. K., Naseem, M., Abdelmohsen, U. R., Plickert, N., Engelke, T., Griebel, T., Zeier, J., Novák, O., Strnad, M., Pfeifhofer, H., van der Graaff, E., Simon, U., & Roitsch, T. (2011). Cytokinins mediate resistance against *Pseudomonas syringae* in tobacco through increased antimicrobial phytoalexin synthesis independent of salicylic acid signaling. *Plant Physiology*, 157(2), 815–830. <https://doi.org/10.1104/pp.111.182931>
- Halliwell B. (2007). Biochemistry of oxidative stress. *Biochem Soc Trans*. 35: 1147-50.
- Hanani E, Mun'im A, Sekarini R. (2005). Identifikasi Senyawa Antioksidan dalam Spons *Callyspongia* sp. dari Kepulauan Seribu. *Majalah ilmu kefarmasian*. 2(3): 127-133.
- Hartono, A. Wibowo, A. Priyatmojo. (2019). Isolation, Identification and the Abilities of Fungi Associated with Agarwood from Bangka Belitung Island to Induce Agarwood Compounds. *Jurnal Perlindungan Tanaman Indonesia*. Vol. 23, No. 1, 94–108.
- Harborne, J.B. (1987). *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan*. Institut Teknologi Bandung. Bandung.
- Hawley, S. A., Fullerton, M. D., Ross, F. A., Schertzer, J. D., Chevtzoff, C., Walker, K. J., Pegg, M. W., Zibrova, D., Green, K. A., Mustard, K. J., Kemp, B. E., Sakamoto, K., Steinberg, G. R., & Hardie, D. G. (2012). The ancient drug salicylate directly activates AMP-activated protein kinase. *Science*, 336(6083), 918–922. <https://doi.org/10.1126/science.1215327>
- Hendra, H., Moeljopawiro, S., & Nuringtyas, T. R. (2016). Antioxidant and antibacterial activities of agarwood (*Aquilaria malaccensis* Lamk.) leaves. *AIP Conference Proceedings*, 1755(July 2016). <https://doi.org/10.1063/1.4958565>
- Hernández-Rodríguez, P., Baquero, L. P., & Larrota, H. R. (2018). Flavonoids: Potential Therapeutic Agents by Their Antioxidant Capacity. In *Bioactive Compounds: Health Benefits and Potential Applications*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-814774-0.00014-1>
- Huang DJ, Ou BX, Prior RL. (2005) *The chemistry behind antioxidant capacity assays*. *J Agric Food Chem*.
- Huchelmann, A., Gastaldo, C., Veinante, M., Zeng, Y., Heintz, D., Tritsch, D., Schaller, H., Rohmer, M., Bach, T. J., & Hemmerlin, A. (2014). S-carvone suppresses cellulase-induced capsidiol production in *Nicotiana tabacum* by interfering with protein isoprenylation. *Plant Physiology*, 164(2), 935–950. <https://doi.org/10.1104/pp.113.232546>

- Hussin, M., Hamid, A. A., Abas, F., Ramli, N. S., Jaafar, A. H., Roowi, S., Majid, N. A., & Dek, M. S. P. (2019). NMR-based metabolomics profiling for radical scavenging and anti-aging properties of selected herbs. *Molecules*, 24(17). <https://doi.org/10.3390/molecules24173208>
- Ibrahim, M. H., Jaafar, H. Z. E., Karimi, E., & Ghasemzadeh, A. (2012). Primary, secondary metabolites, photosynthetic capacity and antioxidant activity of the Malaysian Herb Kacip Fatimah (*Labisia pumila* Benth) exposed to potassium fertilization under greenhouse conditions. *International Journal of Molecular Sciences*, 13(11), 15321–15342. <https://doi.org/10.3390/ijms131115321>.
- Ibrahim Mohd H. N. A. Mohd Zain dan Yap Chee. (2017). Effect of Cadmium and Copper Exposure on Growth, Secondary Metabolites and Antioxidant Activity in the Medicinal Plant Sambung Nyawa (*Gynura procumbens* (Lour.) Merr). *Molecules* 22(10):1623.
- ITIS. 2011. *Gyrinops versteegii* (Gilg) Domke. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_v alue=845834#null. Diakses pada Selasa, 17 february 2020 pukul 20:37 WIB.
- Kchaou, W., Abbès, F., Blecker, C., Attia, H., Besbes, S. (2013). Effects of extraction solvents on phenolic contents and antioxidant activities of Tunisian date varieties (*Phoenix dactylifera* L.). *Industrial Crops and Products*, 45, 262–269. <https://doi.org/10.1016/j.indcrop.2012.12.028>
- Khazir, J.; Mir, B.A.; Mir, S.A.; Cowan, D. (2013). Natural products as lead compounds in drug discovery. *J. Asian Nat. Prod. Res.* 15, 764–788.
- Kim, H. K., Choi, Y. H., & Verpoorte, R. (2010). NMR-based metabolomic analysis of plants. *Nature Protocols*, 5(3), 536–549. <https://doi.org/10.1038/nprot.2009.237>
- Kraus, E., Voeten, M., & Lambers, H. (2002). Allelopathic and autotoxic interactions in selected populations of *Lolium perenne* grown in monoculture and mixed culture. *Functional Plant Biology*, 29(12), 1465–1473. <https://doi.org/10.1071/FP02063>
- Krishnaiah D, Sarbatly R, Nithyanandam R. (2011). A review of the antioxidant potential of medicinal plant species. *Food Bioprod Process.* 89: 217–33.
- Laddha, G.S., Degaleesan, T.E. (1976). *Transport Phenomena in Liquid Extraction*. Tata Mc-Graw Hill Publishing Co. Ltd, New Delhi, 131 – 145.
- Lacy, P., McKay, R. T., Finkel, M., Karnovsky, A., Woehler, S., Lewis, M. J., Chang, D., & Stringer, K. A. (2014). Signal intensities derived from different NMR probes and parameters contribute to variations in quantification of metabolites. *PLoS ONE*, 9(1). <https://doi.org/10.1371/journal.pone.0085732>
- Lai, H. Y., & Lim, Y. Y. (2011). Table I: Ferns Investigated and Their Ethnomedicinal Uses. *International Journal of Environmental Science and Development*, 2(6), 2–7.
- Lai, W. W., Hsiao, Y. P., Chung, J. G., Wei, Y. H., Cheng, Y. W., & Yang, J. H. (2011). Synergistic phototoxic effects of glycolic acid in a human keratinocyte cell line (HaCaT). *Journal of Dermatological Science*, 64(3), 191–198. <https://doi.org/10.1016/j.jdermsci.2011.09.001>

- Leung, C. C. J., Cheung, A. S. Y., Zhang, A. Y. Z., Lam, K. F., & Lin, C. S. K. (2012). Utilisation of waste bread for fermentative succinic acid production. *Biochemical Engineering Journal*, 65, 10–15. <https://doi.org/10.1016/j.bej.2012.03.010>
- Liangyou Rui. (n.d.). Energy Metabolism in the Liver. *Physiology & Behavior*, 176(3), 139–148. <https://doi.org/10.1002/cphy.c130024.Energy>
- LIPI (2016) – Indonesia. Indonesia Miliki 7.500 Tanaman Obat. <http://lipi.go.id/berita/single/Indonesia-Miliki-7500-Tanaman-Obat/11540>. Diakses tanggal 18 Desember 2019.
- Li P, Xu G, Li SP, Wang YT, Fan TP, Zhao QS, Zhang QW. (2008). Optimizing ultra performance liquid chromatographic analysis of 10 diterpenoid compounds in *Salvia miltiorrhiza* using central composite design. *J Agric Food Chem*. 56(4):1164–71.
- Maldonado-Bonilla, L. D., Betancourt-Jiménez, M., & Lozoya-Gloria, E. (2008). Local and systemic gene expression of sesquiterpene phytoalexin biosynthetic enzymes in plant leaves. *European Journal of Plant Pathology*, 121(4), 439–449. <https://doi.org/10.1007/s10658-007-9262-1>
- Maryam. St., M. Baits, A. Nadia. (2016). Pengukuran Aktivitas Antioksidan Ekstrak Etanol Daun Kelor (*Moringa Oleifera* Lam.) Menggunakan Metode Frap (Ferric Reducing Antioxidant Power). *Jurnal Fitofarmaka Indonesia* Vol. 2 No.2.
- Mega. M, D.A. Swastini. (2010). Screening phytochemical and free antiradical activity of methanol leaf extract of gaharu (*Gyrinops versteegii*), *Journal of Chemistry* 4 (2). 187-192.
- Moy, L. S., Murad, H., & Moy, R. L. (1993). Glycolic acid peels for the treatment of wrinkles and photoaging. *Journal of Dermatologic Surgery and Oncology*, 19(3), 243–246. <https://doi.org/10.1111/j.1524-4725.1993.tb00343.x>
- Molyneux P. 2004. The Use of The Stable Free Radical Diphenylpicrylhydrazil (DPPH) for Estimating Antioxidant Activity. *Songklanakarin Journal Science Technology*. 26(2):211-219.
- Mulyaningsih. T, I. Yamada. (2008). Notes on some of agarwood in Nusa Tenggara, Celebes and West Papua, in: Natural Resource Management and Socio-Ekonomi Transformation under the Decentralization in Indonesia, Toward Sulawesi Area Studies, Center for Southeast Asian Studies Kyoto University (CSEAS), Kyoto.
- _____, D. Marsono, Sumardi, and I. Yamada. (2014). Selection of Superior Breeding Intraspecies Gaharu of *Gyrinops versteegii* (Gilg) Domke. *Journal of Agricultural Science and Technology*. B 4, 485-492.
- _____, D. Marsono, Sumardi, and I. Yamada. (2017). Ekologi agarwood *Gyrinops versteegii* (Gilg.) Domke di hutan Lombok Barat. [dissertation]. Yogyakarta: Universitas Gadjah Mada.
- Nissen, M. D., Lau, E. T. L., Cabot, P. J., & Steadman, K. J. (2019). Baltic amber teething necklaces: Could succinic acid leaching from beads provide anti-inflammatory effects? *BMC Complementary and Alternative Medicine*, 19(1), 1–9. <https://doi.org/10.1186/s12906-019-2574-9>
- Norita, A. (2020). Standarisasi Sediaan Ekstrak Daun Gaharu (*Gyrinops versteegii* (Gilg.) Domke) dari Tiga Lokasi Berbeda di Indonesia. *Skripsi*.

- Nuringtyas, T. R., R. Isromarina, Y. Septia, L. Hidayati, N. Wijayanti, and S. Moeljopawiro. (2018). The Antioxidant and Cytotoxic Activities of the Chloroform Extract of Agarwood (*Gyrinops versteegii* (Gilg.) Domke) Leaves on Hela Cell Lines in *AIP Conference Proceedings* (Vol. 2002, No. 1, P. 020067). AIP Publishing: 1 – 10.
- Choi, Y.H., Verpoorte, R., Oeter, G.L.K. & Leiss, K.K., (2012). Differential Tissue Distribution of Metabolites in *Jacobaea vulgaris*, *Jacobaea aquatic* and Their Crosses. *Phytochemistry*. 78, 89-97.
- Okabe, S., Okamoto, T., Zhao, C. M., Chen, D., & Matsui, H. (2014). Acetic acid induces cell death: An in vitro study using normal rat gastric mucosal cell line and rat and human gastric cancer and mesothelioma cell lines. *Journal of Gastroenterology and Hepatology (Australia)*, 29(S4), 65–69. <https://doi.org/10.1111/jgh.12775>
- Opitz, S. E. W., Smrke, S., Goodman, B. A., and Yeretizian, C. (2014). Methodology for the Measurement of Antioxidant Capacity of Coffee: A Validated Platform Composed of Three Complementary Antioxidant Assays. In *Processing and Impact on Antioxidants in Beverages*. Elsevier. <https://doi.org/10.1016/B978-0-12-404738-9.00026-X>
- Ozcan T, Akpinar-Bayazit A, Yilmaz-Ersan L and Delikanli B. (2014). Phenolics in human health. *International Journal of Chemical Engineering and Application* 5(5): 393-396.
- Pandey Kanti. B., and S. I. Rizvi. (2010) Markers of oxidative stress in erythrocytes and plasma during aging in humans. *Department of Biochemistry University of Allahabad*. Vol. 3:1, 2-12; January-February.
- Parsaeimehr Ali, E. Sargsyan, & A. Vardanyan. (2011). Expression of secondary metabolites in plants and their useful perspective in animal health. *Animal Biology & Animal Husbandry International Journal of the Bioflux Society*. 2011, Volume 3, Issue 2.
- Peh, E., Kittler, S., Reich, F., and Kehrenberg, C. (2020). Antimicrobial activity of organic acids against *Campylobacter* spp. And development of combinations-A synergistic effect? *PLoS ONE*, 15(9 September), 1–13. <https://doi.org/10.1371/journal.pone.0239312>
- Prange, R., & DeEll, J. (1997). [23279834 - HortScience] Preharvest Factors Affecting Postharvest Quality of Berry Crops. In *HortScience* (Vol. 32, Issue 5, pp. 824–830).
- Preedy, V. R. (2015). *Essential Oils in Food Preservation, Flavor and Safety*. Academic Press. London. pp: 175 – 177
- Rabi, I.I.; Zacharias, J.R.; Millman, S. & Kusch, P. (1938). A New Method of Measuring Nuclear Magnetic Moment. *Physical Review*. 53 (4): 318–327.
- Ramakrishna, A.; Ravishankar, G.A. (2011). Influence of abiotic stress signaling on secondary metabolites in plants. *Plant Signal. Behav.* 6, 1720–1731
- Ricke, S. C., Dittoe, D. K., & Richardson, K. E. (2020). Formic Acid as an Antimicrobial for Poultry Production: A Review. *Frontiers in Veterinary Science*, 7(September), 1–13. <https://doi.org/10.3389/fvets.2020.00563>
- Rindyastuti R, T. Yulistyarini, & A. S. Darmayanti. (2019). Population And Ecological Study Of Agarwood Producing Tree (*Gyrinops Versteegii*) In

- Mangarai District, Flores Island, Indonesia. *Biodiversitas*. ISSN: 1412-033x Volume 20, Number 4, April.
- Ruth, M. R., & Field, C. J. (2013). The immune modifying effects of amino acids on gut-associated lymphoid tissue. *Journal of Animal Science and Biotechnology*, 4(1), 1. <https://doi.org/10.1186/2049-1891-4-27>
- Rosenfeld, H.J.; Aaby, K. & Lea, P. (2002) Influence of temperature and plant density on sensory quality and volatile terpenoids of carrot (*Daucus carota* L.) root. *Journal of the Science of Food and Agriculture*. 82:1384–1390
- Sajid, Z. I., Anwar, F., Shabir, G., Rasul, G., Alkharfy, K. M., & Gilani, A. H. (2012). Antioxidant, antimicrobial properties and phenolics of different solvent extracts from bark, leaves and seeds of *Pongamia pinnata* (L.) pierre. *Molecules*, 17(4), 3917–3932. <https://doi.org/10.3390/molecules17043917>.
- Sampaio, B. L., Edrada-ebel, R., Batista, F., & Costa, D. (2016). Effect of the environment on the secondary metabolic profile of *Tithonia diversifolia*: a model for environmental metabolomics of plants. *Nature Publishing Group, July*, 1–11. <https://doi.org/10.1038/srep29265>
- Seki, T., Morimura, S., Shigematsu, T., Maeda, H., & Kida, K. (2004). Antitumor activity of rice-shochu post-distillation slurry and vinegar produced from the post-distillation slurry via oral administration in a mouse model. *BioFactors*, 22(1–4), 103–105. <https://doi.org/10.1002/biof.5520220120>
- Setiawan, F., Yunita, O., & Kurniawan, A. (2018). Uji Aktivitas Antioksidan Ekstrak Etanol Kayu Secang dan FRAP. *Media Pharmaceutica Indonesiana*, 2(2), 82–89.
- Shahzad, N., Khan, W., MD, S., Ali, A., Saluja, S. S., Sharma, S., Al-Allaf, F. A., Abduljaleel, Z., Ibrahim, I. A. A., Abdel-Wahab, A. F., Afify, M. A., & Al-Ghamdi, S. S. (2017). Phytosterols as a natural anticancer agent: Current status and future perspective. *Biomedicine and Pharmacotherapy*, 88, 786–794. <https://doi.org/10.1016/j.biopha.2017.01.068>
- Sheilaadji Maria U. M.Y. Listiawan, & E. Ervianti. (2019). (Correlation of Superoxide Dismutase (SOD) Antioxidant Level with Bacterial Index (IB) in New Multibacillary (MB) Leprosy Patient without Reaction). *Berkala Ilmu Kesehatan Kulit dan Kelamin – Periodical of Dermatology and Venereology* Vol. 31 / No. 3 / Desember.
- Singh, S., Kaur, I., & Kariyat, R. (2021). The multifunctional roles of polyphenols in plant-herbivore interactions. *International Journal of Molecular Sciences*, 22(3), 1–19. <https://doi.org/10.3390/ijms22031442>
- Sitepu IR, E Susilo, & M Turjaman. (2011). *Production and utilization Technology for sustainable development of gaharu in Indonesia. R&D Centre for Forest Conservation and Rehabilitation*. Bogor.
- Stewart A.J., Chapman W., Jenkins G.I., Graham I., Martin T., & Crozier A. (2001). The effect of nitrogen and phosphorus deficiency on flavonol accumulation in plant tissues. *Plant Cell Environ.*;24:1189–1197. doi: 10.1046/j.1365-3040.2001.00768
- Supronowicz, W., Ignatyev, I. A., Lolli, G., Wolf, A., Zhao, L., & Mleczko, L. (2015). Formic acid: A future bridge between the power and chemical

- industries. *Green Chemistry*, 17(5), 2904–2911.
<https://doi.org/10.1039/c5gc00249d>
- Susilo A, Kalima T, Santoso E. (2014). Panduan Lapangan Jurnal Manajemen Hutan Tropika Vol. 23(1): 10–22 EISSN: 2089-2063 DOI: 10.7226/jtfm.23.1.10 Scientific Article ISSN: 2087-0469 21 *Pengenalan Jenis Pohon Penghasil Agarwood *Gyrinops* spp. di Indonesia*. Susilo A, Kalima T, Santoso E, editor. Indonesia: Pusat Penelitian dan Pengembangan Konservasi dan Rehabilitasi International Tropical Timber Organization (ITTO) - CITES Phase II Project.
- Tang, S. C., & Yang, J. H. (2018). Dual effects of alpha-hydroxy acids on the skin. *Molecules*, 23(4), 1–12. <https://doi.org/10.3390/molecules23040863>
- Terasaki, M., Ito, H., Kurokawa, H., Tamura, M., Okabe, S., Matsui, H., & Hyodo, I. (2018). Acetic acid is an oxidative stressor in gastric cancer cells. *Journal of Clinical Biochemistry and Nutrition*, 63(1), 36–41. <https://doi.org/10.3164/jcbrn.17-49>.
- Torsell. K. B. G (1997). *Natural Product Chemistry, A mechanistic, biosynthetic and ecological approach*. Taylor and Francis, 2nd ed.
- Treisty Isabela dan Mahfud. (2017). Ekstraksi Minyak Atsiri dari Gaharu (*Aquilaria Malaccensis*) dengan Menggunakan Metode Microwave Hydrodistillation dan Soxhlet Extraction. *Jurnal Teknik ITS*. ol. 6, No. 2 (2017) ISSN: 2337-3539
- Tiwari, P., Kumar, B., Kaur, M., Kaur, G., & Kaur, H. (2011). Phytochemical screening and Extraction: A Review. *Internationale Pharmaceutica Scientia/ Jan-March 2011 / Vol. 1 / Issue 1, 1(1)*. <https://doi.org/10.1002/hep.29375>
- Tungmunthum, D., Thongboonyou, A., Pholboon, A., & Yangsabai, A. (2018). Flavonoids and Other Phenolic Compounds from Medicinal Plants for Pharmaceutical and Medical Aspects: An Overview. *Medicines*, 5(3), 93. <https://doi.org/10.3390/medicines5030093>
- Valle-González, E. R., Jackman, J. A., Yoon, B. K., Mokrzecka, N., and Cho, N. J. (2020). pH-Dependent Antibacterial Activity of Glycolic Acid: Implications for Anti-Acne Formulations. *Scientific Reports*, 10(1), 1–8. <https://doi.org/10.1038/s41598-020-64545-9>
- Verpoorte, A. W. Alfermann. (2000). *Metabolic engineering of plant secondary metabolism*. Springer.
- Vuolo, M. M., Lima, V. S., and Maróstica Junior, M. R. (2018). Phenolic Compounds: Structure, Classification, and Antioxidant Power. In *Bioactive Compounds: Health Benefits and Potential Applications*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-814774-0.00002-5>
- Wardana, T. A. P., Nuringtyas, T. R., Wijayanti, N., & Hidayati, L. (2019). Phytochemical analysis of agarwood (*Gyrinops versteegii* (Gilg.) Domke) leaves extracts as anticancer using GC-MS. *AIP Conference Proceedings*, 2194(December). <https://doi.org/10.1063/1.5139868>
- Waksmundzka-Hajnos, M., Sherma, J., & Kowalska, T., 2008, *Thin layer Chromatography in Phytochemistry*. Chromatographic Science Series, 99, 184.
- Wbowo ari dan M. Hatta Prabowo. 2015. *Petunjuk Praktikum Kimia Farmasi Dasar Untuk Mahasiswa*. Universitas Islam Indonesia. Fakultas Farmasi.

- Widayat, T., Hidayati, L., Wijayanti, N., & Nuringtyas, T. R. (2021). *Metabolite Profiles of Agarwood Gyrinops versteegii (Gilg) Domke Leaves collected from Different Locations*. 16(4), 12–19.
- Wijaya, D. N., Susanto, F. A., Purwestri, Y. A., Ismoyowati, D., & Nuringtyas, T.R. (2018). NMR metabolite comparison of local pigmented rice in Yogyakarta. *Indonesian Journal of Biotechnology*, 22(2), 68.a
<https://doi.org/10.22146/ijbiotech.27308>
- Winarsih, H. (2007). *Antioksidan Alami dan Radikal Bebas*. Kanisius. Yogyakarta
- Wolfertz, M., Sharkey, T. D., Boland, W., & Kühnemann, F. (2004). Rapid regulation of the methylerythritol 4-phosphate pathway during isoprene synthesis. *Plant Physiology*, 135(4), 1939–1945 *of Clinical Biochemistry and Nutrition*, 63(1), 36–41. <https://doi.org/10.3164/jcbrn.17-49>
- Yuslianti, E.R. (2018). *Pengantar Radikal Bebas dan Antioksidan*. Yogyakarta: Penerbit Deepublish.
- Yuliana Nancy Dewi. Hanifah N. Lioe. M. A. Sugiharto dan Masao Gato. (2018). NMR-metabolomics revealed metabolites and bioactivity variation in Torbangun leaves (*Plectranthus amboinicus* L.) *of different origin*. *Indonesian Journal of Biotechnology* 23(2):91
- Zargoosh, Z., Ghavam, M., Bacchetta, G., & Tavili, A. (2019). Effects of ecological factors on the antioxidant potential and total phenol content of *Scrophularia striata* Boiss. *Scientific Reports*, 9(1), 1–15. <https://doi.org/10.1038/s41598-019-52605-8>
- Zhang Qing-Wen, Li-Gen Lin & Wen-Cai Ye. (2018). Techniques for extraction and isolation of natural products: a comprehensive review. *journal of Chin Med* 13:20.
- Zia K. T. Siddiqui, S. Ali, I. Farooq, M. S. Zafar, & Z. Khurshid. (2019). Nuclear Magnetic Resonance Spectroscopy for Medical and Dental Applications: A *Comprehensive Review*. *Eur J Dent*. 2019 Feb; 13(1): 124–128.
- Zlatic Nenad M. dan Milan S. Stankovic. (2017). Variability of Secondary Metabolites of the Species *Cichorium intybus* L. from Different Habitats. *Plants* 2017, 6(3), 38.
- Zoratti Laura. Ana L. Escobar. Katja Karppinen & Hely M. Haggman. 2014. Light-Controlled flavonoid biosynthesis in fruits. *Frontiers in Plant Science* 5(534):534n