

## DAFTAR PUSTAKA

- Abrahamsson, K., Jodal, U., Hansson, S., & Larsson, P., 2002, Antibiotic treatment for five days is effective in children with acute cystitis, *Acta Paediatrica, International Journal of Paediatrics*, 91(1), 55–58. <https://doi.org/10.1080/080352502753457950>
- Aliaga, L., Moreno, M., Aomar, I., Moya, S., Ceballos, Á., & Giner, P., 2017, Treatment of acute uncomplicated cystitis - A clinical review, *Clinical and Medical Investigations*, 2(4), 1–7. <https://doi.org/10.15761/cmi.1000142>
- Aung, T. Y., & Soo, S., 2016, Drugs Induced Nausea and Vomiting: an Overview, *IOSR Journal of Pharmacy and Biological Sciences (IOSR-JPBS)*, 11(3), 5–09. <https://doi.org/10.9790/3008-1103020509>
- Azzarone, G., Liewehr, S., & O'Connor, K., 2007, Cystitis, *Pediatrics in Review* Vol. 28, Issue 12, pp. 474–476, American Academy of Pediatrics.
- Badan Pengawas Obat dan Makanan, 2015, *Antibakteri*, Pusat Informasi Obat Nasional, <http://pionas.pom.go.id/ioni/bab-5-infeksi/51-antibakteri>.
- Bedi, P., Singh, K., & Wariach, P., 2016, Study of Fosfomycin Trometamol in Acute Lower Urinary Tract Infections, *Journal of Evolution of Medical and Dental Sciences*, 5(31), 1649–1650. <https://doi.org/10.14260/jemds/2016/388>
- Bjerrum, L., Gahrn-Hansen, B., & Grinsted, P., 2009, Pivmecillinam versus sulfamethizole for short-term treatment of uncomplicated acute cystitis in general practice: A randomized controlled trial, *Scandinavian Journal of Primary Health Care*, 27(1), 6–11. <https://doi.org/10.1080/02813430802535312>
- Budiasa, K., & Arjana, A. A. G., 2016, *Menentukan Dosis Obat dan Cara Pemberiannya*, Karya Tulis Ilmiah, Fakultas Kedokteran Hewan Universitas Udayana, Bali
- Ceran, N., Mert, D., Kocdogan, F. Y., Erdem, I., Adalati, R., Ozyurek, S., & Goktas, P., 2010, A randomized comparative study of single-dose fosfomycin and 5-day ciprofloxacin in female patients with uncomplicated lower urinary tract infections, *Journal of Infection and Chemotherapy*, 16(6), 424–430. <https://doi.org/10.1007/s10156-010-0079-z>
- Cohen, K. R., Frank, J., & Israel, I., 2011, UTI's in the Geriatric Population : Challenge for Clinicians, *US Pharm*, 36(6), 46–54.
- Cunha, B. A., Cunha, C. B., Lam, B., Giuga, J., Chin, J., Zafonte, V. F., & Gerson, S., 2017, Nitrofurantoin safety and effectiveness in treating acute uncomplicated cystitis (AUC) in hospitalized adults with renal insufficiency: antibiotic stewardship implications, *European Journal of Clinical Microbiology and Infectious Diseases*, 36(7), 1213–1216.

<https://doi.org/10.1007/s10096-017-2911-1>

- Darsono, P. V., Mahdiyah, D., & Sari, M., 2016, Gambaran Karakteristik Ibu Hamil Yang Mengalami Infeksi Saluran Kemih (Isk) Di Wilayah Kerja Puskesmas Pekauman Banjarmasin, *Dinamika Kesehatan Jurnal Kebidanan Dan Keperawatan*, 7(1), 150–159.
- Delzell, J. E., & Levefre, M. L., 2000, Urinary Tract Infections During Pregnancy, *American Family Physician*. <https://doi.org/10.1097/00006254-194910000-00014>
- Dinas Kesehatan Jawa Tengah, 2013, *Profil Kesehatan Provinsi Jawa Tengah Tahun 2013*.
- Ernst, E. J., Ernst, M. E., Hoehns, J. D., & Bergus, G. R., 2005, Women's quality of life is decreased by acute cystitis and antibiotic adverse effects associated with treatment, *Health and Quality of Life Outcomes*, 3, 1–7. <https://doi.org/10.1186/1477-7525-3-45>
- Estebanez, A., Pascual, R., Gil, V., Ortiz, F., Santibáñez, M., & Pérez Barba, C., 2009, Fosfomycin in a single dose versus a 7-day course of amoxicillin-clavulanate for the treatment of asymptomatic bacteriuria during pregnancy, *European Journal of Clinical Microbiology and Infectious Diseases*, 28(12), 1457–1464. <https://doi.org/10.1007/s10096-009-0805-6>
- Ferrari, A., Spaccapelo, L., Gallesi, D., & Sternieri, E., 2009, Focus on headache as an adverse reaction to drugs, *Journal of Headache and Pain*, 10(4), 235–239. <https://doi.org/10.1007/s10194-009-0127-1>.
- Gilbert, D. N., 2006, Urinary Tract Infections in Patients with Chronic Renal Insufficienc, *Clinical Journal of the American Society of Nephrology : CJASN*, 1(2), 327–331.
- Gomolin, I. H., Siami, P. F., Reuning-Scherer, J., Haverstock, D. C., & Heyd, A., 2001, Efficacy and safety of ciprofloxacin oral suspension versus trimethoprim-sulfamethoxazole oral suspension for treatment of older women with acute urinary tract infection, *Journal of the American Geriatrics Society*, 49(12), 1606–1613. <https://doi.org/10.1046/j.1532-5415.2001.t01-1-49268.x>
- Grabe, M., Bartoletti, R., Bjerklund-Johansen, T. E., Cai, T., Çek, M., Koves, B., Naber, K. G., Pickard, R. S., Tenke, P., Wagenlehner, F., & Wullt, B., 2020, *Guidelines on Urological Infections*, European Association of Urology.
- Gupta, K., Hooton, T. M., Naber, K. G., Wullt, B., Colgan, R., Miller, L. G., Moran, G. J., Nicolle, L. E., Raz, R., Schaeffer, A. J., & Soper, D. E., 2011, International clinical practice guidelines for the treatment of acute uncomplicated cystitis and pyelonephritis in women: A 2010 update by the Infectious Diseases Society of America and the European Society for Microbiology and Infectious Diseases, *Clinical Infectious Diseases*, 52(5), 103–120. <https://doi.org/10.1093/cid/ciq257>

- Gupta, K., Hooton, T. M., Roberts, P. L., & Stamm, W. E., 2007, Short-course nitrofurantoin for the treatment of acute uncomplicated cystitis in women, *Archives of Internal Medicine*, 167(20), 2207–2212. <https://doi.org/10.1001/archinte.167.20.2207>
- Hamasuna, R., Tanaka, K., Hayami, H., Yasuda, M., Takahashi, S., Kobayashi, K., Kiyota, H., Yamamoto, S., Arakawa, S., Matsumoto, T., Ito, S., Akiyama, K., Ishikawa, E., Ihara, H., Imai, T., Imanishi, O., Taguchi, K., Kawahara, M., Takeyama, K., Takeuchi, T., 2014, Treatment of acute uncomplicated cystitis with faropenem for 3 days versus 7 days: Multicentre, randomized, open-label, controlled trial, *Journal of Antimicrobial Chemotherapy*, 69(6), 1675–1680. <https://doi.org/10.1093/jac/dku014>
- Hogenauer, C., Hammer, H. F., Krejs, G. J., & Reisinger, E. C., 1998, *Mechanisms and Management of Antibiotic-Associated Diarrhea*, 27, 702–710.
- Hooton, T. M., Roberts, P. L., & Stapleton, A. E., 2012, Cefpodoxime vs Ciprofloxacin for Short-Course Treatment of Acute Uncomplicated Cystitis. *JAMA - Journal of the American Medical Association*, 307(6), 583–589. <https://doi.org/10.1001/jama.2012.80>.
- Hooton, T. M., Scholes, D., Gupta, K., Stapleton, A. E., Roberts, P. L., & Stamm, W. E., 2005, Amoxicillin/clavulanate vs Ciprofloxacin for the Treatment of Uncomplicated Cystitis in Women: A Randomized Trial. *Nature Clinical Practice Urology*, 2(8), 364–365. <https://doi.org/10.1038/ncpuro0253>
- Huttner, A., Kowalczyk, A., Turjeman, A., Babich, T., Brossier, C., Eliakim-Raz, N., Kosiek, K., De Tejada, B. M., Roux, X., Shiber, S., Theuretzbacher, U., Von Dach, E., Yahav, D., Leibovici, L., Godycki-Ćwirko, M., Mouton, J. W., & Harbarth, S., 2018, Effect of 5-day Nitrofurantoin vs single-dose fosfomycin on clinical resolution of uncomplicated lower urinary tract infection in women a randomized clinical trial, *JAMA - Journal of the American Medical Association*, 319(17), 1781–1789. <https://doi.org/10.1001/jama.2018.3627>
- Institute of Obstetricians and Gynaecologists Royal College of Physicians of Ireland and the Clinical Strategy and Programmes Division Health Service Executive, 2015, *Clinical Practice Guideline Management of Urinary Tract Infection in Pregnancy*, Issue March 2015, 1–26.
- Kara, A., & Gurgoze, M. K., 2019, The use of nitrofurantoin for children with acute cystitis caused by extended-spectrum B-lactamase-producing Escherichia coli, *Journal of Pediatric Urology*, 378.e1-378.e5. <https://doi.org/https://doi.org/10.1016/j.jpuro.2019.03.021>
- Katzung, B. G., 1997, *Farmakologi Dasar dan Klinik: Prinsip Kerja Obat Antimikroba*. Penerbit Buku Kedokteran EGC.
- Kavatha, D., Giamarellou, H., Alexiou, Z., Vlachogiannis, N., Pentea, S., Gozadinos, T., Poulakou, G., Hatzipapas, A., & Koratzanis, G., 2003,

Cefpodoxime-proxetil versus trimethoprim-sulfamethoxazole for short-term therapy of uncomplicated acute cystitis in women, *Antimicrobial Agents and Chemotherapy*, 47(3), 897–900. <https://doi.org/10.1128/AAC.47.3.897-900.2003>

Keating G. M., 2013, Fosfomycin Trometamol : A Review of Its Use As a Single-Dose Oral Treatment for Patients with Acute Lower Urinary Tract Infections and Pregnant Women with Asymptomatic Bacteriuria. *Drugs*, 73, 1951–1966.

Kementerian Kesehatan Republik Indonesia, 2019, *Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/MENKES/813/2019 Tentang Formularium Nasional*

Kementerian Kesehatan Republik Indonesia, 2011, *Pedoman Pelayanan Kefarmasian Untuk Terapi Antibiotika Kementerian Kesehatan Republik Indonesia*, Jakarta.

Kementerian Kesehatan RI, 2011, Pedoman Umum Penggunaan Antibiotik, *PERMENKES RI*.

Kerstenetzky, L., Jorgenson, M. R., Descourouez, J. L., Levenson, G., Rose, W. E., Redfield, R. R., & Smith, J. A., 2017, Fosfomycin tromethamine for the Treatment of Cystitis in Abdominal Solid Organ Transplant Recipients With Renal Dysfunction, *Annals of Pharmacotherapy*, 51(9), 751–756. <https://doi.org/10.1177/1060028017710252>

Knottnerus, B. J., Grigoryan, L., Geerlings, S. E., Moll van charante, E. P., Verheij, T. J. M., Kessels, A. G. H., & Ter riet, G., 2012, Comparative effectiveness of antibiotics for uncomplicated urinary tract infections: Network meta-analysis of randomized trials, *Family Practice*, 29(6), 659–670. <https://doi.org/10.1093/fampra/cms029>

Koda-Kimble, M. A., Young, L. Y., Alldredge, B. K., & Corelli, R. L., 2009, Applied Therapeutics: The Clinical Use of Drugs, *Annals of Internal Medicine*, Edisi 9, Vol. 99, Issue 4, Lipincott Williams & Wilkins.

Koguchi, D., Murakami, Y., Ikeda, M., Dobashi, M., & Ishii, J., 2020, Cefaclor as a first-line treatment for acute uncomplicated cystitis: A retrospective single-center study, *BMC Urology*, 20(1), 1–7. <https://doi.org/10.1186/s12894-020-00605-6>

Konstatinos, S., Alevizos, A., Petrakos, G., Papathanasion, M., Panagopoulos, P., & Sofras, F., 2007, Study on the Efficacy of Cefaclor for the treatment of Asymptomatic Bacteriuria and Lower Urinary Tract Infections in Pregnant Women with a history of hypersensitivity to Penicillin, *Clinical and Experimental Obstetrics & Gynecology*, 85–88.

Lee, D. S., Choe, H. S., Lee, S. J., Bae, W. J., Cho, H. J., Yoon, B. Il, Cho, Y. H., Han, C. H., Jang, H., Park, S. B., Cho, W. J., & Lee, S. J., 2013, Antimicrobial susceptibility pattern and epidemiology of female urinary tract infections in

South Korea, 2010-2011, *Antimicrobial Agents and Chemotherapy*, 57(11), 5384–5393. <https://doi.org/10.1128/AAC.00065-13>

Liza, 2006, *Buku Saku Ilmu Penyakit Dalam (I)*, Fakultas Kedokteran UI.

López-Medrano, F., Silva, J. T., Fernández-Ruiz, M., Vidal, E., Origüen, J., Calvo-Cano, A., Luna-Huerta, E., Merino, E., Hernández, D., Jironda-Gallegos, C., Escudero, R., Gioia, F., Moreno, A., Roca, C., Cordero, E., Janeiro, D., Sánchez-Sobrinó, B., Montero, M. M., Re`dondo, D., Aguado, J. M., 2019, Oral fosfomycin for the treatment of lower urinary tract infections among kidney transplant recipients—Results of a Spanish multicenter cohort, *American Journal of Transplantation*, 20(2), 451–462. <https://doi.org/10.1111/ajt.15614>

Matsumoto, T., Muratani, T., Nakahama, C., & Tomono, K., 2010, Clinical effects of 2 days of treatment by fosfomycin calcium for acute uncomplicated cystitis in women, *Journal of Infection and Chemotherapy*, 17(1), 80–86. <https://doi.org/10.1007/s10156-010-0092-2>

Naber, K. G., Allin, D. M., Clarysse, L., Haworth, D. A., James, I. G. V., Raini, C., Schneider, H., Wall, A., Weitz, P., Hopkins, G., & Ankel-Fuchs, D., 2004, Gatifloxacin 400 mg as a single shot or 200 mg once daily for 3 days is as effective as ciprofloxacin 250 mg twice daily for the treatment of patients with uncomplicated urinary tract infections, *International Journal of Antimicrobial Agents*, 23(6), 596–605. <https://doi.org/10.1016/j.ijantimicag.2003.12.017>

National Institutes of Health, 2012, Kidney Disease Statistics for the United State, *National Kidney and Urologic Diseases Information Clearinghouse*, 304(22):(12–3895), 1.

Öztürk, R., & Murt, A., 2020, Epidemiology of urological infections: a global burden, *World Journal of Urology*, 0123456789. <https://doi.org/10.1007/s00345-019-03071-4>

Pardede, S. O., Tambunan, T., Alatas, H., Trihono, P. P., & Hidyatati, E. L., 2011, *Konsensus Infeksi Saluran Kemih Pada Anak*, Ikatan Dokter Anak Indonesia (Idai) Unit Kerja Koordinasi (Ukk) Nefrologi Konsensus Infeksi Saluran Kemih Pada Anak.

Plate, A., Kronenberg, A., Risch, M., Mueller, Y., Di Gangi, S., Rosemann, T., & Senn, O., 2020, Treatment of urinary tract infections in Swiss primary care: Quality and determinants of antibiotic prescribing, *BMC Family Practice*, 21(1), 1–9. <https://doi.org/10.1186/s12875-020-01201-1>

Porreca, A., D’Agostino, D., Romagnoli, D., Del Giudice, F., Maggi, M., Palmer, K., Falabella, R., De Berardinis, E., Sciarra, A., Ferro, M., Artibani, W., Mirone, V., & Busetto, G. M., 2021, The Clinical Efficacy of Nitrofurantoin for Treating Uncomplicated Urinary Tract Infection in Adults: A Systematic Review of Randomized Control Trials, *Urologia Internationalis*, 1–10. <https://doi.org/10.1159/000512582>

- Pullukcu, H., Tasbakan, M., Sipahi, O. R., Yamazhan, T., Aydemir, S., & Ulusoy, S., 2007, Fosfomycin in the treatment of extended spectrum beta-lactamase-producing *Escherichia coli*-related lower urinary tract infections, *International Journal of Antimicrobial Agents*, 29(1), 62–65. <https://doi.org/10.1016/j.ijantimicag.2006.08.039>
- Purnomo, B. B., 2003, Dasar-Dasar Urologi, *Revue Medicale Suisse* Edisi II, Vol. 11, Issues 456–457, CV Sagung Seto.
- Rusli, 2018, *Farmasi Klinik*, Kementerian Kesehatan Republik Indonesia, Pusat Pendidikan Sumber Daya Manusia Kesehatan, Badan Pengembangan dan Pemberdayaan Sumber Daya Manusia Kesehatan.
- Sachs, J., Geer, T., & Noell, P., 1968, Effect of Renal Function on Urinary Recovery of Orally Administered Nitrofurantoin, *N Engl J Med*, 278, 1032–1035.
- Sadahira, T., Wada, K., Araki, M., Ishii, A., Takamoto, A., Kobayashi, Y., Watanabe, M., Watanabe, T., Nasu, Y., Kumon, H., Akaeda, T., Akazawa, N., Akebi, N., Araki, D., Araki, T., Arata, R., Ariyoshi, Y., Ando, E., Ando, N., Watanabe, Y., 2017, Efficacy and safety of 3 day versus 7 day cefditoren pivoxil regimens for acute uncomplicated cystitis: Multicentre, randomized, open-label trial, *Journal of Antimicrobial Chemotherapy*, 72(2), 529–534. <https://doi.org/10.1093/jac/dkw424>
- Schmiemann, G., Eberhardt, K., Gebhardt, K., M., M., & Matejczyk, 2010, The Diagnosis of Urinary Tract Infection, *Deutsches Arzteblatt International*, 107(21), 361.
- Schulz, L., Fox, B., & Hoffman, R., 2017, *Diagnosis and Treatment of Infections of the Urinary Tract in Adult Patients – Adult – Inpatient / Ambulatory Clinical Practice Guideline*, University of Wisconsin Hospitals and Clinics.
- Seputra, K. P., Tarmono, Noegroho, B. S., Mochtar, C. A., Wahyudi, I., Renaldo, J., Hamid, A. R., Yudiana, I. W., & Ghinorawa, T., 2015, *Guideline Penatalaksanaan Infeksi saluran kemih dan Genitalia Pria*, Ikatan Ahli Urologi Indonesia.
- Setiabudy, R., 2009, *Farmakologi dan Terapi*, Balai Penerbit UI.
- Sime, F. B., Roberts, M. S., & Roberts, J. A., 2015, Optimization of Dosing Regimens and Dosing in Special Populations, *Clinical Microbiology and Infection*, 21(10), 886–893.
- Stein, R., Dogan, H. S., Hoebeke, P., Kočvara, R., Nijman, R. J. M., Radmayr, C., & Tekgül, S., 2015, Urinary tract infections in children: EAU/ESPU guidelines, *European Urology*, 67(3), 546–558. <https://doi.org/10.1016/j.eururo.2014.11.007>
- Sukandar, E., 2006, Infeksi Saluran Kemih Pasien Dewasa, *Buku Ajar Ilmu Penyakit Dalam*, Edisi IV, Pusat Penerbit IPD FK UI.

- Syahrurachman, 2007, *Buku Ajar Mikrobiologi Kedokteran*, Penerbit Binarupa Aksara.
- Tasbakan, M. I., Pullukcu, H., Sipahi, O. R., & Yamazhan, T., 2012, Nitrofurantoin in the treatment of extended-spectrum  $\beta$ -lactamase- producing *Escherichia coli*-related lower urinary tract infection, *International Journal of Antimicrobial Agents*, 40, 554–556. <https://doi.org/http://dx.doi.org/10.1016/j.ijantimicag.2012.08.003>
- The National Institute for Health and Care Excellence, 2018, *Decision aid for cystitis: taking an antibiotic* (Issue November 2018, 1–2). <https://www.nice.org.uk/guidance/ng109/resources/decision-aid-cystitis-taking-an-antibiotic-pdf-6600949165>
- White, B., 2011, Diagnosis and Treatment of Urinary Tract Infections in Children, *American Family Physician*, Vol. 83. [https://doi.org/10.1007/978-3-319-17798-4\\_28](https://doi.org/10.1007/978-3-319-17798-4_28)
- World Health Organization, 2014, *Antimicrobial Resistance Global Report of Surveillance*. <https://doi.org/10.1016/j.giec.2020.06.004>
- Yamamoto, S., Akiyama, K., Yoshimoto, T., Kanokogi, M., Yabumoto, H., Ihara, H., Ishikawa, E., Yoshioka, M., Kokura, K., & Shima, H., 2009, Clinical efficacy of oral administration of 200 mg gatifloxacin once daily for 3 days for the treatment of patients with uncomplicated cystitis, *Journal of Infection and Chemotherapy*, 15(2), 104–107. <https://doi.org/10.1007/s10156-009-0671-2>