

DAFTAR PUSTAKA

- Anusavice, K.J., Shen, C., Rawls, R., 2013, *Phillip's Science of Dental Materials*, edisi 12, Elsevier Saunders, USA.
- Arafa, K.A.O., 2016, Comparing the effects of titanium alloy and chrome cobalt in removable partial denture connectors on tooth mobility, bone loss and tissue reaction, *Saudi J Dent Res*, 7(2):112–117.
- Arash, V., Keikhaeem, F., Rabiee, S.M., Rajabnia, R., Khafri, S., Tavanafar, S., 2016, Evaluation of antibacterial effects of silver-coated stainless steel orthodontic brackets, *J Dent (Tehran)*, 13(1): 49 – 54.
- Balachandran, S., Zachariah, Z., Fischer, A., Mayweg, D., Wimmer, M.A., Raabe, D., Herbing, M., 2020, Atomic scale origin of metal ion release from hip implant taper junctions, *Adv. Sci.*, 7(5):1-10.
- Baliga, S., Muglikar, S., Kale, R., 2013, Salivary pH : A diagnostic biomarker, *J Indian Soc Periodontol*, 17(4): 461 – 5.
- Banu, A., Marcu, M., Juganaru, C., Osiceanu, P., Anatesescu, M., Capra, L., 2019, Corrosion behavior of cocrmow cast alloy in lactic acid environment for surgical applications, *Arab. J. Chem.*, 12(8): 2007 – 2016.
- Bonifasius, P.W., 2018, Pengaruh Ketebalan Pelapis Silver Terhadap Konsentrasi Pelepasan Ion Nikel Dan Kromium Pada Logam Paduan Kobalt Kromium Remanium® GM380+ Sebagai Bahan *Mini Implant* Perawatan Ortodontik, Tesis, Sekolah Pascasarjana, Universitas Gadjah Mada, Yogyakarta.
- Borg, W., Cassar, G., Gradd, Camilleri, L., Attard, N., Camilleri, J., 2016, Surface microstructural changes and release of ions from dental metal alloy removable prostheses in patients suffering from acid reflux, *J. Prosthodont.*, 27(2):1 – 5.
- Bosetti, M., Masse, A., Tobin, E., Cannas, M., 2002, Silver coated materials for external fixation devices : in vitro biocompatibility and genotoxicity, *Biomaterials*, 23(3): 887 – 892.
- Brunetto, P.S., Slenters, V.T., Fromm, K., 2011, In vitro biocompatibility of new Silver (I) coordination compound coated – surfaces for dental implant applications, *Materials (Basel)*, 4(2):355 – 367.
- Carr, A.B., Brown, D.T., 2015, *McCracken's Removable Partial Prosthodontics*, Mosby Elsevier, Malaysia.

- Caruso, A.A., Prete, S.D., Ferrara, L., Serra, R., Telesca, D.A., Ruggiero, S., Russo, T., Sivero, L., 2016, Relationship between gastroesophageal reflux disease and pH nose and salivary: proposal of a simple method outpatient in patients adults, *Open Med (Wars)*, 11(1):381–386.
- Cunha-Crз, J., Hujoel, P.P., Nadanovsky, P., 2007, Secular trends in socioeconomic disparities in edentulism, *J. Dent. Res*, 86(2):131–136.
- Daneshvar-Fatah, F., Mostafei, A., Hosseinzadeh-Taghani, R., 2013, Caustic corrosion in a boiler waterside tube: Root cause and mechanism, *Eng. Fail. Anal.*, 28 (2013):69-77.
- DeVanConCellos, P., Bose, S., Beyenal, H., Bandyopadhyay, A., Zirkle, L.G., 2012, Antimicrobial particulate silver coatings on stainless steel implants for fracture management, *Mater Sci Eng C Mater Biol Appl*, 32(5):1112– 1120.
- Douglass, C.W., Shih, A., Ostry, L., 2002, Will there be a need for complete dentures in the united states in 2020?, *J Prosthet Dent*, 87(1):5–8.
- Drake, P., Hazelwood, K., 2005, Exposure – related health effects of *silver* and *silver* compounds : a review, *Ann. Occup. Hyg*, 7(49):575 – 585.
- Du, Q., Meng, W., Wang, R., 2018, Application and curative effect of *silver* nanoparticles in treating allergic rhinitis, *Mater. Sci. Eng*, 452(2):1-5.
- Ebadian, B., Razavi, M., Soleimanpour, S., Mosharraf, R., 2008, Evaluation of tissue reaction to some denture-base materials: an animal study, *J Contemp Dent Pract*, 9(4):067-074.
- Elsahhawy, W., Watanabe, I., Koike, M., 2009, Elemental ion release form four different fixed prosthodontic materials, *Dent Mater.*, 25(8):976–981.
- Emami, E., Souza, R.F.d., Kabawat, M., Feine, J.S., 2013, The impact of edentulism on oral and general health, *Int.J. Dent.*, 2013:1-7.
- Espallargas, N., Torres, C., Munoz, A.I., 2015, A metal ion release study of CoCrMo exposed to corrosion and tribocorrosion conditions in simulated body fluids, *wear*, 332 -333:669–678.
- Gilardino, M., Chen, E., Bartlett, S.P., 2009, Choice of internal rigid fixation materials in the treatment of facial fractures, *Craniomaxillofac Trauma Reconstr*, 2(1):49 – 60.
- Gozneli, R., Ozkan, Y.K., Kazazoglu, E., 2010, Allergic sensitivity to denture base materials : a clinical report, *Balk J Stom*, 14(3):149–152.

- Hamida, I., Solehudin, A., Hamdani, A., Hasanah, L., Khairurrijal, K., Kurniawan, T., Mamat, R., Maryanti, R., Nandiyanto, A.B.D., Hammouti, B., 2021, Corrosion of copper alloys in KOH, NaOH, NaCl and HCL electrolyte solutions and its impact to the mechanical properties, *Alex. Eng. J.*, 60(2): 2235 – 2243.
- Hanawa, T., 2004, Metal ion release from metal implants, *Mater. Sci. Eng. C*, 24(6-8):745- 752.
- Hans, R., Thomas, S., Garla, B., Dagli, R., Hans, M.J., 2016, Effect of various sugary beverages on salivary ph, flow rate, and oral clearance rate amongst adults, *Scientifica*, 2016:1-6.
- Hosoki, M., Bando, E., Asaoka, K., Takeuchi, H., Nishigawa, K., 2009, Assessment of allergic hypersensitivity to dental materials, *Biomed Mater Eng*, 19(1):53–61.
- House, K., Sernetz, F., Dymock, D., Sandy, J.R., Ireland, A.J., 2008, Corrosion of orthodontic appliances – should we care ? , *Am J Orthod Dentofacial Orthop*, 133(4):584 – 92.
- Ikeuba, A.I., Zhang, B., Wang, J., Han, E.H., Ke, W., 2019, Electrochemical, TOF-SIMS and XPS studies on the corrosion behavior of Q-phase in NACL solutions as a function of pH, *Appl. Surf. Sci.*, 490:535-545.
- Jamuna-Thevi, K., Bakar, S.A., Ibrahim, S., Shahab, N., Toff, M.R.M., 2011, Quantification of silver ion release, *in vitro* cytotoxicity and antibacterial properties of nanostructured ag doped tio2 coating on stainless steel deposited by rf magnetron sputtering, 2011, *Vacuum*, 86(3):235 – 241.
- Jegdic, B., Popic, J., Bobic, B., Stevanovic, M., 2016, Chemical corrosion of metals and alloys, *Zastita Materijala*, 57(2):205 – 211.
- Kanani, N., 2004, *Electroplating – Basic Principles, Processes and Practice*, Elsevier, Britania Raya.
- Kanwar, A., Sah, K., Grover, N., Chandra, S., Singh, R.R., 2013, Long-term effect of tobacco on resting whole mouth salivary flow rate and pH : An institutional based comparative study, *Eur J Gen Dent*, 2(3): 296–299.
- Kim, E.C., Kim, M.K., Leesungbok, R., Lee, S.W., Ahn, S.J., 2016, Co-Cr dental alloys induces cytotoxicity and inflammatory responses via activation of Nrf2/antioxidant signaling pathways in human gingival fibroblasts and osteoblasts, *Dent Mater.*, 32(11):1394–1405.

- Lamson, D.W., Plaza, S.M., 2002, The safety nad efficacy of high-dose chromium, *Altern Med Rev*, 7(3):218-235.
- Leysens, L., Vinck, B., Straeten, C.V.D., Wuyts, F., Maes, L., 2017, Cobalt toxicity in humans – a review of the potential sources and systemic health effects, *Toxicology*, 387:43–56.
- Li, P., Zhao, Y., Liu, Y., Zhao, Y., Xu., D., Yang, C., Zhang, T., GU, T., Yang, K.E., 2017, Effect of Cu addition to 2205 duples stainless steel on the resistance against pitting corrosion by the *Pseudomonas aeruginosa* Biofilm, *J. Mater. Sci. technol.*, 33(7):723–727.
- Lucchetti, M.C., Fratto, G., Valerani, F., Vittori, E.D., Giampaoli, S., Papetti, P., Spica, V.R., Manzon, L., 2015, Cobalt-chromium alloys in dentistry: an evaluation of metal ion release, *J Prosthet Dent*, 114(2):602–608.
- Lyon, S.B., 2010, Corrosion on Noble Metals, dalam Richardson, T., *Shreir's Corrosion*, Elsevier science, London, Hal:2205 – 2223.
- McCabe, J.F., Walls, A.W.G., 2008, *Applied Dental Materials*, edisi 9, Blackwell Publishing, Singapore.
- Nayak, R.S., Khanna, B., Pasha, A., Vinay, K., Narayan, A., Chaitra, K., 2015, Evaluation of nickel and chromium ion during fixed orthodontics treatment using inductively coupled plasma – mass spectrometer : an in vivo study, *J Int Oral Health*, 7(8):14-21.
- Noumbissi, S., Scarano,A., Gupta, S., 2019, A literature review study on atomic ions dissolution of titanium and its alloys in implant dentistry, *Materials*, 12(3):1-15.
- Nuoh, T., Mars, J.A., Thovhogi, N., Gihwala, D., Baleg, A.A., Maaza, M., 2015, Influence of temperature and pH on corrosion resistance of Ni-Cr and Co-Cr dental alloys on oral environment, *J Dent Oral Health*, 1(1):1-9.
- Papageorgiou, I., Yin,Z., Ladon,D., Baird,D., Lewis,A.C., Sood,A., Newson,R., Learmonth,I.D., Case,C.P., 2007, Genotoxic effects of particles of surgical cobalt chrome alloy on human cells of different age in vitro, *Mutat Res.*, 619(1-2):45–58.
- Parmar,B.A., Nadgere,J.B., Ram,S.M., Shah,N.P., 2018, Spectrophotometric Analysis of Saliva for Metal Ion Release in Patients Prior to and After Cementation of Cobalt chromium or nickel-chromium alloy crowns : an in vivo study, *J Contemp Dent*, 8(2):92–96.

- Patel, R.M., Varma, S., Suragimath, G., Zope, S., 2016, Estimation and comparison of salivary calcium, phosphorous, alkaline phosphatase and pH levels in periodontal health and disease: A cross – sectional biochemical study, *J. Clin. Diagn. Res.*, 10(7):58 – 61.
- Peters, R.M., Willemsse, P., Rijk, P.C., Hoogendoorn, M., Zijlstra, W.P., 2017, Case report fatal cobalt toxicity after a non-metal-on-metal total hip arthroplasty, *Case Rep Orthop*, 2017(3):1-5.
- Renita, D., Rajendran, S., Chattree, A., 2016, Influence of artificial saliva on the corrosion behavior of dental alloys: A review, *Indian J Adv Chem Sci.*, 4(4): 478–483.
- Rincic, N., Baucic, I., Miko, S., Papic, M., Prohic, E., 2003, Corrocion behaviour of the Co-Cr-Mo dental alloy in solutions of different composition and different pH values, *Coll. Antropol.*, 27(2):99-106.
- Rosenstiel, S.F., Land, M.F., Fujimoto, J., 2015, *Contemporary Fixed Prosthodontics*, Edisi 5, Mosby Elsevier, China.
- Sabalaiuskas, V., Juciute, R., Bukelskiene, V., Rutkunas, V., Trumpaite-Vanagiene, R., Puriene, A., 2011, In vitro evaluation of cytotoxic of permanent prosthetic materials, *Stomatologija*, 13(3):75-80.
- Sakaguchi, R.L., Powers, J.M., 2012, *Craig's restorative dental materials*, edisi 13, Elsevier Mosby, USA.
- Salaie, R.N., Besinis, A., Lem, H., Tredwin, C., Handy, R.D., 2020, The biocompatibility of *silver* and nanohydroxyapatite coatings on titanium dental implant with human primary osteoblast cells, *Mater Sci Eng C Mater Bio Appl.*, 107:1–11.
- Saputri, D., Nasution, A.,I., Surbakti, M.R.W., Gani, B.A., 2017, The correlation between pH and flow rate of salivary smokers related to nicotine levels labelled on cigarettes, *Dental journal (Majalah Kedokteran Gigi)*, 50(2):61-65.
- Sardans, J., Montes, F., Penuelas, J., 2010, Determination of As, Cd, Cu, Hg, and Pb in biological samples by modern electrothermal atomic absorbtion spectrometry, *Spectrochim Acta B*, 65(2):97-112.
- Sari, D.P., Nurwening, E., Herliansyah, M.K., 2018, Uji iritasi materil cobalt chromium sebagai material dasar bone plate untuk rekonstruksi mandibula, *Jurnal Teknosains*, 7(2) : 83 – 154.

- Shin, S.H., Ye, M.K., 2012, The effect of nano-Silver on allergic rhinitis model in mice, *Clin Exp Otorhinolaryngol.*, 5(4):222-227.
- Siddharth, R., Gautam,R., Chand,P., Agrawal,K.K., Singh,R.D., Singh,B.P., 2015, Quantitative analysis of leaching of different metals in human saliva from dental casting alloys : An *in vivo* study, *J Indian Prosthodont Soc*, 15:206-10.
- Simonsen, L.O., Harbak, H., Bennekou, P., 2012, Cobalt metabolism and toxicology – a brief update, *Sci. Total Environ*, 432(2012):210-215.
- Sun, H., Brocato, J., Costa, M., 2015, Oral chromium exposure and toxicity, *Curr Environ Health Rep.*, 2(3):295:303.
- Takahashi, N., 2005, Microbial Ecosystem in the Oral Cavity: Metabolic Diversity on an Ecological Niche and Its Relationship with Oral Diseases, *Int Congr.*, 1284:103 – 112.
- Teigen, K., Jokstad, A., 2011, Dental implant suprastructures using cobalt–chromium alloy compared with gold alloy framework veneered with ceramic or acrylic resin: a retrospective cohort study up to 18 years, *Clin.Oral Impl. Res*, 23(7):853 – 860.
- Thomas, P., weik, T., Roider, G., Summer, B., Thomsen, M., 2016, Influence of surface coating on metal ion release : evaluation in patients with metal allergy, *Orthopedics*, 39(3):24-30.
- Tiwari, S., Bhayya, D., Gupt, S., Saxen, S., Kathal, S., Roy, S., 2016, Effect of pH nickel release from stainless steel crown : an *in vitro* study, *Int. Educ. Res.*, 2(3):47–48.
- Tyhssen, J.P., Linneberg, A., Menne, T., Johanse, J.D., 2007, The epidemiology of contact allergy in the general populations prevalence and main findings, *Contact dermatitis*, 57(5):287–299.
- Yan, H., Afroz, S., Dalanon, J., Goto, N., Hosoki, M., Matsuka, Y., 2018, Metal allergy patient treated by titanium implant denture : A case report with at least 4-year follow up, *Clin Case Rep*, 6(10):1972–1977.
- Zhang, H., Xue, X., 2019, The research progress on corrosion and protection of silver layer, *SN applied sciences*, 1:464.
- Zhu, Z., Liu, X., Ye, Z., Zhang, J., Cao, F., Zhang, J., 2018, A fabrication of iridium oxide film pH micro-sencor on pT ultramicroelectrode and its application on in-situ pH distribution of 316L stainless steel corrosion at open circuit potential, *Sens. Actuators*, 255(2):1974-1982.

Zor, A., Ünal, İ. H., Gökergil, H.M., 2011, Investigation of corrosion behavior of silver coated brass in acidic solutions, *Prot. Met. Phys. Chem. Surf.*, 47(6): 813 – 820.