

DAFTAR PUSTAKA

- Adie, M. M. dan A. Krisnawati. 2013. Biologi Tanaman Kedelai. Balai Penelitian Tanaman Kacang-kacangan dan Umbi-umbian : Malang.
- Afandhi, A., T. Widjayanti¹, A. A. L. Emi, H. Tarno, M. Afyanti dan R. N. S. Handoko. 2019. Endophytic fungi *Beauveria bassiana* Balsamo accelerates growth of common bean (*Phaseolus vulgaris* L.). *Chem. Biol. Technol. Agric.* Vol. 6(11) : 1-6.
- Baldin, E. L. L., M. D. Stamm, J. P. F. Bentivenha, K. G. Koch, T. M. Heng-Moss, T. E. Hunt. 2018. Feeding Behavior of *Aphis glycinis* (Hemiptera: Aphididae) on Soybeans Exhibiting Antibiosis, Antixenosis, and Tolerance Resistance. *Florida Entomologist*. Vol. 101(2): 223-228
- Barra-Bucarei, L., M. G. González, A. F. Iglesias, G. S. Aguayo, M. G. Peñalosa and P. V. Vera. 2020. *Beauveria bassiana* multifunction as an endophyte: Growth promotion and biologic control of *Trialeurodes vaporariorum*, (Westwood) (Hemiptera: Aleyrodidae) in tomato. *Insects*. Vol. 11 (9): 1-15
- Borkar, S., N. Matcha, D. Ponnusamy, and M. S. P.R. 2020. Sucking Pests of Oilseed Crops. In book: Sucking Pests of Crops. Springer, Singapore. pp 160
- Brownbridge, M., S. D. Reay, T. L. Nelson, and T. R. Glare. 2012. Persistence of *Beauveria bassiana* (Ascomycota: Hypocreales) as an endophyte following inoculation of radiata pine seed and seedlings. *Biological Control* 61: 194–200.
- Chadha, N., M. Mishra, R. Prasad. 2014. Root endophytic fungi: Research update. *Journal of Biology and Life Science*. Vol. 5 (2) : 135-158
- Clifton, E. H., S. T. Jaronski, B. S. Coates, E. W. Hodgson, A. J. Gassmann. 2020. Effects of endophytic entomopathogenic fungi on soybean aphid and identification of *Metarhizium* isolates from agricultural fields. *PLoS ONE* 13(3): 1-19
- Espinoza, F., S. Vidal, F. Rautenbach, F. Lewu, F. Nchu. 2019. Effects of *Beauveria bassiana* (Hypocreales) on plant growth and secondary metabolites of extracts of hydroponically cultivated chive (*Allium schoenoprasum* L. [Amaryllidaceae]) *Heliyon* 5: 1-6
- Ghozali, I. 2009. Aplikasi Analisis Multivariate dengan Program SPSS. UNDIP : Semarang.
- Hidayati, N dan L. Hendrati. 2018. Inventarisasi dan identifikasi penyebab penyakit pada *Acacia auriculiformis* di Yogyakarta. *Jurnal Pemuliaan Tanaman Hutan*. Vol. 12 (2) : 105 - 113

- Humber, R. A. 2008. Evolution of entomopathogenicity in fungi. *Journal of Invertebrate Pathology* 98 : 262–266.
- Javed, K., H. Javed, T. Mukhtar and D. Qiu. 2019. Efficacy of *Beauveria bassiana* and *Verticillium lecanii* for the management of whitefly and aphid. *Pakistan Journal of Agricultural Sciences*. Vol. 56(3): 669-674
- KEMENTAN RI (Kementerian Pertanian Republik Indonesia). 2019. Produksi, Luas Panen dan Produktivitas Palawija di Indonesia, 2014-2018. <[http://www.pertanian.go.id/Data5tahun/TPATAP2017\(pdf\)/01PalawijaNasional.pdf](http://www.pertanian.go.id/Data5tahun/TPATAP2017(pdf)/01PalawijaNasional.pdf)> Diakses 28 November 2020.
- Krell, V., D., Jakobs-Schoenwandt and A. Patel. 2019. Application of Formulated Endophytic Entomopathogenic Fungi for Novel Plant Protection Strategies. Dalam T. Hodkinson, F. Doohan, M. Saunders, & B. Murphy (Eds.), *Endophytes for a Growing World* (pp. 52-66). Cambridge University Press : Cambridge.
- Lewis, L.C., D.J. Bruck, R.D. Gunnarson, K.G. Bidne. 2001. Assessment of plant pathogenicity of endophytic *Beauveria bassiana* in Bt transgenic and non-transgenic corn. *Crop Science*. 41. pp. 1395-1400
- Mahmood, Z, T. Steenberg, K. Mahmood, R. Labouriau, M. Kristensen. 2019. Endophytic *Beauveria bassiana* in maize affects survival and fecundity of the aphid *Sitobion avenae*. *Biological Control*. 137.
- Modgil, R., B. Tanwar, A. Goyal, and V. Kumar. 2020. Soybean (*Glycine max*). In book: *Oilseeds: Health Attributes and Food Applications*. Springer, Singapore, pp 1-2
- Norjmaa, U., D. Nasandulam, B. Enkhjargal, and Banzragch. 2019. Morphological and molecular identification of *Beauveria bassiana* from agricultural soils. *Mong.J.Agric.Sci*. Vol.27 (2):20-21
- Prayogo Y., W Tengkan dan Marwoto. 2005. Prospek cendawan entomopatogen *Metarhizium anisopliae* untuk mengendalikan ulat grayak *Spodoptera litura* pada kedelai. *J. Litbang Pertanian*. 24 : 19 – 23.
- Prayogo, Y. & M. S. Y. I. Bayu. 2019. Efficacy of Biopesticide Be-Bas against Sweet Potato Weevils (*Cylas formicarius* Fabricius) in Tidal Land. *Jurnal Perlindungan Tanaman Indonesia*. Vol. 23(1) : 6–15
- Prayogo, Y. 2017. Perbandingan metode aplikasi jamur entomopatogen *Beauveria bassiana* untuk pengendalian *Cylas formicarius* (Coleoptera: curculionidae). *Jurnal HPT tropika* vol 17 : 84-95.
- Pujiastuti, Y., Erfansyah dan S. Herlinda. Kefektivan *Beauveria bassiana* (Bals.) Vuill. isolat *indigenous* Pagaralam Sumatera Selatan pada media beras terhadap larva

- Plutella xylostella* Linn. (Lepidoptera : Yponomeutidae). Jurnal Entomologi Indonesia. Vol. 3 (1) : 30-40
- Putra, E. R. C. 2019. Biologi dan Statistik Demografi *Aphis glycine* pada Tanaman Kedelai. Skripsi. Fakultas Pertanian. Universitas Brawijaya. Malang.
- Ramos, Y., A. D. Taibo, J. A. Jiménez dan O. Portal. 2020. Endophytic establishment of *Beauveria bassiana* and *Metarhizium anisopliae* in maize plants and its effect against *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera: Noctuidae) larvae. Egyptian Journal of Biological Pest Control. Vol. 30(20) : 1-6
- Rondot, Y. & A. Reineke. 2016. Endophytic *Beauveria bassiana* in grapevine *Vitis vinifera* (L.) reduces infestation with piercing-sucking insects. Biological Control. 116 : 82-89
- Rondot, Y. 2019. Endophytic establishment of *Beauveria bassiana* in grapevine plants as a sustainable pest management strategy. Thesis. Departemen of Crop Protection. Geisenheim University. German.
- Saad, M.M.G., R.Y. Ghareeb, and A.A. Saeed. 2019. The polibagential of endophytic fungi as bio-control agents against the cotton leafworm, *Spodoptera littoralis* (Boisd.) (Lepidoptera: Noctuidae). *Egypt J Biol Pest Control*. Vol. 29 (7) : 1-7
- Saranraj, P. and A. Jayaprakash. 2017. Agrobeneficial entomopathogenic fungi – *Beauveria bassiana*: A review. Indo – Asian Journal of Multidisciplinary Research (IAJMR). Vol. 3(2): 1051 – 1087
- Singh, R. J., R. L. Nelson, and G. Chung. 2007. Genetic Resources, Chromosome Engineering, and Crop Improvement Series: Oilseed Crops. Volume 4 (pp.13-50). Chapter: Soybean [*Glycine max* (L.) Merr.]. CRC Press (Taylor & Francis Group) : Florida
- Steel, R.G.D. & Torrie, J.H. 1989. Prinsip dan Prosedur Statistika. Suatu Pendekatan Biometrik. Gramedia : Jakarta.
- Takahashi, S., M. Inaizumi, and K. Kawakami. 1993. Life cycle of the soybean aphid *Aphis glycinivorens* Matsumura, in Japan. Japanese Journal of Applied Entomology and Zoology. Vol. 37 (4) : 207-212. Translated by Naoyuki Ochiai, Oregon State University; Edited by Mohan Ramaswamy, Kansas State University, 2003.
- Taufik, M., L. O. S. Bande, A. Hasan, M. Rahayu, D. N. Yusuf and R. D. R. Wulan. 2020. Incidence of Soybean mosaic virus on soybean in Southeast Sulawesi. IOP Conf. Series: Earth and Environmental Science 468.

- Tilmon, K. J., E. W. Hodgson, M. E. O'Neal, and D. W. Ragsdale. 2011. Biology of the Soybean Aphid, *Aphis glycines* (Hemiptera: Aphididae) in the United States. *J. Integ. Pest Mngmt.* Vol. 2(2): 1-7
- Triwidodo, H., A. Agustini, and Listihani. 2020. Biology and the statistic demographic of *Aphis glycines* Matsumura (Hemiptera: Aphididae) on the soybean with Plant Growth Promoting Rhizobacteria (PGPR) treatment. *Jurnal Perlindungan Tanaman Indonesia*, Vol. 24(1) : 54–60
- Vega, F. E., F. Posada, M. C. Aime, M. Pava-Ripoll, F. Infante, and S. A. Rehner. 2008. Entomopathogenic fungal endophytes. *Biological Control* 46 : 72–82.
- Wisuda, N. L. dan S. Sedjati. 2018. Keragaan Sumber Kitin untuk Mempertahankan Virulensi *Beauveria bassiana* (Bals.), Jamur Pengendali Wereng Batang Cokelat (*Nilaparvata lugens* Stal.). *Jurnal Perlindungan Tanaman Indonesia*, Vol. 22(2): 143–149