

DAFTAR PUSTAKA

- Affandi, M. (2009) 'Faktor-faktor yang Mempengaruhi Penduduk Lanjut Usia Memilih untuk Bekerja', *Journal of Indonesian Applied Economics*, 3(2), pp. 99–110.
- Amarson, A. *et al.* (2013) 'Effects of whey proteins and carbohydrates on the efficacy of resistance training in elderly people: double blind, randomised controlled trial', *European Journal of Clinical Nutrition*, 67, pp. 821–826.
- Amarya, S., Singh, K. and Sabharwal, M. (2018) 'Ageing Process and Physiological Changes', in *Gerontology*.
- Amran, Y., Kusumawardani, R. and Supriyatiningih, N. (2012) 'Food Intake Determinant Factor among Elderly', *Jurnal Kesehatan Masyarakat Nasional*, 6(6), pp. 255–260.
- Arjuna, T. *et al.* (2017) 'A Cross-Sectional Study of Nutrient Intake and Health Status among Older Adults in Yogyakarta Indonesia', *Nutrients*, 9(1240), pp. 1–21. doi: 10.3390/nu9111240.
- Badan Pusat Statistik (2019) *Statistik Penduduk Lansia*. Jakarta: Badan Pusat Statistik.
- Bappeda DI Yogyakarta (2020) *Aplikasi Dataku*.
- Beaulieu, K. and Hopkins, M. (2017) 'High Habitual Physical Activity Improves Acute Energy Compensation in Nonobese Adults', *Med Sci Sports Exerc.*, 49(11), pp. 2268–2275. doi: 10.1249/MSS.0000000000001368.

Borg, S. ter *et al.* (2015) 'Macronutrient Intake and Inadequacies of Community-Dwelling Older Adults', *Annals of Nutrition and Metabolism*, 66, pp. 242–255. doi: 10.1159/000435862.

Bosaeus, I. and Rothenberg, E. (2016) 'Nutrition and physical activity for the prevention and treatment of age-related sarcopenia', *Proceedings of the Nutrition Society*. 2015/12/01. Cambridge University Press, 75(2), pp. 174–180. doi: DOI: 10.1017/S002966511500422X.

Campbell, C. M. (2012) *Methods of physical activity assessment in older adults* by. Iowa State University.

Caughey, P. *et al.* (2008) 'Dietary intake in the elderly estimated by a 24 hour recall and a food frequency questionnaire', *Journal of Human Nutrition and Dietetics*, 7, pp. 209–213. doi: 10.1111/j.1365-277X.1994.tb00432.x.

Clegg, M. E. and Godfrey, A. (2018) 'The relationship between physical activity , appetite and energy intake in older adults : A systematic review', *Appetite*. Elsevier, 128, pp. 145–151. doi: 10.1016/j.appet.2018.05.139.

Cleland, C. *et al.* (2018) 'Validity of the International Physical Activity Questionnaire (IPAQ) for assessing moderate-to-vigorous physical activity and sedentary behaviour of older adults in the United Kingdom', *BMC Medical Research Methodology*. BMC Medical Research Methodology, 18(3), p. 176.

Darwita, S. P., Pratiwi, Y. S. and Dwipa, L. (2018) 'Characteristics of Elderly Patients with Sarcopenia at Geriatric Outpatient Clinic Dr . Hasan Sadikin General Hospital Period 2012 – 2014', *Althea Medical Journal*, 5(4), pp.

201–207.

Diana, M. and Sandia, R. (2016) 'Tingkat Pengetahuan Keluarga Tentang Gastritis pada Lansia di Desa Ngaban, Tanggulangin, Sidoarjo', *Nurse and Health*, 5(1), pp. 6–8.

Dorling, J. *et al.* (2018) 'Acute and Chronic Effects of Exercise on Appetite, Energy Intake, and Appetite-Related Hormones: The Modulating Effect of Adiposity, Sex, and Habitual Physical Activity', *Nutrients*, 10, p. 1140. doi: 10.3390/nu10091140.

Dwi, S. H., Treesia, S. and Wibowo, A. T. (2017) 'Persepsi Lansia Terhadap Aktivitas Fisik dan Kesejahteraan Jasmani di Desa Margosari Kota Salatiga Jawa Tengah', *Jurnal Ilmu Keperawatan*, 2(2).

Elahi, V. *et al.* (1983) 'A longitudinal study of nutritional intake in men', *Journal of Gerontology*, 38, pp. 162–180.

Ethisan, P. *et al.* (2017) 'Factors Related to Physical Activity Among the Elderly Population in Rural Thailand', *Journal of Primary Care and Community Health*, 8(2), pp. 71–76. doi: 10.1177/2150131916675899.

Fadillah, A. D., Suyatno and Nugraheni, S. A. (2019) 'Faktor-faktor yang Berhubungan dengan Kesesuaian Praktik Gizi pada Lansia Berdasarkan 10 Pesan Gizi Seimbang', *Jurnal Kesehatan Masyarakat*, 7(4), pp. 708–719.

Di Francesco, V. *et al.* (2005) 'Delayed postprandial gastric emptying and impaired gallbladder contraction together with elevated cholecystokinin and peptide YY serum levels sustain satiety and inhibit hunger in healthy elderly persons.', *The journals of gerontology. Series A, Biological sciences and*

medical sciences. United States, 60(12), pp. 1581–1585. doi: 10.1093/gerona/60.12.1581.

Giezenaar, C. *et al.* (2016) 'Ageing Is Associated with Decreases in Appetite and Energy Intake — A Meta-Analysis in Healthy Adults', *Nutrients*, 8(28), pp. 1–22. doi: 10.3390/nu8010028.

Haaf, T. *et al.* (2018) 'Insufficient Protein Intake is Highly Prevalent Among Physically Active Elderly', *Journal of Nutrition Health Aging*, 22(9), pp. 1112–1114. doi: 10.1007/s12603-018-1075-8.

Hagstro, M., Oja, P. and Sjo, M. (2006) 'The International Physical Activity Questionnaire (IPAQ): A study of concurrent and construct validity The International Physical Activity Questionnaire (IPAQ): a study of concurrent and construct validity', *Public Health Nutrition*, 9(6), pp. 755–762. doi: 10.1079/PHN2005898.

Hammodorf, P., Star, G. and Williams, M. (2002) 'A survey of physical-activity levels and functional capacity in older adults in South Australia', *Journal of Aging Physical Activity*, 10, pp. 281–289.

Horner, K. M. *et al.* (2015) 'Influence of habitual physical activity on gastric emptying in healthy males and relationships with body composition and energy expenditure British Journal of Nutrition', *British Journal of Nutrition*, 144(3), pp. 489–496. doi: 10.1017/S0007114515002044.

Hunter, G. *et al.* (2000) 'Resistance training increases total energy expenditure and free-living physical activity in older adults', *Journal of Applied Physiology*, 89, pp. 977–984.

Koehler, K. M. (1994) 'The New Mexico Aging Process Study.', *Nutrition reviews*.

United States, 52(8), pp. 1–7. doi: 10.1111/j.1753-4887.1994.tb01446.x.

Langhammer, B., Bergland, A. and Rydwick, E. (2018) 'The Importance of Physical Activity Exercise among Older People', *Biomed Research International*. Hindawi, 2018, pp. 13–15. doi: 10.1155/2018/7856823.

Leslie, W. and Hankey, C. (2015) 'Aging, Nutritional Status and Health', *Healthcare*, 3, pp. 648–658. doi: 10.3390/healthcare3030648.

Mcardle, A., Vasilaki, A. and Jackson, M. (2002) 'Exercise and skeletal muscle ageing : cellular and molecular mechanisms', *Ageing Research Reviews*, 1, pp. 79–93.

Melzer, K. *et al.* (2005) 'Effects of Physical Activity on Food Intake', *Clinical Nutrition*, 24, pp. 885–895. doi: 10.1016/j.clnu.2005.06.003.

Merom, D. *et al.* (2009) 'Are messages about lifestyle walking being heard? Trends in walking for all purposes in New South Wales (NSW), Australia', *Prev Med*, 48, pp. 341–344.

Moreno-agostino, D. *et al.* (2020) 'The impact of physical activity on healthy ageing trajectories: evidence from eight cohort studies', *International Journal of Behavioral Nutrition and Physical Activity*. *International Journal of Behavioral Nutrition and Physical Activity*, 17(92), pp. 1–12.

Mummery, W. *et al.* (2007) 'Associations between physical activity and other lifestyle behaviors in older New Zealanders', *Journal of Physical Activity Health*, 4, pp. 411–422.

- Muntner, P. *et al.* (2005) 'Prevalence of Physical Activity Among Chinese Adults : Results From the International Collaborative Study of Cardiovascular Disease in Asia', *American Journal of Public Health*, 95(9), pp. 1631–1636. doi: 10.2105/AJPH.2004.044743.
- Murtagh, E. M. *et al.* (2015) 'Prevalence and Correlates of Physical Inactivity in Community-Dwelling Older Adults in Ireland', *Plos One*, pp. 1–11. doi: 10.1371/journal.pone.0118293.
- Norheim, K. L. *et al.* (2017) 'The Effect of Aging on Physical Performance Among Elderly Manual Workers: Protocol of a Cross-Sectional Study', *JMIR Res Protoc*, 6(11), p. 226.
- Nurjannah, E., Trisnaningsih and Yarmaidi (2018) *Tingkat Urbanisasi Dan Ciri Wilayah Perkotaan di Kabupaten Pringsewu*. Universitas Lampung.
- Rémond, D. *et al.* (2015) 'Understanding The Gastrointestinal Tract Of The Elderly To Develop Dietary Solutions That Prevent Malnutrition', *Oncotarget*, 6(16), pp. 13858–13898.
- Sari, W. and Septiani, W. (2019) 'Malnutrisi pada Lansia di Kota Pekanbaru', *Jurnal Kesehatan Komunitas*, 5(17), pp. 44–48.
- Schmid, A., Weiss, M. and Hesecker, H. (2003) 'Recording the nutrient intake of nursing home residents by food weighing method and measuring the physical activity.', *The journal of nutrition, health & aging*. France, 7(5), pp. 294–295.
- Shahar, D. R. *et al.* (2009) 'Dietary Factors In Relation To Daily Activity Energy Expenditure And Mortality Among Older Adults', *The Journal of Nutrition*,

Health, and Aging, 13(5), pp. 414–420.

Sholihin, A. D. and Sugiarto (2015) 'Analisis Aktivitas Fisik Dan Aktivitas Belajar Pada Mahasiswa Fakultas Ilmu Keolahragaan Universitas Negeri Semarang Dalam Memanfaatkan Waktu Luang', *Journal of Sport Sciences and Fitness*, 4(4), pp. 34–37.

Stefan, L. *et al.* (2018) 'Frequency of Dietary Intake and Physical Activity in Older Adults : A Cross-Sectional Study', *Nutrients*, 10(1960), pp. 1–10. doi: 10.3390/nu10121960.

Sun, F., Norman, I. J. and While, A. E. (2013) 'Physical Activity in Older People : A Systematic Review', *BMC Public Health*, 13(449), pp. 1–17.

Sun, Y. *et al.* (2011) 'Reliability and Predictive Validity of Caloric Intake Measures from the 24-Hour Dietary Recalls of Homebound Older Adults', *Journal of the American Dietetic Association*, 110(5), pp. 773–778. doi: 10.1016/j.jada.2010.02.003.Reliability.

Tomioka, K. *et al.* (2014) 'Reliability and Validity of the International Physical Activity Questionnaire (IPAQ) in Elderly Adults : The Fujiwara-kyo Study Reliability and Validity of the International Physical Activity Questionnaire (IPAQ) in Elderly Adults : The Fujiwara-kyo S', *Journal of Epidemiology*, 21(6), pp. 459–465. doi: 10.2188/jea.JE20110003.

Volkert, D. *et al.* (2019) 'Management of Malnutrition in Older Patients — Current Approaches , Evidence and Open Questions', *Journal of Clinical Medicine*, 8, p. 974.

Wakimoto, P. and Block, G. (2014) 'Dietary Intake , Dietary Patterns , and

Changes With Age: An Epidemiological Perspective', *Journal of Gerontology*, 56A(11), pp. 65–80.

Wallegghen, E. L. Van *et al.* (2007) 'Habitual physical activity differentially affects acute and short-term energy intake regulation in young and older adults', *International Journal of Obesity*, 31(8), pp. 1277–1285. doi: 10.1038/sj.ijo.0803579.

Washburn, R. *et al.* (2003) 'The validity of the Stanford seven-day physical activity recall in young adults', *Medicine & Science in Sports & Exercise*, 35, pp. 1374–1380.

Webster, S. *et al.* (2011) 'A Brief Questionnaire Is Able To Measure Population Physical Activity Levels Accurately: A Comparative Validation Study', *Journal of Clinical Gerontology and Geriatrics*. Elsevier Taiwan LLC, 2, pp. 83–87. doi: 10.1016/j.jcgg.2011.06.003.

Welk, G. (2002) *Physical activity assessments for health-related research*. Human Kinetics Publisher.

Whittaker, A. C. *et al.* (2020) 'Physical Activity and Nutrition Influences In ageing (PANINI): Consortium Mission Statement', *Aging Clinical and Experimental Research*. Springer International Publishing, 30(6), pp. 685–692. doi: 10.1007/s40520-017-0823-7.

Widiyatmoko, F. A. and Hadi, H. (2018) 'Tingkat Aktivitas Fisik Siswa Di Kota Semarang', *Journal Sport Area*, 3(2), pp. 140–147.

Wilcox, S. *et al.* (2000) 'Do Changes in Physical Activity Lead to Dietary Changes in Middle and Old Age?', *American Journal of Preventive Medicine*, 18(4),

pp. 276–283.

Win, A. Z. *et al.* (2017) 'High Prevalence Of Malnutrition Among Elderly Veterans In Home Based Primary Care', *Nournal Nutrition Health Aging*, 21(6), pp. 610–613.

Wowor, R. and Wantania, F. (2020) 'Masalah Kesehatan pada Lansia : Sindroma Frailty', *Jurnal Biomedik*, 12(28), pp. 83–87.