

## DAFTAR PUSTAKA

- 360 ResearchReports. (2020). *GLOBAL LEVULINIC ACID MARKET RESEARCH REPORT 2020*. tersedia di : <https://www.360researchreports.com/global-levulinic-acid-market-16394952> [1]
- Aries, R. S., and Newton, R. D., 1955, *Chemical Engineering Cost Estimation*, McGraw-Hill, New York.
- ASME Guidelines for Water Quality in Modern Industrial Water Tube Boilers for Reliable Continuous Operation.
- Badan Pusat Statistik Provinsi Riau. Upah Minimum Kabupaten/Kota (UMK) (Rupiah), 2018-2020. tersedia di:  
<https://riau.bps.go.id/indicator/6/81/1/upah-minimum-kabupaten-kota-umk-.html>
- Barker, G. (2018). *The Engineer's Guide to Plant Layout and Piping Design for the Oil and Gas Industries*. New York: Elsevier
- Batang Sawit Bernilai Tinggi (2013, 24 Mei). *Kompas.com*. tersedia di:  
<https://regional.kompas.com/read/2013/05/23/02481574/batang.sawit.bernilai.tinggi?page=all#:~:text=Berdasarkan%20karakteristik%20fisik%20batang%20sawit,juta%20meter%20kubik%20per%20tahun.>
- Bintaro, A. dan Abidin, M. (2014). Pengukuran Total Alkalinitas di Perairan Estuari Sungai Indragiri Provinsi Riau. *Balai Penelitian Perikanan Perairan Umum-Palembang*.
- BioMatics.Inc. (2002). Commercialization of The Biofine Technology for Levulinic Acid Production From Paper Sludge. DOE Cooperative Agreement No. DE-FC02-95CE41178
- Brown, G.G., (1978), *Unit Operation*, 3rd edition, Tokyo: McGraw Hill International Book Company.
- Coulson, J.M. and Richardson, J.F., (1989), “*Chemical Engineering*”, vol 6., Pergamon Press, Oxford.
- Crowl, D.A, Louvar, J.F. (2002). *Chemical Process Safety*. Prentice Hall. New Jersey.

- Daud, M., Syafii, W., dan Syamsu, K. (2018). Pemanfaatan Batang Kelapa Sawit (*Elaeis guineensis* Jacq.) Menjadi Bioetanol dengan Perlakuan Pendahuluan Menggunakan Proses Kraft. *artikel IPB*. tersedia di:  
[https://www.researchgate.net/publication/327361613\\_Pemanfaatan\\_Batang\\_Kelapa\\_Sawit\\_Elaeis\\_guineensis\\_Jacq\\_Menjadi\\_Bioetanol\\_dengan\\_Perlakuan\\_Pendahuluan\\_Menggunakan\\_Proses\\_Kraft](https://www.researchgate.net/publication/327361613_Pemanfaatan_Batang_Kelapa_Sawit_Elaeis_guineensis_Jacq_Menjadi_Bioetanol_dengan_Perlakuan_Pendahuluan_Menggunakan_Proses_Kraft)
- Dharyati, E., Utomo, A. D., Adjie, S., Wijaya, A. D., Subroto, G., Busrol, Ismeywati, D., Harmilia, E. D., Ridho, R., Putranto, D., Sukimin. (2009). *Pendugaan Stratifikasi Tropogenic Layer (fotik, afotik, epilimnion, hypolimnion) dan Carrying Capacity beban pakan dari KJA di Waduk Kedung Ombo dan Gajah Mungkur, Jawa Tengah*. Balai Riset Perikanan Perairan Umum, Pusat Riset Perikanan Tangkap, Badan Riset Kelautan Dan Perikanan, Departemen Kelautan Dan Perikanan.
- Hasibuan, I. F., Hariyadi, S., Adiwilaga, E. M. (2017). Status Kualitas Air dan Kesuburan Perairan Waduk PLTA Koto Panjang, Provinsi Riau. *Jurnal Ilmu Pertanian Indonesia*, 22(3), 147 – 155. DOI: 10.18343/jipi.22.3.147.
- Elustondo, D., dan Oliveira, L. (2009). Model to assess energy consumption in industrial lumber kilns. *Maderas: Ciencia y Tecnologia*. 11(1). 33-46. [online]. doi: 10.4067/S0718-221X2009000100003
- Erwinsyah. (2008). Improvement of Oil Palm Wood Properties Using Bioresin [disertasi]. Universitas Teknologi Dresden-Belanda.
- European Commission. (2006). “Emission from Storage”. Best Available Techniques Document.
- Global Asset Protection Services. (2000). *Oil and Chemical Plant Layout and Spacing*. HSB Industrial Risk Insurers.
- GlobalInfoResearch. *The global average price of Levulinic Acid is in the decreasing trend, from 9.12 USD/Kg in 2013 to 8.56 USD/Kg in 2017*. tersedia di : [https://www.globalinfosearch.com/info/global-levulinic-acid-market-2018-forecast-to-2023\\_i0166.html](https://www.globalinfosearch.com/info/global-levulinic-acid-market-2018-forecast-to-2023_i0166.html) [2]

- Gozan, M., dkk. (2018). Techno-economic Assessment of Levulinic Acid Plant from *Sorghum Bicolor* in Indonesia. *IOP Conference. Series: Material Science Engineering*. 345 012012
- Grand View Research. (2020). *Levulinic Acid Market Analysis And Segment Forecasts To 2020*. tersedia di :  
<https://www.grandviewresearch.com/industry-analysis/levulinic-acid-market>
- Hayes, D.J., Fitzpatrick, S., Hayes, M. H. B., Ross, J, R. H. (2006). The Biofine Process – Production of Levulinic Acid, Furfural, and Formic Acid from Lignocellulosic Feedstocks, dalam *Biorefineries – Industrial Processes and Products*. WILEY-VCH Verlag GmbH & Co.
- Japan International Cooperation Agency. (2013). *Design of Thermal Power Facilities*.
- Japan International Cooperation Agency. (2013). *Design of Thermal Power Facilities*.
- Kementerian Pekerjaan Umum dan Perumahan Rakyat. (2017). *Fighting Inequality for Better Growth*. Presentasi pada Indonesia Development Forum, Jakarta.
- Kementerian Pertanian Republik Indonesia. (2019). Peremajaan Kelapa Sawit Untuk Tingkatkan Pendapatan Petani dan Kemajuan Sawit Indonesia.  
<https://www.pertanian.go.id/home/?show=news&act=view&id=2298#>
- Ken Whitelaw. (1997). “ISO 14001 *Environmental System Handbooks*”. Jordan Hillm, Oxford
- Kern, D.Q., (1965), “*Process Heat Transfer*”, McGraw Hill Book Company Inc., New York.
- Market Research Future. (2020). Global Levulinic acid Market Information: by technology (acid hydrolysis production process, biofine), by the application (food additive, pharmaceuticals, cosmetic & personal care and others) and region - forecast till 2023. tersedia di  
<https://www.marketresearchfuture.com/reports/levulinic-acid-market-1639>

- MarketWatch. (2020). Levulinic Acid Market 2020: Top Countries Data, Global demand Analysis, Market Size, Growth, Defination, Opportunities And Forecast To 2026. tersedia di: <https://www.marketwatch.com/press-release/levulinic-acid-market-2020-top-countries-data-global-demand-analysis-market-size-growth-defination-opportunities-and-forecast-to-2026-2020-10-29> [3]
- Material Safety Data Sheet.  
[<http://matche.com>], diakses pada tanggal 20 Mei 2021.
- Occupational Safety and Health Act. (2000). *Process Safety Management*. U.S. Department of Labor.
- Parrondo, J., Suarez, S.V., Santolaria, C. (1998). Development of a predictive maintenance system for a centrifugal pump. doi: 10.1108/13552519810223490
- Peraturan Pemerintah Republik Indonesia No. 41 Tahun 1999 tentang Pengendalian Pencemaran Udara
- Perry, R. H., & Green, D. W. (2008). *Perry's chemical engineers' handbook*. New York: McGraw-Hill
- Peters, M. S., and Timmerhaus, K. D., 1991, *Plant Design and Economics for Chemical Engineers*, 4th ed., McGraw-Hill, Singapore.
- Prescient & Strategic Intelligent. (2020). *Levulinic Acid Market Overview*. tersedia di <https://www.psmarketresearch.com/market-analysis/levulinic-acid-market> [4]
- Rackemann, D.W. (2014). *Production Of Levulinic Acid and Other Chemicals From Sugarcane Fibre*. [thesis]. Queensland University of Technology.
- Rase, H.F., (1977), “*Chemical Reactor Design for Process Plant* “, John Wiley and Sons Inc., New York.
- Research and Markets. *Levulinic Acid Market: Global Industry Trends, Share, Size, Growth, Opportunity and Forecast 2020-2025*. tersedia di: <https://www.researchandmarkets.com/reports/5021736/levulinic-acid-market-global-industry-trends> [5]

- Riau Kembangkan Potensi Hilirisasi Industri Kelapa Sawit dan Pariwisata (2020), 13 Juli). *inforiau.net*. tersedia di: <https://www.inforiau.net/2020/07/riau-kembangkan-potensi-hilirisasi.html>
- Ro, J., Kim, H., dan Kim, I. (2014). Pharmaceutical Particle Technologies: An Approach to Improve Drug Solubility, Dissolution and Bioavailability. *Asian Journal of Pharmaceutical Sciences*. 9(6). 1-13. [online] doi: 10.1016/j.ajps.2014.05.005
- Sadeghbeigi, R. (2012). *Fluid Catalytic Cracking Handbook*. New York : Elsevier
- Sanou, Y., Pare, S., Baba, G., Segebeaya, N. K., Bonzi, L, Y. (2015), Removal COD in Wastewater by Activated Charcoal from Rice Husk. *Revue des Sciences de l'Eau* 29(3) (2016) 265-277
- Schweitzer, P.A., (1979), "*Handbook of Separation Techniques*", McGraw-Hill Book Company Inc., New York.
- Signoretto, M., Taghavi, S., Ghedini, E., Menegazzo, F. (2019). Catalytic Production of Levulinic Acid (LA) from Actual Biomass. *Molecules* 2019. 24(2760). [online] doi:10.3390/molecules24152760
- Sinnot, R. K., Coulson J.M., and Richardson, J.F. (1994). *Chemical Engineering Design* (4th ed., Vol. 6). Oxford: Elsevier Butterworth-Heineman.
- Suwarnoto, A. (2018). *Dampak Mengerikan Kerusakan dan Akibat Ganoderma*, dalam Majalah Sawit Indonesia. [online]. tersedia di <https://sawitindonesia.com/dampak-mengerikan-kerusakan-dan-akibat-ganoderma/>
- Suyanto, Matsunaga, K, Inoue, H., Sakanishi, K. (2015). Produksi Bioetanol dari Batang Tua Kelapa Sawit dengan Air Panas Bertekanan dan Ball Mill. *Jurnal BPPT*. 2(2015). 49-54. [online]. tersedia di <http://ejurnal.bppt.go.id/index.php/JBBI/article/view/508>
- Sweygers, N., Depuydt, D. E. C., Van Vuure, A, W., Degreve, J., Potters, G., Dewil, R., Appels, L. (2020). Simultaneous production of 5-hydroxymethylfurfural and furfural from bamboo (*Phyllostachys Nigra*

“Boryana”) in a biphasic reaction system. *Chemical Engineering Journal*, 386, 123957.

Takkellapati, S., Li, T., Gonzales., M.A. (2018). An Overview of Biorefinery-derived platform chemicals from cellulose and hemicellulose biorefinery. *Clean Technologies and Environmental Policy*(20).pp.1615-1630

Tarleton, E.S., dan Wakeman, R. J. (2007). *Solid/Liquid Separation*.

Loughborough: Elsevier

Tsoumis G. (1991). *Science and Technology Wood. Structur, Properties Utilization*. USA: Van Nostrand Reinhold Inc.

Vakkilainen, E.K. (2017). Boiler Processes, *Steam Generation from Boiler* (pp 57-86). Elsevier.

Yaws, C.L. (1999). *Chemical Properties Handbook*. Mc.Graw-Hill: New York

Yuzgec, U., Turker, M., Becerkli, Y. (2004). Modelling of batch fluidized bed drying of baker yeast for cylindrical pellets. *Proceedings of the IEEE International Conference on Computer Vision*. [online]. doi: 10.1109/ICMECH.2004.1364403