

## DAFTAR PUSTAKA

- Ahmadi, M. and Shojaei, A., 2013, Cure Kinetic and Network Structure of NR/SBR Composites Reinforced by Multiwalled Carbon Nanotube and Carbon Blacks, *Thermochim. Acta*, 566, 238–248.
- Anonim, 2007, Test Methods of Rubber Materials and Products, *Matador*, 1–118.
- Anonim, 2010, ISO 48-4:2018, *Rubber, Vulcanized or Thermoplastic — Determination of Indentation Hardness — Part 1: Durometer Method (Shore Hardness)*, 2<sup>nd</sup> ed., The International Organization for Standardization, Switzerland.
- Anonim, 2016, ASTM D412-16e1, *Standard Test Methods for Vulcanized Rubber and Thermoplastic Elastomers — Tension*, ASTM International, West Conshohocken.
- Anonim, 2017, AOCS Official Method Cd 3d-63, *Official Methods and Recommended Practices of the AOCS*, 7<sup>th</sup> ed., The American Oil Chemists' Society, Urbana.
- Anonim, 2017, ISO 37:2017(E), *Rubber, Vulcanized or Thermoplastic — Determination of Tensile Stress-Strain Properties*, 6<sup>th</sup> ed., The International Organization for Standardization, Switzerland.
- Balani, K., Vivek, V., Arvind, A., and Roger, N., 2015, *Biosurfaces: Physical, Thermal, and Mechanical Properties of Polymers*, 1<sup>st</sup> ed., John Wiley & Sons, Inc, United State.
- Bocqué, M., Coline, V., Vincent, L., Sylvain, C., and Jean-Jacques., R., 2016, Petro-Based and Bio-Based Plasticizers: Chemical Structures to Plasticizing Properties, *J. Polym. Sci. Part A Polym. Chem.*, 1(54), 11–33.
- Chen, S., Li, T., Wan, S., Huang, X., Cai, S., He, X., and Zhang, R., 2019, Effect of Nitrogen-Doped Graphene Oxide on the Aging Behavior of Nitrile-Butadiene Rubber, *Polymers (Basel)*, 11(10), 1637.
- Commission Delegated Directive (EU) 2015/863, 2015, *Directives*, Amending Annex II to Directive 2011/65/EU of the European Parliament and of the Council as regards the list of restricted substances, L 137/10–12.
- da Costa, H.M., Abrantes, T.A.S., Nunes, R.C.R., Visconte, L.L.Y., and Furtado, C.R.G., 2003, Design and Analysis of Experiments in Silica Filled Natural Rubber Compounds — Effect of Castor Oil, *Polym. Test.*, 7(22), 769–777.
- da Silva, M.A., Melissa, G.A.V., André, C.G.M., and Marisa, M.B., 2011, Polyvinylchloride (PVC) and Natural Rubber Films Plasticized with a Natural Polymeric Plasticizer Obtained Through Polyesterification of Rice Fatty Acid,

*Polym. Test.*, 5(30), 478–484.

Dewi, I.R., Ihda, N.I., and Ike, S., 2016, Blends of Nitrile Butadiene Rubber/Poly (Vinyl Chloride): The Use of Maleated Anhydride Castor Oil Based Plasticizer, *Maj. Kulit, Karet, dan Plast.*, 1(32), 51–58.

Dunford, N.T., 2012, *Food and Industrial Bioproducts and Bioprocessing*, John Wiley & Sons, Inc., New Jersey.

Erythropel, H.C., Tobin, B., Milan, M., Jim, A.N., David, G.C., and Richard, L.L., 2015, Designing Greener Plasticizers: Effects of Alkyl Chain Length and Branching on the Biodegradation of Maleate Based Plasticizers, *Chemosphere*, 134, 106–112.

Fernandez, S.S., Sam, K., and Swapankumar, G., 2015, Linseed Oil Plasticizer Based Natural Rubber/Expandable Graphite Vulcanizates: Synthesis and Characterizations, *J. Polym. Environ.*, 23, 526–533.

Fu, Q., Jihuai, T., Fang, W., and Xinbao, Z., 2020, Study on the Synthesis of Castor Oil-Based Plasticizer and the Properties of Plasticized Nitrile Rubber, *Polymers (Basel)*, 12(11), 2584.

Funt, J.F., 2009, *Mixing of Rubber*, Smithers Rapra Technology Limited, Shrewsbury.

Ghorui, S., Bandyopadhyay, N.R., Dipa, R., Suparna, S., and Tanusree, K., 2011, Use of Maleated Castor Oil as Biomodifier in Unsaturated Polyester Resin/Fly Ash Composites, *Ind. Crops Prod.*, 1(34), 893–899.

Indrajati, I.N. and Dewi, I.R., 2017, Performance of Maleated Castor Oil Based Plasticizer on Rubber: Rheology and Curing Characteristic Studies,. In, *IOP Conference Series: Materials Science and Engineering*, 2017, Yogyakarta.

Intharapat, P., Kongnoo, A., and Maiwat, P., 2020, Bio-processing aids based on jatropa seed oil and its epoxidized derivatives in carbon black-reinforced natural rubber, *J. Vinyl Addit. Technol.*, 1(26), 62–76.

Karthick, N.K., Arivazhagan, G., and Kannan, P.P., 2020, FTIR Spectroscopic Studies and DFT Calculations on the Binary Solution of Methyl Acetate with m-Xylene, *J. Mol. Liq.*, 313, 113491.

Khalaf, A.I., Yehia, A.A., Ismail, M.N., and El-Sabbagh, S.H., 2013, High Performance Oil Resistant Rubber, *Open J. Org. Polym. Mater.*, 2, 88–93.

Konar, B. and Saha, M., 2012, Influence of Polymer Coated CaCO<sub>3</sub> on Vulcanization Kinetics of Natural Rubber/Sulfur/N-oxydiethyl Benzthiazyl Sulfenamide (BSM) System, *J. Macromol. Sci. Part A Pure Appl. Chem.*, 3(49), 214–226.

- Kulkarni, M. and Sawant, S., 2003, Kinetics of the Catalytic Esterification of Castor Oil with Lauric Acid Using n-Butyl Benzene as a Water Entrainer, *JAOCS, J. Am. Oil Chem. Soc.*, 80, 1033–1038.
- Kutz, M., 2017, *Applied Plastics Engineering Handbook*, 2<sup>nd</sup> ed. Elsevier Inc., New York.
- Latini, G., Claudio, D.F., and Alberto, V., 2004, Plasticizers, Infant Nutrition and Reproductive Health, *Reprod. Toxicol.*, 1(19), 27–33.
- Lu, J., Shrikant, K., and Richard, P.W., 2005, New Sheet Molding Compound Resins from Soybean Oil. I. Synthesis and Characterization, *Polymer (Guildf.)*, 1(46), 71–80.
- Manoj, K.C., Prajitha, K., and Unnikrishnan, G., 2010, Cure Characteristics, Swelling Behaviors, and Mechanical Properties of Carbon Black Filler Reinforced EPDM/NBR Blend System, *J. Appl. Polym. Sci.*, 120, 2654–2662.
- Maria, H.J., Nathalie, L., Ange, N., Cherian, M., Soney, C.G., Kuruvilla, J., and Sabu, T., 2013, Transport of Organic Solvents through Natural Rubber/Nitrile Rubber/Organically Modified Montmorillonite Nanocomposites, *J. Mater. Sci.*, 48, 5373–5386.
- Mark, J.E., Erman, B., and Roland, M., 2013, *The Science and Technology of Rubber*, 4<sup>th</sup> ed. Elsevier Inc., Oxford.
- Mazo, P., Diana, E., Marisa, S., and Luis, R., 2012, Kinetics of the Transesterification of Castor Oil with Maleic Anhydride Using Conventional and Microwave Heating, *JAOCS, J. Am. Oil Chem. Soc.*, 7(89), 1355–1361.
- Merck, 2018, *Sigma-Aldrich: Poly(acrylonitrile-co-butadiene)*, (sumber: <https://www.sigmaaldrich.com/ID/en/product/aldrich/180912>, diakses pada tanggal 12 April 2021 pukul 12:21 WIB).
- Mistri, E., Routh, S., Ray, D., Sahoo, S., and Misra, M., 2011, Green Composites from Maleated Castor Oil and Jute Fibres, *Ind. Crops Prod.*, 1(34), 900–906.
- Mutlu, H. and Meier, M.A.R., 2010, Castor Oil as a Renewable Resource for the Chemical Industry, *Eur. J. Lipid Sci. Technol.*, 1(112), 10–30.
- Ogunniyi, D.S., 2006, Castor Oil: A Vital Industrial Raw Material, *Bioresour. Technol.*, 9(97), 1086–1091.
- Oh, J., Yong, H.Y., Il-Sou, Y., Yang-Il, H., Tapan, K.C., and Changwoon, N., 2014, Effect of Plasticizer and Curing System on Freezing Resistance of Rubbers, *J. Appl. Polym. Sci.*, 2(131), 39795.
- Patel, V.R., Gerard, G.D., Lakshmi, C.K., Randall, M., and Bryan, J.J.S., 2016,

Castor Oil: Properties, Uses, and Optimization of Processing Parameters in Commercial Production, *Lipid Insights*, 9, 1–12.

Pechurai, W., Warunee, W., and Pariya, T., 2015, Effect of Vegetable Oils as Processing Aids in SBR Compounds,. In, *Macromolecular Symposia.*, 2015, Weinheim.

Petrović, Z.S., Mihail, I., Jelena, M., and James, R.H., 2013, Soybean Oil Plasticizers as Replacement of Petroleum Oil in Rubber, *Rubber Chem. Technol.*, 2(86), 233–249.

Pöschl, M., Shibulal, G.S., Radek, S., and Ondřej, K., 2021, Rheometer Evidences for the Co-Curing Effect of a Bismaleimide in Conjunction with the Accelerated Sulfur on Natural Rubber/Chloroprene Rubber Blends, *Polymers (Basel).*, 13(9), 1510.

Rahman, M.M., Katja, O., Katrin, R., and Beate, L., 2020, Influence of Bio-Based Plasticizers on the Properties of NBR Materials, *Materials (Basel).*, 13(9), 2095.

Rajasekar, R., Kaushik, P., Gert, H., Amit, D., and Das, C.K., 2009, Development of Nitrile Butadiene Rubber-Nanoclay Composites with Epoxidized Natural Rubber as Compatibilizer, *Mater. Des.*, 9(30), 3839–3845.

Raju, P., Nandanan, V., and Sunil, K.N.K., 2008, A Study on the Use of Linseed Oil as Plasticiser in Natural Rubber Compounds, *J. Rubber Res.*, 11(3), 147–162.

Ray, D., Subhankar, G., Bandyopadhyay, N.R., Suparna, S., and Tanusree, K., 2012, New Materials from Maleated Castor Oil/Epoxy Resin Blend Reinforced with Fly Ash, *Ind. Eng. Chem. Res.*, 6(51), 2603–2608.

Sert, E. and Atalay, F.S., 2014, n-Butyl Acrylate Production by Esterification of Acrylic Acid with n-Butanol Combined with Pervaporation, *Chem. Eng. Process. Process Intensif.*, 81, 41–47.

Simpson, R.B., 2002, Rubber Basics, Rapra Technology Ltd., Shawbury.

Srivastava, S. and Mishra, Y.K., 2018, Nanocarbon Reinforced Rubber Nanocomposites: Detailed Insights about Mechanical, Dynamical Mechanical Properties, Payne, and Mullin Effects, *Nanomaterials*, 8(11), 945.

Thomas, A., 2000, *Ullmann's Encyclopedia of Industrial Chemistry: Fats and Fatty Oils*, Wiley-VCH Verlag GmbH & Co., Weinheim.

Visakh, P.M., Sabu, T., Arup, K.C., and Aji, P.M., 2013, *Advances in Elastomers I: Blends and Interpenetrating Networks*, Springer, Berlin.

- Wang, H.J., Min, Z.R., Ming, Q.Z., Jing, H., Hui, W.C., and Tibor, C., 2008, Biodegradable Foam Plastics Based on Castor Oil, *Biomacromolecules*, 9(2), 615–623.
- Wei, X.F., Erik, L., and Mikael, S.H., 2019, Plasticiser Loss from Plastic or Rubber Products Through Diffusion and Evaporation, *npj Mater. Degrad.*, 3, 18.
- Wilkes, C.E., Charles, A.D., and James, W.S., 2005, *PVC Handbook*, Hanser, Ohio.
- Xu, H., Tao, F., Neng, Y., Weidong, W., Daye, H., Danling, W., Zhao, W., and Liqun, Z., 2020, Plasticization Effect of Bio-Based Plasticizers from Soybean Oil for Tire Tread Rubber, *Polymers (Basel)*, 12(3), 623.
- Zhu, L., Cheung, C.S., Zhang, W.G., and Zhen, H., 2015, Compatibility of Different Biodiesel Composition with Acrylonitrile Butadiene Rubber (NBR), *Fuel*, 158, 288–292.