

DAFTAR PUSTAKA

- Abalos, E., Duley, L., Steyn, D.W., dan Henderson-Smart, D.J., 2007. Antihypertensive drug therapy for mild to moderate hypertension during pregnancy. *Cochrane database of systematic reviews*, .
- ACOG Committee on Practice Bulletins--Obstetrics, 2002. ACOG practice bulletin. Diagnosis and management of preeclampsia and eclampsia. Number 33, January 2002. *Obstetrics and gynecology*, **99**: 159–167.
- American College of Obstetricians and Gynecologists, 2006. ACOG Practice Bulletin: Clinical Management Guidelines for Obstetrician-Gynecologists Number 76, October 2006: postpartum hemorrhage. *Obstetrics and gynecology*, **108**: 1039–47.
- Anderson, G.D. dan Carr, D.B., 2009. Effect of Pregnancy on the Pharmacokinetics of Antihypertensive Drugs. *Clinical Pharmacokinetic*, **48**: 1590168.
- Anvaripour, A., Shahryari, H., Ahmadi, S., Ghasemi, S., dan Mirzaei, K., 2013. Comparison the effects of oxytocin and methylergonovine in elective caesarean section under spinal anesthesia. *Archives of Gynecology and Obstetrics*, **287**: 979–983.
- Barbosa, I.R.C., Silva, W.B.M., Cerqueira, G.S.G., Novo, N.F., Novo, J.L.V.G., dan Almeida, F.A., 2015. Maternal and fetal outcome in women with hypertensive disorders of pregnancy: The impact of prenatal care. *Therapeutic Advances in Cardiovascular Disease*, **9**: 140–146.
- Barton, J.R., O'Brien, J.M., Bergauer, N.K., Jacques, D.L., dan Sibai, B.M., 2001. Mild gestational hypertension remote from term: Progression and outcome. *American Journal of Obstetrics and Gynecology*, **184**: 979–983.
- Bateman, B.T., Paterno, E., Desai, R.J., Seely, E.W., Mogun, H., Maeda, A., dkk., 2016. Late pregnancy β blocker exposure and risks of neonatal hypoglycemia and bradycardia. *Pediatrics*, **138**: .
- Bdolah, Y., Lam, C., Rajakumar, A., Shivalingappa, V., Mutter, W., Sachs, B.P., dkk., 2008. Twin pregnancy and the risk of preeclampsia: bigger placenta or relative ischemia? *American Journal of Obstetrics and Gynecology*, **198**: 428.e1-428.e6.
- Bellamy, L., Casas, J.P., Hingorani, A.D., dan Williams, D.J., 2007. Pre-eclampsia and risk of cardiovascular disease and cancer in later life: Systematic review and meta-analysis. *British Medical Journal*, **335**: 974–977.
- Ben-Ami, M., Giladi, Y., dan Shalev, E., 1994. The combination of magnesium sulphate and nifedipine : a cause of neuromuscular blockade. *British Journal of Obstetrics and Gynaecology*, **101**: 262–263.

- Bonet, M., Ota, E., Chibueze, C.E., dan Oladapo, O.T., 2017. Routine antibiotic prophylaxis after normal vaginal birth for reducing maternal infectious morbidity (Review). *Cochrane Database of Systematic Reviews*, .
- Breetveld, N.M., Ghossein-Doha, C., Van Kuijk, S.M.J., Van Dijk, A.P., Van Der Vlugt, M.J., Heidema, W.M., dkk., 2015. Cardiovascular disease risk is only elevated in hypertensive, formerly preeclamptic women. *BJOG: An International Journal of Obstetrics and Gynaecology*, **122**: 1092–1100.
- Broekhuijsen, K., Ravelli, A.C.J., Langenveld, J., Van Pampus, M.G., Van Den Berg, P.P., Mol, B.W.J., dkk., 2015. Maternal and neonatal outcomes of pregnancy in women with chronic hypertension: A retrospective analysis of a national register. *Acta Obstetrica et Gynecologica Scandinavica*, **94**: 1337–1345.
- Brown, C.M. dan Garovic, V.D., 2014. Drug treatment of hypertension in pregnancy. *Drugs*, **74**: 283–296.
- Brown, M.A., Buddle, M.L., Farrell, T., dan Davis, G.K., 2002. Efficacy and safety of nifedipine tablets for the acute treatment of severe hypertension in pregnancy. *American Journal of Obstetrics and Gynecology*, **187**: 1046–1050.
- Brown, M.A., Magee, L.A., Kenny, L.C., Karumanchi, S.A., McCarthy, F.P., Saito, S., dkk., 2018. Hypertensive disorders of pregnancy: ISSHP classification, diagnosis, and management recommendations for international practice. *Hypertension*, **72**: 24–43.
- Clark, S.L., Simpson, K.R., Knox, G.E., dan Garite, T.J., 2009. Oxytocin: new perspectives on an old drug. *American Journal of Obstetrics and Gynecology*, **200**: 35.e1-35.e6.
- Clark, S.M., Dunn, H.E., dan Hankins, G.D.V., 2015. A review of oral labetalol and nifedipine in mild to moderate hypertension in pregnancy. *Seminars in Perinatology*, **39**: 548–555.
- Conde-Agudelo, A., Romero, R., dan Kusanovic, J.P., 2011. Nifedipine in the management of preterm labor: A systematic review and metaanalysis. *American Journal of Obstetrics and Gynecology*, **204**: 134.e1-134.e20.
- Csonka, C., Sárközy, M., Pipicz, M., Dux, L., dan Csont, T., 2016. Modulation of hypercholesterolemia-induced oxidative/nitrative stress in the heart. *Oxidative Medicine and Cellular Longevity*, **2016**: .
- De Kock, J., Heyns, T., dan Van Rensburg, G., 2008. The ABC of haemorrhagic shock. *PNT*, **12**: .
- Delara, M., Chauhan, B.F., Le, M.-L., Abou-Setta, A.M., Zarychanski, R., dan W 'tJong, G., 2018. Efficacy and safety of pulmonary application of

corticosteroids in preterm infants with respiratory distress syndrome: a systematic review and meta-analysis. *Archives Dis Child Fetal Neonatal*, **104**: 137–144.

Dinkes, 2018. Profil Kesehatan Provinsi Jawa Tengah 2017. *Dinkes Jateng*, 97.

Dinkes, 2019. Profil Kesehatan Provinsi Jawa Tengah 2018. *Dinkes Jateng*, 97.

Dolea, C. dan Abouzahr, C., 2003. Global burden of hypertensive disorders of pregnancy in the year 2000. GBD 2000 Working Paper, World Health Organization, Geneva. <http://www.who.int/evidence/bod2003b>. “Global Burden of Obstructed Labor in the Year 2000.” GBD 2000 Working Paper, World H. *Reproductive Health*, 1–11.

Douma, L.G. dan Gumz, M.L., 2018. Circadian Clock-Mediated Regulation of Blood Pressure Lauren. *Free Radic Biol Med.*, **119**: 108–114.

Duan, L., Ng, A., Chen, W., Spencer, H.T., dan Lee, M.S., 2018. Beta-blocker subtypes and risk of low birth weight in newborns. *Journal of Clinical Hypertension*, **20**: 1603–1609.

Duckitt, K. dan Harrington, D., 2005. Risk factors for pre-eclampsia at antenatal booking: Systematic review of controlled studies. *British Medical Journal*, **330**: 565–567.

Duley, L., 2009. The Global Impact of Pre-eclampsia and Eclampsia. *Seminars in Perinatology*, **33**: 130–137.

Easterling, T., Mundle, S., Bracken, H., Parvekar, S., Mool, S., Magee, L.A., dkk., 2019. Oral antihypertensive regimens (nifedipine retard, labetalol, and methyldopa) for management of severe hypertension in pregnancy: an open-label, randomised controlled trial. *The Lancet*, **394**: 1011–1021.

Etikan, I., Musa, S.A., dan Alkassim, R.S., 2016. Comparison of Convenience Sampling and Purposive Sampling. *American Journal of Theoretical and Applied Statistics*, **5**: 1.

Euser, A.G. dan Cipolla, M.J., 2009. Magnesium sulfate for the treatment of eclampsia a brief review. *Stroke*, **40**: 1169–1175.

Food and Drug Administration, U.S., 2010. 'Extended Release Tablets For Oral Use CCDS 11 Update 24 Aug 2018 Reference ID : 2910908 CCDS 11 Update 24 Aug 2018 Reference ID : 2910908'.

George, E.M. dan Granger, J.P., 2011. Endothelin: Key mediator of hypertension in preeclampsia. *American Journal of Hypertension*, **24**: 964–969.

Gofton, E.N., Capewell, V., Natale, R., dan Gratton, R.J., 2001. Obstetrical intervention rates and maternal and neonatal outcomes of women with gestational

- hypertension. *American Journal of Obstetrics and Gynecology*, **185**: 798–803.
- Hui, C., Lili, M., Libin, C., Rui, Z., Fang, G., Ling, G., dkk., 2012. Changes in coagulation and hemodynamics during pregnancy: A prospective longitudinal study of 58 cases. *Archives of Gynecology and Obstetrics*, **285**: 1231–1236.
- Jobe, A.H., 2010. Lung Maturation: The Survival Miracle of Very Low Birth Weight Infants. *Pediatrics and Neonatology*, **51**: 7–13.
- Kearney, F. dan Moore, A., 2009. Treatment of combined hypertension and orthostatic hypotension in older adults: More questions than answers still remain. *Expert Review of Cardiovascular Therapy*, **7**: 557–560.
- Khan, K., Zamora, J., Lamont, R.F., Van Geijn Hp, H., Svare, J., Santos-Jorge, C., dkk., 2010. Safety concerns for the use of calcium channel blockers in pregnancy for the treatment of spontaneous preterm labour and hypertension: A systematic review and meta-regression analysis. *Journal of Maternal-Fetal and Neonatal Medicine*, **23**: 1030–1038.
- Khan, K.S., Wojdyla, D., Say, L., Gülmezoglu, A.M., dan Van Look, P.F., 2006. WHO analysis of causes of maternal death: a systematic review. *Lancet*, **367**: 1066–1074.
- Koenig, T., Bauersachs, J., dan Hilfiker-kleiner, D., 2018. Bromocriptine for the Treatment of Peripartum Cardiomyopathy. *Cardiac Failure Review*, 46–49.
- Kurniawati, F., Yasin, N.M., dan Ristyaningsih, A., 2018. Studi Eksplorasi Penatalaksanaan Hipertensi Pada Wanita Hamil. *Journal of Chemical Information and Modeling*, **1**: 281–285.
- Langesæter, E., Rosseland, L.A., dan Stubhaug, A., 2011. Haemodynamic effects of oxytocin in women with severe preeclampsia. *International Journal of Obstetric Anesthesia*, **20**: 26–29.
- Lindheimer, M.D., Roberts, J.M., dan Cunningham, F.G., 2009. *Chesley's Hypertensive Disorders in Pregnancy Third Edition*, 3rd ed. Elsevier Inc.
- Lowe, S., Bowyer, L., Lust, K., McMahon, L., North, R., Said, J., dkk., 2014. The SOMANZ Guideline for the Management of Hypertensive Disorders of Pregnancy. *SOMANZ Guideline*, 8.
- Machado, A.P., 2018. The time has come to change ambulatory blood pressure monitoring from 24 hour to 48 hour for the diagnosis of hypertension and cardiovascular risk assessment. *Portuguese Journal of Cardiology*, **37**: 329–331.
- Magee, L.A., 2001a. Antihypertensives. *Best Practice and Research: Clinical Obstetrics and Gynaecology*, **15**: 827–845.

- Magee, L.A., 2001b. Treating hypertension in women of child-bearing age and during pregnancy. *Drug Safety*, **24**: 457–474.
- Magee, L.A., Abalos, E., von Dadelszen, P., Sibai, B., Easterling, T., Walkinshaw, S., dkk., 2011. How to manage hypertension in pregnancy effectively. *British Journal of Clinical Pharmacology*, **72**: 394–401.
- Magee, L.A., Cham, C., Waterman, E.J., Ohlsson, A., dan Von Dadelszen, P., 2003. Hydralazine for treatment of severe hypertension in pregnancy: Meta-analysis. *British Medical Journal*, **327**: 955–960.
- Magee, L.A., Ornstein, M.P., dan von Dadelszen, P., 1999. Fortnightly review: Management of hypertension in pregnancy. *BMJ (Clinical research ed.)*, **318**: 1332–6.
- Magee, L.A., Von Dadelszen, P., Rey, E., Ross, S., Asztalos, E., Murphy, K.E., dkk., 2015. Less-tight versus tight control of hypertension in pregnancy. *New England Journal of Medicine*, **372**: 407–417.
- Magee, L.A., Von Dadelszen, P., Singer, J., Lee, T., Rey, E., Ross, S., dkk., 2016. The CHIPS randomized controlled trial (control of hypertension in pregnancy study). *Hypertension*, **68**: 1153–1159.
- Maynard, S.E., Min, J., Merchan, J., Lim, K.-H., Li, J., Mondal, S., dkk., 2003. Excess Placental Soluble fms-like Hypertension , and Proteinuria in. *Journal of Clinical Investigation*, **111**: 649–58.
- Motedayen, M., Rafiei, M., Tavirani, M.R., Sayehmiri, K., dan Dousti, M., 2019. The relationship between body mass index and preeclampsia: A systematic review and meta-analysis. *International Journal of Reproductive BioMedicine*, **17**: 465–474.
- Musini, V.M. dan Wright, J.M., 2009. 2009 Factors Affecting Blood Pressure Variability.pdf. *PLoS ONE*, **4**: .
- National High Blood Pressure Education, 2000. Report of the National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy. *American Journal of Obstetrics and Gynecology*, **183**: 1–22.
- Ngene, N.C. dan Moodley, J., 2020. Pre-eclampsia with severe features: Management of antihypertensive therapy in the postpartum period. *Pan African Medical Journal*, **36**: 1–15.
- Ngoc, N.T.N., Merialdi, M., Abdel-Aleem, H., Carroli, G., Purwar, M., Zavaleta, N., dkk., 2006. Causes of stillbirths and early neonatal deaths: Data from 7993 pregnancies in six developing countries. *Bulletin of the World Health Organization*, **84**: 699–705.
- Osungbade, K.O. dan Ige, O.K., 2011. Public health perspectives of preeclampsia in

- developing countries: implication for health system strengthening. *Journal of pregnancy*, **2011**: 481095.
- Oyeyemi, A.O. dan Asaolu, M.F., 2015. Reproductive Hormones and Pregnancy Induced Hypertension Cases in Nigerian Women. *IOSR Journal of Environmental Science Ver. I*, **9**: 2319–2399.
- Papatsonis, D.N.M., Bos, J.M., Van Geijn, H.P., Lok, C.A.R., dan Dekker, G.A., 2007. Nifedipine pharmacokinetics and plasma levels in the management of preterm labor. *American Journal of Therapeutics*, **14**: 346–350.
- Petersson, M., 2002. Cardiovascular effects of oxytocin. *Progress in Brain Research*, **139**: 281–288.
- Podymow, T. dan August, P., 2008. Update on the use of antihypertensive drugs in pregnancy. *Hypertension*, **51**: 960–969.
- Podymow, T. dan August, P., 2011. Antihypertensive Drugs in Pregnancy. *Seminars in Nephrology*, **31**: 70–85.
- Rabow, S., Hjorth, U., Schönbeck, S., dan Olofsson, P., 2018. Effects of oxytocin and anaesthesia on vascular tone in pregnant women: a randomised double-blind placebo-controlled study using non-invasive pulse wave analysis. *BMC pregnancy and childbirth*, **18**: 453.
- Raghupathy, R., 2013. Cytokines as key players in the pathophysiology of preeclampsia. *Medical Principles and Practice*, **22**: 8–19.
- Rana, S., Lemoine, E., Granger, J., dan Karumanchi, S.A., 2019. Preeclampsia: Pathophysiology, Challenges, and Perspectives. *Circulation Research*, **124**: 1094–1112.
- Sharwood-Smith, G. dan Drummond, G.B., 2009. Hypotension in obstetric spinal anaesthesia: A lesson from pre-eclampsia. *British Journal of Anaesthesia*, **102**: 291–294.
- Shen, X., Yan, J., dan Ren, A., 2019. Effect of long-acting nifedipine on blood pressure level, eutocia rate and neonatal health status in patients with pregnancy-induced hypertension. *International Journal of Clinical and Experimental Medicine*, **12**: 2605–2611.
- Sibai, B., Dekker, G., Kupferminc, M., dan Way, A.S., 2005. Pre-eclampsia. *Lancet*, **365**: 785–799.
- Sibai, B.M., 2003. Diagnosis and management of gestational hypertension and preeclampsia. *Obstetrics and Gynecology*, **102**: 181–192.
- Sibai, B.M., 2011. Evaluation and management of severe preeclampsia before 34

- weeks' gestation. *American Journal of Obstetrics and Gynecology*, **205**: 191–198.
- Smith, P., Anthony, J., dan Johanson, R., 2000. Nifedipine in pregnancy. *British Journal of Obstetrics and Gynaecology*, **107**: 299–307.
- Subki, A.H., Algethami, M.R., Baabdullah, W.M., Alnefaie, M.N., Alzanbagi, M.A., Alsolami, R.M., dkk., 2018. Prevalence, risk factors, and fetal and maternal outcomes of hypertensive disorders of pregnancy: A retrospective study in Western Saudi Arabia. *Oman Medical Journal*, **33**: 409–415.
- Takenaka, S., Matsuoka, R., Maruyama, D., Kawashima, A., Koide, K., dan Sekizawa, A., 2016. Magnesium sulfate has an antihypertensive effect on severe pregnancy induced hypertension. *Hypertension Research in Pregnancy*, **4**: 11–15.
- Umesawa, M. dan Kobashi, G., 2017. Epidemiology of hypertensive disorders in pregnancy: Prevalence, risk factors, predictors and prognosis. *Hypertension Research*, **40**: 213–220.
- Van Pampus, M.G. dan Aarnoudse, J.G., 2005. Long-term outcomes after preeclampsia. *Clinical Obstetrics and Gynecology*, **48**: 489–494.
- Waisman, G.D., Mayorga, L.M., Camera, M.I., Vignio, C.A., dan Martinotti, A., 1988. Magnesium Plus nifedipine: Potentiation of hypotensive effect in preeclampsia? *American Journal of Obstetrics and Gynecology*, **159**: 308–309.
- Webster, L.M., Myers, J.E., Nelson-Piercy, C., Harding, K., Kennedy Cruickshank, J., Watt-Coote, I., dkk., 2017. Labetalol Versus Nifedipine as Antihypertensive Treatment for Chronic Hypertension in Pregnancy: A Randomized Controlled Trial. *Hypertension*, **70**: 915–922.
- Wilson, R.L., Gummow, J.A., McAninch, D., Bianco-Miotto, T., dan Roberts, C.T., 2018. Vitamin and mineral supplementation in pregnancy: evidence to practice. *Journal of Pharmacy Practice and Research*, **48**: 186–192.
- Wu, Q. ai dan Ye, Y.Q., 2010. Neuromuscular blockade after therapy with magnesium sulfate and amlodipine. *European Journal of Obstetrics and Gynecology and Reproductive Biology*, **149**: 225.
- Xiao, C.W., Gangal, M., dan Abenhaim, H.A., 2014. Effect of magnesium sulfate and nifedipine on the risk of developing pulmonary edema in preterm births. *Journal of Perinatal Medicine*, **42**: 585–589.